


STATUS REPORT ON MISSOURI'S SUBSTANCE USE AND MENTAL HEALTH

Twenty-second Edition -- 2016



MISSOURI DEPARTMENT OF MENTAL HEALTH
Division of Behavioral Health

STATUS REPORT ON MISSOURI'S SUBSTANCE USE AND MENTAL HEALTH

TWENTY-SECOND EDITION — 2016

Randall C. Smith, M.P.A., M.Ed.

Christie J. Lundy, Ph.D.

Renee M. Rothermich, M.A.

MISSOURI DEPARTMENT OF MENTAL HEALTH

Division of Behavioral Health

1706 East Elm Street; P.O. Box 687

Jefferson City, MO 65102

573-751-9499

Website: <http://dmh.mo.gov>

Mark Stringer	Director, Missouri Department of Mental Health
Richard Gowdy, Ph.D.	Director, Division of Behavioral Health
Rikki Wright	Deputy Director, Division of Behavioral Health
Clive Woodward	Director of Research and Statistics



JEREMIAH W. (JAY) NIXON
GOVERNOR



MARK STRINGER
DIRECTOR

RICHARD N. GOWDY, PH.D.
DIRECTOR
**DIVISION OF
BEHAVIORAL HEALTH**
(573) 751-9499
(573) 751-7814 FAX

**STATE OF MISSOURI
DEPARTMENT OF MENTAL HEALTH**

1706 EAST ELM STREET
P.O. BOX 687
JEFFERSON CITY, MISSOURI 65102
(573) 751-4122
(573) 751-8224 FAX
www.dmh.mo.gov

PREFACE

Untreated mental illness and substance use disorders impact all of us. These disorders lead to loss of life, injury, poor health, abuse and distress, family disintegration, reduced productivity, crime, incarceration, and other human consequences. Additionally, the economic cost of serious mental illness in Missouri is over \$10 billion annually and the cost of substance use disorders is approximately \$8 billion.

The *Status Report on Missouri's Substance Use and Mental Health* compiles recent data and highlights behavioral trends measured by national and state surveys. This 2016 edition includes recently-released biennial data for regions of Missouri from the Missouri Student Survey and the National Survey on Drug Use and Health.

Missouri state agencies annually contribute event-based data pertaining to mental illness and substance use. The *Status Report* presents the data in county profiles to facilitate community and regional problem analysis and prevention planning. The Division of Behavioral Health funds clinical treatment for more than 100,000 residents annually. The populations served by these programs are summarized in the county profiles.

I encourage you to use data from the *Status Report* and our other resources to promote efforts to reduce mental illness and substance use disorders. Inquiries and comments regarding this publication should be directed to the Division's Research and Statistics office at dbhmail@dmh.mo.gov.

Sincerely,

A handwritten signature in black ink, appearing to read "Richard N. Gowdy".

Richard N. Gowdy, Ph.D.

ACKNOWLEDGMENTS

The Department of Mental Health appreciates the work, time, and data provided by these individuals and their agencies to produce the 2016 Status Report:

Bryan Angell, Missouri Department of Health and Senior Services
John Blodgett, University of Missouri, OSEDA
Whitney Coffey, Missouri Department of Health and Senior Services
Avera Daniels, Missouri Department of Corrections
Susan Depue, Missouri Institute of Mental Health
Russell Dunwiddie, Missouri Department of Public Safety
Venkata Garikapaty, Missouri Department of Health and Senior Services
Jacob Hopkins, Missouri Office of State Courts Administrator
Andrew Hunter, Missouri Department of Health and Senior Services
David Kelly, Missouri Department of Health and Senior Services
David Litchfield, Missouri Department of Health and Senior Services
Robert Mackenzie, Missouri Department of Public Safety
David McBride, Missouri Department of Health and Senior Services
Rick McElfresh, Missouri Office of State Courts Administrator
Angela McKee, Missouri Department of Health and Senior Services
Doug Middleton, Missouri Department of Public Safety
Richard Morrissey, Missouri Office of State Courts Administrator
Mary Mosley, Missouri Department of Health and Senior Services
Doug Phillips, Missouri Department of Health and Senior Services
Angela Plunkett, Missouri Office of State Courts Administrator
Dan Reilly, University of Missouri—Columbia
Mark Ritchey, Missouri Department of Public Safety
Liz Sale, Missouri Institute of Mental Health
Dennis Schulte, Missouri Department of Public Safety
Tina Senter, Missouri Office of State Courts Administrator
Phillip Shackelford, Missouri Department of Public Safety
Freddie Spraggs, Missouri Department of Social Services
DeWayne Sprenger, Missouri Department of Public Safety
Michael Teel, Missouri Department of Transportation
Chikako Wildhaber, Missouri Department of Public Safety
Janet Wilson, Missouri Department of Health and Senior Services
Shumei Yun, Missouri Department of Health and Senior Services

TABLE OF CONTENTS

SECTION A: INTRODUCTION AND DATA OVERVIEW

PAGE NUMBER

Report Front Cover	A1
Title Page	A2
Director's Preface	A3
Acknowledgments	A4
Table of Contents	A5
Data Highlights	A9

SECTION B: UNITED STATES AND MISSOURI PREVALENCE SURVEYS

National Survey on Drug Use and Health (NSDUH) — Alcohol and Drug Tables and Charts

Alcohol, Tobacco, Illicit Drugs — Overview: U.S. Ages 12 & Older	B1
Alcohol, Tobacco, Illicit Drugs — Overview: U.S. Ages 12-17	B2
Alcohol, Tobacco, Illicit Drugs — Overview: U.S. Ages 18-25	B3
Alcohol, Tobacco, Illicit Drugs — Overview: U.S. Ages 26 & Older	B4
Alcohol — Past-Month Use: U.S. and Missouri Age Groups	B5
Alcohol — Past-Month Binge Use: U.S. and Missouri Age Groups	B6
Alcohol — Perceived Risk of Binge Use: U.S. and Missouri Age Groups	B7
Alcohol — Past-Month, Binge, and Perceived Risk: Missouri Age Groups	B8
Alcohol — Past-Month, Binge, and Perceived Risk: Missouri Planning Regions	B9
Alcohol — Past-Year Dependence or Use Disorder: U.S. and Missouri Age Groups	B10
Tobacco — Past-Month Cigarette Use: U.S. and Missouri Age Groups	B11
Tobacco — Perceived Risk of Cigarette Use: U.S. and Missouri Age Groups	B12
Tobacco — Past-Month Tobacco and Cigarette Use and Perceived Risk: Missouri Age Groups	B13
Tobacco — Past-Month Tobacco and Cigarette Use and Perceived Risk: Missouri Planning Regions	B14
Illicit Drugs — Past-Month Use of Any Illicit Drug: U.S. and Missouri Age Groups	B15
Illicit Drugs — Past-Month Use of Any Illicit Drug Other Than Marijuana: U.S. and Missouri Age Groups	B16
Illicit Drugs — Past-Month Use of Any Illicit Drug and Any Other Than Marijuana: Missouri Planning Regions	B17
Illicit Drugs — Past-Year Dependence or Use Disorder: U.S. and Missouri Age Groups	B18
Marijuana — Past-Month Use: U.S. and Missouri Age Groups	B19
Marijuana — Past-Year Use: U.S. and Missouri Age Groups	B20
Marijuana — Perceived Risk of Use: U.S. and Missouri Age Groups	B21
Marijuana — Past-Month, First-Use in Past Year, Perceived Risk: Missouri Age Groups	B22
Marijuana — Past-Month, First-Use in Past Year, Perceived Risk: Missouri Planning Regions	B23
Cocaine — Past-Year Use: U.S. and Missouri Age Groups	B24
Pain Relievers — Past-Year Use: U.S. and Missouri Age Groups	B25
Marijuana, Cocaine, Pain Relievers — U.S. and Missouri Age Groups	B26
Alcohol, Illicit Drugs — Past-Year Dependence or Use Disorder: U.S. and Missouri Age Groups	B27
Alcohol, Illicit Drugs — Past-Year Dependence or Use Disorder: Missouri Population Estimates	B28
Alcohol, Illicit Drugs — Past-Year Dependence or Use Disorder: Missouri Planning Regions	B29
Alcohol, Illicit Drugs — Past-Year Dependence or Use Disorder: Missouri Age Groups and Planning Regions	B30
Alcohol, Illicit Drugs — Past-Year Unmet Need for Substance Disorder Treatment: Missouri Population Estimates	B31
Alcohol, Illicit Drugs — Past-Year Unmet Need for Substance Disorder Treatment: Missouri Regions	B32
Alcohol, Illicit Drugs — Past-Year Unmet Need for Substance Disorder Treatment: Missouri Age Groups and Regions	B33

National Survey on Drug Use and Health (NSDUH) — Mental Health Charts

Mental Illness — Any Mental Illness in Past Year: U.S. and Missouri Age Groups	B34
Mental Illness — Serious Mental Illness in Past Year: U.S. and Missouri Age Groups	B35
Mental Illness — Any Mental Illness and Serious Mental Illness: Missouri Age Groups and Planning Regions	B36
Depression — Major Past-Year Episode: U.S. and Missouri Age Groups	B37
Depression — Major Past-Year Episode: Missouri Age Groups and Planning Regions	B38
Suicide — Serious Thoughts of Suicide in Past Year: U.S. and Missouri Age Groups	B39
Suicide — Serious Thoughts of Suicide in Past Year: Missouri Age Groups and Planning Regions	B40

SECTION B: UNITED STATES AND MISSOURI PREVALENCE SURVEYS (continued)

Missouri Student Survey (MSS) — Tables and Charts

Alcohol, Tobacco, Illicit Drugs — Overview of Lifetime Use: Missouri Students in Grades 6-12	B41
Alcohol, Tobacco, Illicit Drugs — Overview of Past 30-Day Use: Missouri Students in Grades 6-12	B42
Alcohol — Lifetime, Past 30-Day, and Binge Use: Missouri Students in Grades 6-12	B43
Tobacco — Lifetime and Past 30-Day Use: Missouri Students in Grades 6-12	B44
Marijuana — Lifetime and Past 30-Day Use: Missouri Students in Grades 6-12	B45
Cocaine, Methamphetamine, and Heroin — Lifetime and Past 30-Day Use: Missouri Students in Grades 6-12	B46
Hallucinogens Synthetics, and Club Drugs — Lifetime Use: Missouri Students in Grades 6-12	B47
Pharmaceutical Drugs — Lifetime and Past 30-Day Use: Missouri Students in Grades 6-12	B48
Inhalants and Over-the-Counter Drugs — Lifetime and Past 30-Day Non-Medical Use: Missouri Students in Grades 6-12	B49

Youth Risk Behavior Survey (YRBS) — Tables and Charts

Alcohol, Tobacco, Marijuana — Overview: U.S. and Missouri Students in Grades 9-12	B50
Alcohol — Past 30-Day Use: U.S. and Missouri Students in Grades 9-12	B51
Alcohol — Past 30-Day Binge Use: U.S. and Missouri Students in Grades 9-12	B52
Alcohol — Use Before Age 13: U.S. and Missouri Students in Grades 9-12	B53
Tobacco — Past 30-Day Cigarette Use: U.S. and Missouri Students in Grades 9-12	B54
Marijuana — Past 30-Day Use: U.S. and Missouri Students in Grades 9-12	B55

Behavioral Risk Factor Survey — Tables

Alcohol, Tobacco, and Mental Health — U.S. and Missouri Adults Ages 18 and Older	B56
--	-----

Monitoring The Future Survey (MTF) — Tables

Alcohol, Tobacco, Illicit Drugs: Lifetime, Past 30-Day, and Daily Use: U.S. Students in Grade 8	B57
Alcohol, Tobacco, Illicit Drugs: Lifetime, Past 30-Day, and Daily Use: U.S. Students in Grade 10	B58
Alcohol, Tobacco, Illicit Drugs: Lifetime, Past 30-Day, and Daily Use: U.S. Students in Grade 12	B59
Alcohol, Tobacco, Illicit Drugs: Lifetime, Past 30-Day, and Daily Use: U.S. College Students	B60
Alcohol, Tobacco, Illicit Drugs: Lifetime, Past 30-Day, and Daily Use: U.S. Adults Ages 19-28	B61

Missouri College Health Behavior Survey (MCHBS) — Tables and Charts

Alcohol, Tobacco, Illicit Drugs — Use and Related Problems: Missouri College Students	B62
Mental Health — Past-Year Problems: Missouri College Students	B63
Alcohol — Past Year, Past 30-Day, and Binge Use: Missouri College Students	B64
Pharmaceutical Drugs — Past Year Non-Prescription Use: Missouri College Students	B65
Illicit Drugs — Past Year Use: Missouri College Students	B66

Pregnancy Risk Assessment Monitoring System (PRAMS) — Tables

Alcohol, Tobacco, and Mental Health Involvement with Pregnancy — Missouri	B67
---	-----

SECTION C: SUBSTANCE USE INDICATORS IN TABLES AND CHARTS

Economic Costs of Mental Illness and Substance Use Disorders: U.S. and Missouri	C1
Births and Fetal Exposure to Alcohol, Tobacco, and Other Drugs: Missouri	C2
Substance Use Related Hospitalizations and Emergency Department Episodes: Missouri	C3
Mental Illness Related Hospitalizations and Emergency Department Episodes: Missouri	C4
Diseases Associated with Substance Use: Missouri	C5
Alcohol, Drug, and Smoking Induced Deaths: Missouri	C6
Alcohol-Involved Traffic Crashes: Missouri	C7
Drug-Involved Traffic Crashes: Missouri	C8
Alcohol and Drug Arrests: Missouri	C9
Out-of-Home Placements and Juvenile Court Referrals: Missouri	C10
Criminal Justice Services for Alcohol and Drug Offenses: Missouri	C11
Per Capita Consumption of Beverage Alcohol Based on Sales: U.S. and Missouri	C12
Liquor Licenses: Missouri Planning Regions	C13
Cigarette Sales Based on Tax Revenue: Missouri	C14
Unemployment: United States, Missouri, and Planning Regions	C15

SECTION D: DIVISION OF BEHAVIORAL HEALTH STATEWIDE SUBSTANCE ABUSE TREATMENT SERVICES

Substance Use Treatment Admissions Overview: Missouri	D1
Age and Ethnicity Profile for Male Treatment Admissions	D2
Age and Ethnicity Profile for Female Treatment Admissions	D3
Profile Charts for All Division of Behavioral Health Substance Treatment Admissions	D4
Profile Charts for Alcohol Treatment Admissions	D5
Profile Charts for Marijuana Treatment Admissions	D6
Profile Charts for Cocaine Treatment Admissions	D7
Profile Charts for Methamphetamine Treatment Admissions	D8
Profile Charts for Heroin Treatment Admissions	D9
Profile Charts for Prescription Drug Treatment Admissions	D10
Profile Charts for All Other Substance Treatment Admissions	D11
Age Distributions for Substance Treatment Modalities	D12

SECTION E: INDICATORS AND TREATMENT SERVICES BY GEOGRAPHIC AREA

Missouri

Statewide Missouri	E1-E4
--------------------	-------

Missouri Counties

Adair	E5-E8	Andrew	E9-E12	Atchison	E13-E16
Audrain	E17-E20	Barry	E21-E24	Barton	E25-E28
Bates	E29-E32	Benton	E33-E36	Bollinger	E37-E40
Boone	E41-E44	Buchanan	E45-E48	Butler	E49-E52
Caldwell	E53-E56	Callaway	E57-E60	Camden	E61-E64
Cape Girardeau	E65-E68	Carroll	E69-E72	Carter	E73-E76
Cass	E77-E80	Cedar	E81-E84	Chariton	E85-E88
Christian	E89-E92	Clark	E93-E96	Clay	E97-E100
Clinton	E101-E104	Cole	E105-E108	Cooper	E109-E112
Crawford	E113-E116	Dade	E117-E120	Dallas	E121-E124
Daviess	E125-E128	DeKalb	E129-E132	Dent	E133-E136
Douglas	E137-E140	Dunklin	E141-E144	Franklin	E145-E148
Gasconade	E149-E152	Gentry	E153-E156	Greene	E157-E160
Grundy	E161-E164	Harrison	E165-E168	Henry	E169-E172
Hickory	E173-E176	Holt	E177-E180	Howard	E181-E184
Howell	E185-E188	Iron	E189-E192	Jackson	E193-E196
Jasper	E197-E200	Jefferson	E201-E204	Johnson	E205-E208
Knox	E209-E211	Laclede	E213-E216	Lafayette	E217-E220
Lawrence	E221-E224	Lewis	E225-E228	Lincoln	E229-E232
Linn	E233-E236	Livingston	E237-E240	McDonald	E241-E243
Macon	E245-E248	Madison	E249-E252	Maries	E253-E255
Marion	E257-E260	Mercer	E261-E264	Miller	E265-E268
Mississippi	E269-E272	Moniteau	E273-E276	Monroe	E276-E280
Montgomery	E281-E284	Morgan	E285-E288	New Madrid	E289-E292
Newton	E293-E296	Nodaway	E297-E300	Oregon	E301-E304
Osage	E305-E308	Ozark	E309-E312	Pemiscot	E313-E316
Perry	E317-E320	Pettis	E321-E324	Phelps	E325-E328
Pike	E329-E332	Platte	E333-E336	Polk	E337-E340
Pulaski	E341-E344	Putnam	E345-E348	Ralls	E349-E351
Randolph	E353-E356	Ray	E357-E360	Reynolds	E361-E364
Ripley	E365-E368	Saint Charles	E369-E372	Saint Clair	E373-E376
Sainte Genevieve	E377-E379	Saint Francois	E381-E384	Saint Louis County	E385-E388
Saline	E389-E392	Schuyler	E393-E395	Scotland	E397-E400
Scott	E401-E404	Shannon	E405-E408	Shelby	E409-E411
Stoddard	E413-E416	Stone	E417-E420	Sullivan	E421-E424
Taney	E425-E428	Texas	E429-E432	Vernon	E433-E436
Warren	E437-E440	Washington	E441-E444	Wayne	E445-E448
Webster	E449-E452	Worth	E453-E455	Wright	E457-E460
Saint Louis City	E461-E464				

SECTION E: INDICATORS AND TREATMENT SERVICES BY GEOGRAPHIC AREA (continued)***Division of Behavioral Health (DBH) Planning Regions***

DBH Western Region	E465-E468	DBH Central Region	E468-E472	DBH Eastern Region	E473-E476
DBH Southwest Region	E477-E480	DBH Southeast Region	E481-E484		

DBH Substance Use Service Areas (SA)

Substance Use SA 1	E485-E487	Substance Use SA JC	E488-E490	Substance Use SA 6	E490-E493
Substance Use SA 7	E494-E496	Substance Use SA 8	E497-E499	Substance Use SA 9	E500-E502
Substance Use SA 10	E503-E505	Substance Use SA 11	E506-E508	Substance Use SA 12	E509-E511
Substance Use SA 13	E512-E514	Substance Use SA 14	E515-E517	Substance Use SA 15	E518-E520
Substance Use SA 16	E521-E523	Substance Use SA 17	E524-E526	Substance Use SA 18	E527-E529
Substance Use SA 19	E530-E532	Substance Use SA 20	E533-E535	Substance Use SA 21	E536-E538
Substance Use SA 22	E539-E541	Substance Use SA SL	E542-E544		

DBH Adult Mental Health Service Areas (SA)

Mental Health SA 1	E545-E546	Mental Health SA 2-5	E547-E548	Mental Health SA 6	E549-E550
Mental Health SA 7	E551-E552	Mental Health SA 8A	E553-E554	Mental Health SA 8B	E555-E556
Mental Health SA 9	E557-E558	Mental Health SA 10	E559-E560	Mental Health SA 11	E561-E562
Mental Health SA 12	E563-E564	Mental Health SA 13	E565-E566	Mental Health SA 14	E567-E568
Mental Health SA 15	E569-E570	Mental Health SA 16	E571-E572	Mental Health SA 17A	E573-E574
Mental Health SA 17B	E575-E576	Mental Health SA 18	E577-E578	Mental Health SA 19	E579-E580
Mental Health SA 20	E581-E582	Mental Health SA 21	E583-E584	Mental Health SA 22	E585-E586
Mental Health SA 23	E587-E588	Mental Health SA 24-25	E589-E590		

SECTION F: APPENDIX

Population Estimates by Age, Gender, Race, and Hispanic Origin: Missouri 2015	F1
Map Illustrating Missouri Regions and Sub-regions Included in Estimates from the National Survey on Drug Use and Health	F2
Map Illustrating DBH Substance Use Service Areas included in Status Report Profiles	F3
Map Illustrating DBH Adult Psychiatric Service Areas included in Status Report Profiles	F4

DATA HIGHLIGHTS


OVERVIEW

Each year, an estimated 19% of Missouri adults experience a mental disorder. Missouri data from the National Survey on Drug Use and Health (NSDUH) provide past-year estimates of mental illness for the Missouri population over age 18. Rates for any mental illness (AMI) have consistently remained around 19% for the past several years. The 2013-2014 estimates for adults in the age group 18-25 are even higher at 21%. Approximately 862,000 Missouri adults have a past-year mental illness.

An estimated 5% of Missouri adults have a serious mental illness. Included among the 19% with past-year mental illness are 5% who have serious mental illness (SMI). The total of 230,000 includes 34,000 young adults ages 18-25 and 196,000 older than 25. Serious mental illness encompasses disorders such as schizophrenia, depressive psychosis, and bipolar depression that result in serious functional impairment. According to NSDUH estimates, 11% of Missouri adolescents and 7% of Missouri adults experienced a past-year major depressive episode.

Approximately 8% of Missouri residents older than age 12 have a substance use disorder. In the most recent NSDUH two-year survey period, an estimated 5% of Missouri adolescents 12-17 years of age, 17% of young adults 18-25 years of age, and 7% of adults older than 25 had a past year substance use disorder (SUD). The estimates are based on rates of dependence or misuse of alcohol and/or illicit drugs. A total estimate of 399,000 Missouri residents with a SUD includes approximately 23,000 adolescents, 112,000 young adults, 174,000 adults in the age group 26-49, and 90,000 adults older than age 50.

Figure 1: Age Group Estimates for Past-Year Mental Illness and Substance Use Disorders, Missouri 2013-2014




Data Source: U.S. Dept. of Health and Human Services, Substance Abuse and Mental Health Services Administration (SAMHSA). National Survey on Drug Use and Health, 2013-2014. Estimates are 2-year averages. Some individuals are in more than one disorder category. Estimates are not available for ages 12-17 for Any Mental Illness, Serious Mental Illness, and Serious Thoughts of Suicide.

CO-OCCURRENCE OF MENTAL ILLNESS AND SUBSTANCE USE DISORDERS

Mental illness rates are substantially higher among adults with substance use disorders. According to the 2014 National Survey on Drug Use and Health, 39% of U.S. adults with a past-year substance use disorder have any mental illness (AMI) in the past year. This includes 11% who have serious mental illness (SMI). In contrast, 16% of adults without a substance disorder have AMI. Projecting from the national data, approximately 154,000 of the 376,000 Missouri adults with past year substance use disorders could have any past-year mental illness, including 52,000 with serious mental illness.

Conversely, substance use rates are higher in adults with mental illness. Among U.S. adults with past-year AMI, 18% have a past-year substance use disorder. This co-occurrence is larger at 23% among adults with SMI. Only 6% of adults without past-year mental illness have a past-year substance use disorder. Among the 862,000 Missouri adults with any past-year mental illness, it is expected that approximately 154,000 have a past-year substance use disorder based on national rates of co-occurrence. Among the 230,000 Missouri adults with past-year serious mental illness, a projected 52,000 have a substance use disorder. At least 6,000 of the Missouri adolescents with a past-year major depressive episode (MDE)—including 5,000 with severe impairment—are among the estimated 23,000 with past-year substance use disorders.

Figure 2: Co-occurrence of Adult Mental Illness and Substance Use Disorders in Missouri, 2014:




Source: Data are approximations prepared by the Missouri Division of Behavioral Health based on estimates from the National Survey on Drug Use and Health (NSDUH) for the U.S. and Missouri for years 2013 and 2014.

PREVALENCE OF MENTAL ILLNESS

Estimated rates of serious mental illness are highest in southeast Missouri. Based on data from the past three NSDUH survey years, annually an estimated 19.1% of Missouri adults experience any mental illness (AMI) and 4.9% experience serious mental illness (SMI). The AMI rate ranges from 17.3% in the fringe counties of the Saint Louis metro area to 21.0% in southwest Missouri. Estimated rates for SMI are also lowest in the Saint Louis area (4.4%) but highest in southeast Missouri (6.1%). The statewide SMI rates are slightly higher for young adults ages 18-25 than for adults older than 25.

Figure 3: Adult Serious Mental Illness Rates in Missouri, 2014




Source: National Survey on Drug Use and Health, 2012-2014 sub-state estimates.

Annually, more than 10% of Missouri adolescents have a major depressive episode. An estimated 51,000 adolescents ages 12-17 have a past-year major depressive episode (MDE) according to Missouri data from the NSDUH for years 2013-2014. Additionally, 52,000 adolescents have serious thoughts of suicide. Rates for depression are highest for adolescents and adults in southwest Missouri. Annually, approximately 4% of Missouri adults seriously contemplate suicide. This rate ranges from 3.7% in the Saint Louis area to 4.9% in southeast Missouri.

Nearly 100,000 Missouri adults with serious mental illness have an unmet need for mental health treatment. The 2014 National Survey on Drug Use and Health indicates that nearly 45% of adults nationwide with any mental illness (AMI) received mental health services in the past year. The survey encompasses utilization of inpatient and outpatient clinical services and prescription medication. Among the adults with serious mental illness (SMI), 68.5% received services. These rates, when applied to Missouri's prevalence estimates, suggest that approximately 385,000 of Missouri's 862,000 adults with AMI are receiving mental health services, including 158,000 of the 230,000 with SMI. A projected 99,000 Missouri adults with SMI need but are not receiving services or need more help than they are receiving.

In 2014, 70,000 Missouri residents were hospitalized with a mental disorder principal diagnosis. An additional 184,000 had a mental disorder as a contributing factor in their hospitalizations. The statewide hospitalization rate for a mental disorder principal diagnosis was 116 per 10,000 population, and the rate ranged from 91.5 in the Central Region to 132.8 in the Southeast Region. Among 79,000 emergency room (ER) visits principally for mental disorders, the Southeast and Eastern regions had the highest rates—both at 144 per 10,000. Residents in the Western region had the lowest mental disorder ER rate at 103 per 10,000 population.


Figure 4: Hospital Admission Rate Per 10,000 Population for Mental Disorders: Missouri, Calendar Year 2014



Source: Missouri Department of Health and Senior Services, 2016.

Mental Health centers or clinics funded by the Missouri Division of Behavioral Health provided psychiatric services to 77,000 Missouri adults and children in fiscal year 2015. Most of these consumers had a serious mental illness characterized by a mood, anxiety, or psychotic disorder. The median age was approximately 35 with slightly more females than males. Nearly three-fourths were Caucasian and one-fifth were African-American. One-half were self-referred to treatment or by a concerned family member or friend.


Figure 5: Percentage of Consumers in Mental Illness Diagnosis Categories in DBH Treatment Programs, FY 2015.



Data Source: Missouri Department of Mental Health, Customer Information Management, Outcomes & Reporting (CIMOR) System.

Children and youth under age 18 comprise 21% of the individuals treated for mental disorders in DBH programs, compared to only 6% of those treated for substance use disorders. One-fourth of those treated for mental disorders are 18-34 years of age and about one-fourth are 35-39. The DBH Western region has the most treatment consumers. However, consistent with prevalence estimates, residents of the Southeast region have the highest treatment rate in DBH mental health programs.


Figure 6: Individuals Served in DBH Treatment Programs by Region and Age Group, Fiscal Year 2015.



Data Source: Missouri Department of Mental Health, Customer Information Management, Outcomes & Reporting (CIMOR) System.

Three survey years from the NSDUH indicate that 20.7% of residents in the Southeast Region have any mental illness (AMI) in the past-year, including 6.1% who have past-year serious mental illness (SMI). The region ranks highest in the estimated percentage with SMI and in the 5-year average annual psychiatric treatment rate of 194 per 10,000 population. In contrast, the Eastern Region has the lowest estimated percentages for AMI (17.9%) and SMI (4.4%) and the lowest annual treatment rate of 91 per 10,000 population. Mental health treatment rates vary considerably by county, ranging from 28 to 532 per 10,000 population.

Figure 7: DBH Treatment Rates for Mental Disorders by County of Residence of Consumers, Fiscal Years 2011-2015.



Data Source: Missouri Department of Mental Health, Customer Information Management, Outcomes & Reporting (CIMOR) System.

Estimated rates of substance use disorders are highest among adults in the Kansas City area. Based on Missouri data from the 2012-2014 NSDUH, an estimated 8.3% of Missouri adults have a substance use disorder (SUD). Rates range from 7.2% in southwest Missouri to 9.2% in Jackson County. Among adolescents 12-17 years of age, 5.3% have a SUD. The adolescent rates have little variance throughout Missouri.

**Substance Use Disorder
Missouri Adults Ages 18+
Estimated Avg Annual Rates (%)
Years 2012-2014, by Region
National Survey on Drug Use and Health**

Legend:

- 7.24
- 7.94
- 8.43 - 8.44
- 8.60
- 8.74
- 9.21


More Missouri adolescents are dependent on illicit drugs than on alcohol. Based on Missouri data from the 2013-2014 NSDUH, an estimated 9,000 Missouri youth ages 12-17 have a past-year drug dependency and an additional 5,000 experience problems related to illicit drug use. About 5,000 are alcohol dependent and 8,000 experience alcohol related problems. Among 23,000 adolescents with substance use disorders, about 4,000 have problems with both alcohol and illicit drugs.

Among Missouri adults, alcohol dependence continues to be more prevalent than dependence on other drugs. Data from the 2013-2014 NSDUH indicate an estimated 136,000 adults age 18 and older are dependent on alcohol and an additional 171,000 experience problems related to their drinking. The survey also estimates that 91,000 Missouri adults are dependent on illicit drugs, with an additional 24,000 experiencing drug related problems. Approximately 46,000 of the 376,000 adults with substance use disorders have problems with both alcohol and illicit drugs.

Only 7% of Missouri residents with an alcohol use disorder are receiving adequate treatment. Among the estimated 320,000 Missouri residents with an alcohol use disorder, 310,000 are not receiving any treatment or a sufficient amount of treatment in programs specializing in substance rehabilitation. The estimates are based on three years of Missouri data from the NSDUH. In fiscal year 2015, approximately 12,000 adolescents and adults primarily needing alcohol treatment and 6,000 with a secondary need for alcohol treatment—a total of 18,000—were admitted to DBH-funded programs. Data from the National Survey of Substance Abuse Treatment Services (N-SSATS) indicate that DBH programs provide about 80% of Missouri’s specialized substance use treatment. Thus, it is likely that only 22,000-23,000 of the 320,000 with alcohol use disorders—about 7%—are receiving any specialized services.

The 310,000 with an unmet need for alcohol treatment constitute 6.3% of the Missouri population ages 12 and older. This unmet need ranges from 5.6% of the population in the Division of Behavioral Health (DBH) Southwest region to nearly 6.9% in the Western region which encompasses Kansas City and northwest Missouri. Among those needing alcohol treatment are 12,000 adolescents, 82,000 young adults aged 18-25, and 217 adults over age 25.

Figure 9: Percentage of Missouri Residents Needing but Not Receiving Treatment for Alcohol Use Disorders: Annual Rate for Years 2012-2014




Source: National Survey on Drug Use and Health, 2012-2014 sub-state estimates.

More than 110,000 Missouri residents have an unmet need for drug treatment. The 2013-2014 NSDUH estimates that 129,000 Missouri residents have illicit drug use disorders, and that 112,000 need—but are not receiving—treatment for these disorders. This unmet need comprises 2.1% of the Missouri population ages 12 and older. There is little variance in this rate among regions of the state, although there is considerable geographic variability in the specific drugs involved. Approximately 99,000 Missouri adults and 13,000 adolescents needed but did not receive treatment in a specialized rehabilitation program for a past-year drug use disorder. Among the adults, 45,000 were 18-25 years of age and 54,000 were older than 25.

The large unmet need for alcohol and drug treatment is reflected in Missouri's emergency room encounters. In 2014, hospital emergency rooms responded to 20,000 Missouri residents who had a principal diagnosis of alcohol use disorder and 14,000 with a principal diagnosis of drug use disorder. In addition, more than 27,000 individuals entering emergency rooms had a secondary diagnosis of alcohol use disorders and 27,000 had drug use disorders, with some overlap in the two groups.


Figure 10: Emergency Room Episodes Attributed to Alcohol and Drug Use Disorders, Rates per 10,000 Population, 2014



Source: Missouri Department of Health and Senior Services, 2016.

Treatment admission rates for substance use disorders vary considerably across Missouri. In fiscal year 2015, the statewide rate for treatment of any substance disorder in Division of Behavioral Health programs was 65.7 per 10,000 population ages 12 and older. During the past five years, county average annual admission rates ranged from 28 per 10,000 population to 188 per 10,000. Residents in clusters of north-central and southeast Missouri counties had some of the highest substance treatment rates.


Figure 11: DBH Treatment Admission Rate for Substance Use Disorders by County of Residence, Fiscal Years 2011-2015



Data Source: Missouri Department of Mental Health, Customer Information Management, Outcomes & Reporting (CIMOR) System.

The portion of DBH treatment admissions for alcohol use disorders is declining. Twenty years ago, 55% of DBH treatment admissions were primarily for alcohol. Today, alcohol use disorders account for only 35% of admissions. Treatment rates for alcohol are highest among Southwest region residents at 29.5 per 10,000 population (ages 12 and older) and lowest in the Eastern region encompassing Saint Louis.

Figure 12: Missouri Department of Mental Health Treatment Admissions by Drug Category, Fiscal Years 1995-2015.




Data Source: Missouri Department of Mental Health, Customer Information Management, Outcomes & Reporting (CIMOR) System.

Marijuana treatment admissions in FY 2015 were nearly 4,000 fewer than in their peak year. Marijuana was identified as the primary problem in 7,600 treatment admissions in FY 2015 compared to 11,500 in FY 2006 and accounted for 22% of FY 2015 treatment admissions. Residents of the Southeast Region have the highest admission rate for marijuana at 22.5 per 10,000 population ages 12 and older. The Eastern Region has the lowest marijuana treatment rate at 10.3 per 10,000.

Nearly 6,000 treatment admissions were primarily for meth use in FY 2015. There were a record number of admissions for methamphetamine despite a decline in meth lab confiscations since 2011. The Southwest Region had the highest meth treatment rate at 23.0 per 10,000 population, followed by the Southeast Region at 18.5 per 10,000. In contrast, the meth treatment rate among residents of the Eastern Region was only 2.8 per 10,000.

Heroin has emerged as a major treatment focus in eastern Missouri. Non-medical use of pain relievers is a big factor in the estimated 14,000 Missouri adolescents and 115,000 adults with drug use disorders. Based on the 2013-2014 NSDUH, an estimated 21,000 adolescents and 181,000 adults were past-year users of a pharmaceutical-type pain reliever without a prescription. The similarity of effects—and cross-tolerance—between pharmaceutical and illicit opioids is contributing to an increase in heroin addiction. In FY 2015, more than 4,000 individuals—many in their 20's and 30's—were admitted to DBH-funded treatment programs primarily for heroin use, and more than 2,000 for the use of other analgesics. These drugs accounted for 18% of treatment admissions in FY 2015 compared to only 4% in FY 1995. More than three-fourths of the heroin admissions were among residents of the Eastern Region.

Figure 13: DBH Treatment Admission Rate for Heroin by County of Residence for 10-Year Period, Fiscal Years 2006-2015.



Data Source: Missouri Department of Mental Health, Customer Information Management, Outcomes & Reporting (CIMOR) System.


Treatment admissions for prescription drug use are declining. There were 1,200 admissions for prescription drug disorders in DBH substance treatment programs in fiscal year 2015, the lowest total in several years. Treatment rates for prescription drug use were highest in the Southeast Region (4.2 per 10,000 population ages 12 and older) and the Southwest Region (3.7 per 10,000) and lowest in the Eastern Region (1.3 per 10,000).

Cocaine admissions declined to only 1,200 in FY 2015 compared to more than 7,000 10 years ago. Most of those entering treatment for cocaine use were from the Eastern and Western regions, with rates of 3.1 per 10,000 population. The Southwest Region had the lowest cocaine admission rate of only 0.6 per 10,000.

REGIONAL DIFFERENCES IN TREATMENT SERVICES


There are notable regional variations in treatment rates for specific mental and drug use disorders. In summarizing treatment admissions and numbers served in Missouri Division of Behavioral Health (DBH) programs, treatment rates are highest for mood disorders in the DBH Southeast and Western planning regions; anxiety disorders in the Western and Central regions; alcohol use disorders in the Southwest and Southeast regions; marijuana use disorders in the Southeast region; meth use disorders in the Southwest and Southeast regions; and heroin use disorders in the Eastern region.

Figure 14: Consumers Served in DBH Treatment Programs by Mental Illness Category, Rate Per 10,000 Population, Fiscal Year 2015.



Data Source: Missouri Department of Mental Health, Customer Information Management, Outcomes & Reporting (CIMOR) System.

Figure 15: Consumers Admitted to DBH Treatment Programs by Primary Drug Category, Rate Per 10,000 Population Ages 12 and Older, Fiscal Year 2015.




Data Source: Missouri Department of Mental Health, Customer Information Management, Outcomes & Reporting (CIMOR) System.

DEATHS AND BEHAVIORAL IMPACTS

Drug deaths and suicide deaths have reached record highs. The number of suicides among Missouri residents topped 1,000 for the first time in 2014, with a rate of 16.6 per 100,000 population. Deaths with drug use as the underlying cause climbed to 1,121 and a rate of 18.5 per 100,000 population. Fatal traffic crashes attributed to drug-impaired drivers also reached a new high with 55 crashes and 59 deaths.

Figure 16: Missouri Deaths Due to Selected Causes, with 2014 Totals



Data Sources:


Missouri Department of Health and Senior Services

Missouri Department of Public Safety, Missouri State Highway Patrol

U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, WONDER online database.

More than 10,000 Missouri residents again died due to cigarette smoking. In 2014, the smoking-attributable statewide death rate remained at 167 per 100,000 population. The DBH Eastern region had the most smoking related deaths but the lowest death rate. The death rate due to smoking was highest in the DBH Southeast region at 225 per 100,000 population.


Figure 17: Missouri Resident Deaths and Death Rates (Red Markers) Attributable to Cigarette Smoking, 2014



Data Source: Missouri Department of Health and Senior Services

Nearly one-half of the children removed from their homes or separated from their parents by juvenile courts are placed in alternate care due to alcohol and drug use. The percentage of placements due to parental alcohol and/or drug use continues to rise, reaching 43% of all placements in 2014. An additional 6% of placements resulted from alcohol and drug use by the children. Substance use and mental disorders also often contribute to other removal conditions.

Figure 18: Missouri Out-of-Home Placements of Children by Removal Reason, 2014




Data Source: Missouri Department of Social Services.

ARRESTS

Missouri averages over 39,000 arrests per year for possession, sale, or production of illicit drugs. During the past 15 years, marijuana offenses have averaged over 21,000 per year and 54% of drug arrests. Non-narcotic drugs have comprised 28% of arrests, opium or cocaine and their derivatives (such as heroin and crack) 9%, and synthetic narcotics 9%. The peak year for drug arrests was 2006 with nearly 46,000 arrests. Arrests for driving under the influence of alcohol or drugs averaged more than 34,000 per year from 2006 to 2014 but have declined continuously since 2007. Methamphetamine lab confiscations also decreased—to only 507—in 2015.

Figure 19: Missouri Arrests for Impaired Driving and for Possession, Sale, or Production of Illicit Drugs, 2001-2015



Data Sources: Missouri Department of Public Safety, Missouri State Highway Patrol, Driving While Intoxicated Tracking System (DWITS); U.S. Department of Justice, Federal Bureau of Investigation, Uniform Crime Reports.

**NATIONAL SURVEY ON DRUG USE AND HEALTH
U.S. AGES 12 AND OLDER, 2004-2015**

Estimated Past-Month Substance Use (%)

	2015	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004
Alcohol	51.7	52.7	52.2	52.1	51.8	51.8	51.9	51.6	51.2	51.0	51.8	50.3
Binge Alcohol Use *	‡ 24.9	23.0	22.9	23.0	22.6	23.1	23.7	23.4	23.3	23.0	22.7	22.8
Heavy Alcohol Use **	‡ 6.5	6.2	6.3	6.5	6.2	6.7	6.8	7.0	6.9	6.9	6.6	6.9
Any Tobacco	23.9	25.2	25.5	26.7	26.5	27.5	27.7	28.4	28.7	29.6	29.4	29.2
Cigarettes	19.4	20.8	21.3	22.1	22.1	23.0	23.3	24.0	24.3	25.0	24.9	24.9
Smokeless Tobacco	‡ 3.4	3.3	3.4	3.5	3.2	3.5	3.4	3.5	3.3	3.3	3.2	3.0
Any Illicit Drug	‡ 10.1	10.2	9.4	9.2	8.7	8.9	8.7	8.1	8.0	8.3	8.1	7.9
Marijuana	8.3	8.4	7.5	7.3	7.0	6.9	6.7	6.1	5.8	6.0	6.0	6.1
Inhalant	‡ 0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.3	0.2	0.3	0.3	0.3
Hallucinogen	‡ 0.5	0.4	0.5	0.4	0.4	0.5	0.5	0.4	0.4	0.4	0.4	0.4
LSD	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.1
PCP	0.0	***	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Ecstasy	‡ 0.2	0.2	0.3	0.2	0.2	0.3	0.3	0.2	0.2	0.2	0.2	0.2
Cocaine (any form)	0.7	0.6	0.6	0.6	0.5	0.6	0.7	0.7	0.8	1.0	1.0	0.8
Crack Cocaine	0.1	0.1	0.1	0.2	0.1	0.1	0.2	0.1	0.2	0.3	0.3	0.2
Methamphetamine	‡ 0.3	0.2	0.2	0.2	0.2	0.1	0.2	0.1	0.2	0.2	0.2	0.2
Heroin	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Psychotherapeutics (Rx-type, non-medical use)	‡ 2.4	2.5	2.5	2.6	2.4	2.7	2.8	2.5	2.8	2.9	2.7	2.5
Pain Reliever	‡ 1.4	1.6	1.7	1.9	1.7	2.0	2.1	1.9	2.1	2.1	1.9	1.8
OxyContin®		0.1	0.2	0.1	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1
Stimulant	‡ 0.6	0.6	0.5	0.5	0.4	0.4	0.5	0.4	0.4	0.5	0.4	0.5
Sedative	‡ 0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1
Tranquilizer	‡ 0.7	0.7	0.6	0.8	0.7	0.9	0.8	0.7	0.7	0.7	0.7	0.7

Estimated Lifetime Substance Use (%)

	2015	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004
Alcohol		82.1	81.5	82.3	82.2	82.5	82.8	82.2	82.3	82.7	82.9	82.4
Any Tobacco	63.9	66.2	66.8	66.8	67.5	68.7	69.1	69.6	69.5	70.7	70.8	71.4
Cigarettes	58.5	61.0	61.8	61.9	62.8	64.2	64.6	65.1	65.3	66.3	66.6	67.3
Smokeless Tobacco	‡ 16.3	17.1	17.6	17.7	18.0	17.7	17.8	18.4	18.2	18.6	18.4	18.6
Any Illicit Drug	‡ 48.8	49.2	48.6	48.0	47.0	47.3	47.4	47.2	46.2	45.4	46.1	45.8
Marijuana	44.0	44.2	43.7	42.8	41.9	42.0	41.7	41.2	40.6	39.7	40.1	40.2
Inhalant	‡ 9.6	8.0	8.0	8.1	8.0	8.6	9.0	9.0	9.1	9.3	9.4	9.5
Hallucinogen	‡ 15.3	15.0	15.1	14.6	14.1	14.8	14.9	14.4	13.8	14.3	13.9	14.3
LSD	9.5	9.4	9.4	9.1	8.9	9.2	9.4	9.4	9.2	9.5	9.2	9.7
PCP	2.4	2.4	2.5	2.5	2.4	2.5	2.5	2.7	2.5	2.7	2.7	2.8
Ecstasy	‡ 6.8	6.6	6.8	6.2	5.7	6.3	5.7	5.2	5.0	5.0	4.7	4.6
Cocaine (any form)	14.5	14.8	14.3	14.5	14.3	14.7	14.6	14.8	14.5	14.3	13.8	14.2
Crack Cocaine	3.4	3.6	3.4	3.5	3.2	3.6	3.3	3.4	3.5	3.5	3.3	3.3
Methamphetamine	‡ 5.4	4.9	4.7	4.7	4.6	5.1	5.1	5.1	5.3	5.8	4.3	4.9
Heroin	1.9	1.8	1.8	1.8	1.6	1.6	1.5	1.5	1.5	1.5	1.5	1.3
Psychotherapeutics (Rx-type, non-medical use)	***	20.5	20.3	20.9	19.9	20.4	20.6	20.9	20.4	20.7	20.4	20.4
Pain Reliever	***	13.6	13.5	14.2	13.3	13.8	14.0	14.0	13.4	13.6	13.4	13.2
OxyContin®		2.7	2.7	2.5	2.3	2.4	2.3	1.9	1.8	1.7	1.4	1.3
Stimulant	***	8.5	8.3	8.3	7.9	8.6	8.7	8.5	8.7	8.2	7.8	8.3
Sedative	***	3.0	2.9	3.1	2.9	3.0	3.4	3.6	3.4	3.6	3.7	4.1
Tranquilizer	***	9.4	9.0	9.1	8.4	8.7	8.7	8.6	8.2	8.7	8.7	8.3
Needle/Injection Drug Use	‡ 1.7	1.6	1.7	1.6	1.4	1.4	1.5	1.6	1.6	1.6	1.5	1.5

* "Binge" alcohol use in the National Survey on Drug Use and Health is defined as consuming 5 or more drinks on the same occasion on at least one day in the past 30 days.

** "Heavy" alcohol use is defined as consuming 5 or more drinks on the same occasion on each of 5 or more days in the past 30 days.

*** No estimate reported due to low precision or measurement issues.

‡ Data not comparable to prior year due to methodological change.

Data Source: U.S. Department of Health and Human Services, SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health.

**NATIONAL SURVEY ON DRUG USE AND HEALTH
U.S. AGES 12-17, 2004-2015**

Estimated Past-Month Substance Use (%)

	2015	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004
Alcohol	9.6	11.5	11.6	12.9	13.3	13.6	14.8	14.7	16.0	16.7	16.5	17.6
Binge Alcohol Use *	‡ 5.8	6.1	6.2	7.2	7.4	7.9	8.9	8.9	9.7	10.3	9.9	11.1
Heavy Alcohol Use **	‡ 0.9	1.0	1.2	1.3	1.5	1.7	2.1	2.0	2.3	2.4	2.4	2.7
Any Tobacco	6.0	7.0	7.8	8.6	10.0	10.7	11.8	11.5	12.4	12.9	13.1	14.4
Cigarettes	4.2	4.9	5.6	6.6	7.8	8.4	9.0	9.2	9.9	10.4	10.8	11.9
Smokeless Tobacco	‡ 1.5	2.0	2.0	2.1	2.1	2.3	2.4	2.2	2.5	2.4	2.1	2.3
Any Illicit Drug	‡ 8.8	9.4	8.8	9.5	10.1	10.1	10.1	9.3	9.5	9.8	9.9	10.6
Marijuana	7.0	7.4	7.1	7.2	7.9	7.4	7.4	6.7	6.7	6.7	6.8	7.6
Inhalant	‡ 0.7	0.6	0.5	0.8	0.9	1.1	1.0	1.1	1.2	1.3	1.2	1.2
Hallucinogen	‡ 0.5	0.5	0.6	0.6	0.9	0.9	0.9	1.0	0.7	0.7	0.8	0.8
LSD	0.2	0.3	0.2	0.1	0.1	0.2	0.1	0.2	0.1	0.1	0.1	0.2
PCP	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.1	0.0
Ecstasy	‡ 0.1	0.2	0.2	0.3	0.4	0.5	0.5	0.4	0.3	0.3	0.3	0.3
Cocaine (any form)	0.2	0.2	0.2	0.1	0.3	0.2	0.3	0.4	0.4	0.4	0.6	0.5
Crack Cocaine	0.0	0.0	0.0	***	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.1
Methamphetamine	‡ 0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.3	0.2
Heroin	0.0	0.1	0.1	***	0.1	0.0	0.1	0.1	0.0	0.1	0.1	0.1
Psychotherapeutics (Rx-type, non-medical use)	‡ 2.0	2.6	2.2	2.8	2.8	3.0	3.1	2.9	3.3	3.3	3.3	3.6
Pain Reliever	‡ 1.1	1.9	1.7	2.2	2.3	2.5	2.7	2.3	2.7	2.7	2.7	3.0
OxyContin®		0.1	0.1	0.2	0.2	0.2	0.3	0.2	0.2	0.1	0.1	0.3
Stimulant	‡ 0.5	0.7	0.3	0.5	0.4	0.4	0.5	0.5	0.5	0.7	0.7	0.7
Sedative	‡ 0.1	0.2	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.2	0.1	0.1
Tranquilizer	‡ 0.7	0.4	0.4	0.6	0.6	0.5	0.6	0.6	0.7	0.5	0.6	0.6

Estimated Lifetime Substance Use (%)

	2015	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004
Alcohol	28.4	29.6	30.8	32.4	34.5	35.2	38.1	38.3	39.4	40.4	40.6	42.0
Any Tobacco	17.3	18.5	19.8	21.5	23.2	24.9	26.9	27.2	27.8	29.7	30.7	32.7
Cigarettes	13.2	14.2	15.7	17.4	19.1	20.3	22.2	22.9	23.7	25.8	26.7	29.2
Smokeless Tobacco	‡ 5.5	5.7	6.0	6.4	6.8	7.2	7.6	7.2	7.7	7.1	7.1	7.1
Any Illicit Drug	‡ 25.3	23.3	23.3	24.2	25.5	25.8	26.9	26.4	26.3	27.6	27.7	30.0
Marijuana	15.7	16.4	16.4	17.0	17.5	17.1	17.1	16.6	16.2	17.3	17.4	19.0
Inhalant	‡ 9.1	5.3	5.3	6.5	7.5	8.3	9.3	9.3	9.6	10.1	10.5	11.0
Hallucinogen	‡ 3.1	2.5	2.8	3.3	3.7	4.1	4.1	3.9	3.6	3.9	3.9	4.6
LSD	1.3	1.2	0.9	1.0	0.9	0.9	1.0	1.1	0.8	0.9	1.1	1.2
PCP	0.2	0.2	0.2	0.4	0.3	0.3	0.4	0.4	0.4	0.5	0.7	0.7
Ecstasy	‡ 1.4	1.2	1.5	2.0	2.4	2.5	2.3	2.1	1.8	1.9	1.6	2.1
Cocaine (any form)	0.8	0.9	0.9	1.1	1.3	1.5	1.6	1.9	2.2	2.2	2.3	2.4
Crack Cocaine	0.1	0.1	0.1	0.1	0.3	0.2	0.2	0.3	0.4	0.5	0.4	0.5
Methamphetamine	‡ 0.3	0.7	0.5	0.6	0.7	0.6	0.8	0.8	0.9	1.3	1.3	1.4
Heroin	0.1	0.1	0.2	0.2	0.3	0.2	0.2	0.3	0.2	0.2	0.2	0.3
Psychotherapeutics (Rx-type, non-medical use)	***	9.2	8.8	10.0	10.1	10.6	11.4	11.2	11.7	12.5	11.9	13.5
Pain Reliever	***	7.3	7.3	8.3	8.6	9.2	9.7	9.5	9.7	10.4	9.9	11.4
OxyContin®		1.0	1.1	1.3	1.5	1.5	1.5	1.4	1.4	1.4	1.1	1.2
Stimulant	***	2.1	1.8	2.0	2.0	2.2	2.4	2.7	2.9	3.7	3.4	3.6
Sedative	***	0.8	0.5	0.7	0.6	0.7	0.9	0.8	0.8	0.9	0.9	1.0
Tranquilizer	***	2.7	2.3	2.8	2.8	3.0	2.8	2.9	3.0	2.9	3.0	3.2
Needle/Injection Drug Use	‡ 0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.3

* "Binge" alcohol use in the National Survey on Drug Use and Health is defined as consuming 5 or more drinks on the same occasion on at least one day in the past 30 days.

** "Heavy" alcohol use is defined as consuming 5 or more drinks on the same occasion on each of 5 or more days in the past 30 days.

*** No estimate reported due to low precision or measurement issues.

‡ Data not comparable to prior year due to methodological change.

Data Source: U.S. Department of Health and Human Services, SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health.

**NATIONAL SURVEY ON DRUG USE AND HEALTH
U.S. AGES 18-25, 2004-2015**

Estimated Past-Month Substance Use (%)

	2015	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004
Alcohol	58.3	59.6	59.6	60.2	60.7	61.4	61.8	61.1	61.3	62.0	60.9	60.5
Binge Alcohol Use *	‡ 39.0	37.7	37.9	39.5	39.8	40.5	41.8	41.2	41.9	42.3	41.9	41.2
Heavy Alcohol Use **	‡ 10.9	10.8	11.3	12.7	12.1	13.5	13.8	14.6	14.8	15.6	15.3	15.1
Any Tobacco	33.0	35.0	37.0	38.1	39.5	40.9	41.6	41.4	41.9	44.0	44.3	44.6
Cigarettes	26.7	28.4	30.6	31.8	33.5	34.3	35.8	35.7	36.2	38.5	39.0	39.5
Smokeless Tobacco	‡ 5.4	5.6	5.8	5.5	5.4	6.4	6.1	5.3	5.2	5.2	5.1	4.9
Any Illicit Drug	‡ 22.3	22.0	21.5	21.3	21.4	21.6	21.4	19.7	19.8	19.8	20.1	19.4
Marijuana	19.8	19.6	19.1	18.7	19.0	18.5	18.2	16.6	16.5	16.3	16.6	16.1
Inhalant	‡ 0.4	0.2	0.3	0.4	0.4	0.4	0.4	0.3	0.4	0.4	0.5	0.4
Hallucinogen	‡ 1.8	1.4	1.8	1.7	1.6	2.0	1.8	1.7	1.5	1.7	1.5	1.5
LSD	0.6	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.3
PCP	0.0	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
Ecstasy	‡ 0.9	0.8	0.9	1.0	0.9	1.2	1.1	0.9	0.7	1.0	0.8	0.7
Cocaine (any form)	1.7	1.4	1.1	1.1	1.4	1.5	1.4	1.6	1.7	2.2	2.6	2.1
Crack Cocaine	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.2	0.2	0.2	0.3	0.3
Methamphetamine	‡ 0.4	0.2	0.3	0.3	0.2	0.2	0.2	0.2	0.4	0.6	0.7	0.7
Heroin	0.3	0.2	0.3	0.4	0.3	0.3	0.2	0.2	0.1	0.2	0.2	0.1
Psychotherapeutics (Rx-type, non-medical use)	‡ 5.1	4.4	4.8	5.3	5.0	5.9	6.4	5.9	5.9	6.5	6.3	6.1
Pain Reliever	‡ 2.4	2.8	3.3	3.8	3.6	4.4	4.8	4.5	4.6	5.0	4.7	4.7
OxyContin®		0.3	0.3	0.4	0.5	0.7	0.5	0.4	0.5	0.4	0.4	0.4
Stimulant	‡ 2.2	1.2	1.3	1.2	1.0	1.2	1.3	1.1	1.1	1.4	1.4	1.5
Sedative	‡ 0.2	0.2	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.2
Tranquilizer	‡ 1.7	1.2	1.2	1.6	1.6	1.7	1.9	1.7	1.7	2.0	1.9	1.8

Estimated Lifetime Substance Use (%)

	2015	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004
Alcohol	82.4	83.4	83.8	84.4	84.3	85.7	85.8	85.6	85.2	86.5	85.7	86.2
Any Tobacco	61.7	63.8	65.1	66.3	67.9	68.6	69.6	70.2	70.3	71.8	72.3	73.5
Cigarettes	53.3	56.1	57.9	59.5	61.0	62.1	63.7	64.2	64.7	66.6	67.3	68.7
Smokeless Tobacco	‡ 19.6	19.4	20.3	19.9	20.4	20.9	21.0	20.3	20.1	20.2	20.8	21.4
Any Illicit Drug	‡ 57.5	57.9	57.0	57.8	56.9	57.3	58.5	57.0	57.5	59.0	59.2	59.2
Marijuana	52.7	52.6	51.9	52.2	51.9	51.4	52.6	50.8	50.9	52.5	52.4	52.8
Inhalant	‡ 9.9	7.0	7.5	8.4	9.1	10.0	10.8	10.5	11.3	12.5	13.3	14.0
Hallucinogen	‡ 18.6	16.6	17.6	17.6	17.6	18.5	19.1	17.8	19.2	20.2	21.0	21.3
LSD	7.7	7.0	6.5	5.9	6.0	6.4	6.9	6.6	7.3	8.9	10.5	12.1
PCP	0.8	0.9	0.9	1.0	1.0	1.3	1.4	1.6	1.6	1.9	2.2	2.3
Ecstasy	‡ 13.1	12.0	12.8	12.9	12.3	12.4	12.5	12.2	12.8	13.4	13.7	13.8
Cocaine (any form)	11.7	11.1	11.6	12.3	12.4	13.4	14.9	14.5	15.0	15.7	15.1	15.2
Crack Cocaine	1.5	1.6	1.6	1.9	2.1	2.6	2.9	2.8	3.0	3.6	3.5	3.5
Methamphetamine	‡ 3.3	3.0	3.0	3.1	3.4	4.0	4.5	4.7	5.6	6.4	6.7	7.0
Heroin	1.8	2.0	1.8	1.9	1.7	1.8	1.7	1.4	1.5	1.6	1.5	1.6
Psychotherapeutics (Rx-type, non-medical use)	***	26.3	26.6	28.1	27.3	28.9	29.5	29.4	30.0	30.7	30.8	29.7
Pain Reliever	***	20.2	20.8	22.4	22.2	23.9	24.5	24.6	24.9	25.5	25.5	24.3
OxyContin®		5.1	5.4	5.8	6.1	6.2	6.2	5.3	5.2	5.1	5.0	4.3
Stimulant	***	9.0	9.4	9.8	9.2	10.4	10.7	10.6	10.9	12.0	12.3	12.1
Sedative	***	1.3	1.3	1.2	1.4	1.4	1.6	1.6	1.8	1.9	2.0	1.9
Tranquilizer	***	12.5	12.0	12.8	12.3	13.1	12.8	12.2	12.7	13.1	13.4	12.2
Needle/Injection Drug Use	‡ 1.1	1.3	1.4	1.3	1.2	1.1	1.3	0.9	1.3	1.2	1.4	1.3

* "Binge" alcohol use in the National Survey on Drug Use and Health is defined as consuming 5 or more drinks on the same occasion on at least one day in the past 30 days.

** "Heavy" alcohol use is defined as consuming 5 or more drinks on the same occasion on each of 5 or more days in the past 30 days.

*** No estimate reported due to low precision or measurement issues.

‡ Data not comparable to prior year due to methodological change.

Data Source: U.S. Department of Health and Human Services, SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health.

**NATIONAL SURVEY ON DRUG USE AND HEALTH
U.S. AGES 26 AND OLDER, 2004-2015**

Estimated Past-Month Substance Use (%)

	2015	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004
Alcohol	55.6	56.5	55.9	55.6	55.1	54.9	54.9	54.7	54.1	53.7	55.1	53.0
Binge Alcohol Use *	‡ 24.8	22.5	22.4	22.1	21.6	21.9	22.4	22.2	22.0	21.4	21.0	21.1
Heavy Alcohol Use **	‡ 6.4	6.0	6.1	6.1	5.7	6.1	6.2	6.3	6.1	6.0	5.6	6.1
Any Tobacco	24.5	25.8	25.7	27.0	26.3	27.2	27.3	28.4	28.6	29.4	29.0	28.5
Cigarettes	20.0	21.5	21.6	22.4	21.9	22.8	23.0	23.8	24.1	24.7	24.3	24.1
Smokeless Tobacco	‡ 3.2	3.0	3.1	3.3	3.0	3.1	3.1	3.3	3.0	3.1	3.0	2.7
Any Illicit Drug	‡ 8.2	8.3	7.3	7.0	6.3	6.6	6.3	5.9	5.8	6.1	5.8	5.5
Marijuana	6.5	6.6	5.6	5.3	4.8	4.8	4.6	4.2	3.9	4.2	4.1	4.1
Inhalant	‡ 0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1
Hallucinogen	‡ 0.2	0.3	0.3	0.2	0.1	0.2	0.2	0.1	0.2	0.1	0.2	0.1
LSD	0.0	0.1	0.0	0.0	0.0	***	0.0	***	0.0	0.0	0.0	0.0
PCP	0.0	***	0.0	0.0	***	0.0	0.0	***	0.0	0.0	0.0	0.0
Ecstasy	‡ 0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Cocaine (any form)	0.6	0.5	0.5	0.6	0.4	0.5	0.6	0.7	0.7	0.8	0.8	0.7
Crack Cocaine	0.2	0.2	0.2	0.2	0.1	0.2	0.2	0.2	0.3	0.3	0.3	0.2
Methamphetamine	‡ 0.4	0.2	0.2	0.2	0.2	0.1	0.2	0.1	0.2	0.3	0.2	0.2
Heroin	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.1
Psychotherapeutics (Rx-type, non-medical use)	‡ 2.0	2.1	2.1	2.1	1.9	2.2	2.1	1.9	2.2	2.2	1.9	1.8
Pain Reliever	‡ 1.3	1.4	1.5	1.5	1.4	1.5	1.6	1.4	1.6	1.5	1.3	1.2
OxyContin®		0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Stimulant	‡ 0.4	0.5	0.4	0.3	0.3	0.3	0.4	0.2	0.3	0.4	0.3	0.4
Sedative	‡ 0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1
Tranquilizer	‡ 0.5	0.7	0.6	0.7	0.6	0.7	0.7	0.6	0.6	0.5	0.6	0.5

Estimated Lifetime Substance Use (%)

	2015	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004
Alcohol	87.1	88.3	87.3	88.1	87.9	87.9	88.0	87.3	87.5	87.7	88.2	87.3
Any Tobacco	69.9	72.3	72.9	72.5	73.0	74.2	74.4	75.0	75.0	76.0	76.0	76.4
Cigarettes	64.7	67.5	68.1	67.9	68.6	70.0	70.1	70.7	70.9	71.7	71.9	72.3
Smokeless Tobacco	‡ 17.0	18.1	18.5	18.7	18.9	18.5	18.5	19.5	19.3	19.9	19.5	19.6
Any Illicit Drug	‡ 50.1	50.8	50.2	49.3	48.0	48.2	48.0	48.2	46.9	45.5	46.3	45.6
Marijuana	46.0	46.1	45.7	44.4	43.2	43.5	42.9	42.7	42.1	40.6	41.1	41.0
Inhalant	‡ 9.6	8.5	8.4	8.3	7.8	8.3	8.6	8.6	8.6	8.6	8.5	8.5
Hallucinogen	‡ 16.2	16.2	16.2	15.4	14.8	15.5	15.4	15.2	14.2	14.7	14.0	14.4
LSD	10.7	10.9	11.0	10.7	10.4	10.7	10.9	11.0	10.6	10.8	10.1	10.5
PCP	2.9	2.9	3.0	3.0	2.9	2.9	2.9	3.1	2.9	3.1	3.1	3.2
Ecstasy	‡ 6.5	6.4	6.4	5.6	4.9	5.7	4.9	4.4	4.1	3.9	3.6	3.4
Cocaine (any form)	16.6	17.1	16.5	16.5	16.3	16.6	16.2	16.5	16.1	15.7	15.2	15.6
Crack Cocaine	4.1	4.3	4.1	4.2	3.7	4.2	3.8	3.9	4.0	3.9	3.6	3.6
Methamphetamine	‡ 6.4	5.7	5.5	5.5	5.3	5.9	5.8	5.7	5.8	6.3	5.5	6.5
Heroin	2.1	2.0	2.0	1.9	1.8	1.8	1.6	1.7	1.7	1.7	1.6	1.4
Psychotherapeutics (Rx-type, non-medical use)	***	20.9	20.6	21.0	19.8	20.2	20.3	20.7	19.9	20.1	19.7	19.8
Pain Reliever	***	13.3	13.0	13.6	12.4	12.6	12.7	12.8	11.9	12.0	11.8	11.5
OxyContin®		2.4	2.4	2.1	1.7	1.9	1.7	1.4	1.2	1.1	0.9	0.8
Stimulant	***	9.2	8.8	8.8	8.4	9.1	9.2	8.9	9.1	9.4	8.7	9.6
Sedative	***	3.5	3.4	3.7	3.5	3.6	4.1	4.3	4.0	4.3	4.4	4.9
Tranquilizer	***	9.7	9.2	9.2	8.4	8.7	8.7	8.7	8.1	8.7	8.6	8.3
Needle/Injection Drug Use	‡ 1.9	1.8	1.9	1.8	1.6	1.6	1.7	2.0	1.9	1.8	1.7	1.6

* "Binge" alcohol use in the National Survey on Drug Use and Health is defined as consuming 5 or more drinks on the same occasion on at least one day in the past 30 days.

** "Heavy" alcohol use is defined as consuming 5 or more drinks on the same occasion on each of 5 or more days in the past 30 days.


*** No estimate reported due to low precision or measurement issues.

‡ Data not comparable to prior year due to methodological change.

Data Source: U.S. Department of Health and Human Services, SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health.


ALCOHOL — PAST-MONTH USE: U.S. AND MISSOURI COMPARISONS BY AGE GROUP

Estimated Past-Month Alcohol Use (%): U.S. and Missouri Ages 12 and Older, 2003-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Month Alcohol Use (%): U.S. and Missouri Ages 12-17, 2003-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Month Alcohol Use (%): U.S. and Missouri Ages 18-25, 2003-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


Estimated Past-Month Alcohol Use (%): U.S. and Missouri Ages 26 & Older, 2003-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


ALCOHOL — PAST-MONTH BINGE USE: U.S. AND MISSOURI COMPARISONS BY AGE GROUP

Estimated Past-Month Binge Drinking (%): U.S. and Missouri Ages 12 & Older, 2003-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Month Binge Drinking (%): U.S. and Missouri Ages 12-17, 2003-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Month Binge Drinking (%): U.S. and Missouri Ages 18-25, 2003-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


Estimated Past-Month Binge Drinking (%): U.S. and Missouri Ages 26 & Older, 2003-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


ALCOHOL — PERCEIVED RISK OF BINGE USE: U.S. AND MISSOURI COMPARISONS BY AGE GROUP

Perceive Great Risk of Binge Drinking Once or Twice Weekly (%): U.S. and Missouri Ages 12 & Older, 2003-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Perceive Great Risk of Binge Drinking Once or Twice Weekly (%): U.S. and Missouri Ages 12-17, 2003-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Perceive Great Risk of Binge Drinking Once or Twice Weekly (%): U.S. and Missouri Ages 18-25, 2003-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


Perceive Great Risk of Binge Drinking Once or Twice Weekly (%): U.S. and Missouri Ages 26 & Older, 2003-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


ALCOHOL USE, BINGE USE, AND PERCEIVED RISK: MISSOURI AGE GROUP COMPARISONS

Estimated Past-Month Alcohol Use (%): Missouri Age Group Comparisons, 2003-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Month Binge Drinking (%): Missouri Age Group Comparisons, 2003-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


Perception of Great Risk of Binge Drinking (%): Missouri Age Group Comparisons, 2003-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


ALCOHOL USE: DIVISION OF BEHAVIORAL HEALTH (DBH) REGIONS

Past-Month Alcohol Use (%): Missouri and DBH Regions, 2004-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.

Past-Month Binge Drinking (%): Missouri and DBH Regions, 2004-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.


Perceptions of Great Risk of Binge Drinking (%): Missouri and DBH Regions, 2004-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.


ALCOHOL — PAST-YEAR DEPENDENCE OR USE DISORDER: U.S. AND MISSOURI AGE GROUPS

Estimated Past-Year Alcohol Dependence or Use Disorder (%), U.S. and Missouri Ages 12 & Older, 2003-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Year Alcohol Dependence or Use Disorder (%): U.S. and Missouri Ages 12-17, 2003-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Year Alcohol Dependence or Use Disorder (%): U.S. and Missouri Ages 18-25, 2003-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


Estimated Past-Year Alcohol Dependence or Use Disorder (%): U.S. and Missouri Ages 26 & Older, 2003-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


TOBACCO — PAST-MONTH CIGARETTE USE: U.S. AND MISSOURI COMPARISONS BY AGE GROUP

Estimated Past-Month Cigarette Use (%): U.S. and Missouri Ages 12 & Older, 2003-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Month Cigarette Use (%): U.S. and Missouri Ages 12-17, 2003-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Month Cigarette Use (%): U.S. and Missouri Ages 18-25, 2003-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


Estimated Past-Month Cigarette Use (%): U.S. and Missouri Ages 26 & Older, 2003-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


TOBACCO — PERCEIVED RISK OF CIGARETTE USE: U.S. AND MISSOURI COMPARISONS BY AGE GROUP

Perceive Great Risk in Smoking 1+ Pack Cigarettes Daily (%): U.S. and Missouri Ages 12 & Older, 2003-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Perceive Great Risk in Smoking 1+ Pack Cigarettes Daily (%): U.S. and Missouri Ages 12-17, 2003-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Perceive Great Risk in Smoking 1+ Pack Cigarettes Daily (%): U.S. and Missouri Ages 18-25, 2003-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


Perceive Great Risk Smoking One or More Packs of Cigarettes Daily (%): U.S. and Missouri Ages 26 & Older, 2003-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


TOBACCO USE AND PERCEIVED RISK: MISSOURI AGE GROUP COMPARISONS

Estimated Past-Month Tobacco Use (%): Missouri Age Group Comparisons, 2003-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Month Cigarette Use (%): Missouri Age Group Comparisons, 2003-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


Perceive Great Risk Smoking One or More Packs of Cigarettes Daily (%): Missouri Age Group Comparisons, 2003-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


TOBACCO USE: DIVISION OF BEHAVIORAL HEALTH (DBH) REGIONS

Estimated Past-Month Tobacco Use (%): Missouri and DBH Regions, 2004-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.

Estimated Past-Month Cigarette Use (%): Missouri and DBH Regions, 2004-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.


Perceive Great Risk in Smoking One or More Packs of Cigarettes Per Day (%): Missouri and DBH Regions, 2004-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.


PAST-MONTH ILLICIT DRUG USE: U.S. AND MISSOURI COMPARISON BY AGE GROUP

Estimated Past-Month Use of Any Illicit Drug (%): U.S. and Missouri Ages 12 & Older, 2003-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Month Use of Any Illicit Drug (%): U.S. and Missouri Ages 12-17, 2003-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Month Use of Any Illicit Drug (%): U.S. and Missouri Ages 18-25, 2003-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


Estimated Past-Month Use of Any Illicit Drug (%): U.S. and Missouri Ages 26 & Older, 2003-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


PAST-MONTH ILLICIT DRUG USE EXCEPT MARIJUANA: U.S. AND MISSOURI COMPARISON BY AGE GROUP

Estimated Past-Month Use of Illicit Drug Other Than Marijuana (%): U.S. and Missouri Ages 12 & Older, 2003-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Month Use of Illicit Drug Other Than Marijuana (%): U.S. and Missouri Ages 12-17, 2003-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Month Use of Illicit Drug Other Than Marijuana (%): U.S. and Missouri Ages 18-25, 2003-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


Estimated Past-Month Use of Illicit Drug Other Than Marijuana (%): U.S. and Missouri Ages 26 & Older, 2003-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

ILLICIT DRUG USE: DIVISION OF BEHAVIORAL HEALTH (DBH) REGIONS

Estimated Past-Month Illicit Drug Use (%): Missouri and DBH Regions, 2004-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.


Estimated Past-Month Use of Illicit Drugs Other Than Marijuana (%): Missouri and DBH Regions, 2004-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.


ILLICIT DRUGS — PAST-YEAR DEPENDENCE OR USE DISORDER: U.S. AND MISSOURI AGE GROUPS

Estimated Past-Year Illicit Drug Dependence or Use Disorder (%), U.S. and Missouri Ages 12 & Older, 2003-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Year Illicit Drug Dependence or Use Disorder (%): U.S. and Missouri Ages 12-17, 2003-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Year Illicit Drug Dependence or Use Disorder (%): U.S. and Missouri Ages 18-25, 2003-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


Estimated Past-Year Illicit Drug Dependence or Use Disorder (%): U.S. and Missouri Ages 26 & Older, 2003-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


MARIJUANA — PAST-MONTH USE: U.S. AND MISSOURI COMPARISONS BY AGE GROUP

Estimated Past-Month Marijuana Use (%): U.S. and Missouri Ages 12 & Older, 2003-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Month Marijuana Use (%): U.S. and Missouri Ages 12-17, 2003-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Month Marijuana Use (%): U.S. and Missouri Ages 18-25, 2003-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


Estimated Past-Month Marijuana Use (%): U.S. and Missouri Ages 26 & Older, 2003-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


MARIJUANA — PAST-YEAR USE: U.S. AND MISSOURI COMPARISON BY AGE GROUP

Estimated Past-Year Marijuana Use (%): U.S. and Missouri Ages 12 & Older, 2003-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Year Marijuana Use (%): U.S. and Missouri Ages 12-17, 2003-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Year Marijuana Use (%): U.S. and Missouri Ages 18-25, 2003-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


Estimated Past-Year Marijuana Use (%): U.S. and Missouri Ages 26 & Older, 2003-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


MARIJUANA — PERCEIVED RISK OF USE: U.S. AND MISSOURI COMPARISONS BY AGE GROUP

Perceive Great Risk in Smoking Marijuana Once a Month (%): U.S. and Missouri Ages 12 & Older, 2003-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Perceive Great Risk in Smoking Marijuana Once a Month (%): U.S. and Missouri Ages 12-17, 2003-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Perceive Great Risk in Smoking Marijuana Once a Month (%): U.S. and Missouri Ages 18-25, 2003-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


Perceive Great Risk in Smoking Marijuana Once a Month (%): U.S. and Missouri Ages 26 & Older, 2003-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


PAST MONTH, FIRST USE, AND PERCEIVED RISK OF MARIJUANA USE: MISSOURI AGE GROUPS

Estimated Past-Month Marijuana Use (%): Missouri Age Groups, 2003-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated First Use of Marijuana in Past Year (%): Missouri Age Groups, 2003-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


Estimated Perception of Great Risk of Smoking Marijuana Once Per Month (%): Missouri Age Groups, 2003-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


MARIJUANA USE AND PERCEIVED RISK: DIVISION OF BEHAVIORAL HEALTH (DBH) REGIONS

Estimated Past-Month Marijuana Use (%): Missouri and DBH Regions, 2004-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.

Estimated Perception of Great Risk of Smoking Marijuana Once a Month (%): Missouri and DBH Regions, 2004-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.


Estimated Rate of First-time Use of Marijuana in Past Year (%): Missouri and DBH Regions, 2004-2012



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.


COCAINE — PAST-YEAR USE: U.S. AND MISSOURI COMPARISON BY AGE GROUP

Estimated Past-Year Cocaine Use (%): U.S. and Missouri Ages 12 & Older, 2003-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Year Cocaine Use (%): U.S. and Missouri Ages 12-17, 2003-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Year Cocaine Use (%): U.S. and Missouri Ages 18-25, 2003-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


Estimated Past-Year Cocaine Use (%): U.S. and Missouri Ages 26 & Older, 2003-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


PAIN RELIEVERS: PAST-YEAR NON-MEDICAL USE: U.S. AND MISSOURI COMPARISON BY AGE GROUP

Estimated Past-Year Use of Pain Relievers (%): U.S. and Missouri Ages 12 & Older, 2003-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Year Use of Pain Relievers (%): U.S. and Missouri Ages 12-17, 2003-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Year Use of Pain Relievers (%): U.S. and Missouri Ages 18-25, 2003-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


Estimated Past-Year Use of Pain Relievers (%): U.S. and Missouri Ages 26 & Older, 2003-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


MARIJUANA, COCAINE, AND PAIN RELIEVER PAST-YEAR USE: DIVISION OF BEHAVIORAL HEALTH (DBH) REGIONS

Estimated Past-Year Marijuana Use (%): Missouri and DBH Regions, 2004-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.

Estimated Past-Year Cocaine Use (%): Missouri and DBH Regions, 2004-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.


Estimated Past-Year Nonmedical Use of Pain Relievers (%): Missouri and DBH Regions, 2004-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.


ALCOHOL & ILLICIT DRUGS — PAST-YEAR DEPENDENCE OR USE DISORDER: U.S. & MISSOURI AGE GROUPS

Estimated Past-Year Alcohol or Illicit Drug Dependence or Use Disorder (%), U.S. and Missouri Ages 12 & Older, 2003-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Year Alcohol or Illicit Drug Dependence or Use Disorder (%): U.S. and Missouri Ages 12-17, 2003-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Year Alcohol or Illicit Drug Dependence or Use Disorder (%): U.S. and Missouri Ages 18-25, 2003-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


Estimated Past-Year Alcohol or Illicit Drug Dependence or Use Disorder (%): U.S. and Missouri Ages 26 & Older, 2003-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


PAST-YEAR ALCOHOL OR ILLICIT DRUG DEPENDENCE OR USE DISORDER: MISSOURI AGE GROUPS

Estimated Number with Past-Year Alcohol or Illicit Drug Dependence or Use Disorder: Missouri Ages 12 & Older, 2003-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Number with Past-Year Alcohol or Illicit Drug Dependence or Use Disorder: Missouri Ages 12-17, 2003-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Number with Past-Year Alcohol or Illicit Drug Dependence or Use Disorder: Missouri Ages 18-25, 2003-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Number with Past-Year Alcohol or Illicit Drug Dependence or Use Disorder: Missouri Ages 26 & Older, 2003-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Note: Estimates are annual averages for overlapping two-year time periods. Chart values labeled 2014 are based on surveys conducted in 2013 and 2014, 2013 values are based on 2012 and 2013 surveys, etc.


SUBSTANCE DEPENDENCE OR USE DISORDER: DIVISION OF BEHAVIORAL HEALTH (DBH) REGIONS

Estimated Past-Year Alcohol Dependence or Use Disorder (%): Missouri and DBH Regions, 2004-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.

Estimated Past-Year Illicit Drug Dependence or Use Disorder (%): Missouri and DBH Regions, 2004-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.


Estimated Past-Year Alcohol or Illicit Drug Dependence or Use Disorder (%): Missouri and DBH Regions, 2004-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.

SUBSTANCE DEPENDENCE OR USE DISORDER BY AGE GROUP: DIVISION OF BEHAVIORAL HEALTH REGIONS


Estimated Past-Year Substance Dependence or Use Disorder (%): Missouri and DBH Regions Ages 12-17, 2012-2014



Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health.

Estimates are average annual rates based on combined years 2012-2014.


Estimated Past-Year Substance Dependence or Use Disorder (%): Missouri and DBH Regions Ages 18-25, 2012-2014



Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health.

Estimates are average annual rates based on combined years 2012-2014.

Estimated Past-Year Substance Dependence or Use Disorder (%): Missouri and DBH Regions Ages 26 and Older, 2012-2014




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health.

Estimates are average annual rates based on combined years 2012-2014.


PAST-YEAR UNMET NEED FOR SUBSTANCE USE DISORDER TREATMENT: MISSOURI AGE GROUPS

Estimated Number Needing but Not Receiving Treatment for Alcohol and Illicit Drugs: Missouri Ages 12 & Older, 2003-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Number Needing but Not Receiving Treatment for Alcohol and Illicit Drugs: Missouri Ages 12-17, 2003-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Number Needing but Not Receiving Treatment for Alcohol and Illicit Drugs: Missouri Ages 18-25, 2003-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Number Needing but Not Receiving Treatment for Alcohol and Illicit Drugs: Missouri Ages 26 & Older, 2003-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Note: Estimates are annual averages for overlapping two-year time periods. Chart values labeled 2014 are based on surveys conducted in 2013 and 2014, 2013 values are based on 2012 and 2013 surveys, etc.

UNMET NEED FOR SUBSTANCE USE DISORDER TREATMENT: DIVISION OF BEHAVIORAL HEALTH REGIONS

Estimated % Needing but Not Receiving Treatment for Alcohol Use in Past Year: Missouri and DBH Regions, 2004-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.


Estimated % Needing but Not Receiving Treatment for Illicit Drug Use in Past Year: Missouri and DBH Regions, 2004-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.

UNMET NEED FOR SUBSTANCE TREATMENT BY AGE GROUP: DIVISION OF BEHAVIORAL HEALTH REGIONS


Estimated Past-Year Unmet Need for Substance Use Disorder Treatment (%): Missouri & DBH Regions Ages 12-17, 2012-2014



Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health.

Estimates are average annual rates based on combined years 2012-2014.


Estimated Past-Year Unmet Need for Substance Use Disorder Treatment (%): Missouri & DBH Regions Ages 18-25, 2012-2014



Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health.

Estimates are average annual rates based on combined years 2012-2014.

Estimated Past-Year Unmet Need for Substance Use Disorder Treatment (%): Missouri & DBH Regions Ages 26+, 2012-2014




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health.

Estimates are average annual rates based on combined years 2012-2014.


ANY MENTAL ILLNESS IN PAST YEAR: U.S. AND MISSOURI COMPARISON BY AGE GROUP

Estimated Past-Year Any Mental Illness (%): U.S. and Missouri Ages 18 & Older, 2009-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.
 Note: In 2013, SAMHSA revised methodology for estimating Any Mental Illness and Serious Mental Illness and issued these revised estimates for 2008/09, 2009/10, and 2010/11.

Estimated Past-Year Any Mental Illness (%): U.S. and Missouri Ages 18-25, 2009-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.
 Note: In 2013, SAMHSA revised methodology for estimating Any Mental Illness and Serious Mental Illness and issued these revised estimates for 2008/09, 2009/10, and 2010/11.


Estimated Past-Year Any Mental Illness (%): U.S. and Missouri Ages 26 and Older, 2009-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.
 Note: In 2013, SAMHSA revised methodology for estimating Any Mental Illness and Serious Mental Illness and issued these revised estimates for 2008/09, 2009/10, and 2010/11.


SERIOUS MENTAL ILLNESS IN PAST YEAR: U.S. AND MISSOURI COMPARISON BY AGE GROUP

Estimated Past-Year Serious Mental Illness (%): U.S. and Missouri Ages 18 & Older, 2009-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.
 Note: In 2013, SAMHSA revised methodology for estimating Any Mental Illness and Serious Mental Illness and issued these revised estimates for 2008/09, 2009/10, and 2010/11.

Estimated Past-Year Serious Mental Illness (%): U.S. and Missouri Ages 18-25, 2009-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.
 Note: In 2013, SAMHSA revised methodology for estimating Any Mental Illness and Serious Mental Illness and issued these revised estimates for 2008/09, 2009/10, and 2010/11.


Estimated Past-Year Serious Mental Illness (%): U.S. and Missouri Ages 26 and Older, 2009-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.
 Note: In 2013, SAMHSA revised methodology for estimating Any Mental Illness and Serious Mental Illness and issued these revised estimates for 2008/09, 2009/10, and 2010/11.


MENTAL ILLNESS IN PAST YEAR: DIVISION OF BEHAVIORAL HEALTH (DBH) REGIONS

Estimated % Past-Year Any Mental Illness: Ages 18-25, Missouri and DBH Regions, 2010-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.

Estimated % Past-Year Any Mental Illness: Ages 26 and Older, Missouri and DBH Regions, 2010-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.

Estimated % Past-Year Serious Mental Illness: Ages 18-25, Missouri and DBH Regions, 2010-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.

Estimated % Past-Year Serious Mental Illness: Ages 26 and Older, Missouri and DBH Regions, 2010-2014




DEPRESSION — MAJOR PAST-YEAR EPISODE: U.S. AND MISSOURI COMPARISON BY AGE GROUP

Estimated % Past-Year Major Depressive Episode (MDE): U.S. and Missouri Ages 12-17, 2006-2014



Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health.


Estimated % Past-Year Major Depressive Episode (MDE): U.S. and Missouri Ages 18 and Older, 2006-2014



Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH).

Note: Due to adult mental health questionnaire changes in 2008, MDE data beginning 2007/2008 are not comparable to prior years.


Estimated % Past-Year Major Depressive Episode (MDE): U.S. and Missouri Ages 18-25, 2006-2014



Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH).

Note: Due to adult mental health questionnaire changes in 2008, MDE data beginning 2007/2008 are not comparable to prior years.

Estimated % Past-Year Major Depressive Episode (MDE): U.S. and Missouri Ages 26 and Older, 2006-2014




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH).

Note: Due to adult mental health questionnaire changes in 2008, MDE data beginning 2007/2008 are not comparable to prior years.


MAJOR DEPRESSIVE EPISODE IN PAST YEAR: DIVISION OF BEHAVIORAL HEALTH (DBH) REGIONS

Estimated % Past-Year Major Depressive Episode (MDE): Ages 12-17, Missouri and DBH Regions, 2008-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.

Estimated % Past-Year Major Depressive Episode (MDE): Ages 18-25, Missouri and DBH Regions, 2008-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.


Estimated % Past-Year Major Depressive Episode (MDE): Ages 26 and Older, Missouri and DBH Regions, 2008-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.


SERIOUS THOUGHTS OF SUICIDE IN PAST YEAR: U.S. AND MISSOURI COMPARISON BY AGE GROUP

Estimated Past-Year Serious Thoughts of Suicide (%): U.S. and Missouri Ages 18 and Older, 2009-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Year Serious Thoughts of Suicide (%): U.S. and Missouri Ages 18-25, 2009-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


Estimated Past-Year Serious Thoughts of Suicide (%): U.S. and Missouri Ages 26 and Older, 2009-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


SERIOUS THOUGHTS OF SUICIDE IN PAST YEAR: DIVISION OF BEHAVIORAL HEALTH (DBH) REGIONS

Estimated % Past-Year Serious Thoughts of Suicide: Ages 18 and Older, Missouri and DBH Regions, 2010-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.

Estimated % Past-Year Serious Thoughts of Suicide: Ages 18-25, Missouri and DBH Regions, 2010-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.

Estimated % Past-Year Serious Thoughts of Suicide: Ages 26 and Older, Missouri and DBH Regions, 2010-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.

MISSOURI STUDENT SURVEY: LIFETIME USE OF ALCOHOL, TOBACCO, AND OTHER DRUGS

Students reporting "ever used" (%)

	Survey Year	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Alcohol	2016	11.24	17.48	19.36	36.19	51.42	55.49	55.78
	2014	10.44	16.42	26.60	33.60	46.28	56.31	57.49
	2012	13.25	19.96	31.97	42.76	52.80	59.30	64.53
	2010	15.09	24.39	36.49	47.99	55.42	63.20	65.33
Cigarettes	2016	4.50	9.87	13.10	18.73	23.60	28.54	24.72
	2014	4.59	9.15	16.15	19.92	26.44	29.89	36.17
	2012	7.23	10.78	19.02	25.02	31.07	37.94	41.20
	2010	8.35	12.54	22.11	28.62	36.42	43.43	45.46
Chewing Tobacco	2016	2.02	3.26	4.71	11.48	13.93	14.46	16.19
	2014	3.02	4.25	7.35	11.00	12.48	15.03	19.75
	2012	3.72	4.12	9.03	11.79	14.24	17.78	18.04
	2010	3.79	4.89	9.98	12.73	15.11	17.70	17.60
Marijuana	2016	1.16	5.53	10.59	12.54	16.10	30.76	30.51
	2014	1.10	3.86	10.50	14.90	22.79	30.17	32.97
	2012	1.73	4.49	10.56	18.17	25.64	31.74	40.66
	2010	1.85	4.42	10.44	18.76	28.73	35.35	38.86
Inhalants	2016	1.89	2.81	3.63	2.42	3.03	2.66	3.04
	2014	2.24	3.17	3.28	2.70	3.12	3.25	2.93
	2012	5.02	4.69	5.78	5.69	5.11	5.13	4.28
	2010	5.67	6.57	6.92	6.79	6.50	6.23	6.09
Heroin	2016	0.24	0.03	0.03	0.17	0.45	0.13	0.00
	2014	0.27	0.31	0.24	0.28	0.38	0.42	0.42
	2012	0.56	0.56	1.04	0.84	1.09	1.25	1.83
	2010	0.26	0.50	0.50	0.64	0.85	0.90	1.08
Cocaine	2016	0.02	0.06	0.06	1.45	1.46	2.05	0.96
	2014	0.36	0.49	0.64	0.98	1.25	2.11	2.49
	2012	0.62	0.80	1.65	1.49	2.60	3.33	3.76
	2010	0.47	0.80	0.99	1.45	2.27	3.65	4.16
Methamphetamine	2016	0.19	0.16	0.08	0.18	0.46	0.70	0.14
	2014	0.15	0.33	0.48	0.58	0.64	0.69	0.90
	2012	0.93	0.73	1.23	1.18	1.39	1.95	2.00
	2010	0.42	0.78	0.71	0.84	1.11	1.35	1.22
Hallucinogen	2016	0.04	0.19	0.65	0.80	0.50	3.38	2.50
	2014	0.25	0.50	1.36	1.64	2.93	3.37	4.51
	2012	0.62	1.14	2.18	2.66	4.10	5.29	7.52
	2010	0.46	0.97	1.85	3.19	4.43	6.36	5.90
Club Drug	2016	0.00	0.42	0.39	1.33	0.40	1.94	1.47
	2014	0.24	0.72	0.78	1.41	1.99	2.92	3.98
	2012	0.76	0.70	1.68	2.03	3.22	3.99	5.23
	2010	0.42	0.66	1.37	2.28	3.05	4.79	5.25
Steroid: non-prescribed	2016	—	—	—	—	—	—	—
	2014	0.59	0.78	0.86	0.77	1.40	0.80	1.09
	2012	1.07	1.08	1.83	1.39	1.34	1.62	1.71
	2010	0.92	0.86	0.99	1.24	1.28	1.14	0.85
Pharmaceutical Drug: non-prescribed	2016	7.37	12.60	16.39	16.94	13.54	17.44	15.88
	2014	3.42	4.55	6.07	7.88	9.60	10.74	12.44
	2012	3.06	4.20	6.77	9.28	11.93	14.16	16.12
	2010	5.23	6.56	9.08	12.13	13.96	16.93	15.96
Over-the-Counter Drug: non-medical use	2016	2.98	4.43	5.03	4.66	4.78	4.90	5.84
	2014	1.73	2.31	2.78	2.84	3.43	3.60	4.65
	2012	2.23	3.30	5.53	6.51	8.39	8.73	9.35
	2010	3.33	4.63	6.65	8.91	9.87	10.89	9.32
Synthetic Drug	2016	1.67	1.62	0.76	1.19	0.50	2.34	4.96
	2014	0.62	1.04	2.36	3.16	4.20	6.06	7.17
	2012	2.37	2.68	4.55	6.77	9.17	11.31	12.97
	2010	—	—	—	—	—	—	—

A dash (—) indicates question not included in survey. Data are weighted.

Data Source: Missouri Institute of Mental Health. 2010-2016 Missouri Student Surveys.

MISSOURI STUDENT SURVEY: PAST 30-DAY USE OF ALCOHOL, TOBACCO, AND OTHER DRUGS
Students reporting use in past 30 days (%)


	Survey Year	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Alcohol	2016	0.84	4.27	7.75	15.31	21.84	24.57	24.85
	2014	2.36	4.76	8.89	12.94	21.88	24.66	30.69
	2012	3.64	6.38	12.18	18.56	25.63	29.51	35.54
	2010	4.43	8.30	14.44	22.13	28.29	33.35	36.72
Alcohol: binge use (5 or more drinks on one occasion in past two weeks)	2016	0.49	0.96	2.24	3.43	9.20	11.28	12.08
	2014	0.51	1.31	2.75	5.66	9.40	11.82	16.00
	2012	1.02	2.44	5.65	10.56	17.07	22.40	25.25
	2010	—	—	—	—	—	—	—
Cigarettes	2016	0.49	3.65	4.28	6.22	7.79	12.17	8.90
	2014	1.52	3.87	5.61	8.11	12.17	12.59	17.10
	2012	2.57	4.36	8.23	11.38	15.13	20.06	21.84
	2010	4.00	5.92	10.94	14.80	18.68	22.95	24.99
Chewing Tobacco	2016	0.49	1.65	1.65	3.26	7.82	6.12	4.70
	2014	1.07	1.90	3.10	5.58	7.27	7.40	11.08
	2012	1.63	2.18	4.45	6.48	7.63	9.75	10.01
	2010	2.01	2.54	5.03	7.30	7.79	9.28	8.89
Marijuana	2016	0.42	3.60	4.04	5.95	5.29	17.01	13.11
	2014	0.56	2.29	4.61	7.24	11.88	15.71	15.55
	2012	1.00	2.32	5.97	9.55	13.05	15.51	21.35
	2010	0.99	2.29	5.50	10.25	15.64	18.31	19.52
Inhalant	2016	1.23	0.81	1.61	0.21	1.80	0.72	0.67
	2014	1.19	1.61	1.40	1.05	1.00	0.59	1.02
	2012	2.49	2.57	2.90	2.38	1.64	1.43	1.28
	2010	3.71	3.87	3.51	3.06	2.54	1.80	1.55
Pharmaceutical Drug: non-prescribed	2016	5.71	10.47	13.25	12.41	6.95	10.12	10.80
	2014	1.89	2.10	3.54	4.40	4.34	4.92	5.56
	2012	1.63	2.57	3.77	5.27	6.59	7.04	7.61
	2010	3.33	3.97	5.55	7.50	8.38	9.82	8.28
Over-the-Counter Drug: non-medical use	2016	1.92	2.52	3.78	1.89	1.64	1.00	2.69
	2014	1.10	1.60	1.81	1.59	1.79	1.73	1.76
	2012	1.31	2.18	3.50	4.08	5.08	4.68	3.81
	2010	2.11	2.86	4.26	5.76	5.69	6.10	4.78
Synthetic Drug	2016	0.08	0.81	0.44	0.39	0.00	0.65	0.00
	2014	0.31	0.57	1.17	0.94	0.82	0.87	0.83
	2012	1.49	1.67	2.41	3.31	3.95	4.26	3.52
	2010	—	—	—	—	—	—	—

A dash (—) indicates question not included in survey. Data are weighted.

Data Source: Missouri Institute of Mental Health. 2010-2016 Missouri Student Surveys.


ALCOHOL USE: MISSOURI STUDENTS IN GRADES 6-12

Lifetime Use of Alcohol (%): Missouri Students in Grades 6-12, 2010-2016




Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.

Past 30-Day Use of Alcohol (%): Missouri Students in Grades 6-12, 2010-2016



Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.


Binge Alcohol: 5 or More Drinks on Same Occasion in Past 2 Weeks (%): Missouri Students in Grades 6-12, 2012-2016



Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.


TOBACCO USE: MISSOURI STUDENTS IN GRADES 6-12

Lifetime Use of Cigarettes (%): Missouri Students in Grades 6-12, 2010-2016




Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.

Past 30-Day Use of Cigarettes (%): Missouri Students in Grades 6-12, 2010-2016




Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.

Lifetime Use of Chewing Tobacco (%): Missouri Students in Grades 6-12, 2010-2016



Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.


Past 30-Day Use of Chewing Tobacco (%): Missouri Students in Grades 6-12, 2010-2016



Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.


MARIJUANA USE: MISSOURI STUDENTS IN GRADES 6-12

Lifetime Use of Marijuana (%): Missouri Students in Grades 6-12, 2010-2016



Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.


Past 30-Day Use of Marijuana (%): Missouri Students in Grades 6-12, 2010-2016



Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.


COCAINE, METHAMPHETAMINE, AND HEROIN USE: MISSOURI STUDENTS IN GRADES 6-12

Lifetime Use of Cocaine (%): Missouri Students in Grades 6-12, 2010-2016




Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.

Lifetime Use of Methamphetamine (%): Missouri Students in Grades 6-12, 2010-2016



Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.


Lifetime Use of Heroin (%): Missouri Students in Grades 6-12, 2010-2016



Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.


HALLUCINOGEN, SYNTHETIC, AND CLUB DRUG USE: MISSOURI STUDENTS IN GRADES 6-12

Lifetime Use of Hallucinogens such as LSD, PCP, Mescaline, Peyote (%): Missouri Students in Grades 6-12, 2010-2016




Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.

Lifetime Use of Club Drugs such as MDMA (Ecstasy), GHB, Rohypnol (%): Missouri Students in Grades 6-12, 2010-2016



Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.


Lifetime Use of Synthetic Drugs such as K2, Bath Salts, Spice (%): Missouri Students in Grades 6-12, 2012-2016



Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.


PHARMACEUTICAL DRUG USE: MISSOURI STUDENTS IN GRADES 6-12

Lifetime Use of Non-Prescribed Pharmaceutical Drugs (%): Missouri Students in Grades 6-12, 2010-2016




Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.

Past 30-Day Use of Non-Prescribed Pharmaceutical Drugs (%): Missouri Students in Grades 6-12, 2010-2016



Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.


Lifetime Use of Non-Prescribed Steroids (%): Missouri Students in Grades 6-12, 2010-2014



Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted. Item not included on 2016 survey.


INHALANT AND OVER-THE-COUNTER MEDICATION USE: MISSOURI STUDENTS IN GRADES 6-12

Lifetime Use of Inhalants (%): Missouri Students in Grades 6-12, 2010-2016




Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.

Past 30-Day Use of Inhalants (%): Missouri Students in Grades 6-12, 2010-2016




Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.

Lifetime Non-medical Use of Over-the-Counter Medicines (%): Missouri Students in Grades 6-12, 2010-2016



Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.

Past 30-Day Non-medical Use of Over-the-Counter Medicines (%): Missouri Students in Grades 6-12, 2010-2016



Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.

YOUTH RISK BEHAVIOR SURVEY

MISSOURI AND U.S. HIGH SCHOOL ESTIMATES FOR ALCOHOL, TOBACCO, AND DRUG USE

	2015		2013		2011		2009		2007		2005		2003		2001		1999		1997		1995	
	MO	U.S.	MO	U.S.	MO	U.S.	MO	U.S.	MO	U.S.	MO	U.S.	MO	U.S.	MO	U.S.	MO	U.S.	MO	U.S.	MO	U.S.
Alcohol Use in Past 30 Days (%)																						
Overall Grades 9-12	34.5	32.8	35.6	34.9	NA	38.7	39.3	41.8	44.4	44.7	40.8	43.3	49.2	44.9	47.6	47.1	49.9	50.0	51.4	50.8	55.7	51.6
Grade 9	26.4	23.4	25.9	24.4	NA	29.8	28.6	31.5	38.5	35.7	30.4	36.2	44.4	36.2	43.2	41.1	45.4	40.6	42.6	44.2	49.8	45.6
Grade 10	27.7	29.0	37.4	30.9	NA	35.7	37.7	40.6	44.7	41.8	41.5	42.0	46.1	43.5	47.7	45.2	43.3	49.7	50.9	47.2	54.9	49.5
Grade 11	35.3	38.0	39.5	39.2	NA	42.7	48.4	45.7	46.7	49.0	44.3	46.0	50.9	47.0	48.4	49.3	55.5	50.9	52.3	53.2	60.5	53.7
Grade 12	48.6	42.4	39.6	46.8	NA	48.4	45.8	51.7	48.6	54.9	48.8	50.8	57.3	55.9	52.2	55.2	57.2	61.7	62.2	57.3	59.4	56.5
Binge Drinking in Past 30 Days (%)																						
Overall Grades 9-12	19.5	17.7	22.5	20.8	NA	21.9	25.3	24.2	29.1	26.0	24.9	25.5	30.5	28.3	34.1	29.9	32.0	31.5	37.9	33.4	39.9	32.6
Grade 9	11.4	10.4	15.4	13.5	NA	14.0	15.2	15.3	22.3	17.0	13.6	19.0	25.3	19.8	28.0	24.5	23.5	21.1	28.4	25.7	34.2	24.5
Grade 10	13.9	15.1	20.3	17.4	NA	18.4	24.0	22.3	26.8	23.7	26.3	24.6	27.6	27.4	33.0	28.2	28.2	32.2	35.5	29.9	37.0	30.3
Grade 11	20.2	22.1	29.0	24.6	NA	25.2	32.1	28.3	33.0	29.9	29.0	27.6	32.0	31.8	36.5	32.2	40.8	34.0	39.1	37.5	46.8	34.9
Grade 12	32.6	24.6	25.4	29.2	NA	31.5	32.7	33.5	35.3	36.5	32.4	32.8	38.9	37.2	40.0	36.7	38.7	41.6	51.3	39.3	43.7	39.0
Alcohol Use Before Age 13 (%)																						
Overall Grades 9-12	17.3	17.2	19.5	18.6	NA	20.5	20.4	21.1	20.9	23.8	24.2	25.6	25.4	27.8	30.0	29.1	33.5	32.2	33.6	31.1	39.9	32.4
Grade 9	21.2	20.3	23.7	22.2	NA	26.6	23.9	28.1	30.5	30.9	34.1	33.9	38.2	36.4	38.7	39.7	40.2	40.4	42.4	41.9	51.3	41.0
Grade 10	20.1	18.6	22.2	19.2	NA	21.1	22.9	22.2	20.5	24.4	22.5	26.2	26.4	28.5	31.2	28.8	38.0	35.6	32.6	32.0	41.3	34.1
Grade 11	14.7	15.2	16.1	17.2	NA	17.6	18.2	17.9	17.8	19.6	23.8	20.5	20.3	23.0	26.5	23.4	30.6	26.2	29.1	29.9	35.2	29.6
Grade 12	13.0	13.5	14.5	14.7	NA	15.1	15.3	14.2	11.8	18.0	14.4	19.3	14.0	20.3	21.3	21.2	21.4	24.3	27.3	22.8	27.9	25.8
Cigarette Use in Lifetime (%)																						
Overall Grades 9-12	34.5	32.3	39.2	41.1	NA	44.7	46.5	46.3	50.9	50.3	49.6	54.3	63.3	58.4	68.5	63.9	69.8	70.4	74.0	70.2	75.0	71.3
Grade 9	24.9	25.1	31.2	31.7	NA	37.6	34.0	37.7	47.2	42.7	40.7	48.7	60.8	52.0	62.5	58.4	67.7	61.8	72.3	67.7	73.1	63.4
Grade 10	32.5	29.1	35.0	39.0	NA	41.0	44.1	44.0	45.9	48.8	51.2	52.5	59.7	58.3	68.9	62.6	70.8	73.9	73.7	70.0	73.5	71.1
Grade 11	36.5	37.5	41.2	47.0	NA	47.1	52.9	50.0	57.4	53.4	53.4	57.5	66.6	60.0	68.4	65.9	69.5	69.9	73.0	68.8	77.6	75.8
Grade 12	45.6	38.3	50.2	48.1	NA	54.5	57.9	55.5	53.7	59.3	54.3	60.3	66.9	65.4	75.9	71.1	72.1	78.0	77.4	73.7	76.3	73.8
Cigarette Use in Past 30 Days (%)																						
Overall Grades 9-12	11.0	10.8	14.9	15.7	NA	18.1	18.9	19.5	23.8	20.0	21.3	23.0	24.8	21.9	30.3	28.5	32.8	34.8	40.3	36.4	39.8	34.8
Grade 9	8.0	7.6	8.8	10.2	NA	13.0	9.4	13.5	22.2	14.3	14.1	19.7	25.6	17.4	27.0	23.9	27.1	27.6	34.9	33.4	39.9	31.2
Grade 10	8.2	8.8	12.1	13.2	NA	15.6	19.0	18.3	17.8	19.6	21.4	21.4	23.5	21.8	29.8	26.9	33.9	34.7	39.1	35.3	37.6	33.1
Grade 11	10.7	13.1	15.9	21.1	NA	19.3	22.8	22.3	30.6	21.6	24.3	24.3	28.2	23.6	29.6	29.8	38.1	36.0	40.1	36.6	41.9	35.9
Grade 12	16.8	14.1	22.9	19.2	NA	25.1	26.7	25.2	25.4	26.5	26.5	27.6	21.4	26.2	35.4	35.2	33.5	42.8	48.2	39.6	40.1	38.2
Cigarette Use Before Age 13 (%)																						
Overall Grades 9-12	8.0	6.6	8.6	9.3	NA	10.3	9.9	10.7	13.4	14.2	14.8	16.0	20.2	18.3	25.7	22.1	25.2	24.7	27.4	24.8	32.2	24.9
Grade 9	10.0	7.2	9.2	9.5	NA	12.1	8.2	12.1	15.7	16.3	15.9	18.6	28.1	19.3	31.1	26.2	30.4	27.0	34.2	32.0	38.5	28.1
Grade 10	7.7	7.6	8.9	9.2	NA	10.1	13.3	11.2	12.6	14.3	14.2	16.0	21.9	20.1	26.5	22.9	27.2	28.5	24.3	27.5	32.5	25.6
Grade 11	6.7	5.6	8.6	10.9	NA	9.8	8.3	10.3	14.3	12.0	16.6	14.4	17.4	16.0	22.2	18.5	23.2	21.1	25.4	22.2	28.9	25.0
Grade 12	7.0	5.2	7.4	7.3	NA	8.2	9.7	8.6	10.1	13.3	12.3	13.9	11.3	16.5	21.1	19.0	17.8	20.7	23.3	18.6	26.2	21.5
Smokeless Tobacco Use in Past 30 Days (%)																						
Overall Grades 9-12	10.0	7.3	10.4	8.8	NA	7.7	9.3	8.9	9.1	7.9	6.9	8.0	5.7	6.7	10.4	8.2	8.1	7.8	9.1	9.3	16.0	11.4
Grade 9	8.8	5.9	9.2	7.3	NA	5.9	6.5	7.2	7.6	6.3	3.6	7.6	6.6	6.6	9.4	6.6	8.3	6.8	5.8	9.7	15.5	11.2
Grade 10	8.9	6.3	10.1	8.1	NA	7.4	9.5	8.1	9.1	8.7	8.1	7.5	6.8	5.4	11.1	8.7	7.5	7.1	9.5	6.8	15.5	9.7
Grade 11	10.7	9.3	8.1	10.5	NA	8.6	10.4	10.7	8.4	7.6	9.1	8.4	4.8	7.8	10.4	9.0	8.5	8.4	9.5	10.0	18.7	13.0
Grade 12	11.4	7.5	12.8	9.4	NA	8.8	10.5	10.0	10.5	8.9	7.0	8.4	4.1	7.1	10.2	8.7	6.9	8.9	12.4	10.5	14.1	11.2
Marijuana Use in Past 30 Days (%)																						
Overall Grades 9-12	16.3	21.7	20.5	23.4	NA	23.1	20.6	20.8	19.0	19.7	18.1	20.2	21.8	22.4	24.4	23.9	25.6	26.7	28.2	26.2	21.8	25.3
Grade 9	11.4	15.2	14.2	17.7	NA	18.0	13.7	15.5	12.5	14.7	11.7	17.4	20.7	18.5	25.8	19.4	22.3	21.7	23.4	23.6	22.8	20.9
Grade 10	14.8	20.0	19.7	23.5	NA	21.6	17.6	21.1	16.7	19.3	22.2	20.2	18.0	22.0	21.9	24.8	24.5	27.8	26.2	25.0	22.4	25.5
Grade 11	17.5	24.8	21.9	25.5	NA	25.5	27.6	23.2	26.6	21.4	23.2	21.0	23.0	24.1	24.8	25.8	31.8	26.7	29.9	29.3	21.9	27.6
Grade 12	22.1	27.6	26.4	27.7	NA	28.0	25.0	24.6	21.2	25.1	15.5	22.8	25.4	25.8	24.6	26.9	24.5	31.5	34.9	26.6	19.5	26.2

Values shown are weighted estimates based on sampling. Apparent differences in values may not be statistically significant.


NA: Data not available for specified year.

2011 Missouri data are not displayed due to insufficient survey response rate.

Data Source: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention.


PAST 30-DAY ALCOHOL USE: U.S. AND MISSOURI STUDENTS IN GRADES 9-12

Past 30-Day Alcohol Use (%): U.S. and Missouri Students in Grade 9, 1995-2015




Data Source: U.S. Dept. of HHS, Centers for Disease Control and Prevention. Estimates from the Youth Risk Behavior Survey

Past 30-Day Alcohol Use (%): U.S. and Missouri Students in Grade 10, 1995-2015




Data Source: U.S. Dept. of HHS, Centers for Disease Control and Prevention. Estimates from the Youth Risk Behavior Survey

Past 30-Day Alcohol Use (%): U.S. and Missouri Students in Grade 11, 1995-2015



Data Source: U.S. Dept. of HHS, Centers for Disease Control and Prevention. Estimates from the Youth Risk Behavior Survey

Past 30-Day Alcohol Use (%): U.S. and Missouri Students in Grade 12, 1995-2015




Data Source: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. Youth Risk Behavior Survey.

Data shown are weighted estimates. 2011 Missouri estimates are not available due to insufficient survey response rate.


PAST 30-DAY BINGE ALCOHOL USE: U.S. AND MISSOURI STUDENTS IN GRADES 9-12

Past 30-Day Binge Alcohol Use (%): U.S. and Missouri Students in Grade 9, 1995-2015




Data Source: U.S. Dept. of HHS, Centers for Disease Control and Prevention. Estimates from the Youth Risk Behavior Survey

Past 30-Day Binge Alcohol Use (%): U.S. and Missouri Students in Grade 10, 1995-2015




Data Source: U.S. Dept. of HHS, Centers for Disease Control and Prevention. Estimates from the Youth Risk Behavior Survey

Past 30-Day Binge Alcohol Use (%): U.S. and Missouri Students in Grade 11, 1995-2015



Data Source: U.S. Dept. of HHS, Centers for Disease Control and Prevention. Estimates from the Youth Risk Behavior Survey

Past 30-Day Binge Alcohol Use (%): U.S. and Missouri Students in Grade 12, 1995-2015




Data Source: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. Youth Risk Behavior Survey.

Data shown are weighted estimates. 2011 Missouri estimates are not available due to insufficient survey response rate.


ALCOHOL USE BEFORE AGE 13: U.S. AND MISSOURI STUDENTS IN GRADES 9-12

Estimated First Use of Alcohol Before Age 13 (%): U.S. and Missouri Students in Grade 9, 1995-2015




Data Source: U.S. Dept. of HHS, Centers for Disease Control and Prevention. Estimates from the Youth Risk Behavior Survey

Estimated First Use of Alcohol Before Age 13 (%): U.S. and Missouri Students in Grade 10, 1995-2015




Data Source: U.S. Dept. of HHS, Centers for Disease Control and Prevention. Estimates from the Youth Risk Behavior Survey

Estimated First Use of Alcohol Before Age 13 (%): U.S. and Missouri Students in Grade 11, 1995-2015



Data Source: U.S. Dept. of HHS, Centers for Disease Control and Prevention. Estimates from the Youth Risk Behavior Survey

Estimated First Use of Alcohol Before Age 13 (%): U.S. and Missouri Students in Grade 12, 1995-2015




Data Source: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. Youth Risk Behavior Survey.

Data shown are weighted estimates. 2011 Missouri estimates are not available due to insufficient survey response rate.


PAST 30-DAY CIGARETTE USE: U.S. AND MISSOURI STUDENTS IN GRADES 9-12

Past 30-Day Cigarette Use (%): U.S. and Missouri Students in Grade 9, 1995-2015




Data Source: U.S. Dept. of HHS, Centers for Disease Control and Prevention. Estimates from the Youth Risk Behavior Survey

Past 30-Day Cigarette Use (%): U.S. and Missouri Students in Grade 10, 1995-2015




Data Source: U.S. Dept. of HHS, Centers for Disease Control and Prevention. Estimates from the Youth Risk Behavior Survey

Past 30-Day Cigarette Use (%): U.S. and Missouri Students in Grade 11, 1995-2015



Data Source: U.S. Dept. of HHS, Centers for Disease Control and Prevention. Estimates from the Youth Risk Behavior Survey

Past 30-Day Cigarette Use (%): U.S. and Missouri Students in Grade 12, 1995-2015




Data Source: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. Youth Risk Behavior Survey.

Data shown are weighted estimates. 2011 Missouri estimates are not available due to insufficient survey response rate.


PAST 30-DAY MARIJUANA USE: U.S. AND MISSOURI STUDENTS IN GRADES 9-12

Estimated Past 30-Day Marijuana Use (%): U.S. and Missouri Students in Grade 9, 1995-2015




Data Source: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. Youth Risk Behavior Survey

Estimated Past 30-Day Marijuana Use (%): U.S. and Missouri Students in Grade 10, 1995-2015




Data Source: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. Youth Risk Behavior Survey

Estimated Past 30-Day Marijuana Use (%): U.S. and Missouri Students in Grade 11, 1995-2015



Data Source: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. Youth Risk Behavior Survey

Estimated Past 30-Day Marijuana Use (%): U.S. and Missouri Students in Grade 12, 1995-2015



Data Source: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. Youth Risk Behavior Survey.

Data shown are weighted estimates. 2011 Missouri estimates are not available due to insufficient survey response rate.

BEHAVIORAL RISK FACTOR SURVEY
MISSOURI AND U.S. ESTIMATES FOR AGES 18 AND OLDER FOR ALCOHOL, TOBACCO, AND MENTAL HEALTH

	Current data weighting methodology				Pre-2011 data weighting methodology					
	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005
Alcohol Use in Past 30 Days (%)										
Missouri	45.5	48.5	48.5	52.5	47.7	50.1	51.9	51.9	50.7	51.8
U.S. (Median of the States)		54.5	55.3	57.1	54.6	54.3	54.4	54.8	55.4	56.2
Binge Drinking * in Past 30 Days (%)										
Missouri	15.1	17.2	17.3	19.2	15.6	17.2	15.3	16.2	16.5	14.9
— Males (5 or more drinks on one occasion)	20.7	23.5	23.5	26.1	21.5	22.5	20.7	20.3	24.2	
— Females (4 or more drinks on one occasion)	9.8	11.3	11.5	12.9	10.1	12.3	10.3	12.8	10.4	
U.S. (Median of the States)		16.8	16.9	18.3	15.1	15.7	15.6	15.8	15.4	14.4
Heavy Drinking ** in Past 30 Days (%)										
Missouri	5.2	6.0	6.3	7.3	5.5	4.2	5.4	4.6	6.2	5.0
— Males (More than 2 drinks per day)	6.8	7.6	8.2	9.6	8.0	4.7	5.5	5.6	7.6	
— Females (More than 1 drink per day)	3.7	4.5	4.5	5.1	3.1	3.7	5.3	3.6	5.1	
U.S. (Median of the States)		6.2	6.1	6.6	5.0	5.1	5.1	5.2	4.9	4.9
Current Tobacco Smoking (%)										
Missouri	20.6	22.1	23.9	25.0	21.1	23.1	24.9	24.5	23.2	23.4
U.S. (Median of the States)		19.0	19.6	21.2	17.3	17.9	18.3	19.8	20.1	20.6
Former Smokers (%)										
Missouri	24.4	25.2	23.9	25.0	26.1	24.7	25.0	23.4	26.8	24.2
U.S. (Median of the States)		25.3	25.2	25.1	25.1	25.5	25.2	24.6	24.7	24.8
Limited in Activities Due to Physical, Mental, or Emotional Problems										
Missouri	23.2	24.2	23.7	28.1	24.8	22.1	25.0	20.9		20.9
U.S. (Median of the States)		19.7	20.1	24.3	21.2	18.9	20.6	18.9		18.6
Depressive Disorder Identified by Health or Mental Health Professional in Lifetime (%)										
Missouri	21.7	21.3	20.1	20.1						
U.S. (Median of the States)		18.7	18.0	17.5						

Notes:

Percentages are estimates based on Behavioral Risk Factor Survey responses, and demographic weighting to represent the Missouri and U.S. adult populations.

Data weighting methodology was revised beginning in 2011, and recent data should not be compared to pre-2011 data.

Small year-to-year Missouri changes, and small differences between Missouri and U.S. estimates, might not be statistically significant.

Data Sources:

U.S. Department of Health and Human Services, Centers for Disease Control and Prevention: Behavioral Risk Factor Surveillance System.

Missouri Department of Health and Senior Services, Office of Epidemiology.

MONITORING THE FUTURE SURVEY: TABLES FOR GRADE 8

Estimated Daily Substance Use in Past 30 Days (%): U.S. Students in Grade 8

	2015	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002	2001
Alcohol	0.2	0.3	0.3	0.3	0.4	0.5	0.5	0.7	0.6	0.5	0.5	0.6	0.8	0.7	0.9
Been Drunk Daily	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.2
Cigarettes	1.3	1.4	1.8	1.9	2.4	2.9	2.7	3.1	3.0	4.0	4.0	4.4	4.5	5.1	5.5
Smokeless Tobacco	0.8	0.5	0.5	0.5	0.8	0.9	0.8	0.8	0.8	0.7	0.7	1.0	0.8	0.8	1.2
Marijuana/Hashish	1.1	1.0	1.1	1.1	1.3	1.2	1.0	0.9	0.8	1.0	1.0	0.8	1.0	1.2	1.3

Estimated Past-30 Day Substance Use (%): U.S. Students in Grade 8

	2015	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002	2001
Alcohol	9.7	9.0	10.2	11.0	12.7	13.8	14.9	15.9	15.9	17.2	17.1	18.6	19.7	19.6	21.5
Been Drunk (past 30 days)	3.1	2.7	3.5	3.6	4.4	5.0	5.4	5.4	5.5	6.2	6.0	6.2	6.7	6.7	7.7
Binge Alcohol Use (past 2 weeks)*	4.6	4.1	5.1	5.1	6.4	7.2	7.8	8.1	8.3	8.7	8.4	9.4	9.8	10.3	11.0
Cigarettes	3.6	4.0	4.5	4.9	6.1	7.1	6.5	6.8	7.1	8.7	9.3	9.2	10.2	10.7	12.2
Smokeless Tobacco	3.2	3.0	2.8	2.8	3.5	4.1	3.7	3.5	3.2	3.7	3.3	4.1	4.1	3.3	4.0
Any Illicit Drug	8.1	8.3	8.7	‡ 7.7	8.5	9.5	8.1	7.6	7.4	8.1	8.5	8.4	9.7	10.4	11.7
Marijuana/Hashish	6.5	6.5	7.0	6.5	7.2	8.0	6.5	5.8	5.7	6.5	6.6	6.4	7.5	8.3	9.2
Any Illicit Drug other than Marijuana	3.1	3.3	3.6	‡ 2.6	3.4	3.5	3.5	3.8	3.6	3.8	4.1	4.1	4.7	4.7	5.5
Inhalants	2.0	2.2	2.3	2.7	3.2	3.6	3.8	4.1	3.9	4.1	4.2	4.5	4.1	3.8	4.0
Hallucinogens	0.6	0.5	0.8	0.6	1.0	1.0	0.9	0.9	1.0	0.9	1.1	1.0	1.2	1.2	1.6
LSD	0.4	0.3	0.5	0.3	0.5	0.6	0.5	0.5	0.5	0.4	0.5	0.5	0.6	0.7	1.0
MDMA "Ecstasy"	0.5	‡ 0.7	0.5	0.5	0.6	1.1	0.6	0.8	0.6	0.7	0.6	0.8	0.7	1.4	1.8
Cocaine (all forms)	0.5	0.5	0.5	0.5	0.8	0.6	0.8	0.8	0.9	1.0	1.0	0.9	0.9	1.1	1.2
Crack Cocaine	0.3	0.3	0.3	0.3	0.5	0.4	0.5	0.5	0.6	0.6	0.6	0.6	0.7	0.8	0.8
Amphetamines	1.9	2.1	2.3	‡ 1.3	1.8	1.8	1.9	2.2	2.0	2.1	2.3	2.3	2.7	2.8	3.2
Methamphetamine	0.3	0.2	0.4	0.5	0.4	0.7	0.5	0.7	0.6	0.6	0.7	0.6	1.2	1.1	1.3
Heroin	0.1	0.3	0.3	0.2	0.4	0.4	0.4	0.4	0.4	0.3	0.5	0.5	0.4	0.5	0.6
Tranquilizers	0.8	0.8	0.9	0.8	1.0	1.2	1.2	1.2	1.1	1.3	1.3	1.2	1.4	1.2	1.2
Rohypnol	0.1	0.2	0.1	0.1	0.6	0.2	0.2	0.1	0.3	0.4	0.2	0.2	0.1	0.2	0.4
Steroids	0.3	0.2	0.3	0.3	0.4	0.3	0.4	0.5	0.4	0.5	0.5	0.5	0.7	0.8	0.7
Injection Drug Use	0.2	0.3	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.2	0.3	0.3	0.3	0.3	0.4

Estimated Lifetime Substance Use (%): U.S. Students in Grade 8

	2015	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002	2001
Alcohol	26.1	26.8	27.8	29.5	33.1	35.8	36.6	38.9	38.9	40.5	41.0	43.9	45.6	47.0	50.5
Ever Been Drunk	10.9	10.8	12.2	12.8	14.8	16.3	17.4	18.0	17.9	19.5	19.5	19.9	20.3	21.3	23.4
Cigarettes	13.3	13.5	14.8	15.5	18.4	20.0	20.1	20.5	22.1	24.6	25.9	27.9	28.4	31.4	36.6
Smokeless Tobacco	8.6	8.0	7.9	8.1	9.7	9.9	9.6	9.8	9.1	10.2	10.1	11.0	11.3	11.2	11.7
Any Illicit Drug	20.5	20.3	21.1	‡ 18.5	20.1	21.4	19.9	19.6	19.0	20.9	21.4	21.5	22.8	24.5	26.8
Any Illicit Drug other than Marijuana	10.3	10.0	10.4	‡ 8.7	9.8	10.6	10.4	11.2	11.1	12.2	11.1	12.2	13.6	13.7	17.0
Marijuana/Hashish	15.5	15.6	16.5	15.2	16.4	17.3	15.7	14.6	14.2	15.7	16.5	16.3	17.5	19.2	20.4
Inhalants	9.4	10.8	10.8	11.8	13.1	14.5	14.9	15.7	15.6	16.1	17.1	17.3	15.8	15.2	17.1
Hallucinogens	2.0	2.0	2.5	2.8	3.3	3.4	3.0	3.3	3.1	3.4	3.8	3.5	4.0	4.1	5.2
LSD	1.3	1.1	1.4	1.3	1.7	1.8	1.7	1.9	1.6	1.6	1.9	1.8	2.1	2.5	3.4
MDMA "Ecstasy"	2.3	‡ 2.4	1.8	2.0	2.6	3.3	2.2	2.4	2.3	2.5	2.8	2.8	3.2	4.3	5.2
Cocaine (all forms)	1.6	1.8	1.7	1.9	2.2	2.6	2.6	3.0	3.1	3.4	3.7	3.4	3.6	3.6	4.3
Crack Cocaine	1.0	1.2	1.2	1.0	1.5	1.5	1.7	2.0	2.1	2.3	2.4	2.4	2.5	2.5	3.0
Amphetamines	6.8	6.7	6.9	‡ 4.5	5.2	5.7	6.0	6.8	6.5	7.3	7.4	7.5	8.4	8.7	10.2
Methamphetamine	0.8	1.0	1.4	1.3	1.3	1.8	1.6	2.3	1.8	2.7	3.1	2.5	3.9	3.5	4.4
Heroin	0.5	0.9	1.0	0.8	1.2	1.3	1.3	1.4	1.3	1.4	1.5	1.6	1.6	1.6	1.7
Tranquilizers	3.0	2.9	2.9	3.0	3.4	4.4	3.9	3.9	3.9	4.3	4.1	4.0	4.4	4.3	5.0
Rohypnol	0.8	0.6	0.7	1.0	2.0	0.9	0.7	0.7	1.0	1.0	1.1	1.0	1.0	0.8	1.1
Steroids	1.0	1.0	1.1	1.2	1.2	1.1	1.3	1.4	1.5	1.6	1.7	1.9	2.5	2.5	2.8
Injection Drug Use	0.3	0.8	0.6	0.6	0.8	0.9	0.9	0.9	0.9	1.0	1.0	1.1	1.0	1.0	1.2

* Binge alcohol use in the Monitoring the Future Survey is defined as consuming 5 or more drinks on the same occasion on at least one day in the past two weeks.

‡ Survey question was re-worded and/or estimate was revised beginning with year indicated

Data Source: Miech, R.A., Johnston, L.D., O'Malley, P.M., Bachman, J.G., & Schulenberg, J.E. (2016).

Monitoring the Future national survey results on drug use, 1975-2015: Volume I, Secondary school students.

Ann Arbor: Institute for Social Research, The University of Michigan.

MONITORING THE FUTURE SURVEY: TABLES FOR GRADE 10

Estimated Daily Substance Use in Past 30 Days (%): U.S. Students in Grade 10

	2015	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002	2001
Alcohol	0.5	0.8	0.9	1.0	0.8	1.1	1.1	1.0	1.4	1.4	1.3	1.3	1.5	1.8	1.9
Been Drunk Daily	0.1	0.3	0.3	0.4	0.2	0.3	0.4	0.3	0.5	0.5	0.4	0.4	0.5	0.5	0.6
Cigarettes	3.0	3.2	4.4	5.0	5.5	6.6	6.3	5.9	7.2	7.6	7.5	8.3	8.9	10.1	12.2
Smokeless Tobacco	1.6	1.8	1.9	2.0	1.7	2.5	1.9	1.4	1.6	1.7	1.9	1.6	1.8	1.7	2.2
Marijuana/Hashish	3.0	3.4	4.0	3.5	3.6	3.3	2.8	2.7	2.8	2.8	3.1	3.2	3.6	3.9	4.5

Estimated Past-30 Day Substance Use (%): U.S. Students in Grade 10

	2015	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002	2001
Alcohol	21.5	23.5	25.7	27.6	27.2	28.9	30.4	28.8	33.4	33.8	33.2	35.2	35.4	35.4	39.0
Been Drunk (past 30 days)	10.3	11.2	12.8	14.5	13.7	14.7	15.5	14.4	18.1	18.8	17.6	18.5	18.2	18.3	21.9
Binge Alcohol Use (past 2 weeks)*	10.9	12.6	13.7	15.6	14.7	16.3	17.5	16.0	19.6	19.9	19.0	19.9	20.0	20.3	22.8
Cigarettes	6.3	7.2	9.1	10.8	11.8	13.6	13.1	12.3	14.0	14.5	14.9	16.0	16.7	17.7	21.3
Smokeless Tobacco	4.9	5.3	6.4	6.4	6.6	7.5	6.5	5.0	6.1	5.7	5.6	4.9	5.3	6.1	6.9
Any Illicit Drug	16.5	18.5	19.2	18.6	19.2	18.5	17.8	15.8	16.9	16.8	17.3	18.3	19.5	20.8	22.7
Marijuana/Hashish	14.8	16.6	18.0	17.0	17.6	16.7	15.9	13.8	14.2	14.2	15.2	15.9	17.0	17.8	19.8
Any Illicit Drug other than Marijuana	4.9	5.6	4.9	‡ 5.0	5.4	5.8	5.7	5.3	6.9	6.3	6.4	6.9	6.9	8.1	8.7
Inhalants	1.2	1.1	1.3	1.4	1.7	2.0	2.2	2.1	2.5	2.3	2.2	2.4	2.2	2.4	2.4
Hallucinogens	0.9	1.2	1.1	1.2	1.4	1.6	1.4	1.3	1.7	1.5	1.5	1.6	1.5	1.6	2.1
LSD	0.6	0.6	0.6	0.5	0.7	0.7	0.5	0.7	0.7	0.7	0.6	0.6	0.6	0.7	1.5
MDMA "Ecstasy"	0.9	‡ 1.1	1.2	1.0	1.6	1.9	1.3	1.1	1.2	1.2	1.0	0.8	1.1	1.8	2.6
Cocaine (all forms)	0.8	0.6	0.8	0.8	0.7	0.9	0.9	1.2	1.3	1.5	1.5	1.7	1.3	1.6	1.3
Crack Cocaine	0.3	0.3	0.4	0.4	0.4	0.5	0.4	0.5	0.5	0.7	0.7	0.8	0.7	1.0	0.7
Heroin	0.2	0.4	0.3	0.4	0.4	0.4	0.4	0.4	0.4	0.5	0.5	0.5	0.3	0.5	0.3
Amphetamines	3.1	3.7	3.3	‡ 2.8	3.1	3.3	3.3	2.8	4.0	3.5	3.7	4.0	4.3	5.2	5.6
Methamphetamine	0.3	0.3	0.4	0.6	0.5	0.7	0.6	0.7	0.4	0.7	1.1	1.3	1.4	1.8	1.5
Tranquilizers	1.7	1.6	1.6	1.7	1.9	2.2	2.0	1.9	2.6	2.4	2.3	2.3	2.4	2.9	2.9
Rohypnol	0.1	0.4	0.1	0.2	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.3	0.2	0.4	0.2
Steroids	0.4	0.4	0.4	0.4	0.5	0.5	0.5	0.5	0.5	0.6	0.6	0.8	0.8	1.0	0.9
Injection Drug Use	0.1	0.3	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.2	0.3	0.3	0.3	0.3	0.4

Estimated Lifetime Substance Use (%): U.S. Students in Grade 10

	2015	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002	2001
Alcohol	47.1	49.3	52.1	54.0	56.0	58.2	59.1	58.3	61.7	61.5	63.2	64.2	66.0	66.9	70.1
Ever Been Drunk	28.6	30.2	33.5	34.6	35.9	36.9	38.6	37.2	41.2	41.4	42.1	42.3	42.4	44.0	48.2
Cigarettes	19.9	22.6	25.7	27.7	30.4	33.0	32.7	31.7	34.6	36.1	38.9	40.7	43.0	47.4	52.8
Smokeless Tobacco	12.3	13.6	14.0	15.4	15.6	16.8	15.2	12.2	15.1	15.0	14.5	13.8	14.6	16.9	19.5
Any Illicit Drug	34.7	37.4	39.1	‡ 36.8	37.7	37.0	36.0	34.1	35.6	36.1	38.2	39.8	41.4	44.6	45.6
Any Illicit Drug other than Marijuana	14.6	15.9	16.4	‡ 14.9	15.6	16.8	16.7	15.9	18.2	17.5	18.0	18.8	19.7	22.1	23.6
Marijuana/Hashish	31.1	33.7	35.8	33.8	34.5	33.4	32.3	29.9	31.0	31.8	34.1	35.1	36.4	38.7	40.1
Inhalants	7.2	8.7	8.7	9.9	10.1	12.0	12.3	12.8	13.6	13.3	13.1	12.4	12.7	13.5	15.2
Hallucinogens	4.6	5.0	5.4	5.2	6.0	6.1	6.1	5.5	6.4	6.1	5.8	6.4	6.9	7.8	8.9
LSD	3.0	2.6	2.7	2.6	2.8	3.0	3.0	2.6	3.0	2.7	2.5	2.8	3.5	5.0	6.3
MDMA "Ecstasy"	3.8	‡ 5.2	5.7	5.0	6.6	6.4	5.5	4.3	5.2	4.5	4.0	4.3	5.4	6.6	8.0
Cocaine (all forms)	2.7	2.6	3.3	3.3	3.3	3.7	4.6	4.5	5.3	4.8	5.2	5.4	5.1	6.1	5.7
Crack Cocaine	1.1	1.0	1.5	1.4	1.6	1.8	2.1	2.0	2.3	2.2	2.5	2.6	2.7	3.6	3.1
Amphetamines	9.7	10.6	11.2	‡ 8.9	9.0	10.6	10.3	9.0	11.1	11.2	11.1	11.9	13.1	14.9	16.0
Methamphetamine	1.3	1.4	1.6	1.8	2.1	2.5	2.8	2.4	2.8	3.2	4.1	5.3	5.2	6.1	6.4
Heroin	0.7	0.9	1.0	1.1	1.2	1.3	1.5	1.2	1.5	1.4	1.5	1.5	1.5	1.8	1.7
Tranquilizers	5.8	5.8	5.5	6.3	6.8	7.3	7.0	6.8	7.4	7.2	7.1	7.3	7.8	8.8	9.2
Rohypnol	0.5	1.0	1.1	0.8	1.2	1.4	0.7	0.9	1.3	0.8	1.0	1.2	1.0	1.3	1.5
Steroids	1.2	1.4	1.3	1.3	1.4	1.6	1.3	1.4	1.8	1.8	2.0	2.4	3.0	3.5	3.5
Injection Drug Use	0.5	0.6	0.7	0.7	0.8	0.8	0.9	0.7	0.9	0.9	0.8	0.8	0.9	1.0	0.8

* Binge alcohol use in the Monitoring the Future Survey is defined as consuming 5 or more drinks on the same occasion on at least one day in the past two weeks.

‡ Survey question was re-worded and/or estimate was revised beginning with year indicated.

Data Source: Miech, R.A., Johnston, L.D., O'Malley, P.M., Bachman, J.G., & Schulenberg, J.E. (2016).

Monitoring the Future national survey results on drug use, 1975-2015: Volume I, Secondary school students.

Ann Arbor: Institute for Social Research, The University of Michigan.

MONITORING THE FUTURE SURVEY: TABLES FOR GRADE 12

Estimated Daily Substance Use in Past 30 Days (%): U.S. Students in Grade 12

	2015	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002	2001
Alcohol	1.9	1.9	2.2	2.5	2.1	2.7	2.5	2.8	3.1	3.0	3.1	2.8	3.2	3.5	3.6
Been Drunk Daily	0.8	1.1	1.3	1.5	1.3	1.6	1.1	1.4	1.3	1.6	1.5	1.8	1.6	1.2	1.4
Cigarettes	5.5	6.7	8.5	9.3	10.3	10.7	11.2	11.4	12.3	12.2	13.6	15.6	15.8	16.9	19.0
Smokeless Tobacco	2.9	3.4	3.0	3.2	3.1	3.1	2.9	2.7	2.8	2.2	2.5	2.8	2.2	2.0	2.8
Marijuana/Hashish	6.0	5.8	6.5	6.5	6.6	6.1	5.2	5.4	5.1	5.0	5.0	5.6	6.0	6.0	5.8

Estimated Past-30 Day Substance Use (%): U.S. Students in Grade 12

	2015	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002	2001
Alcohol	35.3	37.4	39.2	41.5	40.0	41.2	43.5	43.1	44.4	45.3	47.0	48.0	47.5	48.6	49.8
Been Drunk (past 30 days)	20.6	23.5	26.0	28.1	25.0	26.8	27.4	27.6	28.7	30.0	30.2	32.5	30.9	30.3	32.7
Binge Alcohol Use (past 2 weeks)*	17.2	19.4	22.1	23.7	21.6	23.2	25.2	24.6	25.9	25.4	27.1	29.2	27.9	28.6	29.7
Cigarettes	11.4	13.6	16.3	17.1	18.7	19.2	20.1	20.4	21.6	21.6	23.2	25.0	24.4	26.7	29.5
Smokeless Tobacco	6.1	8.4	8.1	7.9	8.3	8.5	8.4	6.5	6.6	6.1	7.6	6.7	6.7	6.5	7.8
Any Illicit Drug	23.6	23.7	25.2	‡ 25.2	25.2	23.8	23.3	22.3	21.9	21.5	23.1	23.4	24.1	25.4	25.7
Marijuana/Hashish	21.3	21.2	22.7	22.9	22.6	21.4	20.6	19.4	18.8	18.3	19.8	19.9	21.2	21.5	22.4
Any Illicit Drug other than Marijuana	7.6	7.7	8.2	‡ 8.4	8.9	8.6	8.6	9.3	9.5	9.8	10.3	10.8	10.4	11.3	11.0
Inhalants	0.7	0.7	1.0	0.9	1.0	1.4	1.2	1.4	1.2	1.5	2.0	1.5	1.5	1.5	1.7
Hallucinogens	1.6	1.5	1.4	1.6	1.6	1.9	1.6	2.2	1.7	1.5	1.9	1.9	1.8	2.3	3.3
LSD	1.1	1.0	0.8	0.8	0.8	0.8	0.5	1.1	0.6	0.6	0.7	0.7	0.6	0.7	2.3
MDMA "Ecstasy"	1.1	‡ 1.5	1.5	0.9	2.3	1.4	1.8	1.8	1.6	1.3	1.0	1.2	1.3	2.4	2.8
Cocaine (all forms)	1.1	1.0	1.1	1.1	1.1	1.3	1.3	1.9	2.0	2.5	2.3	2.3	2.1	2.3	2.1
Crack Cocaine	0.6	0.7	0.6	0.6	0.5	0.7	0.6	0.8	0.9	0.9	1.0	1.0	0.9	1.2	1.1
Amphetamines	3.2	3.8	4.2	‡ 3.3	3.7	3.3	3.0	2.9	3.7	3.7	3.9	4.6	5.0	5.5	5.6
Methamphetamine	0.4	0.5	0.4	0.5	0.6	0.5	0.5	0.6	0.6	0.9	0.9	1.4	1.7	1.7	1.5
Crystal Methamphetamine "Ice"	0.3	0.4	0.8	0.4	0.6	0.6	0.5	0.6	0.6	0.7	0.9	0.8	0.8	1.2	1.1
Heroin	0.3	0.4	0.3	0.3	0.4	0.4	0.4	0.4	0.4	0.4	0.5	0.5	0.4	0.5	0.4
Other Narcotics	2.1	2.2	2.8	3.0	3.6	3.6	4.1	3.8	3.8	3.8	3.9	4.3	4.1	4.0	3.0
Barbiturates	1.7	2.0	2.2	2.0	1.8	2.2	2.5	2.8	2.7	3.0	3.3	2.9	2.9	3.2	2.8
Tranquilizers	2.0	2.1	2.0	2.1	2.3	2.5	2.7	2.6	2.6	2.7	2.9	3.1	2.8	3.3	2.9
Steroids	1.0	0.9	1.0	0.9	0.7	1.1	1.0	1.0	1.0	1.1	0.9	1.6	1.3	1.4	1.3
Any Rx Drug non-medical use	5.9	6.4	7.1	‡ 7.0	7.2	6.9	7.3	7.2	7.8	8.1	8.6	—	—	—	—
Injection Drug Use	0.2	0.3	0.2	0.3	0.4	0.4	0.1	0.2	0.2	0.3	0.3	0.2	0.3	0.3	0.2

Estimated Lifetime Substance Use (%): U.S. Students in Grade 12

	2015	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002	2001
Alcohol	64.0	66.0	68.2	69.4	70.0	71.0	72.3	71.9	72.2	72.7	75.1	76.8	76.6	78.4	79.7
Ever Been Drunk	46.7	49.8	52.3	54.2	51.0	54.1	56.5	54.7	55.1	56.4	57.5	60.3	58.1	61.6	63.9
Cigarettes	31.1	34.4	38.1	39.5	40.0	42.2	43.6	44.7	46.2	47.1	50.0	52.8	53.7	57.2	61.0
Smokeless Tobacco	13.2	15.1	17.2	17.4	16.9	17.6	16.3	15.6	15.1	15.2	17.5	16.7	17.0	18.3	19.7
Any Illicit Drug	48.9	49.1	49.8	‡ 49.1	49.9	48.2	46.7	47.4	46.8	48.2	50.4	51.1	51.1	53.0	53.9
Any Illicit Drug other than Marijuana	21.1	22.6	24.8	‡ 24.1	24.9	24.7	24.0	24.9	25.5	26.9	27.4	28.7	27.7	29.5	30.7
Marijuana/Hashish	44.7	44.4	45.5	45.2	45.5	43.8	42.0	42.6	41.8	42.3	44.8	45.7	46.1	47.8	49.0
Inhalants	5.7	6.5	6.9	7.9	8.1	9.0	9.5	9.9	10.5	11.1	11.4	10.9	11.2	11.7	13.0
Hallucinogens	6.4	6.3	7.6	7.5	8.3	8.6	7.4	8.7	8.4	8.3	8.8	9.7	10.6	12.0	14.7
LSD	4.3	3.7	3.9	3.8	4.0	4.0	3.1	4.0	3.4	3.3	3.5	4.6	5.9	8.4	10.9
MDMA "Ecstasy"	5.9	‡ 7.9	7.1	7.2	8.0	7.3	6.5	6.2	6.5	6.5	5.4	7.5	8.3	10.5	11.7
Cocaine (all forms)	4.0	4.6	4.5	4.9	5.2	5.5	6.0	7.2	7.8	8.5	8.0	8.1	7.7	7.8	8.2
Crack Cocaine	1.7	1.8	1.8	2.1	1.9	2.4	2.4	2.8	3.2	3.5	3.5	3.9	3.6	3.8	3.7
Amphetamines	10.8	12.1	13.8	‡ 12.0	12.2	11.1	9.9	10.5	11.4	12.4	13.1	15.0	14.4	16.8	16.2
Methamphetamine	1.0	1.9	1.5	1.7	2.1	2.3	2.4	2.8	3.0	4.4	4.5	6.2	6.2	6.7	6.9
Crystal Methamphetamine "Ice"	1.2	1.3	2.0	1.7	2.1	1.8	2.1	2.8	3.4	3.4	4.0	4.0	3.9	4.7	4.1
Heroin	0.8	1.0	1.0	1.1	1.4	1.6	1.2	1.3	1.5	1.4	1.5	1.5	1.5	1.7	1.8
Other Narcotics	8.4	9.5	11.1	12.2	13.0	13.0	13.2	13.2	13.1	13.4	12.8	13.5	13.2	13.5	‡ 9.9
Barbiturates	5.9	6.8	7.5	6.9	7.0	7.5	8.2	8.5	9.3	10.2	10.5	9.9	8.8	9.5	8.7
Tranquilizers	6.9	7.4	7.7	8.5	8.7	8.5	9.3	8.9	9.5	10.3	9.9	10.6	10.2	11.4	10.3
Steroids	2.3	1.9	2.1	1.8	1.8	2.0	2.2	2.2	2.2	2.7	2.6	3.4	3.5	4.0	3.7
Any Rx Drug non-medical use	18.3	19.9	22.2	‡ 21.2	21.7	21.6	20.9	21.5	22.2	23.9	24.0	—	—	—	—
Injection Drug Use	0.6	0.8	0.7	0.7	0.9	1.1	0.6	0.7	0.7	0.8	0.9	0.7	0.7	0.8	0.7

* Binge alcohol use in the Monitoring the Future Survey is defined as consuming 5 or more drinks on the same occasion on at least one day in the past two weeks.

‡ Survey question was re-worded and/or estimate was revised beginning with year indicated.

Data Source: Miech, R.A., Johnston, L.D., O'Malley, P.M., Bachman, J.G., & Schulenberg, J.E. (2016).

Monitoring the Future national survey results on drug use, 1975-2015: Volume I, Secondary school students.

Ann Arbor: Institute for Social Research, The University of Michigan.

MONITORING THE FUTURE SURVEY: TABLES FOR COLLEGE STUDENTS

Estimated Daily Substance Use in Past 30 Days (%): U.S. College Students

	2015	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002	2001
Alcohol	3.1	4.3	3.6	3.9	3.8	3.6	4.3	4.0	4.3	4.8	4.6	3.7	4.3	5.0	4.7
Been Drunk Daily	0.7	0.4	0.5	0.4	1.3	0.3	0.7	0.5	0.7	0.6	0.5	0.8	1.1	0.8	0.5
Cigarettes	4.2	5.2	5.6	5.2	7.3	7.6	8.0	9.2	9.3	9.2	12.4	13.8	13.8	15.9	15.0
Marijuana/Hashish	4.6	5.9	5.1	4.8	4.7	4.4	4.9	3.9	3.5	4.3	4.0	4.5	4.7	4.1	4.5

Estimated Past-30 Day Substance Use (%): U.S. College Students

	2015	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002	2001
Alcohol	63.2	63.1	63.1	67.7	63.5	65.0	65.8	69.0	66.6	65.4	67.9	67.7	66.2	68.9	67.0
Been Drunk (past 30 days)	38.4	42.6	40.2	40.1	39.9	43.6	42.4	45.3	46.8	47.6	43.1	47.4	40.4	44.4	44.7
Binge Alcohol Use (past 2 weeks)*	31.9	35.4	35.2	37.4	36.1	37.0	36.9	40.0	41.1	40.2	40.1	41.7	38.5	40.1	40.9
Cigarettes	11.3	12.9	14.0	12.5	15.2	16.4	17.9	17.9	19.9	19.2	23.8	24.3	22.5	26.7	25.7
Any Illicit Drug	23.4	22.7	22.8	‡ 22.3	21.4	19.2	20.7	18.9	19.3	19.2	19.5	21.2	21.4	21.5	21.9
Any Illicit Drug other than Marijuana	9.2	10.0	8.8	‡ 7.8	8.2	8.1	8.4	7.3	8.1	8.2	8.2	9.1	8.2	7.8	7.5
Marijuana/Hashish	21.1	20.8	20.6	20.5	19.4	17.5	18.5	17.0	16.8	16.7	17.1	18.9	19.3	19.7	20.2
Inhalants	0.2	0.3	0.1	0.2	0.3	0.5	0.1	0.4	0.1	0.4	0.3	0.4	0.4	0.7	0.4
Hallucinogens	1.4	1.0	1.0	1.1	1.2	1.4	1.0	1.7	1.3	0.9	1.2	1.3	1.8	1.2	1.8
LSD	0.7	0.5	0.4	0.4	0.5	0.7	0.3	0.8	0.3	0.3	0.1	0.2	0.2	0.2	1.0
MDMA "Ecstasy"	0.7	‡ 1.0	0.8	1.4	0.7	1.0	0.5	0.6	0.4	0.6	0.8	0.7	1.0	0.7	1.5
Cocaine (all forms)	1.5	1.8	0.9	1.1	1.2	1.0	1.3	1.2	1.7	1.8	1.8	2.4	1.9	1.6	1.9
Crack Cocaine	0.1	0.1	0.3	0.0	0.1	0.1	0.1	0.1	0.1	**	0.1	0.4	0.4	0.3	0.1
Amphetamines	4.2	4.8	5.0	‡ 4.6	4.5	4.1	3.4	2.8	3.1	2.5	2.9	3.2	3.1	3.0	3.3
Methamphetamine	0.3	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.2	0.1	0.2	0.6	0.2	0.5
Crystal Methamphetamine "Ice"	0.0	0.0	0.0	0.3	0.0	0.2	0.0	0.0	0.1	**	0.2	0.1	0.3	0.0	0.1
Heroin	0.0	0.0	0.2	0.1	0.0	0.0	0.1	**	0.1	0.2	0.1	0.1	0.0	0.0	0.1
Other Narcotics	1.3	1.2	1.5	2.2	2.1	2.3	2.7	2.3	2.2	3.1	3.1	3.0	2.3	1.6	1.7
Barbiturates	1.0	0.7	0.9	0.8	0.8	0.6	1.2	1.4	1.4	1.3	1.3	1.5	1.7	1.7	1.5
Tranquilizers	1.6	1.7	1.2	1.1	1.6	1.3	2.2	1.6	1.8	2.1	2.2	2.7	2.8	3.0	1.5
Steroids	0.3	0.0	0.0	0.0	0.2	0.0	0.2	**	0.1	**	**	**	0.1	**	0.3
Injection Drug Use	0.0	0.0	0.1	0.2	0.0	0.0	0.1	0.0	**	0.1	0.1	0.1	0.1	**	**

Estimated Lifetime Substance Use (%): U.S. College Students

	2015	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002	2001
Alcohol	81.4	79.4	78.0	81.0	80.5	82.3	82.6	85.3	83.1	84.7	86.6	84.6	86.2	86.0	86.1
Ever Been Drunk	68.6	68.8	66.5	70.0	67.9	70.5	69.1	72.5	71.6	73.1	72.9	73.4	74.9	75.1	76.1
Any Illicit Drug	53.4	52.4	53.3	‡ 50.5	49.2	49.1	51.4	49.5	50.5	50.6	52.3	52.2	53.9	51.8	53.6
Any Illicit Drug other than Marijuana	26.4	29.0	28.3	‡ 23.8	24.3	24.8	25.6	22.6	25.3	26.3	26.5	28.0	27.6	26.9	26.3
Marijuana/Hashish	50.4	48.5	47.7	49.1	46.6	46.8	47.5	46.8	47.5	46.9	49.1	49.1	50.7	49.5	51.0
Inhalants	3.1	3.5	4.3	5.7	3.7	5.5	6.9	4.9	6.3	7.4	7.1	8.5	9.7	7.7	9.6
Hallucinogens	6.5	7.6	7.8	7.6	7.4	7.8	8.0	8.5	9.1	10.6	11.0	12.0	14.5	13.6	14.8
LSD	4.8	4.5	4.4	3.1	3.7	4.0	3.3	4.3	3.3	3.5	3.7	5.6	8.7	8.6	12.2
MDMA "Ecstasy"	8.9	‡ 8.1	8.1	8.7	6.8	6.2	6.5	6.2	5.4	6.9	8.3	10.2	12.9	12.7	14.7
Cocaine (all forms)	6.1	6.2	5.1	5.2	5.5	6.6	8.1	7.2	8.5	7.7	8.8	9.5	9.2	8.2	8.6
Crack Cocaine	0.5	1.4	0.7	0.7	0.8	1.2	1.0	1.4	1.3	2.3	1.7	2.0	3.1	1.9	2.0
Amphetamines	13.9	15.0	16.1	‡ 14.4	13.4	12.1	11.8	9.1	11.2	10.7	12.3	12.7	12.3	11.9	12.4
Methamphetamine	0.8	0.7	0.9	0.3	0.6	1.1	1.0	1.9	1.9	2.9	4.1	5.2	5.8	5.0	5.3
Crystal Methamphetamine "Ice"	0.3	0.3	0.0	0.6	0.2	0.8	0.7	1.1	1.3	1.7	2.4	2.2	2.9	2.0	2.3
Heroin	0.2	0.3	0.4	0.5	0.6	0.7	0.8	0.7	0.5	0.7	0.5	0.9	1.0	1.0	1.2
Other Narcotics	6.6	9.9	10.8	10.3	12.4	12.2	14.0	12.4	14.1	14.6	14.4	13.8	14.2	12.2	11.0
Barbiturates	4.4	5.9	5.4	‡ 3.5	3.6	5.3	6.0	6.4	5.9	6.3	8.5	7.2	5.7	5.9	6.0
Tranquilizers	7.8	6.9	7.8	6.4	7.1	8.1	9.2	8.6	9.1	10.0	11.9	10.6	11.0	10.7	9.7
Steroids	0.6	0.9	0.8	0.4	1.1	0.7	1.3	1.6	0.6	1.9	1.0	1.6	1.2	1.2	1.5
Injection Drug Use	0.3	0.0	0.1	0.2	0.3	0.1	0.1	0.0	0.1	0.3	0.3	0.1	0.1	0.3	0.2

* Binge alcohol use in the Monitoring the Future Survey is defined as consuming 5 or more drinks on the same occasion on at least one day in the past two weeks.

‡ Survey question was re-worded beginning with year indicated.

Data Source: Johnston, LD; O'Malley, PM; Bachman, JG, Schulenberg, JE; & Miech, RA (2016).

Monitoring the Future national survey results on Drug Use, 1975-2015: Volume 2, College students and adults ages 19-55.

Ann Arbor: Institute for Social Research, The University of Michigan.

MONITORING THE FUTURE SURVEY: TABLES FOR YOUNG ADULTS AGES 19-28

Estimated Daily Substance Use in Past 30 Days (%): U.S. Young Adults Ages 19-28

	2015	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002	2001
Alcohol	4.7	5.0	5.1	5.5	5.2	4.6	5.3	5.3	5.6	5.4	5.2	4.5	5.1	4.7	4.4
Been Drunk Daily	0.4	0.6	0.5	0.4	0.7	0.7	1.0	0.5	0.6	0.6	0.5	0.7	0.8	0.6	0.4
Cigarettes	9.7	10.7	12.1	12.8	13.8	14.8	15.0	16.7	17.3	18.6	19.6	20.8	20.3	21.2	21.2
Marijuana/Hashish	6.8	6.9	6.2	5.6	6.1	5.3	5.4	5.1	5.0	5.0	4.9	5.0	5.3	4.5	5.0

Estimated Past-30 Day Substance Use (%): U.S. Young Adults Ages 19-28

	2015	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002	2001
Alcohol	66.9	68.4	68.7	69.5	68.8	68.4	69.4	68.9	69.5	68.7	68.6	68.4	67.0	68.3	67.0
Been Drunk (past 30 days)	34.2	39.3	37.7	39.1	39.5	39.4	40.5	40.7	41.4	42.1	39.0	39.0	37.8	37.1	36.8
Binge Alcohol Use (past 2 weeks)*	31.9	33.5	35.1	35.5	36.5	35.9	36.7	37.9	37.8	37.6	37.0	37.1	35.8	35.9	35.9
Cigarettes	16.6	17.5	20.0	19.7	21.3	22.4	23.3	24.6	26.2	27.0	28.6	29.2	28.4	29.2	30.2
Any Illicit Drug	23.2	22.3	21.6	‡ 19.9	20.6	18.9	19.8	19.3	18.9	18.5	18.6	19.1	19.9	18.9	18.8
Any Illicit Drug other than Marijuana	8.7	9.9	8.3	‡ 7.8	8.4	8.6	8.5	8.9	8.6	8.1	8.2	8.5	8.3	7.7	7.0
Marijuana/Hashish	20.1	19.2	19.0	17.7	18.3	16.1	17.0	16.0	16.0	15.7	15.8	16.5	17.3	16.9	16.7
Inhalants	0.2	0.3	0.1	0.3	0.1	0.1	0.2	0.4	0.2	0.3	0.2	0.3	0.3	0.5	0.4
Hallucinogens	1.1	0.9	1.0	0.6	0.9	1.0	0.8	0.9	0.9	0.7	0.8	0.9	1.2	0.9	1.2
LSD	0.7	0.4	0.4	0.3	0.3	0.4	0.2	0.4	0.2	0.2	0.1	0.1	0.2	0.3	0.7
PCP	0.0	0.1	0.2	0.0	0.1	0.0	**	0.1	**	**	0.0	0.1	0.1	0.1	0.0
MDMA "Ecstasy"	0.8	‡ 1.4	1.1	1.0	0.7	0.8	0.6	0.6	0.5	0.7	0.6	0.6	0.8	1.3	1.8
Cocaine (all forms)	1.7	1.8	1.5	1.3	1.5	1.4	1.8	1.9	2.1	2.3	2.2	2.2	2.4	2.2	2.2
Crack Cocaine	0.1	0.1	0.1	0.1	0.2	0.1	0.2	0.4	0.3	0.3	0.3	0.3	0.3	0.3	0.4
Amphetamines	3.1	3.5	3.0	‡ 3.2	3.0	2.9	2.5	2.2	2.3	2.2	2.1	2.4	2.5	2.5	2.4
Methamphetamine	0.0	0.3	0.2	0.4	0.3	0.2	0.3	0.3	0.6	0.5	0.7	0.6	0.7	1.0	1.0
Crystal Methamphetamine "Ice"	0.3	0.1	0.4	0.3	0.2	0.2	0.2	0.3	0.3	0.3	0.6	0.4	0.4	0.5	0.4
Heroin	0.3	0.2	0.3	0.2	0.2	0.1	0.2	0.1	0.1	0.2	0.1	0.1	0.1	**	0.3
Other Narcotics	1.8	2.1	2.6	2.7	2.9	3.4	3.2	3.6	3.4	3.2	3.5	3.0	2.9	2.9	1.7
Barbiturates	0.9	1.0	1.2	1.1	1.1	1.1	1.2	1.9	1.6	1.5	1.7	1.8	1.5	1.5	1.7
Tranquilizers	1.7	1.9	1.9	1.9	2.3	2.2	2.8	2.7	2.8	2.3	2.6	2.7	2.4	2.8	2.1
Steroids	0.1	0.3	0.1	0.1	0.2	0.5	0.3	0.2	0.4	0.1	0.1	0.1	0.1	0.1	0.1
Injection Drug Use	0.2	0.1	0.3	0.2	0.2	0.1	0.1	**	**	0.1	0.1	0.1	**	**	0.2

Estimated Lifetime Substance Use (%): U.S. Young Adults Ages 19-28

	2015	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002	2001
Alcohol	85.7	86.3	86.2	86.5	87.4	87.5	87.9	88.4	87.9	88.9	89.1	89.4	89.3	90.2	89.9
Ever Been Drunk	76.4	78.3	77.4	78.9	78.9	79.0	78.2	80.1	80.1	80.9	79.9	80.1	80.9	81.2	81.1
Any Illicit Drug	62.9	62.2	60.0	‡ 58.9	59.1	58.4	59.3	59.3	59.8	59.7	60.4	60.5	60.2	59.0	58.1
Any Illicit Drug other than Marijuana	36.8	37.3	34.2	32.8	33.2	33.3	32.8	34.7	34.2	34.8	34.0	35.2	33.9	32.8	31.6
Marijuana/Hashish	58.5	57.5	57.1	56.5	56.3	55.9	56.0	55.9	56.7	56.7	57.0	57.4	57.2	56.8	55.7
Inhalants	6.4	6.7	6.5	7.2	7.2	7.9	8.9	9.5	9.1	10.9	10.3	11.6	12.2	12.4	12.8
Hallucinogens	11.7	11.9	12.4	12.2	13.0	13.9	14.2	14.8	16.0	17.2	17.6	19.3	19.7	19.6	18.3
LSD	7.0	6.6	6.3	6.2	6.1	7.2	7.3	8.1	9.6	10.1	11.2	13.4	14.6	15.1	16.0
PCP	1.2	0.6	1.4	1.1	1.7	1.6	1.6	2.2	2.1	2.4	2.0	2.7	3.0	2.5	3.1
MDMA "Ecstasy"	12.9	‡ 12.5	11.6	11.4	11.3	12.3	11.5	13.1	13.1	14.4	14.9	16.0	15.3	14.6	13.0
Cocaine (all forms)	12.1	11.7	12.2	11.9	12.5	13.6	13.9	14.8	14.7	15.2	14.3	15.2	14.7	13.5	13.1
Crack Cocaine	1.8	2.1	2.6	2.7	2.9	3.6	3.3	4.3	3.9	4.4	4.1	4.2	4.7	4.3	4.7
Amphetamines	18.8	18.7	18.8	‡ 17.4	16.5	16.1	14.9	14.6	15.3	15.6	14.6	15.9	15.2	14.8	15.0
Methamphetamine	2.4	2.3	3.1	3.5	3.2	4.3	4.7	6.3	6.7	7.3	8.3	9.0	8.9	9.1	9.0
Crystal Methamphetamine "Ice"	2.2	1.7	2.8	2.6	3.1	2.8	3.4	3.6	3.7	4.7	4.4	4.7	4.7	4.1	4.0
Heroin	1.6	1.4	1.6	1.6	1.7	1.8	1.6	1.9	1.6	1.9	1.7	1.9	1.9	1.8	2.0
Other Narcotics	15.0	16.3	17.4	17.6	18.2	19.0	18.5	19.5	18.8	18.7	17.8	17.6	16.8	13.9	11.5
Barbiturates	8.3	9.0	9.5	‡ 7.2	7.9	8.6	9.5	10.6	9.8	9.5	10.0	9.7	8.7	8.0	7.8
Tranquilizers	12.8	12.5	13.2	13.3	13.8	14.3	13.8	15.8	14.5	15.0	14.5	14.9	13.8	13.4	11.9
Steroids	1.6	1.7	1.2	1.7	1.3	1.7	1.8	1.8	1.7	1.8	1.8	1.9	1.8	1.6	1.4
Injection Drug Use	0.7	0.7	1.0	0.5	0.7	0.8	0.5	0.5	0.5	0.6	0.6	0.4	0.5	0.4	0.6

* Binge alcohol use in the Monitoring the Future Survey is defined as consuming 5 or more drinks on the same occasion on at least one day in the past two weeks.

‡ Survey question was re-worded beginning with year indicated.

Data Source: Johnston, LD; O'Malley, PM; Bachman, JG, Schulenberg, JE; & Miech, RA (2016).

Monitoring the Future national survey results on Drug Use, 1975-2015: Volume 2, College students and adults ages 19-55.

Ann Arbor: Institute for Social Research, The University of Michigan.

MISSOURI COLLEGE HEALTH BEHAVIOR SURVEY
Reported Substance Involvement among Missouri College Students

	2016	2015	2014	2013	2012	2011	2010	2009	2008
ALCOHOL AND DRUG USE (%)									
Alcohol Use in Past Year	74.7	74.8	76.3	77.0	79.3	77.8	79.9	79.5	81.3
Alcohol Use in Past 30 Days	58.7	60.1	70.9	63.5	62.6	66.2	67.2	66.7	68.1
Binge Alcohol Use in One Sitting in Past 2 Weeks	25.0	24.7	28.3	27.2	27.9	32.8	33.8	35.7	31.2
Binge Alcohol Use in 2-Hour Period in Past 2 Weeks	24.5	23.9	26.9	25.6	26.3	31.2	31.7	33.5	29.3
Tobacco Use in Past Year	33.5	36.1	37.6	38.2	48.5	43.6	43.4	30.3	—
Cigarette Use in Past Year	16.5	16.5	17.8	20.5	18.1	18.9	19.5	15.4	14.8
Marijuana Use in Past Year	23.3	22.2	r 22.3	r 22.1	21.0	23.4	21.6	23.1	21.8
Cocaine Use in Past Year	3.3	2.7	—	2.2	—	2.4	2.3	2.9	3.4
Amphetamine Use in Past Year	4.7	3.8	—	1.9	—	3.3	2.4	2.2	2.1
Methamphetamine Use in Past Year	—	1.2	—	1.0	—	0.8	0.5	0.7	0.8
Inhalant Use in Past Year	—	1.2	—	1.1	—	1.2	0.9	0.7	0.8
Club Drug Use in Past Year	—	3.0	—	2.9	—	2.8	2.5	2.6	2.4
K2 (Synthetic Marijuana) Use in Past Year	—	1.2	—	1.9	3.2	—	—	—	—
Bath Salts Use in Past Year	—	0.8	—	1.1	1.0	—	—	—	—
Prescription Stimulant Use without Rx in Past Year	7.9	7.4	7.5	6.6	5.4	5.5	4.6	5.3	4.6
Prescription Pain Medication Use without Rx in Past Year	6.5	6.7	7.4	7.6	4.5	6.6	6.5	8.4	8.2
Prescription Sedative Use without Rx in Past Year	3.5	3.1	3.1	2.7	2.1	2.8	2.6	3.8	3.4
Prescription Sleep Medication Use without Rx in Past Year	1.7	1.7	4.4	2.0	1.0	1.8	2.0	2.5	2.2

AMONG ALL STUDENTS, DRINKING RELATED RISKS AND CONSEQUENCES EXPERIENCED (%)

Hangover	47.4	47.9	50.3	50.8	48.6	51.4	52.4	53.0	55.1
Rode with Someone who Drove After Drinking	24.9	26.9	28.5	30.6	29.8	33.6	36.3	36.9	38.7
Blackout or Memory Loss	25.6	24.8	27.0	35.6	26.2	26.1	25.1	25.7	27.7
Driven After Consumption	21.2	21.4	23.5	25.2	25.5	27.3	30.0	30.5	31.9
Missed Class	15.1	15.4	17.4	16.9	16.5	18.3	20.4	21.5	24.3
Engaged in Risky Sexual Behavior	13.6	14.4	15.8	16.2	16.5	16.9	17.2	18.3	19.5
Forced or Coerced to Drink More than Desired	16.1	14.3	16.2	17.3	16.1	13.5	12.6	13.9	—
Hurt or Injured	9.9	9.2	11.0	11.5	11.4	11.6	11.6	11.6	12.5
Performed Poorly on Test or Assignment	8.8	9.4	11.0	10.4	10.0	11.0	12.2	12.5	14.2
Taken Advantage of Sexually	5.4	5.0	5.9	7.1	6.3	6.3	5.7	6.3	6.2
Trouble with Campus Administration	3.2	3.1	3.3	3.7	3.0	3.5	2.0	2.9	3.1
Took Advantage of Someone Sexually	0.7	1.0	2.1	2.6	2.4	2.2	2.0	2.3	—
Received Medical Attention	1.7	2.1	2.9	2.6	2.2	2.1	2.2	2.5	2.3
Arrested by Campus Police or Other Law Enforcement	1.3	1.3	2.0	2.3	1.9	1.8	2.3	2.3	2.0
Arrested for DUI or DWI	0.7	0.7	1.1	1.6	0.8	1.1	1.4	1.2	1.0

AMONG PAST-YEAR DRINKERS, THOSE RESPONDING "ALWAYS" OR "USUALLY" TO USE OF THESE PROTECTIVE FACTORS (%)

Know Where One's Drink Has Been At All Times	90.1	85.4	81.1	80.9	81.2	82.1	83.4	—	—
Eat Before and/or During Alcohol Consumption	82.8	81.1	77.1	76.6	77.5	75.5	76.4	77.2	76.6
Go Home with a Friend	71.4	70.4	66.1	65.3	65.0	65.1	65.5	—	—
Use a Designated Driver	65.9	66.2	65.2	64.3	64.8	66.3	69.9	70.7	70.7
Purposefully Limit the Amount of Money Spent on Alcohol	71.4	65.8	61.7	61.4	61.2	60.3	63.8	61.0	59.5
Avoid Trying to "Keep-up or "Out-drink" Others	66.4	62.8	60.4	60.1	58.4	59.7	59.1	—	—
Drink Slowly, Rather than Gulp or Chug	59.6	53.4	53.2	53.6	48.4	49.1	49.2	—	—
Determine Not to Exceed a Set Number of Drinks	42.8	43.4	41.8	40.6	40.9	43.0	45.0	44.4	43.7
Avoid Mixing Different Types of Alcohol	44.3	44.0	40.7	41.7	38.3	38.4	39.4	—	—
Drink Water While Drinking Alcohol	46.4	43.5	40.6	36.6	35.9	34.4	33.2	—	—
Avoid Drinking Games	30.9	31.6	28.8	31.5	33.5	32.5	37.2	34.8	36.4
Alternate Alcoholic and Non-alcoholic Drinks	35.4	36.0	33.4	31.4	30.4	30.4	30.1	29.2	28.0
Have a Friend Tell You When You Have Had Enough	23.4	31.0	29.5	28.3	29.1	29.0	32.6	34.8	36.4
Leave the Bar or Party at Predetermined Time	34.0	32.4	27.8	28.6	29.1	28.2	30.0	—	—
Stop Drinking at a Predetermined Time	30.7	29.7	26.6	27.7	26.4	26.1	26.1	—	—
Put Extra Ice in Drink	20.4	24.6	21.3	21.8	20.4	20.0	20.3	—	—

— Question not included on survey or data not available for specified year.

r Data revised from previous report.

Data are unweighted. 2016 Missouri College Health Behavior Survey respondents consist of 10,379 students at 21 Missouri colleges.

Data Source: Partners in Prevention Statewide Coalition <http://pip.missouri.edu/>

MISSOURI COLLEGE HEALTH BEHAVIOR SURVEY

Reported Mental Health Problems and Gambling Involvement among Missouri College Students

	2016	2015	2014	2013	2012	2011	2010	2009	2008
LEVEL OF STRESS EXPERIENCED IN PAST TWO WEEKS (%)									
None	2.4	—	1.1	1.9	1.9	1.7	2.0	2.1	—
Minimal	8.9	—	8.5	10.7	11.1	10.5	13.9	11.6	—
A Little	14.8	—	16.9	18.7	19.0	18.8	20.4	20.2	—
Manageable	45.6	—	48.8	47.5	47.7	47.2	44.6	45.4	—
Overwhelming	23.7	—	21.1	18.3	18.1	19.5	16.7	18.5	—
Unbearable	4.6	—	2.7	2.1	2.0	2.3	2.1	2.3	—
AMONG ALL STUDENTS, MAIN SOURCES OF STRESS (%)									
School / Academics	87.1	—	89.4	—	77.2	78.7	75.2	74.4	86.8
Financial Concerns	54.2	—	54.4	—	47.4	50.6	49.2	50.3	50.8
Future Plans	50.3	—	53.2	—	43.9	44.3	42.9	50.2	—
Time Management	50.8	—	52.2	—	43.1	47.1	43.6	52.8	49.0
Job	37.0	—	34.9	—	31.1	32.1	32.9	34.1	34.9
Dating / Relationship with Partner	27.5	—	29	—	26.2	28.8	31.8	36.0	34.0
Family	30.0	—	29.7	—	25.0	27.7	28.4	31.6	25.1
Physical Health	26.2	—	25.1	—	20.1	22.3	23.3	22.2	21.0
Outside Organizations / Responsibilities	20.4	—	22.8	—	17.7	17.7	15.5	18.1	—
Friends	19.0	—	19.6	—	16.1	17.6	18.5	22.3	17.1
Roommates	15.8	—	16.6	—	14.6	15.8	15.3	17.7	17.9
Mental Health Issues	15.7	—	9.9	—	7.2	7.4	8.1	8.9	—
Other Source of Stress	2.2	—	2.6	—	2.6	3.2	3.7	4.1	5.6
AMONG ALL STUDENTS, MENTAL HEALTH PROBLEMS EXPERIENCED IN PAST YEAR (%)									
Anxiety	47.3	45.0	44.1	39.4	34.4	34.9	32.7	35.8	35.2
Chronic Sleep Disorder	18.5	18.2	18.8	18.1	15.0	16.8	15.6	16.6	19.4
Suicidal Thoughts	17.4	15.0	15	13.6	13.6	13.4	13.1	—	—
Major Depression	22.9	21.4	18.5	17.6	12.5	12.5	12.1	12.9	35.2
Panic Attack	19.2	17.2	15.4	13.4	11.7	12.5	11.6	12.3	—
Eating Disorder	6.5	6.6	5.8	6.4	5.3	5.0	4.7	6.0	6.3
Self-injury	4.6	4.5	3.6	3.8	3.5	4.0	3.7	3.9	2.4
Abusive Relationship	3.8	4.1	3.2	3.1	3.0	3.2	2.8	3.1	—
Alcohol Abuse/dependency	2.7	2.8	2.8	3.2	2.8	2.8	3.1	4.3	3.0
Bipolar Disorder	2.8	2.8	2.6	2.3	2.1	2.3	2.3	2.7	—
Sexual Assault	2.6	2.1	1.5	1.4	1.1	1.2	0.9	1.1	1.2
Suicide Attempt	1.6	1.5	0.9	0.9	1.0	0.8	0.9	—	—
Other Problem	1.7	1.9	0.4	1.7	1.5	1.5	1.8	1.8	—
None of the Listed Problems	40.9	41.7	43.3	46.7	42.2	42.3	43.7	45.7	38.8
AMONG STUDENTS EXPERIENCING PROBLEMS, THOSE WHO SOUGHT ASSISTANCE FOR THE FOLLOWING (%)									
Major Depression	—	47.7	50.3	48.4	53.3	50.0	48.5	47.5	59.3
Panic Attack	—	41.8	42.6	44.4	43.1	41.1	38.3	39.6	—
Bipolar Disorder	—	51.7	50.8	49.2	42.0	51.5	48.7	44.7	—
Abusive Relationship	—	28.0	35.1	33.9	38.5	35.8	34.8	32.0	—
Anxiety	—	39.1	26.9	37.1	36.8	34.2	32.2	33.2	30.1
Chronic Sleep Disorder	—	35.4	31.8	31.2	32.6	31.1	29.7	29.8	24.7
Self-injury	—	39.2	39.4	38.1	30.9	32.8	28.5	31.0	40.7
Sexual Assault	—	25.0	30.3	27.9	28.2	26.6	32.2	22.1	35.5
Eating Disorder	—	27.9	24.9	26.7	27.2	23.1	30.2	23.1	27.2
Alcohol Abuse/dependency	—	22.4	21	18.4	22.6	16.6	21.2	19.0	28.0
Other Problem	—	48.5	51.9	45.6	48.6	45.4	46.2	45.5	—
INVOLVEMENT IN GAMBLING (%)									
Yes	20.7	—	26.5	27.9	28.7	29.9	31.1	21.6	28.2
No	79.3	—	72.3	70.9	71.3	70.1	68.9	78.4	71.8


— Question not included on survey or data not available for specified year.

Data are unweighted. 2016 Missouri College Health Behavior Survey respondents consist of 10,379 students at 21 Missouri colleges.

Data Source: Partners in Prevention Statewide Coalition <http://pip.missouri.edu/>


ALCOHOL USE AMONG MISSOURI COLLEGE STUDENTS

Past-Year Alcohol Use (%): Students Completing the Missouri College Health Behavior Survey




Data Source: University of Missouri--Columbia. Partners in Prevention Statewide Coalition.
Missouri College Health Behavior Survey 2007-2016 respondents.

Past 30-Day Alcohol Use (%): Students Completing the Missouri College Health Behavior Survey




Data Source: University of Missouri--Columbia. Partners in Prevention Statewide Coalition.
Missouri College Health Behavior Survey 2007-2016 respondents.

Past 2-Week Binge Alcohol Use in One Sitting (%): Students Completing the Missouri College Health Behavior Survey



Data Source: University of Missouri--Columbia. Partners in Prevention Statewide Coalition.
Missouri College Health Behavior Survey 2007-2016 respondents.


Past 2-Week Binge Alcohol Use in 2-Hour Period (%): Students Completing the Missouri College Health Behavior Survey



Data Source: University of Missouri--Columbia. Partners in Prevention Statewide Coalition.
Missouri College Health Behavior Survey 2007-2016 respondents.

NON-PRESCRIPTION DRUG USE AMONG MISSOURI COLLEGE STUDENTS


Past-Year Stimulant Use without Prescription (%): Students Completing the Missouri College Health Behavior Survey



Data Source: University of Missouri--Columbia. Partners in Prevention Statewide Coalition.

Missouri College Health Behavior Survey, 2008-2016 respondents.


Past-Year Pain Medication Use without Prescription (%): Students Completing the Missouri College Health Behavior Survey



Data Source: University of Missouri--Columbia. Partners in Prevention Statewide Coalition.

Missouri College Health Behavior Survey, 2008-2016 respondents.


Past-Year Sedative Use without Prescription (%): Students Completing the Missouri College Health Behavior Survey



Data Source: University of Missouri--Columbia. Partners in Prevention Statewide Coalition.

Missouri College Health Behavior Survey, 2008-2016 respondents.

Past-Year Sleep Medication Use without Prescription (%): Students Completing the Missouri College Health Behavior Survey




Data Source: University of Missouri--Columbia. Partners in Prevention Statewide Coalition.

Missouri College Health Behavior Survey, 2008-2016 respondents.

ILLICIT DRUG USE AMONG MISSOURI COLLEGE STUDENTS


Past-Year Marijuana Use (%): Students Completing the Missouri College Health Behavior Survey, 2007-2015



Data Source: University of Missouri--Columbia. Partners in Prevention Statewide Coalition.

Missouri College Health Behavior Survey, 2007-2016 respondents.


Past-Year Cocaine Use (%): Students Completing the Missouri College Health Behavior Survey, 2007-2015



Data Source: University of Missouri--Columbia. Partners in Prevention Statewide Coalition.

Missouri College Health Behavior Survey, 2007-2016 respondents. Item not included on 2012 and 2014 surveys.


Past-Year Amphetamine Use (%): Students Completing the Missouri College Health Behavior Survey, 2007-2015



Data Source: University of Missouri--Columbia. Partners in Prevention Statewide Coalition.

Missouri College Health Behavior Survey, 2007-2016 respondents. Item not included on 2012 and 2014 surveys.


Past-Year Inhalant Use (%): Students Completing the Missouri College Health Behavior Survey, 2007-2015



Data Source: University of Missouri--Columbia. Partners in Prevention Statewide Coalition.

Missouri College Health Behavior Survey, 2007-2016 respondents. Item not included on 2012, 2014, and 2016 surveys.

Past-Year Club Drug Use (%): Students Completing the Missouri College Health Behavior Survey



Data Source: University of Missouri--Columbia. Partners in Prevention Statewide Coalition.

Missouri College Health Behavior Survey, 2007-2016 respondents. Item not included on 2012, 2014, and 2016 surveys.

**PREGNANCY RISK ASSESSMENT MONITORING SYSTEM (PRAMS)
TABLES FOR ALCOHOL, TOBACCO, AND MENTAL HEALTH**

Survey results of samples of Missouri women after having a live birth:

	2013	2012	2011	2010	2009	2008	2007
ALCOHOL							
Binge Alcohol Use (4 or More Drinks on One Occasion) During 3 Months Before Pregnancy (%)	19.4	22.3	27.6	28.0	30.7		
Any Alcohol Use During 3 Months Before Pregnancy (%)	57.0	58.4	60.4	57.7	58.6	58.5	57.7
Any Alcohol Use During Last 3 Months of Pregnancy (%)	8.4	8.4	5.4	5.2	4.8	5.5	4.5
Change in Drinking from 3 Months Before Pregnancy to Last 3 Months of Pregnancy (%)							
Non-Drinkers	43.0	41.6	39.6	42.1	41.4	41.2	42.3
Drinkers	56.9	58.4	60.4	57.9	58.6	58.7	57.7
Drinkers Who Quit, Among Total Sample	49.1	50.0	55.0	52.7	53.8	53.3	53.2
Drinkers who Reduced Number of Drinks	3.3	2.6	2.8	3.8	2.1	2.8	2.7
Drinkers who Increased or Maintained Same Number of Drinks	4.4	5.3	2.6	1.2	2.6	2.4	1.8
Non-Drinkers Who Began or Resumed Drinking	1.4	0.5	0.0	0.2	0.0	0.2	0.0
Drinkers who Quit During Pregnancy, Among Drinkers Only (%) *	86.3	86.4	91.0	91.3	91.9	91.0	92.2
TOBACCO							
Tobacco Smoking During Three Months Before Pregnancy (%)	28.3	32.2	33.6	33.5	35.2	34.7	31.7
Tobacco Smoking During Last Three Months of Pregnancy (%)	15.0	19.0	18.5	16.7	18.9	21.8	18.4
Change in Smoking from 3 Months Before Pregnancy to Last 3 Months of Pregnancy (%)							
Non-Smokers	71.5	67.7	66.4	66.7	64.6	65.3	68.3
Smokers	28.5	32.3	33.5	33.4	35.4	34.7	31.7
Smokers Who Quit, Among Total Sample	13.4	13.3	15.1	16.6	16.4	13.0	13.4
Smokers Who Reduced Number of Cigarettes Per Day	10.5	12.1	12.0	11.1	11.1	13.9	12.2
Smokers Who Increased or Maintained Same Number of Cigarettes Per Day	4.4	6.7	6.3	5.7	7.7	7.8	6.1
Non-Smokers Who Began or Resumed Smoking	0.2	0.0	0.1	0.0	0.2	0.0	0.0
Tobacco Smokers Who Quit During Pregnancy, Among Smokers Only (%) *	47.3	41.3	45.2	49.7	46.6	37.4	42.1
MENTAL HEALTH							
Anxiety During 3 Months Before Pregnancy (%)			14.1	13.4	13.1		
Depression During 3 Months Before Pregnancy (%)			12.0	13.1	13.6		
Before pregnancy, health care worker reported mother had depression (%)	9.6	11.6					
Before pregnancy, mother visited a health care worker for depression or anxiety (%)	15.9	17.7					

Asterisk (*) Indicates calculated values.

Blank cells indicate data not collected or available.

Data are weighted and based on responses from approximately 1,200 mothers of newborns each year.


Data Sources:

Missouri Department of Health and Senior Services, Office of Epidemiology.

U.S. Department of Health and Human Services, Centers for Disease Control and Prevention: Pregnancy Risk Assessment Monitoring System.


ECONOMIC COSTS OF MENTAL ILLNESS AND SUBSTANCE USE DISORDERS IN THE U.S. AND MISSOURI

Estimated Annual Economic Cost of Serious Mental Illness in the United States and Missouri



Data Sources: Insel, TR (2015). Estimates updated from Insel, TR: Assessing the Economic Costs of Serious Mental Illness. *American Journal of Psychiatry* 2008;165(6):663-665. Extracted from <http://www.nimh.nih.gov/about/director/2015/mental-health-awareness-month-by-the-numbers.shtml> Aug 18, 2016. Missouri estimate is derived from the nationwide estimates based on U.S. and Missouri mental illness data from the 2013-2014 National Survey on Drug Use and Health.

Estimated Annual Economic Cost of Alcohol Use Disorders in the United States and Missouri




Data Sources: Centers for Disease Control and Prevention (2016). Excessive Drinking is Draining the U.S. Economy. <http://www.cdc.gov/features/costsofdrinking/>. Sacks, J; Roeber, J; Bouchery, E; Gonzales, K; Chaloupka, F; Brewer, R (2013). Missouri estimate is from State Costs of Excessive Alcohol Consumption, 2006. *American Journal of Preventive Medicine* 45(4):474-485.

Estimated Annual Economic Cost of Drug Use Disorders in the United States and Missouri



Data Sources: National Drug Intelligence Center (2011). *The Economic Impact of Illicit Drug Use on American Society*. Johnstown, PA: U.S. Dept of Justice. Missouri estimate is derived from the nationwide estimates based on U.S. and Missouri illicit drug dependence and abuse data from the 2013-2014 National Survey on Drug Use and Health.


Estimated Annual Economic Cost of Cigarette Smoking in the United States and Missouri



Data Sources: U.S. Department of Health and Human Services (2014). *The Health Consequences of Smoking—50 Years of Progress. A Report of the Surgeon General*. Atlanta, GA: Centers for Disease Control and Prevention. Missouri estimate is derived from the nationwide estimates based on U.S. and Missouri cigarette smoking data from the 2013-2014 National Survey on Drug Use and Health.


MISSOURI BIRTHS AND FETAL EXPOSURE TO ALCOHOL AND DRUGS

Missouri Resident Births, 1990-2014




Data Source: Missouri Department of Health and Senior Services.

Missouri Resident Births for which Mother Reported Drinking Alcohol During Pregnancy, 2000-2009




Data Source: Missouri Department of Health and Senior Services. (Data set discontinued after 2009).

Missouri Resident Newborns Diagnosed with Fetal Alcohol Syndrome, 2000-2014




Data Source: Missouri Department of Health and Senior Services.

Missouri Resident Newborns Diagnosed with Illicit Drug Exposure, 2000-2014



Data Source: Missouri Department of Health and Senior Services.


Missouri Resident Births for which Mother Reported Smoking During Pregnancy, 2000-2014




Data Source: Missouri Department of Health and Senior Services.

HOSPITAL AND EMERGENCY DEPARTMENT EPISODES FOR SUBSTANCE USE DISORDERS


Alcohol Use Disorder Principal Diagnosis, Missouri Residents: 2010-2014




Alcohol Use Disorder Secondary Diagnosis, Missouri Residents: 2010-2014



Drug Use Disorder Principal Diagnosis, Missouri Residents: 2010-2014




Drug Use Disorder Secondary Diagnosis, Missouri Residents: 2010-2014




Data Source: Missouri Department of Health and Senior Services, using ICD-9 codes identified by the Healthcare Cost and Utilization Project.

HOSPITAL AND EMERGENCY DEPARTMENT EPISODES FOR MENTAL DISORDERS

Mental Disorder Principal Diagnosis, Missouri Residents: 2010-2014




Mental Disorder Secondary Diagnosis, Missouri Residents: 2010-2014



Data Source: Missouri Department of Health and Senior Services, using ICD-9 codes identified by the Healthcare Cost and Utilization Project.


DISEASES ASSOCIATED WITH SUBSTANCE USE

Newly Diagnosed HIV Disease Cases Associated with All Causes of Exposure: Missouri Residents, 2000-2014



Data Source: Missouri Department of Health and Senior Services.


Newly Diagnosed HIV Disease Cases Involving Injection Drug Use Risk Factor: Missouri Residents, 2000-2014



* MSM denotes HIV risk factor for men who have sex with men.


Data Source: Missouri Department of Health and Senior Services.

Newly Diagnosed Hepatitis B Cases: Missouri Residents, 2004-2014




Data Source: Missouri Department of Health and Senior Services.

Newly Diagnosed Hepatitis C Cases: Missouri Residents, 2005-2014



Data Source: Missouri Department of Health and Senior Services.


Newly Diagnosed Tuberculosis Cases: Missouri Residents, 2000-2014




Data Source: Missouri Department of Health and Senior Services.

SUICIDE, HOMICIDE, AND SUBSTANCE-RELATED DEATHS


Missouri Resident Deaths, 2000-2014




Suicide Deaths: Missouri Residents, 2000-2014




Homicide Deaths: Missouri Residents, 2000-2014




Alcohol Induced Deaths: Missouri Residents, 2000-2014



Drug Induced Deaths: Missouri Residents, 2000-2014




Smoking Attributable Deaths: Missouri Residents, 2000-2014



Data Source (all charts): Missouri Department of Health and Senior Services.


ALCOHOL INVOLVED TRAFFIC CRASHES

Total Traffic Crashes in Missouri, 2000-2015




Data Source: Missouri Department of Public Safety, Missouri State Highway Patrol, Statistical Analysis Center. Annual Tabulation.

Traffic Crashes Caused by Alcohol Impaired Driver, 2001-2015




Data Source: Missouri Department of Public Safety, Missouri State Highway Patrol, Statistical Analysis Center. Annual Tabulation.

Traffic Crashes Caused by Alcohol Impaired Driver, by Crash Severity, 2001-2015



Data Source: Missouri Department of Public Safety, Missouri State Highway Patrol, Statistical Analysis Center. Annual Tabulation.


Traffic Crash Fatalities and Injuries Caused by Alcohol Impaired Driver, 2001-2015



Data Source: Missouri Department of Public Safety, Missouri State Highway Patrol, Statistical Analysis Center. Annual Tabulation.


DRUG INVOLVED TRAFFIC CRASHES

Total Traffic Crashes in Missouri, 2000-2015




Data Source: Missouri Department of Public Safety, Missouri State Highway Patrol, Statistical Analysis Center. Annual Tabulation.

Traffic Crashes Caused by Drug Impaired Driver, 2002-2015




Data Source: Missouri Department of Public Safety, Missouri State Highway Patrol, Statistical Analysis Center. Annual Tabulation.

Traffic Crashes Caused by Drug Impaired Driver, by Crash Severity, 2002-2015



Data Source: Missouri Department of Public Safety, Missouri State Highway Patrol, Statistical Analysis Center. Annual Tabulation.


Traffic Crash Fatalities and Injuries Caused by Drug Impaired Driver, 2002-2015



Data Source: Missouri Department of Public Safety, Missouri State Highway Patrol, Statistical Analysis Center. Annual Tabulation.


MISSOURI ALCOHOL AND DRUG ARRESTS

Arrests for DUI/DWI Alcohol or Drug Impaired Driving, 2001-2015




Data Source: Missouri Department of Public Safety, Missouri State Highway Patrol, Statistical Analysis Center.
Uniform Crime Reports (UCR) 2001-2005 and Missouri DWI Tracking System (DWITS) 2006-2015.

Arrests for Impaired Boating, 2001-2015




Data Source: Missouri Department of Public Safety, Missouri State Highway Patrol, Statistical Analysis Center. Uniform Crime Reports.

Arrests for Liquor Law Offenses, 2001-2015




Data Source: Missouri Department of Public Safety, Missouri State Highway Patrol, Statistical Analysis Center. Uniform Crime Reports.

Arrests for Drug Offenses, 2001-2015



Data Source: Missouri Department of Public Safety, Missouri State Highway Patrol, Statistical Analysis Center. Uniform Crime Reports.


Methamphetamine Lab and Equipment Confiscations, 2001-2015



Data Source: Missouri Department of Public Safety, Missouri State Highway Patrol, Division of Drug and Crime Control, EPIC System.


MISSOURI JUVENILE COURT ENCOUNTERS

Total Out-of-Home Placements of Children, and Percentage Due to Parental Substance Use, 2000-2014




Data Source: Missouri Department of Social Services. Annual special data tabulations. Based on child's most recent removal reason within year.

Out-of-Home Placements of Children Due to Parental Substance Use, 2000-2014



Data Source: Missouri Department of Social Services. Annual special data tabulations. Based on child's most recent removal reason within year.


Juvenile Court Referrals for Law Violations and Status Offenses, 2000-2014



Data Source: Missouri Office of State Courts Administrator (2009-2014); Missouri Department of Social Services (2000-2008).

* Beginning in 2013, some juvenile municipal violations and infractions have been reclassified as status offenses.


Juvenile Court Referrals for Alcohol and Drug Violations, 2000-2014



Data Source: Missouri Office of State Courts Administrator (2009-2014); Missouri Department of Social Services (2000-2008).


MISSOURI CRIMINAL JUSTICE SERVICES FOR ALCOHOL AND DRUG OFFENSES

Missouri Drug Courts and Mental Health Courts by Type, Fiscal Years 2000-2015




Data Source: Missouri Office of State Courts Administrator.

Missouri Drug Court and Mental Health Court Participants, Fiscal Years 2006-2015




Data Source: Missouri Office of State Courts Administrator.

Probation and Parole Admissions for Driving while Intoxicated and Drug Convictions, Fiscal Years 2001-2015



Data Source: Missouri Department of Corrections. Annual special data tabulations.


State Prison Admissions for Driving while Intoxicated and Drug Convictions, Fiscal Years 2001-2015




Data Source: Missouri Department of Corrections. Annual special data tabulations.

ALCOHOL CONSUMPTION


Per Capita Consumption of Ethanol in All Beverage Alcohol in the United States and Missouri, Ages 14 and Older, 1970-2014




Per Capita Consumption of Ethanol in Beer in the United States and Missouri, Ages 14 and Older, 1970-2014



Per Capita Consumption of Ethanol in Wine in the United States and Missouri, Ages 14 and Older, 1970-2014




Per Capita Consumption of Ethanol in Distilled Spirits in the United States and Missouri, Ages 14 and Older, 1970-2014



Data Source: U.S. Dept. of Health and Human Services, NIAAA. Surveillance Report #104: Apparent Per Capita Alcohol Consumption: National, State, and Regional Trends, 1977-2014 (and prior reports).


MISSOURI LIQUOR LICENSES

Retail Liquor Licenses Issued, 1995-2015




Data Source: Missouri Department of Public Safety, Division of Alcohol and Tobacco Control.

Retail Liquor Licenses Issued: DBH Planning Regions, 2002-2015



Data Source: Missouri Department of Public Safety, Division of Alcohol and Tobacco Control.


Retail Liquor Licenses Issued Per 10,000 Population: DBH Planning Regions, 2002-2015



Data Source: Missouri Department of Public Safety, Division of Alcohol and Tobacco Control.

MISSOURI TOBACCO SALES

Trend in Tobacco Tax Revenue (in Millions), Fiscal Years 2001-2015



Data Source: Missouri Department of Revenue. Annual report: "Taxes Administered"

Apparent Packs of Cigarettes (in Millions) Sold in Missouri Based on Cigarette Tax Revenues: Fiscal Years 2001-2015




Data Source: Missouri Department of Revenue. Derived from data in "Taxes Administered" annual fiscal report.

Total cigarette sales estimates are based on the cigarette tax portion of tobacco tax receipts.


Breakouts for Jackson County and St. Louis County are based on supplemental county cigarette tax receipts.

MISSOURI UNEMPLOYMENT

Unemployment Rates in the United States and Missouri: Annual Averages, 1990-2015



Unemployment Rates in Missouri DBH Planning Regions: Annual Averages, 1990-2015



Data Sources: Missouri Dept of Economic Development, Missouri Economic Research and Information Center.
 Local Area Unemployment Statistics: <http://www.missourieconomy.org/indicators/laus/default.aspx>.
 U.S. Dept of Labor, Bureau of Labor Statistics. Labor Force Statistics from the Current Population Survey.
 Table: Employment status of the civilian noninstitutional population, 1941 to date.

MISSOURI

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	5,014	5,140	5,489
CSTAR Adolescent	2,058	2,146	2,245
CSTAR Women and Children	4,060	3,876	3,714
CSTAR General Adult	17,656	17,278	15,573
CSTAR Opioid	661	610	621
Primary Recovery Treatment	3,079	3,380	5,875
Clinical SATOP (CIP, YCIP, SROP)	5,265	5,667	5,908
Other Substance Abuse Treatment	700	757	1,060

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	20,936	22,729	24,423
- Adolescent Diversion Education Program	718	682	624
- Offender Education Program	7,545	8,268	9,280
- Weekend Intervention Program	4,166	4,666	5,240
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	1,050	1,004	1,175
Compulsive Gambling	91	81	121
Recovery Supports	2,981	4,985	5,564
Early Intervention	1,627	1,548	1,508

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013
Total Individuals	33,965	34,829	35,877
AGE			
Under 18	2,088	2,193	2,314
18 to 24	5,017	5,575	6,107
25 to 29	5,820	5,894	6,225
30 to 34	5,842	5,887	5,891
35 to 39	4,219	4,182	3,962
40 to 44	3,293	3,300	3,428
45 to 54	5,328	5,640	5,877
55 and Over	2,358	2,158	2,073
GENDER			
Male	21,912	23,075	23,956
Female	12,052	11,750	11,920
RACE / ETHNICITY			
Caucasian	26,084	26,584	27,754
African American	6,325	6,720	6,659
Native American / Alaskan	100	107	85
Asian / Pacific Islander	88	70	91
Hispanic	751	756	724
Other Race / Two or More Races	874	865	838
EDUCATION			
Less than High School Diploma	15,259	11,465	12,062
High School Graduate or G.E.D.	15,259	15,359	15,697
Associate Degree or Some College	7,434	7,617	7,745
Bachelor or Advanced Degree	322	385	368
EMPLOYMENT			
Employed	10,026	9,845	9,711
Unemployed	11,525	12,687	13,705
Not in Labor Force	12,413	12,297	12,459
HOUSING / LIVING ARRANGEMENT			
Independent Living	26,489	27,358	28,348
Dependent Living	3,957	4,164	4,364
Homeless	2,195	2,082	2,070
MARITAL / FAMILY STATUS			
Never Married	19,765	20,150	20,699
Married / Cohabiting	7,423	7,574	7,834
Previously Married	6,777	7,105	7,344

PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Alcohol	11,989	12,757	13,874
Marijuana / Hashish	7,591	7,986	8,234
Cocaine (total)	1,216	1,487	1,488
- Crack	819	976	1,013
Stimulant (total)	6,153	5,804	5,322
- Methamphetamine	5,973	5,558	5,104
Heroin	4,062	3,673	3,507
Analgesic except Heroin	2,172	2,249	2,507
- Non-Prescription Methadone	28	27	39
PCP, LSD, other Hallucinogen	248	283	287
Tranquilizer	296	278	350
Inhalant	23	34	37
Sedative	31	40	40
Other Medication or Illicit Drug	184	243	231
Average Age at First Use of Drug	18.5	18.3	18.1
INJECTION DRUG USE			
Any Injection Use at Admission	5,946	5,760	5,466
- Daily Injection Use	1,998	1,881	1,695
- Weekly Injection Use	1,447	1,448	1,368
- Less than Weekly Injection Use	2,501	2,431	2,403
LIFETIME DUI / DWI ARRESTS			
0	20,252	20,091	19,994
1 or 2	8,872	9,638	10,196
3 or More	4,841	5,100	5,687
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	10,860	11,203	12,234
School	130	146	128
Mental Health Provider	385	457	494
Health Care Provider	2,002	1,609	1,476
Court / Criminal Justice	14,850	15,668	16,357
Other Referral Source	4,721	4,624	4,053
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	606	654	611
Military Veteran	1,351	1,458	1,562
Special Education Services Needed	2,628	2,543	2,908
Co-Occurring Psychological Problem	13,305	12,606	12,683
Co-Occurring Developmental Problem	856	1,048	1,539

DIVISION OF BEHAVIORAL HEALTH
FISCAL YEAR 2015 SUBSTANCE USE TREATMENT ADMISSIONS: MALES

ALL RACES		All Ages	Under 15	15-17	18-24	25-29	30-34	35-39	40-44	45-54	Over 54
TOTAL ADMISSIONS		24,256	560	*	*	*	*	*	2,387	4,189	1,982
<i>Substance Abuse Treatment</i>											
Alcohol		8,854	14	88	714	1,148	1,258	1,130	1,056	2,207	1,239
Cocaine/Crack		*	0	*	36	41	44	64	87	331	136
Heroin		2,416	0	13	372	491	518	386	237	236	163
Marijuana		5,258	226	945	1,258	868	726	439	297	390	109
Methamphetamine		*	*	28	436	541	670	480	371	432	105
Prescription Drugs		*	*	18	118	110	118	64	40	70	24
All Other Drugs		1,012	6	34	200	234	190	130	82	96	40
<i>Non-Substance Abuse Treatment</i>											
Recovery Supports		1,892	0	0	278	295	342	246	200	392	139
Co-dependent Services		419	309	15	6	5	10	17	12	25	20
Compulsive Gambling		32	0	0	*	*	*	*	5	10	7
CAUCASIAN		All Ages	Under 15	15-17	18-24	25-29	30-34	35-39	40-44	45-54	Over 54
TOTAL ADMISSIONS		17,638	333	*	*	2,890	*	*	1,732	2,937	1,288
<i>Substance Abuse Treatment</i>											
Alcohol		7,175	13	74	620	979	1054	906	854	1729	946
Cocaine/Crack		*	0	*	8	15	16	23	28	64	13
Heroin		1,344	0	13	315	381	305	144	74	83	29
Marijuana		3,374	142	646	794	545	465	264	188	263	67
Methamphetamine		*	*	28	408	506	622	456	346	410	91
Prescription Drugs		*	*	16	105	98	109	51	36	63	23
All Other Drugs		*	*	28	156	187	140	98	57	74	29
<i>Non-Substance Abuse Treatment</i>											
Recovery Supports		1,146	0	0	171	173	222	159	134	223	64
Co-dependent Services		*	169	6	5	*	9	15	10	22	19
Compulsive Gambling		25	0	0	*	*	*	*	5	6	7
AFRICAN AMERICAN		All Ages	Under 15	15-17	18-24	25-29	30-34	35-39	40-44	45-54	Over 54
TOTAL ADMISSIONS		*	145	232	612	676	744	*	554	1,104	627
<i>Substance Abuse Treatment</i>											
Alcohol		*	*	6	47	105	130	160	145	397	251
Cocaine/Crack		550	0	0	26	22	25	39	56	262	120
Heroin		993	0	0	44	90	190	232	161	142	134
Marijuana		1,550	45	214	369	290	228	152	100	115	37
Methamphetamine		83	0	0	9	12	19	12	11	10	10
Prescription Drugs		41	0	*	8	11	5	9	*	*	*
All Other Drugs		201	*	*	32	39	45	28	24	20	9
<i>Non-Substance Abuse Treatment</i>											
Recovery Supports		613	0	0	77	105	100	65	53	149	64
Co-dependent Services		114	98	8	0	*	*	0	*	*	*
Compulsive Gambling		5	0	0	0	*	*	*	0	*	0
OTHER RACES		All Ages	Under 15	15-17	18-24	25-29	30-34	35-39	40-44	45-54	Over 54
TOTAL ADMISSIONS		*	*	100	224	170	191	143	101	148	67
<i>Substance Abuse Treatment</i>											
Alcohol		437	0	8	47	64	74	64	57	81	42
Cocaine/Crack		24	0	*	*	*	*	*	*	5	*
Heroin		79	0	0	13	20	23	10	*	11	0
Marijuana		334	39	85	95	33	33	23	9	12	5
Methamphetamine		113	0	0	19	23	29	12	14	12	*
Prescription Drugs		20	0	*	5	*	*	*	*	*	0
All Other Drugs		38	*	*	12	8	5	*	*	*	*
<i>Non-Substance Abuse Treatment</i>											
Recovery Supports		133	0	0	30	17	20	22	13	20	11
Co-dependent Services		46	42	*	*	0	0	*	0	0	0
Compulsive Gambling		*	0	0	0	0	0	0	0	*	0

Each client is counted only once -- in either a Substance Abuse Treatment or Non-Substance Abuse Treatment category.

The "Other Races" category includes Hispanic, Native American, Alaskan, Asian, Pacific Islander, all other, and multi-racial.

* An asterisk in a data cell indicates the cell count was fewer than 5 or the column or row total was suppressed to avoid disclosure of identifying information.

DIVISION OF BEHAVIORAL HEALTH
FISCAL YEAR 2015 SUBSTANCE USE TREATMENT ADMISSIONS: FEMALES

ALL RACES		All Ages	Under 15	15-17	18-24	25-29	30-34	35-39	40-44	45-54	Over 54
TOTAL ADMISSIONS		13,432	446	*	*	*	*	*	*	1,771	620
<i>Substance Use Treatment</i>											
Alcohol		3,136	23	66	271	425	502	414	412	726	297
Cocaine/Crack		*	0	*	24	29	67	54	84	155	58
Heroin		1,646	0	24	329	422	388	217	109	112	45
Marijuana		2,333	103	390	504	452	326	200	158	162	38
Methamphetamine		2,907	7	49	516	697	681	431	241	253	32
Prescription Drugs		*	*	15	93	127	149	88	59	68	36
All Other Drugs		*	*	21	146	235	205	121	61	90	36
<i>Non-Substance Use Treatment</i>											
Recovery Supports		883	*	0	124	188	202	107	85	148	28
Co-dependent Services		*	305	10	15	*	13	19	17	42	32
Compulsive Gambling		40	0	0	*	0	*	*	*	15	18
CAUCASIAN		All Ages	Under 15	15-17	18-24	25-29	30-34	35-39	40-44	45-54	Over 54
TOTAL ADMISSIONS		10,830	291	448	1,673	*	*	*	*	1,335	451
<i>Substance Use Treatment</i>											
Alcohol		2,625	21	57	232	374	421	346	349	584	241
Cocaine/Crack		*	0	*	11	10	23	29	26	44	16
Heroin		1,135	0	24	271	327	268	132	61	40	12
Marijuana		1,771	90	288	359	349	253	163	117	129	23
Methamphetamine		2,741	6	43	481	651	639	408	235	246	32
Prescription Drugs		*	*	15	84	121	139	87	56	60	34
All Other Drugs		*	*	16	130	209	174	101	50	75	28
<i>Non-Substance Use Treatment</i>											
Recovery Supports		681	*	0	94	157	163	82	61	105	18
Co-dependent Services		295	167	*	11	*	12	15	14	38	31
Compulsive Gambling		36	0	0	0	0	*	*	*	14	16
AFRICAN AMERICAN		All Ages	Under 15	15-17	18-24	25-29	30-34	35-39	40-44	45-54	Over 54
TOTAL ADMISSIONS		1,925	97	51	229	*	*	211	214	377	159
<i>Substance Use Treatment</i>											
Alcohol		*	0	*	25	30	58	45	48	109	51
Cocaine/Crack		294	0	0	12	17	42	21	56	105	41
Heroin		431	0	0	38	74	95	80	42	69	33
Marijuana		404	5	40	110	83	60	29	34	29	14
Methamphetamine		34	0	0	*	16	9	*	0	*	0
Prescription Drugs		21	0	0	*	*	8	0	*	5	*
All Other Drugs		*	0	*	12	18	24	12	8	14	8
<i>Non-Substance Use Treatment</i>											
Recovery Supports		161	0	0	22	23	28	19	22	40	7
Co-dependent Services		110	92	7	*	0	*	*	*	*	*
Compulsive Gambling		*	0	0	*	0	0	0	0	*	*
OTHER RACES		All Ages	Under 15	15-17	18-24	25-29	30-34	35-39	40-44	45-54	Over 54
TOTAL ADMISSIONS		*	58	*	121	*	116	77	43	59	10
<i>Substance Use Treatment</i>											
Alcohol		*	*	6	14	21	23	23	15	33	5
Cocaine/Crack		18	0	0	*	*	*	*	*	6	*
Heroin		80	0	0	20	21	25	5	6	*	0
Marijuana		158	8	62	35	20	13	8	7	*	*
Methamphetamine		*	*	6	31	30	33	20	6	5	0
Prescription Drugs		18	0	0	5	5	*	*	*	*	0
All Other Drugs		36	*	*	*	8	7	8	*	*	0
<i>Non-Substance Use Treatment</i>											
Recovery Supports		41	0	0	8	8	11	6	*	*	*
Co-dependent Services		52	46	0	*	0	0	*	0	*	0
Compulsive Gambling		0	0	0	0	0	0	0	0	0	0

Each client is counted only once -- in either a Substance Use Treatment or Non-Substance Use Treatment category.

The "Other Races" category includes Hispanic, Native American, Alaskan, Asian, Pacific Islander, all other, and multi-racial.

* An asterisk in a data cell indicates the cell count was fewer than 5 or the column or row total was suppressed to avoid disclosure of identifying information.

¹ On these charts, individuals are counted only once based on their first treatment admission during the fiscal year.² On this chart, individuals are counted once in each category of program they were admitted to during the fiscal year.

¹ On these charts, individuals are counted only once based on their first treatment admission during the fiscal year.² On this chart, individuals are counted once in each category of program they were admitted to during the fiscal year.


¹ On these charts, individuals are counted only once based on their first treatment admission during the fiscal year.² On this chart, individuals are counted once in each category of program they were admitted to during the fiscal year.

¹ On these charts, individuals are counted only once based on their first treatment admission during the fiscal year.² On this chart, individuals are counted once in each category of program they were admitted to during the fiscal year.

¹ On these charts, individuals are counted only once based on their first treatment admission during the fiscal year.² On this chart, individuals are counted once in each category of program they were admitted to during the fiscal year.


¹ On these charts, individuals are counted only once based on their first treatment admission during the fiscal year.² On this chart, individuals are counted once in each category of program they were admitted to during the fiscal year.

¹ On these charts, individuals are counted only once based on their first treatment admission during the fiscal year.² On this chart, individuals are counted once in each category of program they were admitted to during the fiscal year.

¹ On these charts, individuals are counted only once based on their first treatment admission during the fiscal year.² On this chart, individuals are counted once in each category of program they were admitted to during the fiscal year.


AGE PROFILES OF SUBSTANCE USE INTERVENTION AND TREATMENT PROGRAM ADMISSIONS

Individuals Assigned to Substance Abuse Traffic Offender Program (SATOP) Offender Management Units (OMU), Fiscal Year 2015




Data Source: Missouri Department of Mental Health, Division of Behavioral Health, Research & Statistics Unit, CIMOR system.

Individuals Referred by SATOP OMUs and Admitted to Education and Treatment Programs, Fiscal Year 2015




Data Source: Missouri Department of Mental Health, Division of Behavioral Health, Research & Statistics Unit, CIMOR system.

Individuals Admitted to SATOP and non-SATOP Clinical Treatment Programs, Fiscal Year 2015



Data Source: Missouri Department of Mental Health, Division of Behavioral Health, Research & Statistics Unit, CIMOR system.

MISSOURI



DBH REGION	All Regions
DBH SERVICE AREAS	
Substance Use	All Service Areas
Adult Psychiatric	All Service Areas
POPULATION	
Census 2010	5,988,927
2015 Estimate	6,083,672

BIRTH RISK	2014	2013	2012
Resident Births	75,104	75,244	75,400
Mother Reported Smoking while Pregnant	12,454	13,155	13,506

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	485	462	540
Hepatitis B Chronic, Acute, Prenatal	606	597	537
Hepatitis C Chronic and Acute	6,284	4,881	4,726
Tuberculosis Infection Cases	3,321	3,193	2,645

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	58,141	57,254	55,783
Suicides	1,004	958	901
Homicides	440	390	429
Alcohol Induced Deaths	475	444	449
Drug Induced Deaths	1,121	1,042	952
Smoking Attributable Deaths	10,121	10,109	9,869
Self-inflicted Injuries	7,494	7,691	8,122
Assault Injuries	19,919	21,662	23,955

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	42,324	43,464	39,752
Mental Illness Secondary Diagnosis	75,346	79,382	73,645
Alcohol Principal Diagnosis	2,790	3,405	3,170
Alcohol Secondary Diagnosis	6,367	7,413	5,942
Drug Principal Diagnosis	3,139	3,460	3,361
Drug Secondary Diagnosis	7,096	7,058	5,858
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	28,024	25,005	28,781
Mental Illness Secondary Diagnosis	108,731	101,411	108,401
Alcohol Principal Diagnosis	5,236	4,759	5,260
Alcohol Secondary Diagnosis	12,222	11,365	12,639
Drug Principal Diagnosis	3,364	3,199	3,443
Drug Secondary Diagnosis	8,922	7,845	9,566
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	51,155	51,568	53,484
Mental Illness Secondary Diagnosis	193,422	193,555	177,915
Alcohol Principal Diagnosis	15,339	15,662	15,898
Alcohol Secondary Diagnosis	15,097	14,236	14,921
Drug Principal Diagnosis	10,560	10,428	10,567
Drug Secondary Diagnosis	17,944	16,573	17,028

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	7,268	7,366	7,370
Alcohol Package Carry-out Licenses	5,093	5,081	4,966

EMPLOYMENT	2015	2014	2013
Labor Force	3,113,760	3,058,118	3,018,072
Employed	2,958,176	2,871,217	2,820,753
Unemployed	155,584	186,901	197,319
Unemployment Rate	5.0%	6.1%	6.5%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	5,086	5,565	5,770
Fatal Crashes	152	174	195
Injury Crashes	2,003	2,262	2,406
Property Damage Crashes	3,129	3,120	3,169
Crash Fatalities	164	205	203
Crash Injuries	2,895	3,218	3,431
Drug Involved Crashes	1,191	1,268	1,214
Fatal Crashes	55	38	38
Injury Crashes	529	533	557
Property Damage Crashes	607	697	619
Crash Fatalities	59	42	47
Crash Injuries	819	774	833

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	26,362	29,341	33,510
Liquor Law Arrests	7,249	8,395	10,516
Drug Arrests	35,290	37,646	37,360
Violent Offenses	26,887	26,201	27,171
Property Offenses	177,774	190,747	201,050
Domestic Violence Reports	42,379	41,648	41,504

	2015	2014	2013
Methamphetamine Lab Seizures	507	1,045	1,495

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	264,706	266,078	266,610
Drop-outs	5,652	6,474	6,425
Drop-out Rate	2.1%	2.4%	2.4%
School Discipline Involving Alcohol	398	397	433
School Discipline Involving Drugs	2,028	2,096	2,295
School Discipline Involving Tobacco	79	58	61

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	6,515	6,508	7,436
Juvenile Alcohol Offenses	775	864	1,120
Juvenile Drug Offenses	1,886	1,976	2,266
School Truancy Status Offense	3,932	4,106	3,958
Absent from Home Status Offense	2,281	2,480	2,760
Beyond Parental Control Status Offense	2,147	2,149	2,630
Injurious Behavior Status Offense	4,134	3,674	4,144
Child Abuse	3,416	3,338	3,610
Child Neglect	12,007	11,094	11,582
Child Custody Issues	1,636	1,589	1,821

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	7,260	6,687	6,422
Parental Alcohol Use Related	237	175	210
Parental Drug Use Related	2,703	2,423	2,373
Parental Alcohol and Drug Use	203	212	197

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	7,058	6,025	6,189
Probation/Parole Admissions--Drug	12,914	12,816	12,090
Probation/Parole Admissions--DWI	2,296	2,496	2,650
Prison Admissions--Drug	6,068	6,165	5,779
Prison Admissions--DWI	919	1,030	1,127

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.

³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

MISSOURI

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	5,014	5,140	5,489
CSTAR Adolescent	2,058	2,146	2,245
CSTAR Women and Children	4,060	3,876	3,714
CSTAR General Adult	17,656	17,278	15,573
CSTAR Opioid	661	610	621
Primary Recovery Treatment	3,079	3,380	5,875
Clinical SATOP (CIP, YCIP, SROP)	5,265	5,667	5,908
Other Substance Abuse Treatment	700	757	1,060

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	20,936	22,729	24,423
- Adolescent Diversion Education Program	718	682	624
- Offender Education Program	7,545	8,268	9,280
- Weekend Intervention Program	4,166	4,666	5,240
<i>(See also Clinical SATOP at left)</i>			
OTHER SERVICES PROVIDED			
Co-Dependency	1,050	1,004	1,175
Compulsive Gambling	91	81	121
Recovery Supports	2,981	4,985	5,564
Early Intervention	1,627	1,548	1,508


The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013
Total Individuals	33,965	34,829	35,877
AGE			
Under 18	2,088	2,193	2,314
18 to 24	5,017	5,575	6,107
25 to 29	5,820	5,894	6,225
30 to 34	5,842	5,887	5,891
35 to 39	4,219	4,182	3,962
40 to 44	3,293	3,300	3,428
45 to 54	5,328	5,640	5,877
55 and Over	2,358	2,158	2,073
GENDER			
Male	21,912	23,075	23,956
Female	12,052	11,750	11,920
RACE / ETHNICITY			
Caucasian	26,084	26,584	27,754
African American	6,325	6,720	6,659
Native American / Alaskan	100	107	85
Asian / Pacific Islander	88	70	91
Hispanic	751	756	724
Other Race / Two or More Races	874	865	838
EDUCATION			
Less than High School Diploma	10,949	11,465	12,062
High School Graduate or G.E.D.	15,259	15,359	15,697
Associate Degree or Some College	7,434	7,617	7,745
Bachelor or Advanced Degree	322	385	368
EMPLOYMENT			
Employed	10,026	9,845	9,711
Unemployed	11,525	12,687	13,705
Not in Labor Force	12,413	12,297	12,459
HOUSING / LIVING ARRANGEMENT			
Independent Living	26,489	27,358	28,348
Dependent Living	3,957	4,164	4,364
Homeless	2,195	2,082	2,070
MARITAL / FAMILY STATUS			
Never Married	19,765	20,150	20,699
Married / Cohabiting	7,423	7,574	7,834
Previously Married	6,777	7,105	7,344

PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Alcohol	11,989	12,757	13,874
Marijuana / Hashish	7,591	7,986	8,234
Cocaine (total)	1,216	1,487	1,488
- Crack	819	976	1,013
Stimulant (total)	6,153	5,804	5,322
- Methamphetamine	5,973	5,558	5,104
Heroin	4,062	3,673	3,507
Analgesic except Heroin	2,172	2,249	2,507
- Non-Prescription Methadone	28	27	39
PCP, LSD, other Hallucinogen	248	283	287
Tranquilizer	296	278	350
Inhalant	23	34	37
Sedative	31	40	40
Other Medication or Illicit Drug	184	243	231
Average Age at First Use of Drug	18.5	18.3	18.1
INJECTION DRUG USE			
Any Injection Use at Admission	5,946	5,760	5,466
- Daily Injection Use	1,998	1,881	1,695
- Weekly Injection Use	1,447	1,448	1,368
- Less than Weekly Injection Use	2,501	2,431	2,403
LIFETIME DUI / DWI ARRESTS			
0	20,252	20,091	19,994
1 or 2	8,872	9,638	10,196
3 or More	4,841	5,100	5,687
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	10,860	11,203	12,234
School	130	146	128
Mental Health Provider	385	457	494
Health Care Provider	2,002	1,609	1,476
Court / Criminal Justice	14,850	15,668	16,357
Other Referral Source	4,721	4,624	4,053
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	606	654	611
Military Veteran	1,351	1,458	1,562
Special Education Services Needed	2,628	2,543	2,908
Co-Occurring Psychological Problem	13,305	12,606	12,683
Co-Occurring Developmental Problem	856	1,048	1,539

MISSOURI

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION All Regions
PSYCHIATRIC SERVICE AREA All Service Areas
CENSUS 2010 5,988,927
2015 POPULATION ESTIMATE 6,083,672

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	3,043	2,973	2,870
Anxiety Disorder	26,854	24,141	22,842
Dementia	567	152	132
Developmental Disorder	1,112	1,070	1,032
Impulse Control Disorder	12,491	11,707	11,504
Mood Disorder	47,484	45,731	45,193
Personality Disorder	5,161	5,016	4,694
Psychotic Disorder	15,154	14,635	14,602
Sexual Disorder	313	280	276
Other Diagnosis	5,217	4,738	4,462
Diagnosis Unknown	6,277	6,961	8,005

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	77,165	75,906	77,539	Less than High School Diploma	21,361	19,835	20,156
AGE				High School Grad or G.E.D.	*	34	366
Under 6	526	680	733	Associate Degree or Some College	0	7	113
6 to 9	4,065	4,081	4,060	Bachelor or Advanced Degree	0	*	23
10 to 13	5,366	5,320	5,287	Education Level Unknown	55,803	56,027	56,881
14 to 17	6,092	5,726	5,869	EMPLOYMENT			
18 to 24	6,148	6,400	6,857	Employed	4,622	4,034	4,083
25 to 29	5,953	6,120	6,478	Unemployed	4,176	4,536	5,287
30 to 34	6,880	6,987	7,144	Not in Labor Force	39,262	36,415	36,191
35 to 39	6,636	6,472	6,416	Employment Status Unknown	29,105	30,921	31,978
40 to 44	6,621	6,717	7,033	HOUSING / LIVING ARRANGEMENT			
45 to 49	7,178	7,371	7,968	Independent Living	27,346	24,938	25,022
50 to 54	8,654	8,330	8,424	Dependent Living	18,722	17,860	18,619
55 to 59	6,684	6,151	5,970	Homeless	1,706	1,490	1,471
60 and Over	6,362	5,551	5,300	Other	0	*	8
Age Unknown	0	0	0	Housing Unknown	29,391	31,617	32,419
GENDER				TREATMENT REFERRAL SOURCE			
Male	36,343	36,004	36,740	Self / Family / Friend	36,947	36,856	38,093
Female	40,822	39,902	40,797	School	1,685	1,487	1,439
Gender Unknown	0	0	*	Mental Health Provider	5,758	6,167	6,490
RACE / ETHNICITY				Health Care Provider	12,228	11,221	10,946
Caucasian	56,046	55,838	56,156	Court / Criminal Justice	4,150	3,932	4,234
African American	16,214	15,644	16,676	Other	16,005	15,804	15,863
Native American / Alaskan	171	174	187	Referral Source Unknown	392	439	474
Asian / Pacific Islander	207	194	213	TYPE OF COMMITMENT			
Hispanic	1,695	1,608	1,604	Voluntary	75,042	73,989	75,499
Other Race	2,832	2,448	2,702	Civil	614	368	448
Race/Ethnicity Unknown	0	0	*	Criminal	907	918	936
TREATMENT ACCOMMODATION				Sexual Predatory	226	212	200
Hearing Impaired	2,238	2,151	2,099	Commitment Type Unknown	376	419	456
Past or Current Military Service	1,877	1,753	1,730				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	35.3	33.3	38.2	42.9	Alcohol	14.2	13.9	16.9	19.8
Chewing Tobacco	9.4	9.8	10.5	11.4	Alcohol (5+ drinks on single occasion past 2 weeks)	5.6	6.1		
Cigarettes	17.6	19.1	22.7	26.6	Chewing Tobacco	3.7	5.0	5.6	6.1
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.8	1.5	2.1	2.2	Cigarettes	6.2	8.1	10.6	13.7
Cocaine	0.9	1.1	1.7	1.6	Inhalants	1.0	1.1	2.3	3.0
Electronic Cigarettes	22.5	16.0			Marijuana	7.0	7.6	8.6	9.4
Hallucinogens	1.1	1.9	2.8	3.0	Over-the-counter medications for non-medical use	2.2	1.6	3.5	4.8
Heroin	0.2	0.3	0.9	0.6	Prescription medications not prescribed for student	10.0	3.7	4.6	6.7
Inhalants	2.8	2.9	5.3	6.5	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	15.2	15.2	16.5	17.7	Alcohol (1 or 2 drinks daily)	70.8	60.3		
Methamphetamine	0.3	0.5	1.2	0.9	Alcohol (Binge: 5+ drinks once or twice a week)	78.5	71.9		
Over-the-counter medications for non-medical use	4.7	2.9	6.0	7.7	Cigarettes (1+ packs per day)	85.1	85.7		
Prescription medications not prescribed for student	14.3	7.4	8.6	11.1	Marijuana (once or twice a week)	63.5	64.4		
Synthetic drugs (K2, bath salts, Spice, etc)	1.8	3.2	6.4		Other: Cocaine, LSD, Meth, Club Drug (any use)	90.9	91.5	93.1	92.7
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.43	13.10	12.72	12.54	Alcohol	83.1	81.6	79.8	78.6
Cigarettes	12.71	12.86	12.48	12.29	Cigarettes	92.8	93.2	91.5	90.2
Inhalants	10.85	11.86	11.81	11.95	Marijuana	91.8	92.6	93.4	93.3
Marijuana	14.11	13.88	13.62	13.53	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	68.2	65.7	61.9	59.3
Alcohol	45.1	44.3	51.5	57.6	Cigarettes	88.4	85.5	81.4	78.7
Cigarettes	29.4	33.8	41.9	46.7	Marijuana	79.1	79.7	80.8	80.3
Marijuana	35.3	31.7	36.5	38.3	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.0	96.0	95.2	94.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.6	11.2	14.6	17.8	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	50.7	51.1	56.2	58.6
Alcohol	23.3	24.9	29.9	33.1	Cigarettes	46.0	46.3	51.7	56.0
Cigarettes	7.3	10.5	12.9	14.7	Marijuana	37.1	34.0	37.3	37.4
Marijuana	14.1	13.2	13.4	14.2	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.9	14.0	17.0	19.2
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	58.8	58.6	60.4	67.6	Were grouchy, irritable, or in a bad mood	33.4	25.2	24.1	25.3
Were victims of mean rumors or lies spread at school	45.1	48.3	47.3	52.9	Had difficulty concentrating on school work	29.5	24.1	23.0	24.6
Were victims of an embarrassing or hurtful text message or something posted on the Internet	23.1	24.5	20.4	19.2	Were very sad	22.7	20.2	18.5	19.7
					Felt hopeless about the future	13.5	11.8	10.9	12.3
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	13.9	11.7	11.9	11.6	Parents involve student in making family decisions	71.1	69.7	69.2	70.1
Made plan about how they would attempt suicide	9.9	8.6	8.7	8.3	Parents notice and comment on student's good work	83.5	82.8	82.6	83.5
Attempted suicide	6.3	5.0	5.5	5.5	Teachers notice and comment on student's good work	73.2	72.9		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

ADAIR COUNTY



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	14
Adult Psychiatric	14
POPULATION	
Census 2010	25,607
2015 Estimate	25,378

BIRTH RISK	2014	2013	2012
Resident Births	262	250	249
Mother Reported Smoking while Pregnant	52	57	48

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	2	1	0
Hepatitis B Chronic, Acute, Prenatal	0	1	0
Hepatitis C Chronic and Acute	6	19	10
Tuberculosis Infection Cases	15	11	11

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	251	208	226
Suicides	9	7	3
Homicides	2	1	0
Alcohol Induced Deaths	1	1	0
Drug Induced Deaths	6	5	4
Smoking Attributable Deaths	49	38	33
Self-inflicted Injuries	49	57	49
Assault Injuries	36	26	32

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	127	118	127
Mental Illness Secondary Diagnosis	557	593	633
Alcohol Principal Diagnosis	9	28	23
Alcohol Secondary Diagnosis	39	51	65
Drug Principal Diagnosis	8	8	8
Drug Secondary Diagnosis	31	27	24
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	53	38	37
Mental Illness Secondary Diagnosis	62	58	41
Alcohol Principal Diagnosis	6	8	2
Alcohol Secondary Diagnosis	10	9	8
Drug Principal Diagnosis	2	3	6
Drug Secondary Diagnosis	4	3	5
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	215	142	150
Mental Illness Secondary Diagnosis	489	368	138
Alcohol Principal Diagnosis	112	87	91
Alcohol Secondary Diagnosis	32	38	35
Drug Principal Diagnosis	33	16	27
Drug Secondary Diagnosis	20	31	16

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	32	31	31
Alcohol Package Carry-out Licenses	23	24	20

EMPLOYMENT	2015	2014	2013
Labor Force	10,602	10,989	13,088
Employed	10,008	10,308	12,379
Unemployed	594	681	709
Unemployment Rate	5.6%	6.2%	5.4%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	17	16	21
Fatal Crashes	0	0	1
Injury Crashes	5	8	13
Property Damage Crashes	8	8	7
Crash Fatalities	0	0	1
Crash Injuries	6	8	28
Drug Involved Crashes	6	0	5
Fatal Crashes	0	0	1
Injury Crashes	3	0	2
Property Damage Crashes	3	0	2
Crash Fatalities	0	0	1
Crash Injuries	6	0	6

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	72	90	105
Liquor Law Arrests	75	81	117
Drug Arrests	126	124	92
Violent Offenses	76	58	55
Property Offenses	713	753	710
Domestic Violence Reports	162	164	170
	2015	2014	2013
Methamphetamine Lab Seizures	5	31	57

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	902	926	946
Drop-outs	11	11	19
Drop-out Rate	1.2%	1.2%	2.0%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	0	0	0
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	28	41	44
Juvenile Alcohol Offenses	2	5	7
Juvenile Drug Offenses	0	4	0
School Truancy Status Offense	99	138	69
Absent from Home Status Offense	0	1	7
Beyond Parental Control Status Offense	21	28	42
Injurious Behavior Status Offense	24	19	47
Child Abuse	20	11	3
Child Neglect	45	52	45
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	31	34	32
Parental Alcohol Use Related	1	0	0
Parental Drug Use Related	15	20	21
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	46	44	48
Probation/Parole Admissions--Drug	58	66	55
Probation/Parole Admissions--DWI	4	9	10
Prison Admissions--Drug	34	30	26
Prison Admissions--DWI	3	4	3

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

ADAIR COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	27	22	19
CSTAR Adolescent	15	17	19
CSTAR Women and Children	5	7	*
CSTAR General Adult	220	210	190
CSTAR Opioid	0	0	0
Primary Recovery Treatment	12	11	15
Clinical SATOP (CIP, YCIP, SROP)	24	25	18
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	76	88	110
- Adolescent Diversion Education Program	11	19	37
- Offender Education Program	18	22	25
- Weekend Intervention Program	6	13	14
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	0	*
Compulsive Gambling	0	0	0
Recovery Supports	*	*	0
Early Intervention	19	33	25

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	265	259	251	Alcohol	89	85	76
AGE				Marijuana / Hashish	83	89	88
Under 18	14	17	19	Cocaine (total)	*	*	*
18 to 24	73	64	68	- Crack	0	0	*
25 to 29	55	51	53	Stimulant (total)	64	59	54
30 to 34	44	36	29	- Methamphetamine	60	58	53
35 to 39	22	20	22	Heroin	*	*	5
40 to 44	17	22	17	Analgesic except Heroin	17	13	22
45 to 54	27	28	33	- Non-Prescription Methadone	0	0	0
55 and Over	13	21	10	PCP, LSD, other Hallucinogen	*	*	0
GENDER				Tranquilizer	*	*	*
Male	176	163	175	Inhalant	0	*	0
Female	89	96	76	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	*
Caucasian	255	247	235	Average Age at First Use of Drug	17.2	17.5	17.4
African American	*	7	6	INJECTION DRUG USE			
Native American / Alaskan	0	0	*	Any Injection Use at Admission	36	35	38
Asian / Pacific Islander	0	0	*	- Daily Injection Use	*	6	7
Hispanic	*	6	*	- Weekly Injection Use	8	8	8
Other Race / Two or More Races	*	*	7	- Less than Weekly Injection Use	24	21	23
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	81	75	93	0	167	163	161
High School Graduate or G.E.D.	130	139	123	1 or 2	71	69	59
Associate Degree or Some College	52	42	32	3 or More	27	27	31
Bachelor or Advanced Degree	*	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	43	40	46
Employed	83	57	70	School	0	0	0
Unemployed	46	33	27	Mental Health Provider	5	*	*
Not in Labor Force	136	169	154	Health Care Provider	10	14	10
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	50	51	43
Independent Living	212	216	211	Other Referral Source	43	57	46
Dependent Living	29	31	25	TREATMENT ACCOMMODATION			
Homeless	14	9	13	Pregnant when Admitted to any Episode	5	*	7
MARITAL / FAMILY STATUS				Military Veteran	10	10	6
Never Married	148	129	145	Special Education Services Needed	28	17	30
Married / Cohabiting	67	70	52	Co-Occurring Psychological Problem	152	146	153
Previously Married	50	60	54	Co-Occurring Developmental Problem	9	*	*

ADAIR COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 14
CENSUS 2010 25,607
2015 POPULATION ESTIMATE 25,378

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	19	13	11
Anxiety Disorder	146	139	108
Dementia	*	*	0
Developmental Disorder	15	19	15
Impulse Control Disorder	96	95	76
Mood Disorder	252	232	210
Personality Disorder	36	33	21
Psychotic Disorder	70	67	73
Sexual Disorder	*	*	*
Other Diagnosis	59	55	34
Diagnosis Unknown	16	29	34

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	384	375	389	Less than High School Diploma	143	147	155
AGE				High School Grad or G.E.D.	0	0	22
Under 6	*	*	0	Associate Degree or Some College	0	0	6
6 to 9	14	16	19	Bachelor or Advanced Degree	0	0	0
10 to 13	32	37	33	Education Level Unknown	241	228	206
14 to 17	43	41	41	EMPLOYMENT			
18 to 24	31	32	31	Employed	22	14	23
25 to 29	23	24	33	Unemployed	12	9	38
30 to 34	44	32	33	Not in Labor Force	304	303	279
35 to 39	26	30	32	Employment Status Unknown	46	49	49
40 to 44	33	35	35	HOUSING / LIVING ARRANGEMENT			
45 to 49	34	36	39	Independent Living	198	179	193
50 to 54	41	38	35	Dependent Living	134	138	132
55 to 59	37	30	36	Homeless	*	*	*
60 and Over	25	23	22	Other	0	0	*
Age Unknown	0	0	0	Housing Unknown	48	57	59
GENDER				TREATMENT REFERRAL SOURCE			
Male	184	177	187	Self / Family / Friend	107	123	140
Female	200	198	202	School	0	0	*
Gender Unknown	0	0	0	Mental Health Provider	10	15	18
RACE / ETHNICITY				Health Care Provider	51	41	39
Caucasian	360	348	365	Court / Criminal Justice	8	7	10
African American	11	9	9	Other	204	184	173
Native American / Alaskan	0	0	0	Referral Source Unknown	*	5	8
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	5	10	6	Voluntary	371	363	375
Other Race	8	8	9	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	6	*	5	Commitment Type Unknown	*	5	8
Past or Current Military Service	15	14	15				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	49.4	41.8	48.1	45.5	Alcohol	19.1	19.3	22.8	19.3
Chewing Tobacco	18.8	14.9	12.7	13.0	Alcohol (5+ drinks on single occasion past 2 weeks)	8.0	9.8		
Cigarettes	24.4	22.9	44.0	26.2	Chewing Tobacco	10.6	6.3	7.1	5.9
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	0.0	5.2	2.8	Cigarettes	6.0	16.1	21.1	18.1
Cocaine	0.0	1.0	5.4	2.1	Inhalants	2.7	0.5	6.1	3.2
Electronic Cigarettes	16.9	20.3			Marijuana	1.7	3.4	9.5	5.3
Hallucinogens	0.0	1.0	5.6	4.2	Over-the-counter medications for non-medical use	1.2	1.7	0.9	4.6
Heroin	1.2	0.0	5.2	0.4	Prescription medications not prescribed for student	4.3	1.7	0.6	4.5
Inhalants	5.1	3.9	6.3	9.1					
Marijuana	7.6	12.6	21.8	12.9	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.0	0.0	5.6	1.7	Alcohol (1 or 2 drinks daily)	60.1	47.8		
Over-the-counter medications for non-medical use	1.7	1.7	1.1	9.0	Alcohol (Binge: 5+ drinks once or twice a week)	72.4	60.2		
Prescription medications not prescribed for student	9.5	4.6	6.1	10.3	Cigarettes (1+ packs per day)	86.1	83.2		
Synthetic drugs (K2, bath salts, Spice, etc)	1.7	4.6	9.7		Marijuana (once or twice a week)	73.2	71.1		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	97.0	94.7	97.8	92.5
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.38	13.80	12.42	12.40	Alcohol	69.2	70.4	77.8	78.9
Cigarettes	13.99	14.59	12.42	12.08	Cigarettes	83.8	91.4	92.9	88.4
Inhalants	8.47	12.95	13.33	12.44	Marijuana	91.6	96.3	93.8	96.3
Marijuana	15.93	16.07	13.93	13.06					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	44.2	55.9	57.8	53.2	Alcohol	59.4	54.0	52.9	57.9
Cigarettes	34.9	52.8	57.2	41.8	Cigarettes	85.0	83.2	61.2	77.9
Marijuana	12.4	25.0	47.6	26.4	Marijuana	89.9	88.7	68.0	84.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	0.0	9.2	15.9	14.1	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	100.0	97.8	88.8	92.7
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	27.5	35.2	39.1	35.4	Alcohol	68.3	61.7	55.8	60.6
Cigarettes	10.8	18.1	31.5	14.9	Cigarettes	59.6	62.7	48.8	51.0
Marijuana	7.3	8.8	20.9	10.6	Marijuana	27.9	38.8	34.5	29.3
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.1	16.5	18.1	17.6
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	52.8	67.5	72.4	65.5	Were grouchy, irritable, or in a bad mood	36.3	32.5	30.0	35.6
Were victims of mean rumors or lies spread at school	42.5	63.9	49.3	49.8	Had difficulty concentrating on school work	14.2	23.6	19.3	27.4
Were victims of an embarrassing or hurtful text message or something posted on the Internet	13.1	30.4	25.5	18.2	Were very sad	15.6	19.4	19.6	29.1
					Felt hopeless about the future	11.8	8.0	7.9	18.0
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	6.1	14.2	17.6	9.3	Parents involve student in making family decisions	63.9	57.0	64.5	68.0
Made plan about how they would attempt suicide	10.1	9.4	11.4	6.8	Parents notice and comment on student's good work	81.8	79.5	80.1	80.1
Attempted suicide	1.3	2.2	11.0	4.5	Teachers notice and comment on student's good work	82.6	74.9		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

ANDREW COUNTY



DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	1
Adult Psychiatric	1
POPULATION	
Census 2010	17,291
2015 Estimate	17,296

BIRTH RISK	2014	2013	2012
Resident Births	180	195	172
Mother Reported Smoking while Pregnant	36	33	39

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	1	1
Hepatitis C Chronic and Acute	14	9	8
Tuberculosis Infection Cases	0	0	3

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	176	186	164
Suicides	1	3	2
Homicides	0	0	1
Alcohol Induced Deaths	2	0	1
Drug Induced Deaths	0	1	0
Smoking Attributable Deaths	30	28	25
Self-inflicted Injuries	23	12	13
Assault Injuries	16	25	29

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	60	60	76
Mental Illness Secondary Diagnosis	110	98	106
Alcohol Principal Diagnosis	0	6	4
Alcohol Secondary Diagnosis	9	5	8
Drug Principal Diagnosis	3	5	4
Drug Secondary Diagnosis	4	5	12
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	69	47	39
Mental Illness Secondary Diagnosis	231	200	211
Alcohol Principal Diagnosis	14	9	10
Alcohol Secondary Diagnosis	34	19	24
Drug Principal Diagnosis	5	12	8
Drug Secondary Diagnosis	5	19	22
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	69	87	101
Mental Illness Secondary Diagnosis	159	136	193
Alcohol Principal Diagnosis	8	10	21
Alcohol Secondary Diagnosis	11	18	14
Drug Principal Diagnosis	14	9	13
Drug Secondary Diagnosis	16	19	15

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	15	15	14
Alcohol Package Carry-out Licenses	17	17	19

EMPLOYMENT	2015	2014	2013
Labor Force	10,011	10,117	10,733
Employed	9,594	9,611	10,217
Unemployed	417	506	516
Unemployment Rate	4.2%	5.0%	4.8%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	16	7	10
Fatal Crashes	1	1	1
Injury Crashes	8	3	7
Property Damage Crashes	3	3	2
Crash Fatalities	1	1	1
Crash Injuries	11	3	8
Drug Involved Crashes	3	4	1
Fatal Crashes	0	0	0
Injury Crashes	2	1	0
Property Damage Crashes	1	3	1
Crash Fatalities	0	0	0
Crash Injuries	2	1	0

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	45	41	62
Liquor Law Arrests	13	10	14
Drug Arrests	56	55	59
Violent Offenses	30	23	15
Property Offenses	245	198	157
Domestic Violence Reports	66	65	76
	2015	2014	2013
Methamphetamine Lab Seizures	1	2	0

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	861	818	822
Drop-outs	9	11	9
Drop-out Rate	1.0%	1.3%	1.1%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	1	0	0
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	16	12	21
Juvenile Alcohol Offenses	3	1	1
Juvenile Drug Offenses	3	2	3
School Truancy Status Offense	39	47	46
Absent from Home Status Offense	3	6	4
Beyond Parental Control Status Offense	4	6	6
Injurious Behavior Status Offense	2	0	3
Child Abuse	4	0	1
Child Neglect	3	0	8
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	2	0	3
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	0	0	0
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	10	12	16
Probation/Parole Admissions--DWI	3	3	4
Prison Admissions--Drug	9	4	6
Prison Admissions--DWI	0	1	2

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.

³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

ANDREW COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	*	6	7
CSTAR Adolescent	0	*	*
CSTAR Women and Children	*	*	*
CSTAR General Adult	21	24	34
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	*
Clinical SATOP (CIP, YCIP, SROP)	6	6	15
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	41	24	49
- Adolescent Diversion Education Program	*	*	0
- Offender Education Program	15	10	19
- Weekend Intervention Program	9	*	10
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	*
Recovery Supports	0	0	0
Early Intervention	0	0	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	31	36	57	Alcohol	13	16	25
AGE				Marijuana / Hashish	*	5	6
Under 18	0	*	*	Cocaine (total)	0	0	0
18 to 24	6	10	11	- Crack	0	0	0
25 to 29	*	5	12	Stimulant (total)	8	9	13
30 to 34	*	5	9	- Methamphetamine	8	9	13
35 to 39	6	5	5	Heroin	0	0	0
40 to 44	6	*	*	Analgesic except Heroin	6	6	10
45 to 54	*	*	7	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	7	PCP, LSD, other Hallucinogen	0	0	*
GENDER				Tranquilizer	0	0	0
Male	23	23	41	Inhalant	0	0	0
Female	8	13	16	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	*
Caucasian	31	35	56	Average Age at First Use of Drug	19.5	17.7	20.6
African American	0	0	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	8	11	10
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	*
Hispanic	0	0	0	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	0	*	0	- Less than Weekly Injection Use	*	5	5
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	8	10	12	0	15	23	21
High School Graduate or G.E.D.	15	21	26	1 or 2	9	6	25
Associate Degree or Some College	7	*	19	3 or More	7	7	11
Bachelor or Advanced Degree	*	*	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	5	15	15
Employed	14	9	14	School	0	0	0
Unemployed	8	8	30	Mental Health Provider	*	0	0
Not in Labor Force	9	19	13	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	20	18	36
Independent Living	22	31	51	Other Referral Source	*	*	*
Dependent Living	*	*	*	TREATMENT ACCOMMODATION			
Homeless	*	0	*	Pregnant when Admitted to any Episode	0	0	0
MARITAL / FAMILY STATUS				Military Veteran	*	*	0
Never Married	17	23	29	Special Education Services Needed	*	*	*
Married / Cohabiting	7	*	11	Co-Occurring Psychological Problem	*	11	16
Previously Married	7	9	17	Co-Occurring Developmental Problem	*	*	*

ANDREW COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 1
CENSUS 2010 17,291
2015 POPULATION ESTIMATE 17,296

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	7	5	6
Anxiety Disorder	37	28	29
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	25	22	26
Mood Disorder	54	49	45
Personality Disorder	*	*	*
Psychotic Disorder	11	10	13
Sexual Disorder	0	0	0
Other Diagnosis	9	12	13
Diagnosis Unknown	5	9	6

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	82	78	84	Less than High School Diploma	35	29	41
AGE				High School Grad or G.E.D.	0	0	*
Under 6	*	*	*	Associate Degree or Some College	0	0	0
6 to 9	*	9	13	Bachelor or Advanced Degree	0	0	0
10 to 13	12	14	15	Education Level Unknown	47	49	42
14 to 17	7	10	7	EMPLOYMENT			
18 to 24	*	*	*	Employed	10	*	*
25 to 29	12	5	*	Unemployed	7	*	7
30 to 34	9	6	*	Not in Labor Force	44	50	60
35 to 39	8	5	8	Employment Status Unknown	21	20	15
40 to 44	7	*	*	HOUSING / LIVING ARRANGEMENT			
45 to 49	6	*	8	Independent Living	44	34	33
50 to 54	7	6	7	Dependent Living	20	24	37
55 to 59	5	5	*	Homeless	*	0	*
60 and Over	*	5	5	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	17	20	13
GENDER				TREATMENT REFERRAL SOURCE			
Male	41	35	41	Self / Family / Friend	35	35	32
Female	41	43	43	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	7	12	15
RACE / ETHNICITY				Health Care Provider	17	16	24
Caucasian	80	73	77	Court / Criminal Justice	10	6	*
African American	0	0	0	Other	10	5	7
Native American / Alaskan	0	0	*	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	0	*	*	Voluntary	80	75	83
Other Race	*	*	*	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	*	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	*	*	*
Past or Current Military Service	*	*	*				

ANDREW COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol		23.3	36.2	39.5	Alcohol	5.8	16.7	18.1	
Chewing Tobacco		3.1	12.7	13.1	Alcohol (5+ drinks on single occasion past 2 weeks)	1.4			
Cigarettes		15.8	21.7	25.3	Chewing Tobacco	2.2	6.7	9.0	
Club drugs (Ecstasy, GHB, roofie, Special K, etc)		0.0	2.0	2.6	Cigarettes	7.9	11.7	13.6	
Cocaine		0.9	2.3	1.0	Inhalants	0.9	2.7	4.6	
Electronic Cigarettes		6.6			Marijuana	0.0	7.7	6.4	
Hallucinogens		0.0	2.7	2.6	Over-the-counter medications for non-medical use	0.0	4.3	3.9	
Heroin		0.0	1.7	0.0	Prescription medications not prescribed for student	0.9	3.0	6.4	
Inhalants		2.2	5.3	7.9					
Marijuana		2.7	13.7	10.8	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine		0.0	1.7	0.3	Alcohol (1 or 2 drinks daily)	56.6			
Over-the-counter medications for non-medical use		0.0	6.7	5.5	Alcohol (Binge: 5+ drinks once or twice a week)	68.9			
Prescription medications not prescribed for student		1.8	5.3	7.7	Cigarettes (1+ packs per day)	90.8			
Synthetic drugs (K2, bath salts, Spice, etc)		0.9	5.3		Marijuana (once or twice a week)	88.2			
					Other: Cocaine, LSD, Meth, Club Drug (any use)	93.3	93.9	92.1	
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	11.81	12.81	12.08		Alcohol	86.5	87.3	76.2	
Cigarettes	13.16	12.43	11.69		Cigarettes	94.6	94.3	92.8	
Inhalants	11.33	11.71	12.83		Marijuana	100.0	95.5	94.8	
Marijuana	15.00	13.71	13.60						
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	25.2	51.0	59.3		Alcohol	75.7	66.2	63.9	
Cigarettes	19.7	42.6	47.5		Cigarettes	88.6	80.9	81.3	
Marijuana	3.1	33.6	29.8		Marijuana	97.3	83.4	88.8	
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	2.6	15.2	19.7		Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.8	95.3	96.2	
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	15.7	30.5	31.2		Alcohol	42.5	53.0	61.0	
Cigarettes	6.6	14.0	13.3		Cigarettes	39.5	46.0	56.7	
Marijuana	1.4	12.4	10.0		Marijuana	7.1	29.7	28.7	
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.3	13.2	16.1	
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	47.4	63.0	72.2		Were grouchy, irritable, or in a bad mood	21.8	22.7	33.1	
Were victims of mean rumors or lies spread at school	41.2	49.5	60.1		Had difficulty concentrating on school work	16.3	20.3	28.1	
Were victims of an embarrassing or hurtful text message or something posted on the Internet	16.2	25.0	24.8		Were very sad	12.3	14.7	20.9	
					Felt hopeless about the future	6.2	11.0	15.7	
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	1.7	11.4	8.8		Parents involve student in making family decisions	81.1	68.6	70.9	
Made plan about how they would attempt suicide	1.7	7.0	6.0		Parents notice and comment on student's good work	92.0	83.9	82.9	
Attempted suicide	0.9	5.7	3.3		Teachers notice and comment on student's good work	74.1			

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

ATCHISON COUNTY



DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	1
Adult Psychiatric	1
POPULATION	
Census 2010	5,685
2015 Estimate	5,306

BIRTH RISK	2014	2013	2012
Resident Births	50	60	55
Mother Reported Smoking while Pregnant	13	18	13

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	0
Hepatitis C Chronic and Acute	0	0	0
Tuberculosis Infection Cases	0	0	0

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	62	73	80
Suicides	0	0	0
Homicides	0	0	0
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	0	0	0
Smoking Attributable Deaths	13	16	20
Self-inflicted Injuries	6	6	8
Assault Injuries	2	4	9

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	14	33	37
Mental Illness Secondary Diagnosis	28	31	42
Alcohol Principal Diagnosis	0	1	3
Alcohol Secondary Diagnosis	0	0	1
Drug Principal Diagnosis	0	0	1
Drug Secondary Diagnosis	3	2	1
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	21	26	11
Mental Illness Secondary Diagnosis	27	40	38
Alcohol Principal Diagnosis	2	0	3
Alcohol Secondary Diagnosis	6	0	5
Drug Principal Diagnosis	0	0	1
Drug Secondary Diagnosis	1	0	0
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	32	41	42
Mental Illness Secondary Diagnosis	78	70	92
Alcohol Principal Diagnosis	8	3	5
Alcohol Secondary Diagnosis	4	4	9
Drug Principal Diagnosis	4	4	1
Drug Secondary Diagnosis	2	5	5

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	7	8	7
Alcohol Package Carry-out Licenses	11	12	15

EMPLOYMENT	2015	2014	2013
Labor Force	2,892	2,869	3,062
Employed	2,762	2,711	2,903
Unemployed	130	158	159
Unemployment Rate	4.5%	5.5%	5.2%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	3	2	9
Fatal Crashes	0	0	0
Injury Crashes	1	0	4
Property Damage Crashes	2	2	5
Crash Fatalities	0	0	0
Crash Injuries	1	0	5
Drug Involved Crashes	0	0	0
Fatal Crashes	0	0	0
Injury Crashes	0	0	0
Property Damage Crashes	0	0	0
Crash Fatalities	0	0	0
Crash Injuries	0	0	0

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	25	40	56
Liquor Law Arrests	17	26	22
Drug Arrests	55	90	77
Violent Offenses	7	0	8
Property Offenses	34	33	51
Domestic Violence Reports	26	13	10

	2015	2014	2013
Methamphetamine Lab Seizures	0	0	0

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	214	235	250
Drop-outs	1	6	2
Drop-out Rate	0.5%	2.6%	0.8%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	3	1	4
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	1	2	3
Juvenile Alcohol Offenses	2	3	4
Juvenile Drug Offenses	0	1	5
School Truancy Status Offense	1	0	10
Absent from Home Status Offense	1	0	0
Beyond Parental Control Status Offense	1	3	12
Injurious Behavior Status Offense	3	4	11
Child Abuse	0	0	0
Child Neglect	22	24	15
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	10	3	6
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	4	2	0
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	3	3	1
Probation/Parole Admissions--Drug	25	27	18
Probation/Parole Admissions--DWI	0	3	0
Prison Admissions--Drug	6	3	8
Prison Admissions--DWI	1	0	0

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

ATCHISON COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	0	*	0
CSTAR Adolescent	0	0	*
CSTAR Women and Children	0	0	0
CSTAR General Adult	*	*	*
CSTAR Opioid	0	0	0
Primary Recovery Treatment	0	9	8
Clinical SATOP (CIP, YCIP, SROP)	*	*	6
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	19	21	40
- Adolescent Diversion Education Program	5	*	5
- Offender Education Program	5	5	20
- Weekend Intervention Program	6	6	9
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	0	0	0
Early Intervention	0	0	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	5	16	19	Alcohol	*	5	8
AGE				Marijuana / Hashish	*	6	7
Under 18	0	0	*	Cocaine (total)	0	0	*
18 to 24	0	*	5	- Crack	0	0	*
25 to 29	*	6	*	Stimulant (total)	*	5	*
30 to 34	0	*	*	- Methamphetamine	*	5	*
35 to 39	*	*	0	Heroin	0	0	0
40 to 44	0	*	*	Analgesic except Heroin	0	0	0
45 to 54	*	*	*	- Non-Prescription Methadone	0	0	0
55 and Over	0	*	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	0	0
Male	*	8	14	Inhalant	0	0	0
Female	*	8	5	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	*	15	19	Average Age at First Use of Drug	17.6	17.6	17.8
African American	*	0	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	*	*	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	*	0
Hispanic	0	*	0	- Weekly Injection Use	0	0	0
Other Race / Two or More Races	0	0	0	- Less than Weekly Injection Use	*	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	*	8	10	0	*	12	9
High School Graduate or G.E.D.	*	*	5	1 or 2	0	*	5
Associate Degree or Some College	*	*	*	3 or More	*	0	5
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	0	6	*
Employed	*	*	11	School	0	0	0
Unemployed	0	5	*	Mental Health Provider	0	0	0
Not in Labor Force	*	7	*	Health Care Provider	0	0	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	*	7	15
Independent Living	*	13	16	Other Referral Source	*	*	*
Dependent Living	*	0	*	TREATMENT ACCOMMODATION			
Homeless	0	*	0	Pregnant when Admitted to any Episode	0	0	0
MARITAL / FAMILY STATUS				Military Veteran	0	0	0
Never Married	*	10	12	Special Education Services Needed	0	0	0
Married / Cohabiting	*	*	5	Co-Occurring Psychological Problem	*	8	5
Previously Married	*	*	*	Co-Occurring Developmental Problem	0	*	0

ATCHISON COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 1
CENSUS 2010 5,685
2015 POPULATION ESTIMATE 5,306

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	*	*	*
Anxiety Disorder	8	*	11
Dementia	0	0	0
Developmental Disorder	0	*	0
Impulse Control Disorder	*	5	7
Mood Disorder	14	11	18
Personality Disorder	*	0	0
Psychotic Disorder	6	5	5
Sexual Disorder	0	*	0
Other Diagnosis	*	*	*
Diagnosis Unknown	*	*	*

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	24	20	30	Less than High School Diploma	11	10	7
AGE				High School Grad or G.E.D.	0	0	*
Under 6	0	0	*	Associate Degree or Some College	0	0	0
6 to 9	*	*	*	Bachelor or Advanced Degree	0	0	0
10 to 13	*	*	*	Education Level Unknown	13	10	20
14 to 17	*	*	*	EMPLOYMENT			
18 to 24	*	0	*	Employed	*	*	5
25 to 29	*	*	*	Unemployed	0	0	8
30 to 34	0	0	0	Not in Labor Force	17	16	10
35 to 39	*	*	*	Employment Status Unknown	5	*	7
40 to 44	0	*	*	HOUSING / LIVING ARRANGEMENT			
45 to 49	*	*	*	Independent Living	12	9	19
50 to 54	0	*	*	Dependent Living	8	9	6
55 to 59	*	0	0	Homeless	0	0	0
60 and Over	*	*	*	Other	0	0	*
Age Unknown	0	0	0	Housing Unknown	*	*	*
GENDER				TREATMENT REFERRAL SOURCE			
Male	11	9	10	Self / Family / Friend	9	6	11
Female	13	11	20	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	*	*	*
RACE / ETHNICITY				Health Care Provider	5	*	6
Caucasian	22	18	28	Court / Criminal Justice	*	*	*
African American	0	*	*	Other	5	5	7
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	*	0	Voluntary	24	20	30
Other Race	*	0	*	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	0	0	0
Past or Current Military Service	0	0	0				

ATCHISON COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	19.7	23.1	36.7	35.1	Alcohol	3.9	7.7	13.8	2.0
Chewing Tobacco	2.6	10.9	10.1	40.9	Alcohol (5+ drinks on single occasion past 2 weeks)	3.8	1.6		
Cigarettes	7.9	7.7	20.3	4.0	Chewing Tobacco	0.0	4.7	7.6	1.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.6	0.0	2.6	0.0	Cigarettes	5.2	4.6	11.4	1.3
Cocaine	2.6	0.0	0.0	0.0	Inhalants	0.0	3.1	1.3	1.3
Electronic Cigarettes	11.7	9.2			Marijuana	2.6	0.0	2.5	2.0
Hallucinogens	2.6	0.0	0.0	0.0	Over-the-counter medications for non-medical use	1.3	0.0	2.5	1.3
Heroin	0.0	0.0	0.0	0.0	Prescription medications not prescribed for student	3.9	3.1	5.1	1.3
Inhalants	2.6	4.6	3.8	1.3	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	5.2	3.1	8.9	2.0	Alcohol (1 or 2 drinks daily)	69.7	64.6		
Methamphetamine	1.3	0.0	1.3	0.0	Alcohol (Binge: 5+ drinks once or twice a week)	79.2	73.4		
Over-the-counter medications for non-medical use	7.8	0.0	2.5	1.3	Cigarettes (1+ packs per day)	83.1	90.8		
Prescription medications not prescribed for student	7.7	6.1	5.1	2.0	Marijuana (once or twice a week)	76.3	89.2		
Synthetic drugs (K2, bath salts, Spice, etc)	0.0	0.0	3.8		Other: Cocaine, LSD, Meth, Club Drug (any use)	91.0	100.0	97.4	98.0
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.90	13.46	13.58	12.95	Alcohol	89.5	89.2	78.5	98.0
Cigarettes		14.00	12.59	11.69	Cigarettes	94.7	96.9	86.3	96.7
Inhalants		11.29			Marijuana	98.7	98.4	92.3	98.7
Marijuana		15.42	13.03		<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	82.7	79.7	70.9	94.7
Alcohol	22.1	40.0	51.3	18.5	Cigarettes	90.7	89.2	86.1	96.7
Cigarettes	23.4	27.7	43.0	10.6	Marijuana	92.0	96.9	87.3	98.7
Marijuana	15.4	10.6	16.7	3.4	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.1	100.0	97.5	100.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.2	4.7	3.9	0.0	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	32.9	45.3	54.4	47.7
Alcohol	7.8	15.4	19.0	5.3	Cigarettes	29.9	38.5	49.4	42.4
Cigarettes	6.6	6.2	10.1	1.3	Marijuana	15.8	10.8	23.1	30.5
Marijuana	3.9	1.5	8.9	0.0	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.2	4.7	8.9	29.3
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	60.5	61.5	64.6	65.6	Were grouchy, irritable, or in a bad mood	25.0	15.4	35.4	15.2
Were victims of mean rumors or lies spread at school	51.3	53.8	58.2	55.6	Had difficulty concentrating on school work	16.0	16.9	14.1	15.9
Were victims of an embarrassing or hurtful text message or something posted on the Internet	27.6	25.0	22.8	9.9	Were very sad	16.9	15.4	21.3	10.7
					Felt hopeless about the future	10.5	7.7	10.3	6.0
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	6.5	6.2	13.9	1.3	Parents involve student in making family decisions	77.6	70.3	69.2	61.5
Made plan about how they would attempt suicide	5.3	3.1	11.4	1.3	Parents notice and comment on student's good work	88.2	92.1	85.9	65.6
Attempted suicide	2.6	3.1	6.3	0.0	Teachers notice and comment on student's good work	84.4	87.5		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

AUDRAIN COUNTY



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	15
Adult Psychiatric	15
POPULATION	
Census 2010	25,529
2015 Estimate	26,096

BIRTH RISK	2014	2013	2012
Resident Births	350	326	316
Mother Reported Smoking while Pregnant	109	86	103

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	1	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	3
Hepatitis C Chronic and Acute	59	18	19
Tuberculosis Infection Cases	5	6	4

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	286	307	282
Suicides	1	3	8
Homicides	0	1	0
Alcohol Induced Deaths	1	1	1
Drug Induced Deaths	1	4	6
Smoking Attributable Deaths	56	61	61
Self-inflicted Injuries	34	19	30
Assault Injuries	60	71	81

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	117	126	128
Mental Illness Secondary Diagnosis	293	248	262
Alcohol Principal Diagnosis	7	4	7
Alcohol Secondary Diagnosis	25	21	19
Drug Principal Diagnosis	5	5	8
Drug Secondary Diagnosis	30	21	19
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	124	115	103
Mental Illness Secondary Diagnosis	378	425	314
Alcohol Principal Diagnosis	19	23	18
Alcohol Secondary Diagnosis	44	33	36
Drug Principal Diagnosis	22	18	5
Drug Secondary Diagnosis	28	27	19
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	227	259	249
Mental Illness Secondary Diagnosis	287	211	212
Alcohol Principal Diagnosis	31	24	40
Alcohol Secondary Diagnosis	50	39	37
Drug Principal Diagnosis	36	26	24
Drug Secondary Diagnosis	29	36	14

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	26	28	26
Alcohol Package Carry-out Licenses	24	26	26

EMPLOYMENT	2015	2014	2013
Labor Force	11,447	11,165	12,248
Employed	10,917	10,541	11,541
Unemployed	530	624	707
Unemployment Rate	4.6%	5.6%	5.8%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	11	15	28
Fatal Crashes	2	0	1
Injury Crashes	6	10	15
Property Damage Crashes	5	5	12
Crash Fatalities	2	0	1
Crash Injuries	8	11	16
Drug Involved Crashes	2	5	5
Fatal Crashes	0	0	1
Injury Crashes	0	2	2
Property Damage Crashes	2	3	2
Crash Fatalities	0	0	3
Crash Injuries	0	3	4

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	69	72	81
Liquor Law Arrests	24	12	12
Drug Arrests	130	189	61
Violent Offenses	52	66	45
Property Offenses	581	655	489
Domestic Violence Reports	539	449	378
	2015	2014	2013
Methamphetamine Lab Seizures	2	3	3

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	920	933	1,006
Drop-outs	23	36	45
Drop-out Rate	2.5%	3.9%	4.5%
School Discipline Involving Alcohol	5	1	0
School Discipline Involving Drugs	0	2	6
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	14	19	37
Juvenile Alcohol Offenses	3	6	1
Juvenile Drug Offenses	7	9	10
School Truancy Status Offense	36	21	36
Absent from Home Status Offense	8	15	15
Beyond Parental Control Status Offense	8	12	9
Injurious Behavior Status Offense	38	52	58
Child Abuse	16	28	27
Child Neglect	25	35	12
Child Custody Issues	5	3	2

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	30	32	18
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	7	5	2
Parental Alcohol and Drug Use	2	0	0

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	17	14	22
Probation/Parole Admissions--Drug	46	62	54
Probation/Parole Admissions--DWI	15	20	22
Prison Admissions--Drug	24	23	17
Prison Admissions--DWI	6	12	5

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.

³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

AUDRAIN COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	16	11	25
CSTAR Adolescent	10	11	21
CSTAR Women and Children	24	13	20
CSTAR General Adult	116	148	33
CSTAR Opioid	*	0	*
Primary Recovery Treatment	14	53	144
Clinical SATOP (CIP, YCIP, SROP)	25	20	24
Other Substance Abuse Treatment	*	0	*


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	73	78	90
- Adolescent Diversion Education Program	*	6	*
- Offender Education Program	18	15	26
- Weekend Intervention Program	10	9	15
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	17	5	10
Compulsive Gambling	0	0	*
Recovery Supports	*	*	*
Early Intervention	11	14	7

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	183	231	235	Alcohol	62	74	90
AGE				Marijuana / Hashish	61	69	74
Under 18	11	15	22	Cocaine (total)	7	8	14
18 to 24	36	41	42	- Crack	*	*	6
25 to 29	34	35	39	Stimulant (total)	36	57	28
30 to 34	29	44	37	- Methamphetamine	36	57	26
35 to 39	19	31	27	Heroin	6	6	8
40 to 44	15	26	21	Analgesic except Heroin	6	10	11
45 to 54	31	30	33	- Non-Prescription Methadone	0	0	0
55 and Over	8	9	14	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	*	*
Male	128	164	159	Inhalant	0	0	0
Female	55	67	76	Sedative	0	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	*	5	5
Caucasian	140	192	190	Average Age at First Use of Drug	17.4	18.0	17.7
African American	35	32	36	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	17	23	18
Asian / Pacific Islander	0	0	0	- Daily Injection Use	5	*	*
Hispanic	*	*	5	- Weekly Injection Use	*	7	5
Other Race / Two or More Races	5	6	7	- Less than Weekly Injection Use	9	15	9
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	58	90	91	0	106	135	129
High School Graduate or G.E.D.	94	110	109	1 or 2	51	64	72
Associate Degree or Some College	31	30	35	3 or More	26	32	34
Bachelor or Advanced Degree	0	*	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	28	49	41
Employed	75	76	79	School	0	0	0
Unemployed	52	100	91	Mental Health Provider	*	*	*
Not in Labor Force	56	55	65	Health Care Provider	5	7	6
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	115	149	150
Independent Living	146	181	186	Other Referral Source	22	18	28
Dependent Living	22	29	37	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	*	*	5
MARITAL / FAMILY STATUS				Military Veteran	9	8	7
Never Married	107	125	127	Special Education Services Needed	29	26	24
Married / Cohabiting	39	55	57	Co-Occurring Psychological Problem	70	92	89
Previously Married	37	51	51	Co-Occurring Developmental Problem	5	7	*

AUDRAIN COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 15
CENSUS 2010 25,529
2015 POPULATION ESTIMATE 26,096

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	69	74	58
Anxiety Disorder	222	292	284
Dementia	*	*	*
Developmental Disorder	31	43	40
Impulse Control Disorder	162	250	247
Mood Disorder	340	460	467
Personality Disorder	70	79	92
Psychotic Disorder	64	86	82
Sexual Disorder	*	*	*
Other Diagnosis	70	90	79
Diagnosis Unknown	43	59	45

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	507	720	698	Less than High School Diploma	214	266	253
AGE				High School Grad or G.E.D.	0	0	0
Under 6	7	10	11	Associate Degree or Some College	0	0	0
6 to 9	42	61	58	Bachelor or Advanced Degree	0	0	0
10 to 13	51	72	67	Education Level Unknown	293	454	445
14 to 17	63	81	78	EMPLOYMENT			
18 to 24	37	63	59	Employed	32	49	59
25 to 29	44	59	63	Unemployed	33	62	53
30 to 34	36	63	59	Not in Labor Force	340	412	422
35 to 39	40	60	56	Employment Status Unknown	102	197	164
40 to 44	32	44	43	HOUSING / LIVING ARRANGEMENT			
45 to 49	39	63	64	Independent Living	176	219	247
50 to 54	45	57	56	Dependent Living	171	209	207
55 to 59	33	49	43	Homeless	13	8	6
60 and Over	38	38	41	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	147	284	238
GENDER				TREATMENT REFERRAL SOURCE			
Male	213	341	327	Self / Family / Friend	316	459	469
Female	294	379	371	School	6	9	7
Gender Unknown	0	0	0	Mental Health Provider	37	37	48
RACE / ETHNICITY				Health Care Provider	30	42	38
Caucasian	441	617	603	Court / Criminal Justice	*	15	12
African American	34	53	54	Other	113	157	123
Native American / Alaskan	*	*	*	Referral Source Unknown	*	*	*
Asian / Pacific Islander	*	*	*	TYPE OF COMMITMENT			
Hispanic	9	9	8	Voluntary	502	718	694
Other Race	21	36	30	Civil	0	0	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	8	15	15	Commitment Type Unknown	*	*	*
Past or Current Military Service	*	11	11				

AUDRAIN COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	38.9	46.5	40.2	42.2	Alcohol	16.2	14.8	18.9	20.5
Chewing Tobacco	9.2	22.2	8.3	11.5	Alcohol (5+ drinks on single occasion past 2 weeks)	4.7	7.0		
Cigarettes	23.3	31.4	25.1	27.0	Chewing Tobacco	3.5	6.0	6.2	5.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.8	1.4	2.2	1.4	Cigarettes	11.0	16.2	12.6	14.7
Cocaine	0.5	0.0	2.4	1.8	Inhalants	0.0	2.1	1.9	5.9
Electronic Cigarettes	12.8	12.7			Marijuana	6.0	0.7	6.0	6.1
Hallucinogens	2.5	0.0	2.9	2.2	Over-the-counter medications for non-medical use	1.5	0.0	2.4	5.7
Heroin	0.5	0.0	0.5	0.2	Prescription medications not prescribed for student	10.5	2.2	1.7	7.9
Inhalants	2.2	2.5	5.5	8.5					
Marijuana	12.5	10.2	12.9	15.1	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.8	0.0	1.0	0.6	Alcohol (1 or 2 drinks daily)	55.6	45.8		
Over-the-counter medications for non-medical use	2.8	0.0	4.5	7.3	Alcohol (Binge: 5+ drinks once or twice a week)	63.6	71.4		
Prescription medications not prescribed for student	13.5	3.2	7.6	15.0	Cigarettes (1+ packs per day)	79.8	80.3		
Synthetic drugs (K2, bath salts, Spice, etc)	0.5	8.5	6.0		Marijuana (once or twice a week)	72.9	60.2		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	90.8	92.6	90.2	92.3
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.57	12.92	13.00	11.97	Alcohol	80.4	72.2	76.8	83.3
Cigarettes	13.50	12.20	12.68	11.56	Cigarettes	93.5	94.7	91.1	93.7
Inhalants		13.64	12.77	11.72	Marijuana	95.5	98.6	95.2	95.3
Marijuana	14.30	13.41	14.26	12.93					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	50.9	69.0	51.3	53.4	Alcohol	61.0	31.3	62.5	62.0
Cigarettes	34.9	51.8	40.3	44.5	Cigarettes	83.0	71.8	79.5	80.3
Marijuana	28.5	23.2	28.5	35.2	Marijuana	85.9	74.6	84.1	85.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.2	16.1	12.4	14.5	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.5	97.5	94.7	95.9
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	31.8	37.3	34.0	31.2	Alcohol	51.8	73.2	53.5	47.5
Cigarettes	9.5	18.0	13.4	15.4	Cigarettes	44.4	49.6	50.0	49.9
Marijuana	8.9	10.9	7.2	9.1	Marijuana	30.4	28.3	33.5	34.5
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.6	7.4	16.6	20.7
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	67.3	49.3	63.2	67.0	Were grouchy, irritable, or in a bad mood	31.2	20.8	25.7	31.2
Were victims of mean rumors or lies spread at school	56.0	39.2	48.9	57.6	Had difficulty concentrating on school work	26.2	17.3	25.4	31.6
Were victims of an embarrassing or hurtful text message or something posted on the Internet	27.4	11.7	22.7	20.2	Were very sad	19.5	8.3	21.4	28.2
					Felt hopeless about the future	14.0	4.0	9.7	17.5
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	14.0	3.2	11.2	12.1	Parents involve student in making family decisions	71.2	77.5	65.8	69.6
Made plan about how they would attempt suicide	7.8	3.2	9.1	6.8	Parents notice and comment on student's good work	84.0	83.5	80.5	84.8
Attempted suicide	4.2	3.2	5.7	6.1	Teachers notice and comment on student's good work	78.6	81.0		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

BARRY COUNTY



DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	9
Adult Psychiatric	8A
POPULATION	
Census 2010	35,597
2015 Estimate	35,829

BIRTH RISK	2014	2013	2012
Resident Births	404	402	437
Mother Reported Smoking while Pregnant	100	99	102

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	2	0	0
Hepatitis B Chronic, Acute, Prenatal	1	4	2
Hepatitis C Chronic and Acute	43	25	23
Tuberculosis Infection Cases	5	7	7

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	387	400	397
Suicides	6	1	6
Homicides	0	0	1
Alcohol Induced Deaths	1	1	0
Drug Induced Deaths	3	5	5
Smoking Attributable Deaths	77	79	79
Self-inflicted Injuries	53	45	62
Assault Injuries	92	93	118

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	227	217	198
Mental Illness Secondary Diagnosis	481	469	447
Alcohol Principal Diagnosis	11	16	20
Alcohol Secondary Diagnosis	35	34	51
Drug Principal Diagnosis	16	26	24
Drug Secondary Diagnosis	60	28	38
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	96	106	117
Mental Illness Secondary Diagnosis	408	426	434
Alcohol Principal Diagnosis	21	36	32
Alcohol Secondary Diagnosis	55	69	55
Drug Principal Diagnosis	12	19	21
Drug Secondary Diagnosis	38	29	30
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	351	269	314
Mental Illness Secondary Diagnosis	541	646	884
Alcohol Principal Diagnosis	62	69	59
Alcohol Secondary Diagnosis	98	129	114
Drug Principal Diagnosis	75	59	82
Drug Secondary Diagnosis	124	139	142

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	30	31	31
Alcohol Package Carry-out Licenses	54	53	51

EMPLOYMENT	2015	2014	2013
Labor Force	15,059	14,722	16,604
Employed	14,312	13,817	15,642
Unemployed	747	905	962
Unemployment Rate	5.0%	6.1%	5.8%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	48	47	51
Fatal Crashes	5	5	3
Injury Crashes	15	20	19
Property Damage Crashes	22	22	29
Crash Fatalities	5	5	3
Crash Injuries	20	30	28
Drug Involved Crashes	14	15	7
Fatal Crashes	0	5	0
Injury Crashes	5	5	2
Property Damage Crashes	9	5	5
Crash Fatalities	0	5	0
Crash Injuries	7	8	2

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	234	327	275
Liquor Law Arrests	8	21	44
Drug Arrests	137	157	180
Violent Offenses	107	101	100
Property Offenses	972	1,239	1,390
Domestic Violence Reports	356	266	314
	2015	2014	2013
Methamphetamine Lab Seizures	8	27	28

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	1,948	1,870	1,905
Drop-outs	16	13	31
Drop-out Rate	0.8%	0.7%	1.6%
School Discipline Involving Alcohol	29	22	52
School Discipline Involving Drugs	12	9	3
School Discipline Involving Tobacco	1	2	2

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	38	16	17
Juvenile Alcohol Offenses	0	1	2
Juvenile Drug Offenses	3	5	10
School Truancy Status Offense	11	12	10
Absent from Home Status Offense	11	7	12
Beyond Parental Control Status Offense	10	7	10
Injurious Behavior Status Offense	10	9	11
Child Abuse	15	16	7
Child Neglect	33	30	26
Child Custody Issues	107	89	107

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	121	104	93
Parental Alcohol Use Related	3	4	5
Parental Drug Use Related	45	30	38
Parental Alcohol and Drug Use	1	2	2

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	44	53	50
Probation/Parole Admissions--Drug	110	82	96
Probation/Parole Admissions--DWI	13	17	27
Prison Admissions--Drug	49	37	33
Prison Admissions--DWI	7	6	6

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

BARRY COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	40	22	25
CSTAR Adolescent	*	5	0
CSTAR Women and Children	31	18	18
CSTAR General Adult	151	83	84
CSTAR Opioid	0	0	0
Primary Recovery Treatment	24	28	16
Clinical SATOP (CIP, YCIP, SROP)	28	28	24
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	133	135	111
- Adolescent Diversion Education Program	*	*	*
- Offender Education Program	62	54	46
- Weekend Intervention Program	22	19	17
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	5	*	10
Compulsive Gambling	0	0	0
Recovery Supports	*	*	*
Early Intervention	*	0	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	224	158	160	Alcohol	90	63	58
AGE				Marijuana / Hashish	42	33	26
Under 18	*	5	*	Cocaine (total)	0	0	0
18 to 24	35	25	19	- Crack	0	0	0
25 to 29	43	32	41	Stimulant (total)	61	46	56
30 to 34	42	28	30	- Methamphetamine	59	45	54
35 to 39	24	28	20	Heroin	*	*	*
40 to 44	21	15	12	Analgesic except Heroin	26	11	15
45 to 54	43	21	27	- Non-Prescription Methadone	0	0	0
55 and Over	12	*	10	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	0	*
Male	138	100	91	Inhalant	0	0	0
Female	86	58	69	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	*	*
Caucasian	213	150	152	Average Age at First Use of Drug	16.9	16.7	17.3
African American	*	*	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	52	30	30
Asian / Pacific Islander	0	0	0	- Daily Injection Use	6	8	*
Hispanic	6	5	*	- Weekly Injection Use	18	6	7
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	28	16	19
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	95	57	51	0	120	80	83
High School Graduate or G.E.D.	93	73	72	1 or 2	68	47	52
Associate Degree or Some College	36	24	36	3 or More	36	31	25
Bachelor or Advanced Degree	0	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	64	38	59
Employed	71	57	40	School	0	0	0
Unemployed	77	50	63	Mental Health Provider	*	*	0
Not in Labor Force	76	51	57	Health Care Provider	12	7	13
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	122	85	40
Independent Living	199	134	140	Other Referral Source	23	25	46
Dependent Living	18	21	7	TREATMENT ACCOMMODATION			
Homeless	*	*	9	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	8	8	12
Never Married	100	77	59	Special Education Services Needed	25	18	19
Married / Cohabiting	73	40	49	Co-Occurring Psychological Problem	109	56	70
Previously Married	51	41	52	Co-Occurring Developmental Problem	6	6	*

BARRY COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southwest
PSYCHIATRIC SERVICE AREA 8A
CENSUS 2010 35,597
2015 POPULATION ESTIMATE 35,829

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	25	31	26
Anxiety Disorder	204	186	177
Dementia	0	0	0
Developmental Disorder	10	12	8
Impulse Control Disorder	109	98	93
Mood Disorder	283	236	247
Personality Disorder	73	63	63
Psychotic Disorder	82	77	63
Sexual Disorder	*	*	*
Other Diagnosis	56	53	43
Diagnosis Unknown	215	233	233

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	675	646	645	Less than High School Diploma	245	173	107
AGE				High School Grad or G.E.D.	0	0	0
Under 6	*	10	13	Associate Degree or Some College	0	0	0
6 to 9	53	41	40	Bachelor or Advanced Degree	0	0	0
10 to 13	41	53	52	Education Level Unknown	430	473	538
14 to 17	64	41	40	EMPLOYMENT			
18 to 24	43	61	71	Employed	52	18	10
25 to 29	58	46	52	Unemployed	34	18	*
30 to 34	57	57	42	Not in Labor Force	388	302	176
35 to 39	44	47	38	Employment Status Unknown	201	308	456
40 to 44	63	61	81	HOUSING / LIVING ARRANGEMENT			
45 to 49	69	66	68	Independent Living	261	181	85
50 to 54	71	58	60	Dependent Living	156	133	97
55 to 59	59	60	49	Homeless	7	*	*
60 and Over	50	45	39	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	251	330	460
GENDER				TREATMENT REFERRAL SOURCE			
Male	311	301	275	Self / Family / Friend	372	388	381
Female	364	345	370	School	16	12	11
Gender Unknown	0	0	0	Mental Health Provider	37	36	35
RACE / ETHNICITY				Health Care Provider	99	81	86
Caucasian	647	624	618	Court / Criminal Justice	22	16	15
African American	5	7	9	Other	125	109	115
Native American / Alaskan	*	*	*	Referral Source Unknown	*	*	*
Asian / Pacific Islander	*	0	*	TYPE OF COMMITMENT			
Hispanic	14	11	11	Voluntary	660	634	633
Other Race	7	*	5	Civil	9	5	8
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	40	37	37	Commitment Type Unknown	*	*	*
Past or Current Military Service	8	8	7				

BARRY COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	34.4	39.7	36.0	46.0	Alcohol	11.4	14.0	13.3	19.4
Chewing Tobacco	21.9	24.9	18.6	21.2	Alcohol (5+ drinks on single occasion past 2 weeks)	4.7	6.0		
Cigarettes	24.7	29.3	26.8	29.5	Chewing Tobacco	8.0	13.0	10.0	11.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.7	0.5	1.9	1.8	Cigarettes	6.7	14.8	10.7	15.8
Cocaine	0.0	1.2	1.3	1.7	Inhalants	1.2	0.7	2.5	2.8
Electronic Cigarettes	19.9	15.3			Marijuana	4.0	5.7	5.9	6.9
Hallucinogens	0.5	1.2	3.2	2.5	Over-the-counter medications for non-medical use	1.2	1.4	2.5	5.2
Heroin	0.0	0.2	1.0	0.4	Prescription medications not prescribed for student	6.6	1.4	4.0	6.3
Inhalants	3.5	4.7	7.3	8.2					
Marijuana	13.1	14.3	14.4	16.2	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.0	1.2	1.5	1.0	Alcohol (1 or 2 drinks daily)	67.4	49.3		
Over-the-counter medications for non-medical use	3.1	3.8	4.8	9.8	Alcohol (Binge: 5+ drinks once or twice a week)	74.7	61.5		
Prescription medications not prescribed for student	11.4	6.9	7.6	11.4	Cigarettes (1+ packs per day)	78.5	80.3		
Synthetic drugs (K2, bath salts, Spice, etc)	2.4	2.9	7.3		Marijuana (once or twice a week)	69.6	64.4		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	87.5	93.9	94.7	94.4
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.62	12.39	12.49	12.63	Alcohol	86.2	79.0	82.9	80.2
Cigarettes	12.42	12.01	12.36	12.22	Cigarettes	91.3	91.1	91.3	89.0
Inhalants	10.85	10.26	12.08	12.61	Marijuana	93.1	94.5	95.5	94.8
Marijuana	12.83	13.24	13.17	13.60					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	36.7	44.5	49.3	58.6	Alcohol	75.3	63.1	69.2	61.7
Cigarettes	25.6	39.2	41.9	48.4	Cigarettes	88.6	76.3	83.0	76.9
Marijuana	22.6	29.2	29.6	35.1	Marijuana	86.8	82.7	85.9	83.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	4.3	8.6	11.6	14.9	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.9	98.6	96.3	96.0
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	18.6	29.5	24.9	32.5	Alcohol	40.9	48.9	51.1	55.3
Cigarettes	8.3	17.5	13.4	16.9	Cigarettes	48.1	50.4	52.6	58.7
Marijuana	7.5	10.6	9.4	12.1	Marijuana	27.6	26.9	30.0	37.7
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.2	12.0	15.3	18.7
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	62.7	59.6	60.3	68.5	Were grouchy, irritable, or in a bad mood	29.1	27.7	21.6	30.1
Were victims of mean rumors or lies spread at school	47.8	50.4	48.3	56.7	Had difficulty concentrating on school work	23.7	20.3	20.1	28.1
Were victims of an embarrassing or hurtful text message or something posted on the Internet	20.9	19.1	18.8	18.2	Were very sad	22.4	23.0	16.4	24.8
					Felt hopeless about the future	9.0	12.4	10.2	16.3
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	10.8	10.7	11.2	11.2	Parents involve student in making family decisions	72.1	71.0	72.5	67.5
Made plan about how they would attempt suicide	9.1	8.9	7.0	8.8	Parents notice and comment on student's good work	85.9	84.2	85.7	83.9
Attempted suicide	4.5	4.5	4.5	5.8	Teachers notice and comment on student's good work	79.6	78.6		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

BARTON COUNTY



DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	9
Adult Psychiatric	9
POPULATION	
Census 2010	12,402
2015 Estimate	11,880

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	6	10	15
Fatal Crashes	1	1	1
Injury Crashes	0	2	4
Property Damage Crashes	7	7	10
Crash Fatalities	1	1	1
Crash Injuries	0	4	6
Drug Involved Crashes	1	3	7
Fatal Crashes	0	0	0
Injury Crashes	0	2	2
Property Damage Crashes	1	1	5
Crash Fatalities	0	0	0
Crash Injuries	0	4	3

BIRTH RISK	2014	2013	2012
Resident Births	138	141	152
Mother Reported Smoking while Pregnant	27	39	30

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	1	0
Hepatitis C Chronic and Acute	8	2	2
Tuberculosis Infection Cases	1	0	0

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	148	163	135
Suicides	3	3	2
Homicides	0	1	2
Alcohol Induced Deaths	1	0	3
Drug Induced Deaths	2	1	3
Smoking Attributable Deaths	24	28	19
Self-inflicted Injuries	17	22	9
Assault Injuries	50	43	38

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	103	132	103
Mental Illness Secondary Diagnosis	425	487	431
Alcohol Principal Diagnosis	6	4	5
Alcohol Secondary Diagnosis	44	27	20
Drug Principal Diagnosis	9	11	5
Drug Secondary Diagnosis	23	32	17
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	17	38	20
Mental Illness Secondary Diagnosis	75	96	91
Alcohol Principal Diagnosis	2	10	5
Alcohol Secondary Diagnosis	15	12	11
Drug Principal Diagnosis	5	7	4
Drug Secondary Diagnosis	12	4	10
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	102	97	115
Mental Illness Secondary Diagnosis	400	449	292
Alcohol Principal Diagnosis	12	25	8
Alcohol Secondary Diagnosis	169	192	55
Drug Principal Diagnosis	33	34	16
Drug Secondary Diagnosis	81	97	48

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	8	7	6
Alcohol Package Carry-out Licenses	14	17	15

EMPLOYMENT	2015	2014	2013
Labor Force	5,434	5,518	5,051
Employed	5,138	5,164	4,663
Unemployed	296	354	388
Unemployment Rate	5.4%	6.4%	7.7%

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	49	63	55
Liquor Law Arrests	23	22	28
Drug Arrests	29	23	20
Violent Offenses	38	60	34
Property Offenses	300	289	301
Domestic Violence Reports	164	167	212
	2015	2014	2013
Methamphetamine Lab Seizures	1	5	3
SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	592	615	624
Drop-outs	8	8	7
Drop-out Rate	1.4%	1.3%	1.1%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	0	0	3
School Discipline Involving Tobacco	0	1	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	34	29	42
Juvenile Alcohol Offenses	0	11	10
Juvenile Drug Offenses	6	2	7
School Truancy Status Offense	83	44	17
Absent from Home Status Offense	4	9	4
Beyond Parental Control Status Offense	7	11	14
Injurious Behavior Status Offense	2	6	6
Child Abuse	62	71	21
Child Neglect	140	65	111
Child Custody Issues	9	2	1

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	17	17	4
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	6	6	1
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	16	15	21
Probation/Parole Admissions--Drug	20	15	21
Probation/Parole Admissions--DWI	10	7	8
Prison Admissions--Drug	9	10	20
Prison Admissions--DWI	3	2	4

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

BARTON COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	9	11	5
CSTAR Adolescent	*	0	*
CSTAR Women and Children	*	6	*
CSTAR General Adult	61	48	40
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	0
Clinical SATOP (CIP, YCIP, SROP)	9	11	9
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	31	32	30
- Adolescent Diversion Education Program	0	*	0
- Offender Education Program	8	6	9
- Weekend Intervention Program	7	*	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	0	0	0
Recovery Supports	*	8	10
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	82	69	67	Alcohol	26	31	24
AGE				Marijuana / Hashish	17	16	16
Under 18	*	*	*	Cocaine (total)	0	0	*
18 to 24	9	13	6	- Crack	0	0	0
25 to 29	17	12	20	Stimulant (total)	28	9	16
30 to 34	16	10	10	- Methamphetamine	27	9	16
35 to 39	13	10	11	Heroin	0	0	*
40 to 44	12	6	8	Analgesic except Heroin	10	12	7
45 to 54	10	9	7	- Non-Prescription Methadone	0	0	0
55 and Over	*	8	*	PCP, LSD, other Hallucinogen	0	0	*
GENDER				Tranquilizer	0	*	0
Male	56	46	48	Inhalant	0	0	0
Female	26	23	19	Sedative	0	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	*	0	0
Caucasian	76	68	65	Average Age at First Use of Drug	18.9	17.0	17.6
African American	*	0	*	INJECTION DRUG USE			
Native American / Alaskan	*	0	0	Any Injection Use at Admission	17	12	11
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	6	*
Hispanic	*	*	*	- Weekly Injection Use	6	*	*
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	10	5	7
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	25	23	25	0	45	29	30
High School Graduate or G.E.D.	40	38	32	1 or 2	24	24	22
Associate Degree or Some College	17	8	10	3 or More	13	16	15
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	13	10	30
Employed	27	24	19	School	0	0	0
Unemployed	35	25	21	Mental Health Provider	0	0	*
Not in Labor Force	20	20	27	Health Care Provider	11	10	5
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	46	45	21
Independent Living	71	65	59	Other Referral Source	12	*	9
Dependent Living	6	*	5	TREATMENT ACCOMMODATION			
Homeless	*	*	0	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	*	5	*
Never Married	36	30	34	Special Education Services Needed	19	17	18
Married / Cohabiting	24	25	15	Co-Occurring Psychological Problem	40	34	37
Previously Married	22	14	18	Co-Occurring Developmental Problem	*	*	*

BARTON COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southwest
PSYCHIATRIC SERVICE AREA 9
CENSUS 2010 12,402
2015 POPULATION ESTIMATE 11,880

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	*	*	5
Anxiety Disorder	25	28	26
Dementia	0	0	0
Developmental Disorder	*	0	0
Impulse Control Disorder	7	9	9
Mood Disorder	35	31	34
Personality Disorder	5	5	6
Psychotic Disorder	8	*	6
Sexual Disorder	0	0	0
Other Diagnosis	*	6	6
Diagnosis Unknown	5	9	9

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	58	58	64	Less than High School Diploma	18	17	11
AGE				High School Grad or G.E.D.	0	0	0
Under 6	0	0	*	Associate Degree or Some College	0	0	0
6 to 9	*	7	*	Bachelor or Advanced Degree	0	0	0
10 to 13	*	6	6	Education Level Unknown	40	41	53
14 to 17	7	*	*	EMPLOYMENT			
18 to 24	*	*	*	Employed	*	*	*
25 to 29	*	*	*	Unemployed	*	*	0
30 to 34	5	*	9	Not in Labor Force	26	24	22
35 to 39	*	*	6	Employment Status Unknown	28	27	41
40 to 44	14	7	10	HOUSING / LIVING ARRANGEMENT			
45 to 49	*	6	6	Independent Living	15	19	13
50 to 54	6	9	*	Dependent Living	17	14	11
55 to 59	*	*	6	Homeless	*	*	0
60 and Over	*	5	5	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	25	23	40
GENDER				TREATMENT REFERRAL SOURCE			
Male	26	29	23	Self / Family / Friend	39	42	39
Female	32	29	41	School	0	0	*
Gender Unknown	0	0	0	Mental Health Provider	0	*	0
RACE / ETHNICITY				Health Care Provider	5	6	9
Caucasian	55	52	61	Court / Criminal Justice	12	6	10
African American	0	0	*	Other	*	*	5
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	*	*	0	TYPE OF COMMITMENT			
Hispanic	*	*	*	Voluntary	48	52	56
Other Race	*	*	*	Civil	10	5	8
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	*	0
Hearing Impaired	*	*	0	Commitment Type Unknown	0	0	0
Past or Current Military Service	*	*	*				

BARTON COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	37.5	28.7	27.5	35.8	Alcohol	13.9	13.2	11.0	12.7
Chewing Tobacco	13.5	16.6	11.5	11.6	Alcohol (5+ drinks on single occasion past 2 weeks)	3.4	8.7		
Cigarettes	15.9	19.7	18.9	29.2	Chewing Tobacco	5.3	7.3	6.0	6.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.5	2.0	0.9	1.0	Cigarettes	6.3	6.6	10.1	14.4
Cocaine	0.5	0.7	0.9	0.3	Inhalants	0.5	1.3	2.8	3.5
Electronic Cigarettes	17.8	15.8			Marijuana	5.3	2.0	2.8	3.1
Hallucinogens	1.5	1.3	1.4	2.1	Over-the-counter medications for non-medical use	2.4	2.0	3.2	3.5
Heroin	0.0	0.7	1.9	0.3	Prescription medications not prescribed for student	6.7	7.2	5.5	4.5
Inhalants	1.4	1.3	4.1	5.5	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	6.8	8.6	7.3	8.7	Alcohol (1 or 2 drinks daily)	65.6	59.2		
Methamphetamine	0.5	0.7	1.8	0.3	Alcohol (Binge: 5+ drinks once or twice a week)	77.8	75.0		
Over-the-counter medications for non-medical use	3.8	4.0	5.5	6.6	Cigarettes (1+ packs per day)	85.6	83.3		
Prescription medications not prescribed for student	11.1	14.4	10.1	9.7	Marijuana (once or twice a week)	75.5	70.6		
Synthetic drugs (K2, bath salts, Spice, etc)	1.0	1.3	3.7		Other: Cocaine, LSD, Meth, Club Drug (any use)	92.3	92.8	94.4	96.5
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.11	13.13	11.80	12.62	Alcohol	85.6	83.7	83.6	86.8
Cigarettes	11.59	13.19	11.95	12.52	Cigarettes	93.3	96.1	91.7	93.0
Inhalants		13.98	11.75	12.03	Marijuana	95.1	96.0	95.8	97.2
Marijuana	13.44	14.28	12.30	13.51	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	68.0	72.7	72.9	72.7
Alcohol	42.3	41.2	41.3	46.0	Cigarettes	87.9	88.8	85.3	80.5
Cigarettes	27.2	29.6	36.7	48.5	Marijuana	85.3	86.7	90.2	87.8
Marijuana	25.2	17.1	17.1	26.4	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.1	97.4	94.4	94.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	4.8	5.2	8.3	15.6	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	54.3	50.7	48.4	51.0
Alcohol	23.8	19.9	22.0	19.7	Cigarettes	44.7	49.0	44.5	53.3
Cigarettes	7.2	7.2	10.6	16.1	Marijuana	29.0	20.4	17.7	32.6
Marijuana	11.6	7.9	5.6	7.3	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.5	9.3	13.0	18.9
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	66.5	64.9	64.2	71.7	Were grouchy, irritable, or in a bad mood	30.8	25.5	19.9	37.5
Were victims of mean rumors or lies spread at school	50.7	51.6	55.0	57.2	Had difficulty concentrating on school work	32.1	29.4	18.8	31.0
Were victims of an embarrassing or hurtful text message or something posted on the Internet	27.9	25.8	23.9	20.1	Were very sad	19.7	23.7	20.2	27.7
					Felt hopeless about the future	13.4	10.6	8.7	17.8
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	11.5	9.2	9.6	13.7	Parents involve student in making family decisions	68.6	66.4	71.1	69.9
Made plan about how they would attempt suicide	10.5	7.3	8.3	10.0	Parents notice and comment on student's good work	82.2	80.3	84.3	82.5
Attempted suicide	5.3	6.6	4.6	6.2	Teachers notice and comment on student's good work	70.7	73.9		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

BATES COUNTY



DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	8
Adult Psychiatric	8B
POPULATION	
Census 2010	17,049
2015 Estimate	16,446

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	20	13	18
Fatal Crashes	1	0	1
Injury Crashes	7	6	2
Property Damage Crashes	7	7	15
Crash Fatalities	1	0	1
Crash Injuries	11	6	3
Drug Involved Crashes	6	10	6
Fatal Crashes	0	0	0
Injury Crashes	0	6	3
Property Damage Crashes	6	4	3
Crash Fatalities	0	0	0
Crash Injuries	0	6	3

BIRTH RISK	2014	2013	2012
Resident Births	193	198	183
Mother Reported Smoking while Pregnant	40	38	48

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	0	1	0
Hepatitis B Chronic, Acute, Prenatal	0	1	1
Hepatitis C Chronic and Acute	11	11	12
Tuberculosis Infection Cases	2	2	1

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	223	202	209
Suicides	4	2	6
Homicides	0	0	0
Alcohol Induced Deaths	3	0	2
Drug Induced Deaths	6	3	8
Smoking Attributable Deaths	38	42	41
Self-inflicted Injuries	16	26	13
Assault Injuries	70	63	52

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	94	146	121
Mental Illness Secondary Diagnosis	314	365	322
Alcohol Principal Diagnosis	7	6	6
Alcohol Secondary Diagnosis	16	21	17
Drug Principal Diagnosis	5	9	6
Drug Secondary Diagnosis	14	27	23
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	28	32	28
Mental Illness Secondary Diagnosis	293	267	234
Alcohol Principal Diagnosis	4	4	2
Alcohol Secondary Diagnosis	13	9	23
Drug Principal Diagnosis	3	5	7
Drug Secondary Diagnosis	19	15	9
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	120	124	141
Mental Illness Secondary Diagnosis	1,651	1,676	987
Alcohol Principal Diagnosis	17	23	27
Alcohol Secondary Diagnosis	49	37	53
Drug Principal Diagnosis	36	29	24
Drug Secondary Diagnosis	59	55	72

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	13	12	15
Alcohol Package Carry-out Licenses	20	21	20

EMPLOYMENT	2015	2014	2013
Labor Force	8,362	8,239	7,473
Employed	7,858	7,666	6,929
Unemployed	504	573	544
Unemployment Rate	6.0%	7.0%	7.3%

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	106	122	116
Liquor Law Arrests	18	8	11
Drug Arrests	490	297	248
Violent Offenses	82	96	51
Property Offenses	440	468	493
Domestic Violence Reports	95	97	153

	2015	2014	2013
Methamphetamine Lab Seizures	1	0	1

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	796	740	802
Drop-outs	8	4	15
Drop-out Rate	1.0%	0.5%	1.9%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	3	3	6
School Discipline Involving Tobacco	4	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	12	26	32
Juvenile Alcohol Offenses	3	4	5
Juvenile Drug Offenses	5	2	4
School Truancy Status Offense	18	40	10
Absent from Home Status Offense	6	7	4
Beyond Parental Control Status Offense	10	12	13
Injurious Behavior Status Offense	46	53	41
Child Abuse	19	23	28
Child Neglect	95	113	97
Child Custody Issues	0	4	1

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	17	24	8
Parental Alcohol Use Related	2	0	0
Parental Drug Use Related	8	6	3
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	14	6	8
Probation/Parole Admissions--Drug	66	55	69
Probation/Parole Admissions--DWI	6	13	11
Prison Admissions--Drug	17	14	20
Prison Admissions--DWI	1	5	5

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

BATES COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	*	5	*
CSTAR Adolescent	*	*	*
CSTAR Women and Children	*	7	*
CSTAR General Adult	95	117	117
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	*
Clinical SATOP (CIP, YCIP, SROP)	12	10	13
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	45	51	65
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	17	18	25
- Weekend Intervention Program	*	*	13
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	5	6	0
Compulsive Gambling	0	0	0
Recovery Supports	*	6	*
Early Intervention	*	9	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	112	150	137	Alcohol	42	60	56
AGE				Marijuana / Hashish	30	34	27
Under 18	*	7	*	Cocaine (total)	0	0	*
18 to 24	18	31	27	- Crack	0	0	0
25 to 29	20	20	21	Stimulant (total)	25	36	38
30 to 34	14	18	20	- Methamphetamine	24	34	36
35 to 39	20	18	14	Heroin	0	0	0
40 to 44	9	16	20	Analgesic except Heroin	13	15	14
45 to 54	20	33	24	- Non-Prescription Methadone	0	0	0
55 and Over	10	7	8	PCP, LSD, other Hallucinogen	0	*	0
GENDER				Tranquilizer	*	*	*
Male	67	89	86	Inhalant	0	0	0
Female	45	61	51	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	*	0
Caucasian	109	141	132	Average Age at First Use of Drug	18.7	17.4	18.1
African American	*	*	*	INJECTION DRUG USE			
Native American / Alaskan	*	*	0	Any Injection Use at Admission	11	18	18
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	*
Hispanic	*	*	0	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	0	*	*	- Less than Weekly Injection Use	7	14	11
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	30	45	48	0	68	91	46
High School Graduate or G.E.D.	60	76	67	1 or 2	30	34	42
Associate Degree or Some College	21	29	22	3 or More	14	25	49
Bachelor or Advanced Degree	*	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	26	42	79
Employed	30	30	36	School	0	*	0
Unemployed	48	57	43	Mental Health Provider	*	*	6
Not in Labor Force	34	63	58	Health Care Provider	8	13	9
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	42	43	6
Independent Living	96	115	126	Other Referral Source	30	44	35
Dependent Living	5	18	*	TREATMENT ACCOMMODATION			
Homeless	0	*	*	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	*	7	8
Never Married	49	72	67	Special Education Services Needed	*	6	7
Married / Cohabiting	25	55	39	Co-Occurring Psychological Problem	56	70	46
Previously Married	38	23	31	Co-Occurring Developmental Problem	*	*	12

BATES COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southwest
PSYCHIATRIC SERVICE AREA 8B
CENSUS 2010 17,049
2015 POPULATION ESTIMATE 16,446

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	7	7	5
Anxiety Disorder	90	93	90
Dementia	0	*	0
Developmental Disorder	*	*	*
Impulse Control Disorder	26	31	29
Mood Disorder	122	127	130
Personality Disorder	11	12	10
Psychotic Disorder	24	23	27
Sexual Disorder	0	0	0
Other Diagnosis	17	18	19
Diagnosis Unknown	*	24	16

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	161	197	190	Less than High School Diploma	61	69	72
AGE				High School Grad or G.E.D.	0	0	0
Under 6	*	*	*	Associate Degree or Some College	0	0	0
6 to 9	15	11	10	Bachelor or Advanced Degree	0	0	0
10 to 13	11	17	24	Education Level Unknown	100	128	118
14 to 17	9	20	12	EMPLOYMENT			
18 to 24	10	14	19	Employed	8	13	*
25 to 29	16	20	17	Unemployed	8	9	9
30 to 34	8	16	14	Not in Labor Force	114	125	133
35 to 39	15	22	19	Employment Status Unknown	31	50	46
40 to 44	8	19	22	HOUSING / LIVING ARRANGEMENT			
45 to 49	20	21	17	Independent Living	87	100	88
50 to 54	19	15	18	Dependent Living	44	50	59
55 to 59	17	12	8	Homeless	0	*	*
60 and Over	10	9	8	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	30	46	41
GENDER				TREATMENT REFERRAL SOURCE			
Male	75	100	87	Self / Family / Friend	116	139	134
Female	86	97	103	School	0	0	*
Gender Unknown	0	0	0	Mental Health Provider	5	*	5
RACE / ETHNICITY				Health Care Provider	22	23	22
Caucasian	150	186	182	Court / Criminal Justice	*	7	0
African American	*	*	*	Other	15	23	27
Native American / Alaskan	*	5	*	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	*	0	Voluntary	160	195	189
Other Race	5	*	*	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	*	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	7	9	9	Commitment Type Unknown	*	*	*
Past or Current Military Service	*	7	*				

BATES COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	32.6	30.9	41.2	43.7	Alcohol	12.9	12.8	18.1	19.4
Chewing Tobacco	14.7	11.3	12.7	17.0	Alcohol (5+ drinks on single occasion past 2 weeks)	6.4	5.9		
Cigarettes	17.3	19.5	27.3	29.0	Chewing Tobacco	5.3	6.4	5.8	9.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.8	0.0	1.6	2.5	Cigarettes	10.8	7.3	13.1	15.3
Cocaine	0.7	1.4	1.2	1.4	Inhalants	1.8	1.0	0.8	2.4
Electronic Cigarettes	19.4	13.1			Marijuana	1.4	2.9	4.6	6.5
Hallucinogens	1.4	1.5	2.4	4.9	Over-the-counter medications for non-medical use	1.4	0.5	1.2	4.3
Heroin	0.7	0.0	0.4	0.8	Prescription medications not prescribed for student	8.2	4.9	3.5	7.9
Inhalants	3.6	2.9	3.9	5.1					
Marijuana	7.9	11.1	11.2	13.8	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	1.5	0.5	0.4	1.4	Alcohol (1 or 2 drinks daily)	57.7	58.9		
Over-the-counter medications for non-medical use	2.9	2.9	2.3	6.7	Alcohol (Binge: 5+ drinks once or twice a week)	71.8	70.4		
Prescription medications not prescribed for student	12.2	11.3	9.3	12.2	Cigarettes (1+ packs per day)	83.2	83.0		
Synthetic drugs (K2, bath salts, Spice, etc)	2.9	5.9	6.2		Marijuana (once or twice a week)	73.9	70.9		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	91.8	92.2	89.1	94.8
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.14	12.20	13.36	12.11	Alcohol	79.9	84.1	63.3	72.9
Cigarettes	12.97	11.80	12.06	12.30	Cigarettes	90.7	93.7	81.4	89.5
Inhalants		12.65	10.85	12.31	Marijuana	94.9	96.6	97.6	93.2
Marijuana	13.88	13.49	13.41	13.05					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	31.2	35.3	46.2	55.4	Alcohol	71.7	71.7	57.8	55.3
Cigarettes	29.6	25.7	42.5	48.8	Cigarettes	82.9	89.7	80.1	77.3
Marijuana	17.1	16.7	21.4	33.0	Marijuana	89.9	83.4	88.3	83.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.1	3.9	8.9	17.1	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.1	96.1	97.3	95.4
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	20.4	21.4	32.0	36.2	Alcohol	45.7	40.0	56.7	60.5
Cigarettes	11.5	10.6	19.0	16.4	Cigarettes	48.8	38.0	59.0	55.7
Marijuana	6.5	7.7	6.6	12.5	Marijuana	22.8	19.4	29.8	30.5
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.9	6.8	19.4	18.6
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	61.5	58.0	63.6	74.5	Were grouchy, irritable, or in a bad mood	29.1	28.5	24.3	26.6
Were victims of mean rumors or lies spread at school	50.5	49.8	47.9	60.9	Had difficulty concentrating on school work	19.2	23.2	25.1	26.2
Were victims of an embarrassing or hurtful text message or something posted on the Internet	25.0	23.1	19.1	23.6	Were very sad	22.6	20.9	24.6	22.4
					Felt hopeless about the future	10.8	14.1	12.1	15.4
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	9.1	17.4	14.4	10.2	Parents involve student in making family decisions	78.5	76.2	61.9	61.8
Made plan about how they would attempt suicide	6.5	7.8	10.5	8.3	Parents notice and comment on student's good work	88.9	85.5	79.1	78.6
Attempted suicide	2.9	4.3	4.7	4.6	Teachers notice and comment on student's good work	83.6	73.9		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

BENTON COUNTY



DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	8
Adult Psychiatric	8B
POPULATION	
Census 2010	19,056
2015 Estimate	18,670

BIRTH RISK	2014	2013	2012
Resident Births	165	138	125
Mother Reported Smoking while Pregnant	42	43	37

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	0	0
Hepatitis C Chronic and Acute	12	18	11
Tuberculosis Infection Cases	3	5	2

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	316	267	292
Suicides	9	0	7
Homicides	0	2	3
Alcohol Induced Deaths	2	4	3
Drug Induced Deaths	3	4	10
Smoking Attributable Deaths	67	60	63
Self-inflicted Injuries	32	27	24
Assault Injuries	31	51	54

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	159	209	156
Mental Illness Secondary Diagnosis	650	649	531
Alcohol Principal Diagnosis	7	15	15
Alcohol Secondary Diagnosis	52	48	63
Drug Principal Diagnosis	5	12	14
Drug Secondary Diagnosis	36	34	28
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	33	39	47
Mental Illness Secondary Diagnosis	195	220	195
Alcohol Principal Diagnosis	14	15	7
Alcohol Secondary Diagnosis	24	37	25
Drug Principal Diagnosis	10	9	10
Drug Secondary Diagnosis	10	17	18
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	158	169	150
Mental Illness Secondary Diagnosis	1,081	1,031	764
Alcohol Principal Diagnosis	37	27	14
Alcohol Secondary Diagnosis	43	59	42
Drug Principal Diagnosis	25	21	21
Drug Secondary Diagnosis	68	53	43

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	40	40	36
Alcohol Package Carry-out Licenses	29	30	31

EMPLOYMENT	2015	2014	2013
Labor Force	7,268	7,146	8,411
Employed	6,796	6,599	7,830
Unemployed	472	547	581
Unemployment Rate	6.5%	7.7%	6.9%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	19	17	23
Fatal Crashes	2	1	1
Injury Crashes	9	7	9
Property Damage Crashes	9	9	13
Crash Fatalities	3	1	1
Crash Injuries	15	9	14
Drug Involved Crashes	2	3	4
Fatal Crashes	0	0	0
Injury Crashes	0	2	1
Property Damage Crashes	2	1	3
Crash Fatalities	0	0	0
Crash Injuries	0	3	1

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	112	94	106
Liquor Law Arrests	8	5	6
Drug Arrests	124	110	127
Violent Offenses	70	62	87
Property Offenses	373	444	537
Domestic Violence Reports	158	140	97

	2015	2014	2013
Methamphetamine Lab Seizures	0	0	3

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	808	820	809
Drop-outs	17	17	9
Drop-out Rate	2.1%	2.1%	1.1%
School Discipline Involving Alcohol	0	1	1
School Discipline Involving Drugs	4	11	8
School Discipline Involving Tobacco	1	4	2

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	38	23	26
Juvenile Alcohol Offenses	0	4	8
Juvenile Drug Offenses	3	3	11
School Truancy Status Offense	37	27	52
Absent from Home Status Offense	10	5	9
Beyond Parental Control Status Offense	16	6	15
Injurious Behavior Status Offense	9	8	6
Child Abuse	19	19	21
Child Neglect	68	46	55
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	15	9	8
Parental Alcohol Use Related	2	0	0
Parental Drug Use Related	2	0	1
Parental Alcohol and Drug Use	1	0	0

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	9	6	10
Probation/Parole Admissions--Drug	57	37	23
Probation/Parole Admissions--DWI	10	7	8
Prison Admissions--Drug	23	21	15
Prison Admissions--DWI	6	5	2

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

BENTON COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	*	*	*
CSTAR Adolescent	11	5	17
CSTAR Women and Children	5	*	7
CSTAR General Adult	97	122	109
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	*
Clinical SATOP (CIP, YCIP, SROP)	19	14	12
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	63	35	45
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	17	12	11
- Weekend Intervention Program	9	8	9
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	5	*	0
Compulsive Gambling	0	0	0
Recovery Supports	*	6	8
Early Intervention	0	*	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	136	148	154	Alcohol	53	48	48
AGE				Marijuana / Hashish	37	43	52
Under 18	14	5	17	Cocaine (total)	0	*	0
18 to 24	20	22	35	- Crack	0	*	0
25 to 29	20	18	29	Stimulant (total)	31	47	36
30 to 34	13	27	19	- Methamphetamine	30	46	35
35 to 39	13	16	16	Heroin	*	*	*
40 to 44	16	21	8	Analgesic except Heroin	10	6	13
45 to 54	25	30	19	- Non-Prescription Methadone	0	0	0
55 and Over	15	9	11	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	*	*
Male	82	86	97	Inhalant	0	0	0
Female	54	62	57	Sedative	0	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	*	0	0
Caucasian	132	144	152	Average Age at First Use of Drug	17.3	17.1	16.6
African American	*	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	15	12	24
Asian / Pacific Islander	*	0	0	- Daily Injection Use	*	0	*
Hispanic	*	*	0	- Weekly Injection Use	6	*	6
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	8	10	16
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	47	44	57	0	79	98	111
High School Graduate or G.E.D.	64	74	75	1 or 2	36	39	24
Associate Degree or Some College	24	28	21	3 or More	21	11	19
Bachelor or Advanced Degree	*	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	35	51	94
Employed	20	29	27	School	0	0	0
Unemployed	48	68	54	Mental Health Provider	*	*	*
Not in Labor Force	68	51	73	Health Care Provider	6	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	57	48	39
Independent Living	98	121	123	Other Referral Source	27	43	15
Dependent Living	23	11	21	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	0	*	*
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	65	59	89	Special Education Services Needed	6	7	8
Married / Cohabiting	34	50	29	Co-Occurring Psychological Problem	61	67	45
Previously Married	37	39	36	Co-Occurring Developmental Problem	*	*	*

BENTON COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southwest
PSYCHIATRIC SERVICE AREA 8B
CENSUS 2010 19,056
2015 POPULATION ESTIMATE 18,670

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	13	14	21
Anxiety Disorder	163	172	205
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	47	32	30
Mood Disorder	175	187	214
Personality Disorder	8	15	20
Psychotic Disorder	34	31	33
Sexual Disorder	0	0	*
Other Diagnosis	33	40	38
Diagnosis Unknown	14	25	32

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	264	299	339	Less than High School Diploma	117	136	141
AGE				High School Grad or G.E.D.	0	0	0
Under 6	*	*	*	Associate Degree or Some College	0	0	0
6 to 9	17	16	15	Bachelor or Advanced Degree	0	0	0
10 to 13	27	28	28	Education Level Unknown	147	163	198
14 to 17	30	34	30	EMPLOYMENT			
18 to 24	22	27	32	Employed	7	21	13
25 to 29	12	15	28	Unemployed	*	9	26
30 to 34	17	17	22	Not in Labor Force	209	213	240
35 to 39	17	22	26	Employment Status Unknown	44	56	60
40 to 44	18	23	33	HOUSING / LIVING ARRANGEMENT			
45 to 49	27	37	41	Independent Living	121	146	184
50 to 54	35	33	38	Dependent Living	95	99	91
55 to 59	20	31	31	Homeless	*	*	5
60 and Over	19	14	12	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	44	50	59
GENDER				TREATMENT REFERRAL SOURCE			
Male	136	144	163	Self / Family / Friend	206	244	267
Female	128	155	176	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	11	10	14
RACE / ETHNICITY				Health Care Provider	18	19	23
Caucasian	255	290	330	Court / Criminal Justice	6	*	*
African American	*	*	*	Other	20	20	28
Native American / Alaskan	*	0	0	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	*	*	Voluntary	260	295	332
Other Race	*	*	*	Civil	0	0	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	5	5	*	Commitment Type Unknown	*	*	*
Past or Current Military Service	*	*	6				

BENTON COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	40.1	50.3	44.3	54.0	Alcohol	18.5	18.8	19.4	23.1
Chewing Tobacco	15.8	16.1	16.4	16.5	Alcohol (5+ drinks on single occasion past 2 weeks)	9.8	10.0		
Cigarettes	22.4	33.2	31.1	34.2	Chewing Tobacco	8.1	7.3	9.0	7.1
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.0	2.6	4.1	4.1	Cigarettes	10.1	14.8	16.3	17.8
Cocaine	0.4	1.6	1.3	1.8	Inhalants	0.4	1.1	2.0	4.4
Electronic Cigarettes	21.5	16.1			Marijuana	5.2	7.3	8.6	8.7
Hallucinogens	2.1	2.1	4.1	3.2	Over-the-counter medications for non-medical use	1.2	1.6	1.2	6.6
Heroin	0.4	1.1	1.2	0.6	Prescription medications not prescribed for student	13.4	5.3	5.3	7.7
Inhalants	2.4	3.7	7.0	9.7					
Marijuana	13.8	17.7	17.1	15.2	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.0	1.6	1.2	1.8	Alcohol (1 or 2 drinks daily)	60.0	51.8		
Over-the-counter medications for non-medical use	4.0	2.1	3.3	9.9	Alcohol (Binge: 5+ drinks once or twice a week)	76.8	62.8		
Prescription medications not prescribed for student	17.1	13.2	10.2	16.7	Cigarettes (1+ packs per day)	84.1	83.2		
Synthetic drugs (K2, bath salts, Spice, etc)	2.4	4.3	5.7		Marijuana (once or twice a week)	69.5	64.1		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	93.1	92.7	97.1	92.3
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.07	12.44	12.71	12.24	Alcohol	78.3	71.6	74.0	71.6
Cigarettes	12.14	12.15	12.35	11.76	Cigarettes	91.4	87.9	88.7	89.2
Inhalants		12.62	12.65	12.52	Marijuana	92.2	91.5	95.3	95.5
Marijuana	13.77	13.36	13.43	12.10					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	50.0	57.9	59.4	61.2	Alcohol	67.9	50.3	61.3	51.5
Cigarettes	39.3	45.3	52.0	51.3	Cigarettes	87.3	77.9	82.2	74.1
Marijuana	31.8	32.5	32.2	31.7	Marijuana	85.2	78.9	84.0	79.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.2	11.0	17.3	18.0	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.0	97.4	95.1	92.4
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	27.1	37.7	38.3	42.8	Alcohol	49.6	60.7	61.3	64.0
Cigarettes	13.1	16.7	17.7	19.6	Cigarettes	45.7	55.5	52.1	65.8
Marijuana	10.2	15.7	10.4	14.0	Marijuana	32.2	31.6	36.4	41.1
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.5	12.6	15.5	26.7
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	68.4	70.8	62.3	73.2	Were grouchy, irritable, or in a bad mood	28.7	29.0	24.9	29.3
Were victims of mean rumors or lies spread at school	53.4	58.9	52.5	59.2	Had difficulty concentrating on school work	24.7	26.9	25.9	27.4
Were victims of an embarrassing or hurtful text message or something posted on the Internet	24.3	28.9	25.4	20.2	Were very sad	24.6	23.4	20.5	24.3
					Felt hopeless about the future	10.9	15.1	8.7	11.5
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	9.5	16.2	13.2	15.7	Parents involve student in making family decisions	67.8	63.0	66.9	68.2
Made plan about how they would attempt suicide	6.6	14.7	7.0	11.7	Parents notice and comment on student's good work	83.0	78.2	79.3	82.6
Attempted suicide	3.7	11.5	2.0	7.0	Teachers notice and comment on student's good work	80.1	71.0		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

BOLLINGER COUNTY



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	21
Adult Psychiatric	21
POPULATION	
Census 2010	12,363
2015 Estimate	12,182

BIRTH RISK	2014	2013	2012
Resident Births	136	121	146
Mother Reported Smoking while Pregnant	41	32	31

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	2	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	2
Hepatitis C Chronic and Acute	9	2	8
Tuberculosis Infection Cases	3	6	14

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	140	131	134
Suicides	3	1	3
Homicides	1	0	1
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	2	1	1
Smoking Attributable Deaths	29	28	28
Self-inflicted Injuries	11	11	15
Assault Injuries	21	34	36

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	100	106	104
Mental Illness Secondary Diagnosis	120	251	196
Alcohol Principal Diagnosis	3	2	6
Alcohol Secondary Diagnosis	10	29	18
Drug Principal Diagnosis	5	1	7
Drug Secondary Diagnosis	4	10	8
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	20	7	10
Mental Illness Secondary Diagnosis	253	96	170
Alcohol Principal Diagnosis	6	5	6
Alcohol Secondary Diagnosis	22	11	22
Drug Principal Diagnosis	3	2	1
Drug Secondary Diagnosis	9	5	11
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	112	76	98
Mental Illness Secondary Diagnosis	278	154	324
Alcohol Principal Diagnosis	4	13	10
Alcohol Secondary Diagnosis	18	10	14
Drug Principal Diagnosis	11	10	8
Drug Secondary Diagnosis	17	20	20

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	11	10	9
Alcohol Package Carry-out Licenses	14	11	12

EMPLOYMENT	2015	2014	2013
Labor Force	5,725	5,750	5,552
Employed	5,405	5,364	5,165
Unemployed	320	386	387
Unemployment Rate	5.6%	6.7%	7.0%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	12	18	25
Fatal Crashes	0	0	3
Injury Crashes	9	8	12
Property Damage Crashes	10	10	10
Crash Fatalities	0	0	3
Crash Injuries	12	14	13
Drug Involved Crashes	3	4	3
Fatal Crashes	0	0	0
Injury Crashes	1	3	3
Property Damage Crashes	2	1	0
Crash Fatalities	0	0	0
Crash Injuries	1	4	4

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	58	48	54
Liquor Law Arrests	4	6	17
Drug Arrests	46	74	14
Violent Offenses	17	40	17
Property Offenses	124	140	125
Domestic Violence Reports	49	32	29

	2015	2014	2013
Methamphetamine Lab Seizures	0	0	3

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	560	2,172	546
Drop-outs	2	34	6
Drop-out Rate	0.4%	1.6%	1.1%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	1	2	5
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	25	14	12
Juvenile Alcohol Offenses	2	5	4
Juvenile Drug Offenses	5	2	3
School Truancy Status Offense	11	0	1
Absent from Home Status Offense	3	2	4
Beyond Parental Control Status Offense	2	1	1
Injurious Behavior Status Offense	8	9	24
Child Abuse	8	0	0
Child Neglect	36	5	9
Child Custody Issues	1	19	24

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	10	26	24
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	8	15	9
Parental Alcohol and Drug Use	2	0	1

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	23	26	14
Probation/Parole Admissions--DWI	4	7	9
Prison Admissions--Drug	8	17	5
Prison Admissions--DWI	3	1	9

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.

³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

BOLLINGER COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	14	13	6
CSTAR Adolescent	*	*	*
CSTAR Women and Children	10	5	8
CSTAR General Adult	63	64	27
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	0	8
Clinical SATOP (CIP, YCIP, SROP)	7	6	10
Other Substance Abuse Treatment	0	0	*


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	27	38	40
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	10	15	22
- Weekend Intervention Program	6	15	5
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	*
Compulsive Gambling	0	*	0
Recovery Supports	17	18	16
Early Intervention	5	0	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	89	86	63	Alcohol	27	39	26
AGE				Marijuana / Hashish	22	18	17
Under 18	*	*	*	Cocaine (total)	*	*	*
18 to 24	25	16	8	- Crack	*	0	*
25 to 29	7	16	17	Stimulant (total)	25	14	10
30 to 34	16	16	11	- Methamphetamine	24	13	10
35 to 39	17	10	11	Heroin	*	*	*
40 to 44	6	5	*	Analgesic except Heroin	8	6	7
45 to 54	13	12	8	- Non-Prescription Methadone	0	0	0
55 and Over	*	9	*	PCP, LSD, other Hallucinogen	*	*	0
GENDER				Tranquilizer	*	*	*
Male	62	58	37	Inhalant	0	*	0
Female	27	28	26	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	0	0
Caucasian	83	80	59	Average Age at First Use of Drug	17.7	16.3	17.5
African American	*	*	*	INJECTION DRUG USE			
Native American / Alaskan	*	0	0	Any Injection Use at Admission	16	11	9
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	0	0
Hispanic	*	*	0	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	13	9	7
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	34	44	28	0	52	42	33
High School Graduate or G.E.D.	39	31	27	1 or 2	26	25	20
Associate Degree or Some College	16	11	8	3 or More	11	19	10
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	22	14	16
Employed	23	11	18	School	0	0	0
Unemployed	34	35	26	Mental Health Provider	0	*	0
Not in Labor Force	32	40	19	Health Care Provider	7	5	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	46	49	24
Independent Living	82	78	51	Other Referral Source	11	13	16
Dependent Living	*	8	12	TREATMENT ACCOMMODATION			
Homeless	*	0	0	Pregnant when Admitted to any Episode	0	*	5
MARITAL / FAMILY STATUS				Military Veteran	*	5	*
Never Married	40	38	29	Special Education Services Needed	22	19	8
Married / Cohabiting	29	25	17	Co-Occurring Psychological Problem	45	47	27
Previously Married	20	23	17	Co-Occurring Developmental Problem	13	13	*

BOLLINGER COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 21
CENSUS 2010 12,363
2015 POPULATION ESTIMATE 12,182

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	29	56	33
Anxiety Disorder	60	69	63
Dementia	0	0	0
Developmental Disorder	0	0	0
Impulse Control Disorder	43	67	58
Mood Disorder	256	257	234
Personality Disorder	*	0	*
Psychotic Disorder	62	67	63
Sexual Disorder	*	*	*
Other Diagnosis	7	17	11
Diagnosis Unknown	27	26	45

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	416	486	453	Less than High School Diploma	83	82	73
AGE				High School Grad or G.E.D.	0	0	0
Under 6	0	*	*	Associate Degree or Some College	0	0	0
6 to 9	10	24	20	Bachelor or Advanced Degree	0	0	0
10 to 13	20	39	31	Education Level Unknown	333	404	380
14 to 17	27	33	31	EMPLOYMENT			
18 to 24	32	47	45	Employed	5	*	10
25 to 29	34	40	46	Unemployed	*	*	*
30 to 34	38	45	36	Not in Labor Force	172	160	137
35 to 39	39	42	41	Employment Status Unknown	236	323	302
40 to 44	51	42	38	HOUSING / LIVING ARRANGEMENT			
45 to 49	43	46	55	Independent Living	78	69	58
50 to 54	50	53	43	Dependent Living	98	93	95
55 to 59	37	42	33	Homeless	*	*	0
60 and Over	35	31	33	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	238	323	300
GENDER				TREATMENT REFERRAL SOURCE			
Male	174	211	200	Self / Family / Friend	279	300	285
Female	242	275	253	School	*	7	8
Gender Unknown	0	0	0	Mental Health Provider	24	32	33
RACE / ETHNICITY				Health Care Provider	57	57	66
Caucasian	377	443	397	Court / Criminal Justice	7	13	9
African American	8	7	11	Other	43	75	50
Native American / Alaskan	*	*	*	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	18	23	25	Voluntary	411	481	448
Other Race	10	12	17	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	21	17	10	Commitment Type Unknown	*	*	*
Past or Current Military Service	14	15	14				

BOLLINGER COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	38.5	34.9	37.6	49.0	Alcohol	15.0	9.7	14.4	24.1
Chewing Tobacco	18.1	17.8	18.2	25.6	Alcohol (5+ drinks on single occasion past 2 weeks)	4.7	2.8		
Cigarettes	23.3	24.7	31.5	35.1	Chewing Tobacco	7.3	10.2	12.2	12.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.5	0.7	1.7	2.8	Cigarettes	8.3	9.7	14.3	14.9
Cocaine	0.5	0.7	1.1	0.8	Inhalants	0.5	0.7	2.2	5.2
Electronic Cigarettes	20.2	11.6			Marijuana	1.6	3.5	3.9	4.4
Hallucinogens	0.5	0.7	1.7	2.4	Over-the-counter medications for non-medical use	2.1	1.4	1.7	4.5
Heroin	0.0	0.7	0.6	0.8	Prescription medications not prescribed for student	8.3	3.5	5.5	9.3
Inhalants	1.6	2.1	5.0	9.6					
Marijuana	5.7	9.7	10.5	12.0	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.5	0.7	1.7	0.8	Alcohol (1 or 2 drinks daily)	63.5	52.4		
Over-the-counter medications for non-medical use	4.2	2.1	4.4	8.9	Alcohol (Binge: 5+ drinks once or twice a week)	71.7	62.1		
Prescription medications not prescribed for student	11.5	7.6	9.4	15.7	Cigarettes (1+ packs per day)	84.8	81.0		
Synthetic drugs (K2, bath salts, Spice, etc)	1.6	2.1	4.4		Marijuana (once or twice a week)	78.5	69.9		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	92.7	91.8	95.6	89.7
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.78	12.49	12.11	11.82	Alcohol	81.2	80.3	83.2	75.7
Cigarettes	12.82	12.04	12.28	11.33	Cigarettes	91.6	90.9	89.9	88.7
Inhalants		11.20	12.86	11.52	Marijuana	96.8	94.4	93.8	95.5
Marijuana	14.49	13.90	13.36	12.95					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	44.0	41.5	45.3	64.2	Alcohol	68.1	64.8	66.5	56.0
Cigarettes	30.1	31.3	39.2	52.4	Cigarettes	85.5	82.9	77.7	74.2
Marijuana	17.2	19.9	20.6	28.2	Marijuana	90.0	86.3	86.7	83.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.7	5.5	6.1	16.7	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.4	96.6	97.8	92.8
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	25.5	24.7	26.7	40.3	Alcohol	46.6	50.3	47.2	57.5
Cigarettes	10.4	11.7	15.5	18.6	Cigarettes	44.8	49.7	48.1	61.3
Marijuana	5.2	8.3	9.4	9.2	Marijuana	18.3	21.9	22.8	33.7
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	8.4	11.0	9.6	19.8
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	63.5	60.5	59.8	70.5	Were grouchy, irritable, or in a bad mood	28.6	24.7	22.2	23.4
Were victims of mean rumors or lies spread at school	51.3	49.3	48.9	57.9	Had difficulty concentrating on school work	25.9	23.1	23.2	15.3
Were victims of an embarrassing or hurtful text message or something posted on the Internet	23.8	19.0	19.1	21.6	Were very sad	21.8	19.7	17.7	11.0
					Felt hopeless about the future	10.9	9.6	6.7	6.3
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	11.0	8.8	10.4	13.0	Parents involve student in making family decisions	71.6	66.7	68.5	68.3
Made plan about how they would attempt suicide	6.8	6.8	7.2	9.8	Parents notice and comment on student's good work	85.4	78.3	84.0	80.7
Attempted suicide	4.7	2.7	4.4	7.0	Teachers notice and comment on student's good work	79.3	73.5		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

BOONE COUNTY



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	12
Adult Psychiatric	12
POPULATION	
Census 2010	162,642
2015 Estimate	174,974

BIRTH RISK	2014	2013	2012
Resident Births	2,139	2,166	2,132
Mother Reported Smoking while Pregnant	250	289	309

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	11	5	5
Hepatitis B Chronic, Acute, Prenatal	18	22	27
Hepatitis C Chronic and Acute	149	130	162
Tuberculosis Infection Cases	203	431	257

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	1,013	1,059	956
Suicides	16	34	21
Homicides	8	5	3
Alcohol Induced Deaths	12	8	7
Drug Induced Deaths	18	23	18
Smoking Attributable Deaths	152	155	140
Self-inflicted Injuries	146	140	142
Assault Injuries	471	455	450

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	380	356	384
Mental Illness Secondary Diagnosis	1,302	1,328	2,119
Alcohol Principal Diagnosis	46	43	66
Alcohol Secondary Diagnosis	91	122	157
Drug Principal Diagnosis	25	21	31
Drug Secondary Diagnosis	129	107	120
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	1,059	1,090	952
Mental Illness Secondary Diagnosis	2,317	2,436	1,598
Alcohol Principal Diagnosis	343	336	276
Alcohol Secondary Diagnosis	316	325	209
Drug Principal Diagnosis	167	145	117
Drug Secondary Diagnosis	236	193	137
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	1,301	1,164	1,037
Mental Illness Secondary Diagnosis	1,840	2,020	1,501
Alcohol Principal Diagnosis	485	397	340
Alcohol Secondary Diagnosis	401	409	281
Drug Principal Diagnosis	238	180	202
Drug Secondary Diagnosis	392	300	192

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	244	253	243
Alcohol Package Carry-out Licenses	111	115	119

EMPLOYMENT	2015	2014	2013
Labor Force	100,286	98,216	93,834
Employed	96,795	94,156	89,639
Unemployed	3,491	4,060	4,195
Unemployment Rate	3.5%	4.1%	4.5%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	159	160	163
Fatal Crashes	4	3	6
Injury Crashes	49	57	72
Property Damage Crashes	100	100	85
Crash Fatalities	6	3	6
Crash Injuries	62	72	102
Drug Involved Crashes	26	22	20
Fatal Crashes	1	2	0
Injury Crashes	14	5	12
Property Damage Crashes	11	15	8
Crash Fatalities	1	2	0
Crash Injuries	21	7	23

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	1,069	990	1,098
Liquor Law Arrests	440	661	768
Drug Arrests	964	958	1,026
Violent Offenses	593	571	627
Property Offenses	5,186	5,648	5,579
Domestic Violence Reports	1,783	1,560	1,738

	2015	2014	2013
Methamphetamine Lab Seizures	8	12	12

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	6,614	6,600	6,669
Drop-outs	135	170	173
Drop-out Rate	2.0%	2.6%	2.6%
School Discipline Involving Alcohol	0	0	5
School Discipline Involving Drugs	10	24	40
School Discipline Involving Tobacco	0	0	1

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	172	199	276
Juvenile Alcohol Offenses	19	16	15
Juvenile Drug Offenses	69	90	95
School Truancy Status Offense	51	81	130
Absent from Home Status Offense	137	190	141
Beyond Parental Control Status Offense	154	204	320
Injurious Behavior Status Offense	243	199	243
Child Abuse	20	56	54
Child Neglect	271	239	280
Child Custody Issues	9	47	57

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	159	165	162
Parental Alcohol Use Related	17	8	4
Parental Drug Use Related	45	62	69
Parental Alcohol and Drug Use	12	8	5

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	217	232	307
Probation/Parole Admissions--Drug	240	238	282
Probation/Parole Admissions--DWI	49	53	67
Prison Admissions--Drug	122	148	127
Prison Admissions--DWI	28	35	38

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

BOONE COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	59	77	152
CSTAR Adolescent	54	59	74
CSTAR Women and Children	141	155	169
CSTAR General Adult	372	542	504
CSTAR Opioid	*	0	*
Primary Recovery Treatment	151	181	207
Clinical SATOP (CIP, YCIP, SROP)	173	179	194
Other Substance Abuse Treatment	*	5	*


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	844	820	938
- Adolescent Diversion Education Program	34	37	37
- Offender Education Program	354	345	401
- Weekend Intervention Program	183	153	197
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	64	36	44
Compulsive Gambling	0	*	0
Recovery Supports	0	*	6
Early Intervention	14	21	12

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	774	967	1,026	Alcohol	355	405	470
AGE				Marijuana / Hashish	204	271	290
Under 18	55	61	76	Cocaine (total)	49	95	70
18 to 24	126	154	171	- Crack	30	50	44
25 to 29	130	153	187	Stimulant (total)	78	83	64
30 to 34	122	158	138	- Methamphetamine	75	82	57
35 to 39	84	122	119	Heroin	39	50	51
40 to 44	65	82	103	Analgesic except Heroin	33	44	54
45 to 54	121	174	159	- Non-Prescription Methadone	*	*	0
55 and Over	71	63	73	PCP, LSD, other Hallucinogen	6	12	11
GENDER				Tranquilizer	*	*	9
Male	517	663	644	Inhalant	0	0	*
Female	257	304	382	Sedative	*	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	5	6	*
Caucasian	508	607	711	Average Age at First Use of Drug	17.8	17.9	17.4
African American	206	296	264	INJECTION DRUG USE			
Native American / Alaskan	*	*	*	Any Injection Use at Admission	68	97	93
Asian / Pacific Islander	6	7	5	- Daily Injection Use	20	27	19
Hispanic	20	19	12	- Weekly Injection Use	24	35	34
Other Race / Two or More Races	36	40	38	- Less than Weekly Injection Use	24	35	40
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	197	250	272	0	407	500	517
High School Graduate or G.E.D.	334	409	399	1 or 2	255	324	387
Associate Degree or Some College	216	275	311	3 or More	112	143	122
Bachelor or Advanced Degree	27	33	43	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	262	350	400
Employed	239	316	328	School	*	*	*
Unemployed	276	339	355	Mental Health Provider	5	7	19
Not in Labor Force	259	312	343	Health Care Provider	35	42	43
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	358	440	490
Independent Living	568	732	790	Other Referral Source	111	120	65
Dependent Living	98	115	128	TREATMENT ACCOMMODATION			
Homeless	66	82	82	Pregnant when Admitted to any Episode	6	5	12
MARITAL / FAMILY STATUS				Military Veteran	44	43	63
Never Married	467	616	619	Special Education Services Needed	48	73	108
Married / Cohabiting	148	169	191	Co-Occurring Psychological Problem	344	394	485
Previously Married	159	182	216	Co-Occurring Developmental Problem	15	20	60

BOONE COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 12
CENSUS 2010 162,642
2015 POPULATION ESTIMATE 174,974

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	86	91	75
Anxiety Disorder	806	804	756
Dementia	*	*	*
Developmental Disorder	37	29	20
Impulse Control Disorder	322	287	244
Mood Disorder	1,160	1,138	1,117
Personality Disorder	158	164	161
Psychotic Disorder	346	340	349
Sexual Disorder	5	5	*
Other Diagnosis	174	132	110
Diagnosis Unknown	94	95	98

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	1,802	1,773	1,771	Less than High School Diploma	614	554	508
AGE				High School Grad or G.E.D.	0	*	0
Under 6	13	15	16	Associate Degree or Some College	0	0	0
6 to 9	115	101	67	Bachelor or Advanced Degree	0	0	*
10 to 13	142	126	130	Education Level Unknown	1,188	1,218	1,262
14 to 17	171	136	136	EMPLOYMENT			
18 to 24	134	142	175	Employed	192	199	197
25 to 29	132	155	158	Unemployed	136	208	326
30 to 34	148	167	165	Not in Labor Force	1,204	1,141	949
35 to 39	163	152	147	Employment Status Unknown	270	225	299
40 to 44	140	157	185	HOUSING / LIVING ARRANGEMENT			
45 to 49	172	176	187	Independent Living	927	970	887
50 to 54	192	182	170	Dependent Living	456	426	450
55 to 59	146	146	124	Homeless	89	79	80
60 and Over	134	118	111	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	330	298	354
GENDER				TREATMENT REFERRAL SOURCE			
Male	846	844	864	Self / Family / Friend	752	671	558
Female	956	929	907	School	28	9	8
Gender Unknown	0	0	0	Mental Health Provider	134	130	115
RACE / ETHNICITY				Health Care Provider	421	485	625
Caucasian	1,139	1,156	1,150	Court / Criminal Justice	131	169	206
African American	523	486	494	Other	331	303	252
Native American / Alaskan	*	*	5	Referral Source Unknown	5	6	7
Asian / Pacific Islander	10	11	9	TYPE OF COMMITMENT			
Hispanic	32	36	36	Voluntary	1,773	1,738	1,737
Other Race	95	81	77	Civil	7	8	5
Race/Ethnicity Unknown	0	0	0	Criminal	14	17	18
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	66	72	67	Commitment Type Unknown	6	7	7
Past or Current Military Service	34	40	37				

BOONE COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	34.5	37.2	46.9	47.7	Alcohol	12.0	11.2	21.3	21.4
Chewing Tobacco	7.6	21.8	16.5	11.2	Alcohol (5+ drinks on single occasion past 2 weeks)	5.1	4.5		
Cigarettes	16.6	28.8	26.5	28.7	Chewing Tobacco	3.7	7.2	9.0	5.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.8	1.2	1.9	3.3	Cigarettes	4.3	13.3	10.6	13.0
Cocaine	0.3	1.2	2.1	2.4	Inhalants	0.4	0.0	1.3	2.4
Electronic Cigarettes	17.6	22.1			Marijuana	6.7	4.4	7.0	11.2
Hallucinogens	1.1	0.0	1.6	4.2	Over-the-counter medications for non-medical use	2.0	0.0	2.8	5.0
Heroin	0.0	0.0	0.4	0.7	Prescription medications not prescribed for student	7.8	4.5	3.7	7.0
Inhalants	2.1	3.4	5.0	7.1					
Marijuana	13.8	15.4	19.2	22.6	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.0	0.0	0.7	0.6	Alcohol (1 or 2 drinks daily)	72.2	40.1		
Over-the-counter medications for non-medical use	4.6	0.0	5.9	8.5	Alcohol (Binge: 5+ drinks once or twice a week)	80.5	52.8		
Prescription medications not prescribed for student	11.8	5.6	10.2	12.7	Cigarettes (1+ packs per day)	84.5	79.7		
Synthetic drugs (K2, bath salts, Spice, etc)	0.7	2.2	6.8		Marijuana (once or twice a week)	68.1	59.7		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	91.1	87.2	93.0	93.2
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.25	14.77	12.86	12.86	Alcohol	85.2	77.8	76.5	76.1
Cigarettes	12.30	12.36	12.67	12.49	Cigarettes	95.3	91.0	89.4	89.9
Inhalants	10.36	13.54	12.52	12.58	Marijuana	92.3	97.6	94.8	91.8
Marijuana	13.39	13.38	13.91	13.59					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	45.1	60.5	61.2	66.1	Alcohol	71.4	51.9	56.3	53.3
Cigarettes	28.4	47.6	49.8	50.5	Cigarettes	91.6	75.1	78.6	77.3
Marijuana	36.2	19.3	40.5	46.8	Marijuana	82.9	85.3	83.9	76.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.7	2.2	14.8	22.8	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.1	98.8	96.1	94.1
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	21.3	31.8	37.4	35.8	Alcohol	53.7	57.1	60.5	65.5
Cigarettes	6.3	14.5	16.3	14.7	Cigarettes	41.8	50.0	56.9	62.1
Marijuana	13.3	5.6	11.3	17.0	Marijuana	37.3	24.5	36.4	44.1
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.4	4.4	14.4	22.2
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	59.4	63.6	62.9	68.5	Were grouchy, irritable, or in a bad mood	30.1	32.1	21.1	34.0
Were victims of mean rumors or lies spread at school	43.4	58.4	42.4	52.4	Had difficulty concentrating on school work	26.2	27.0	22.2	29.2
Were victims of an embarrassing or hurtful text message or something posted on the Internet	24.4	18.4	19.2	18.1	Were very sad	21.2	19.0	15.1	23.4
					Felt hopeless about the future	12.5	11.4	12.0	15.0
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	11.6	5.3	9.1	13.4	Parents involve student in making family decisions	72.9	61.0	70.1	70.2
Made plan about how they would attempt suicide	9.0	6.3	7.6	8.9	Parents notice and comment on student's good work	85.2	91.2	82.9	83.8
Attempted suicide	5.2	0.0	4.6	5.2	Teachers notice and comment on student's good work	79.8	78.2		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

BUCHANAN COUNTY



DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	1
Adult Psychiatric	1
POPULATION	
Census 2010	89,201
2015 Estimate	89,100

BIRTH RISK	2014	2013	2012
Resident Births	1,139	1,154	1,212
Mother Reported Smoking while Pregnant	305	289	351

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	1	7	3
Hepatitis B Chronic, Acute, Prenatal	17	14	16
Hepatitis C Chronic and Acute	157	95	76
Tuberculosis Infection Cases	23	15	26

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	973	942	979
Suicides	9	17	8
Homicides	3	2	2
Alcohol Induced Deaths	8	11	6
Drug Induced Deaths	15	15	10
Smoking Attributable Deaths	178	167	181
Self-inflicted Injuries	231	190	169
Assault Injuries	423	456	447

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	531	615	703
Mental Illness Secondary Diagnosis	785	643	750
Alcohol Principal Diagnosis	21	36	68
Alcohol Secondary Diagnosis	43	51	49
Drug Principal Diagnosis	17	41	62
Drug Secondary Diagnosis	52	52	56
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	961	871	860
Mental Illness Secondary Diagnosis	1,986	1,503	1,590
Alcohol Principal Diagnosis	133	142	141
Alcohol Secondary Diagnosis	282	232	264
Drug Principal Diagnosis	118	132	109
Drug Secondary Diagnosis	194	159	152
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	893	1,142	1,250
Mental Illness Secondary Diagnosis	1,206	1,188	1,350
Alcohol Principal Diagnosis	246	294	343
Alcohol Secondary Diagnosis	254	321	255
Drug Principal Diagnosis	152	162	148
Drug Secondary Diagnosis	215	206	197

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	112	119	115
Alcohol Package Carry-out Licenses	85	85	83

EMPLOYMENT	2015	2014	2013
Labor Force	46,861	47,454	51,111
Employed	44,699	44,822	48,312
Unemployed	2,162	2,632	2,799
Unemployment Rate	4.6%	5.5%	5.5%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	120	127	121
Fatal Crashes	1	1	5
Injury Crashes	46	56	52
Property Damage Crashes	70	70	64
Crash Fatalities	1	1	7
Crash Injuries	66	75	75
Drug Involved Crashes	19	32	28
Fatal Crashes	0	1	2
Injury Crashes	7	11	12
Property Damage Crashes	12	20	14
Crash Fatalities	0	2	3
Crash Injuries	11	18	20

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	448	491	403
Liquor Law Arrests	204	243	203
Drug Arrests	593	705	620
Violent Offenses	373	399	348
Property Offenses	4,617	4,675	5,062
Domestic Violence Reports	1,004	904	769

	2015	2014	2013
Methamphetamine Lab Seizures	3	1	3

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	3,838	3,788	3,786
Drop-outs	45	25	76
Drop-out Rate	1.2%	0.7%	2.0%
School Discipline Involving Alcohol	9	12	4
School Discipline Involving Drugs	27	23	28
School Discipline Involving Tobacco	1	1	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	101	108	127
Juvenile Alcohol Offenses	35	16	17
Juvenile Drug Offenses	29	26	26
School Truancy Status Offense	104	329	229
Absent from Home Status Offense	120	124	100
Beyond Parental Control Status Offense	64	100	138
Injurious Behavior Status Offense	9	11	40
Child Abuse	9	9	16
Child Neglect	101	93	70
Child Custody Issues	0	0	1

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	43	52	60
Parental Alcohol Use Related	1	0	0
Parental Drug Use Related	6	8	12
Parental Alcohol and Drug Use	0	1	6

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	250	220	271
Probation/Parole Admissions--Drug	397	415	363
Probation/Parole Admissions--DWI	52	52	81
Prison Admissions--Drug	262	251	245
Prison Admissions--DWI	22	35	33

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

BUCHANAN COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	19	154	172
CSTAR Adolescent	75	89	82
CSTAR Women and Children	8	12	12
CSTAR General Adult	511	521	572
CSTAR Opioid	*	*	*
Primary Recovery Treatment	5	11	23
Clinical SATOP (CIP, YCIP, SROP)	58	67	68
Other Substance Abuse Treatment	*	0	*


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	334	363	360
- Adolescent Diversion Education Program	*	5	*
- Offender Education Program	150	164	164
- Weekend Intervention Program	63	77	81
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	6	8
Compulsive Gambling	0	*	*
Recovery Supports	*	7	12
Early Intervention	*	17	51

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	648	749	806	Alcohol	185	224	260
AGE				Marijuana / Hashish	176	196	267
Under 18	71	85	84	Cocaine (total)	17	30	22
18 to 24	104	121	161	- Crack	9	21	18
25 to 29	106	121	126	Stimulant (total)	175	184	162
30 to 34	102	119	120	- Methamphetamine	170	178	161
35 to 39	67	71	70	Heroin	6	6	7
40 to 44	64	66	69	Analgesic except Heroin	73	89	80
45 to 54	104	122	127	- Non-Prescription Methadone	0	0	*
55 and Over	30	44	49	PCP, LSD, other Hallucinogen	*	7	*
GENDER				Tranquilizer	9	7	*
Male	441	495	569	Inhalant	*	*	0
Female	207	254	237	Sedative	*	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	*
Caucasian	550	639	666	Average Age at First Use of Drug	18.7	18.6	17.7
African American	53	71	102	INJECTION DRUG USE			
Native American / Alaskan	*	*	0	Any Injection Use at Admission	112	125	102
Asian / Pacific Islander	*	*	*	- Daily Injection Use	5	35	25
Hispanic	16	21	28	- Weekly Injection Use	12	30	30
Other Race / Two or More Races	26	23	22	- Less than Weekly Injection Use	95	60	47
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	221	272	290	0	438	499	509
High School Graduate or G.E.D.	316	359	386	1 or 2	145	160	191
Associate Degree or Some College	104	109	127	3 or More	65	90	106
Bachelor or Advanced Degree	7	9	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	109	363	266
Employed	172	174	211	School	0	*	0
Unemployed	202	228	428	Mental Health Provider	9	5	11
Not in Labor Force	274	347	167	Health Care Provider	28	42	34
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	442	313	444
Independent Living	425	499	537	Other Referral Source	52	21	44
Dependent Living	136	147	180	TREATMENT ACCOMMODATION			
Homeless	30	75	72	Pregnant when Admitted to any Episode	6	6	5
MARITAL / FAMILY STATUS				Military Veteran	11	20	46
Never Married	421	466	499	Special Education Services Needed	39	74	81
Married / Cohabiting	115	120	141	Co-Occurring Psychological Problem	135	214	267
Previously Married	112	163	166	Co-Occurring Developmental Problem	18	23	28

BUCHANAN COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 1
CENSUS 2010 89,201
2015 POPULATION ESTIMATE 89,100

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	109	76	63
Anxiety Disorder	762	539	510
Dementia	8	8	*
Developmental Disorder	33	32	18
Impulse Control Disorder	390	331	387
Mood Disorder	1,134	920	884
Personality Disorder	178	149	141
Psychotic Disorder	414	396	392
Sexual Disorder	7	*	*
Other Diagnosis	275	239	247
Diagnosis Unknown	167	169	193

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	1,939	1,630	1,747	Less than High School Diploma	666	566	690
AGE				High School Grad or G.E.D.	0	*	30
Under 6	44	37	55	Associate Degree or Some College	0	0	15
6 to 9	162	134	173	Bachelor or Advanced Degree	0	0	*
10 to 13	130	118	164	Education Level Unknown	1,273	1,060	1,011
14 to 17	123	111	138	EMPLOYMENT			
18 to 24	158	116	124	Employed	140	101	86
25 to 29	175	130	120	Unemployed	109	134	191
30 to 34	173	118	104	Not in Labor Force	1,068	968	1,028
35 to 39	155	113	116	Employment Status Unknown	622	427	442
40 to 44	158	133	142	HOUSING / LIVING ARRANGEMENT			
45 to 49	164	162	153	Independent Living	794	643	682
50 to 54	211	203	204	Dependent Living	561	540	619
55 to 59	151	119	118	Homeless	59	41	23
60 and Over	135	136	136	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	525	406	423
GENDER				TREATMENT REFERRAL SOURCE			
Male	1,057	906	984	Self / Family / Friend	731	575	555
Female	882	724	763	School	109	80	114
Gender Unknown	0	0	0	Mental Health Provider	318	350	386
RACE / ETHNICITY				Health Care Provider	303	246	276
Caucasian	1,565	1,329	1,419	Court / Criminal Justice	269	183	177
African American	205	162	175	Other	194	171	220
Native American / Alaskan	9	5	9	Referral Source Unknown	15	25	19
Asian / Pacific Islander	*	*	*	TYPE OF COMMITMENT			
Hispanic	74	62	61	Voluntary	1,793	1,490	1,615
Other Race	83	71	81	Civil	6	8	12
Race/Ethnicity Unknown	0	0	0	Criminal	125	107	101
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	81	82	103	Commitment Type Unknown	15	25	19
Past or Current Military Service	73	65	71				

BUCHANAN COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	38.3	24.0	31.9	39.8	Alcohol	18.3	6.7	12.4	18.2
Chewing Tobacco	13.2	6.3	10.1	12.7	Alcohol (5+ drinks on single occasion past 2 weeks)	8.3	2.0		
Cigarettes	20.8	18.6	21.5	27.2	Chewing Tobacco	6.4	2.6	5.2	7.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.7	1.2	1.2	1.6	Cigarettes	8.9	6.8	10.6	15.5
Cocaine	0.8	0.7	1.2	1.5	Inhalants	1.2	1.2	1.9	3.3
Electronic Cigarettes	24.0	14.9			Marijuana	11.5	5.4	7.2	6.9
Hallucinogens	1.9	1.9	1.7	2.4	Over-the-counter medications for non-medical use	1.8	1.1	2.8	4.7
Heroin	0.1	0.2	0.2	0.8	Prescription medications not prescribed for student	8.6	2.6	3.8	5.5
Inhalants	2.3	3.2	5.8	6.8					
Marijuana	18.1	12.7	14.2	13.9	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.7	1.0	0.3	1.0	Alcohol (1 or 2 drinks daily)	67.2	61.5		
Over-the-counter medications for non-medical use	5.3	2.3	4.7	7.6	Alcohol (Binge: 5+ drinks once or twice a week)	74.7	72.6		
Prescription medications not prescribed for student	13.9	5.9	7.0	9.6	Cigarettes (1+ packs per day)	85.5	84.8		
Synthetic drugs (K2, bath salts, Spice, etc)	1.5	3.3	6.6		Marijuana (once or twice a week)	61.4	65.1		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	92.9	91.6	92.7	94.2
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.49	12.41	12.58	12.47	Alcohol	77.7	89.3	86.5	82.0
Cigarettes	13.30	12.08	12.27	11.82	Cigarettes	91.3	94.0	94.0	92.1
Inhalants	11.88	10.78	11.89	12.80	Marijuana	88.5	92.6	94.3	95.1
Marijuana	14.56	12.81	13.45	13.38					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	47.1	32.3	47.8	59.5	Alcohol	68.4	77.1	70.9	63.4
Cigarettes	32.9	31.9	40.2	49.6	Cigarettes	86.1	87.6	84.3	78.4
Marijuana	40.0	25.9	35.0	36.1	Marijuana	76.5	83.2	83.9	85.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.1	8.0	16.1	18.4	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.2	96.5	96.3	94.8
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	27.0	14.9	22.9	31.3	Alcohol	50.3	38.8	45.6	53.3
Cigarettes	9.9	9.3	11.0	16.5	Cigarettes	47.7	37.9	44.5	54.2
Marijuana	17.6	10.5	12.1	10.0	Marijuana	40.8	27.8	31.4	32.3
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	16.9	9.3	13.0	16.8
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	61.1	53.6	56.3	64.6	Were grouchy, irritable, or in a bad mood	33.9	26.2	24.4	36.1
Were victims of mean rumors or lies spread at school	47.3	46.2	46.2	53.6	Had difficulty concentrating on school work	27.5	24.3	21.7	27.8
Were victims of an embarrassing or hurtful text message or something posted on the Internet	26.0	25.7	19.3	21.0	Were very sad	22.1	20.7	18.1	24.7
					Felt hopeless about the future	12.3	11.4	10.6	11.9
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	16.5	12.3	10.5	10.8	Parents involve student in making family decisions	74.3	73.3	70.6	72.1
Made plan about how they would attempt suicide	11.1	9.5	7.5	7.5	Parents notice and comment on student's good work	83.7	84.2	82.9	83.8
Attempted suicide	6.5	5.6	5.0	6.3	Teachers notice and comment on student's good work	80.0	76.6		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

BUTLER COUNTY



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	19
Adult Psychiatric	19
POPULATION	
Census 2010	42,794
2015 Estimate	42,951

BIRTH RISK	2014	2013	2012
Resident Births	530	580	615
Mother Reported Smoking while Pregnant	150	168	190

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	0	6	6
Hepatitis B Chronic, Acute, Prenatal	3	5	11
Hepatitis C Chronic and Acute	117	92	91
Tuberculosis Infection Cases	27	12	18

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	571	585	516
Suicides	10	10	10
Homicides	2	1	1
Alcohol Induced Deaths	6	11	7
Drug Induced Deaths	14	11	11
Smoking Attributable Deaths	105	108	98
Self-inflicted Injuries	71	107	123
Assault Injuries	187	205	236

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	521	503	495
Mental Illness Secondary Diagnosis	865	948	878
Alcohol Principal Diagnosis	26	28	35
Alcohol Secondary Diagnosis	53	96	85
Drug Principal Diagnosis	68	48	56
Drug Secondary Diagnosis	64	72	68
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	168	154	123
Mental Illness Secondary Diagnosis	962	961	936
Alcohol Principal Diagnosis	21	16	20
Alcohol Secondary Diagnosis	66	59	69
Drug Principal Diagnosis	38	29	28
Drug Secondary Diagnosis	40	36	29
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	664	667	698
Mental Illness Secondary Diagnosis	1,063	1,774	485
Alcohol Principal Diagnosis	57	89	74
Alcohol Secondary Diagnosis	75	81	47
Drug Principal Diagnosis	92	80	90
Drug Secondary Diagnosis	109	96	73

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	57	55	59
Alcohol Package Carry-out Licenses	49	51	49

EMPLOYMENT	2015	2014	2013
Labor Force	19,285	18,993	21,196
Employed	18,097	17,669	19,791
Unemployed	1,188	1,324	1,405
Unemployment Rate	6.2%	7.0%	6.6%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	31	56	69
Fatal Crashes	1	1	4
Injury Crashes	17	26	34
Property Damage Crashes	29	29	31
Crash Fatalities	1	1	5
Crash Injuries	27	33	49
Drug Involved Crashes	13	13	16
Fatal Crashes	0	1	1
Injury Crashes	5	3	10
Property Damage Crashes	8	9	5
Crash Fatalities	0	1	1
Crash Injuries	8	4	18

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	168	200	276
Liquor Law Arrests	49	26	47
Drug Arrests	314	305	266
Violent Offenses	215	216	239
Property Offenses	2,055	2,014	2,074
Domestic Violence Reports	475	244	253

	2015	2014	2013
Methamphetamine Lab Seizures	3	2	12

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	1,904	1,830	1,825
Drop-outs	30	34	66
Drop-out Rate	1.6%	1.9%	3.6%
School Discipline Involving Alcohol	3	11	8
School Discipline Involving Drugs	25	40	21
School Discipline Involving Tobacco	0	1	3

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	109	96	83
Juvenile Alcohol Offenses	4	4	15
Juvenile Drug Offenses	12	15	16
School Truancy Status Offense	16	45	29
Absent from Home Status Offense	38	26	36
Beyond Parental Control Status Offense	53	52	30
Injurious Behavior Status Offense	2	1	2
Child Abuse	18	11	12
Child Neglect	217	167	138
Child Custody Issues	0	0	2

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	183	147	104
Parental Alcohol Use Related	7	1	2
Parental Drug Use Related	125	77	30
Parental Alcohol and Drug Use	0	2	3

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	88	89	92
Probation/Parole Admissions--Drug	170	157	138
Probation/Parole Admissions--DWI	10	16	13
Prison Admissions--Drug	100	105	84
Prison Admissions--DWI	6	6	7

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.

³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

BUTLER COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	79	85	78
CSTAR Adolescent	20	15	22
CSTAR Women and Children	20	18	28
CSTAR General Adult	388	308	264
CSTAR Opioid	*	0	0
Primary Recovery Treatment	37	70	144
Clinical SATOP (CIP, YCIP, SROP)	31	45	46
Other Substance Abuse Treatment	*	0	*


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	110	131	164
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	35	43	55
- Weekend Intervention Program	22	19	38
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	5
Compulsive Gambling	0	*	*
Recovery Supports	36	138	158
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	478	540	504	Alcohol	124	142	148
AGE				Marijuana / Hashish	135	135	140
Under 18	18	17	22	Cocaine (total)	5	11	14
18 to 24	72	98	95	- Crack	5	10	11
25 to 29	77	83	85	Stimulant (total)	121	153	94
30 to 34	90	107	92	- Methamphetamine	120	149	91
35 to 39	63	75	58	Heroin	41	31	30
40 to 44	51	70	58	Analgesic except Heroin	42	56	72
45 to 54	76	63	76	- Non-Prescription Methadone	0	0	0
55 and Over	31	27	18	PCP, LSD, other Hallucinogen	*	*	0
GENDER				Tranquilizer	*	7	*
Male	303	350	339	Inhalant	*	*	*
Female	175	189	165	Sedative	0	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	0
Caucasian	400	464	432	Average Age at First Use of Drug	19.2	18.7	18.0
African American	59	59	57	INJECTION DRUG USE			
Native American / Alaskan	*	*	*	Any Injection Use at Admission	91	131	96
Asian / Pacific Islander	*	*	*	- Daily Injection Use	19	33	21
Hispanic	12	10	10	- Weekly Injection Use	25	44	34
Other Race / Two or More Races	8	7	6	- Less than Weekly Injection Use	47	54	41
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	184	200	188	0	316	354	301
High School Graduate or G.E.D.	215	256	249	1 or 2	120	139	150
Associate Degree or Some College	77	82	66	3 or More	42	47	53
Bachelor or Advanced Degree	*	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	118	145	129
Employed	100	119	112	School	0	*	*
Unemployed	179	273	245	Mental Health Provider	6	*	*
Not in Labor Force	199	148	147	Health Care Provider	44	46	46
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	209	243	246
Independent Living	344	407	389	Other Referral Source	67	71	67
Dependent Living	61	87	88	TREATMENT ACCOMMODATION			
Homeless	52	40	22	Pregnant when Admitted to any Episode	6	8	8
MARITAL / FAMILY STATUS				Military Veteran	15	19	15
Never Married	221	230	234	Special Education Services Needed	56	62	70
Married / Cohabiting	120	164	158	Co-Occurring Psychological Problem	271	290	251
Previously Married	137	146	112	Co-Occurring Developmental Problem	16	59	59

BUTLER COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 19
CENSUS 2010 42,794
2015 POPULATION ESTIMATE 42,951

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	29	39	27
Anxiety Disorder	94	98	108
Dementia	*	*	*
Developmental Disorder	*	*	*
Impulse Control Disorder	53	53	72
Mood Disorder	493	517	483
Personality Disorder	7	7	5
Psychotic Disorder	109	111	105
Sexual Disorder	*	*	*
Other Diagnosis	12	12	7
Diagnosis Unknown	68	94	66

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	799	848	821	Less than High School Diploma	290	269	232
AGE				High School Grad or G.E.D.	0	*	0
Under 6	*	*	6	Associate Degree or Some College	0	0	0
6 to 9	43	50	43	Bachelor or Advanced Degree	0	0	0
10 to 13	49	60	50	Education Level Unknown	509	578	589
14 to 17	44	53	54	EMPLOYMENT			
18 to 24	39	45	62	Employed	49	40	7
25 to 29	52	66	63	Unemployed	34	45	9
30 to 34	65	81	83	Not in Labor Force	536	475	400
35 to 39	84	81	77	Employment Status Unknown	180	288	405
40 to 44	86	83	87	HOUSING / LIVING ARRANGEMENT			
45 to 49	90	90	88	Independent Living	407	359	221
50 to 54	95	94	90	Dependent Living	192	185	186
55 to 59	74	71	53	Homeless	8	13	*
60 and Over	76	72	65	Other	0	0	*
Age Unknown	0	0	0	Housing Unknown	192	291	410
GENDER				TREATMENT REFERRAL SOURCE			
Male	384	382	370	Self / Family / Friend	345	333	296
Female	415	466	451	School	15	30	24
Gender Unknown	0	0	0	Mental Health Provider	80	88	88
RACE / ETHNICITY				Health Care Provider	143	153	168
Caucasian	727	781	743	Court / Criminal Justice	82	95	112
African American	51	48	60	Other	133	148	132
Native American / Alaskan	*	*	*	Referral Source Unknown	*	*	*
Asian / Pacific Islander	*	*	0	TYPE OF COMMITMENT			
Hispanic	*	6	6	Voluntary	787	831	799
Other Race	14	11	11	Civil	0	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	9	11	18
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	37	37	40	Commitment Type Unknown	0	0	0
Past or Current Military Service	30	20	15				

BUTLER COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	34.8	30.0	39.6	42.7	Alcohol	14.4	12.7	18.3	21.1
Chewing Tobacco	11.3	13.1	14.0	15.2	Alcohol (5+ drinks on single occasion past 2 weeks)	6.2	6.7		
Cigarettes	22.5	21.5	28.7	32.5	Chewing Tobacco	4.7	7.0	7.9	9.3
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.0	0.9	3.4	3.1	Cigarettes	9.5	10.1	14.6	17.2
Cocaine	1.0	0.4	2.5	2.4	Inhalants	0.9	0.6	1.3	3.9
Electronic Cigarettes	27.9	13.4			Marijuana	7.6	6.2	9.6	12.4
Hallucinogens	1.0	0.6	3.0	4.2	Over-the-counter medications for non-medical use	1.9	1.5	3.7	6.2
Heroin	0.4	0.4	2.1	0.4	Prescription medications not prescribed for student	10.0	4.3	7.2	9.4
Inhalants	2.8	2.8	5.1	8.1	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	14.7	13.4	18.7	18.6	Alcohol (1 or 2 drinks daily)	63.8	56.8		
Methamphetamine	0.6	1.1	1.9	2.0	Alcohol (Binge: 5+ drinks once or twice a week)	74.9	66.3		
Over-the-counter medications for non-medical use	4.3	3.0	6.1	9.6	Cigarettes (1+ packs per day)	81.7	78.8		
Prescription medications not prescribed for student	14.9	7.7	13.3	17.5	Marijuana (once or twice a week)	66.8	65.0		
Synthetic drugs (K2, bath salts, Spice, etc)	2.1	3.5	6.6		Other: Cocaine, LSD, Meth, Club Drug (any use)	89.9	87.4	93.8	93.0
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.57	12.48	13.04	12.33	Alcohol	84.7	82.6	79.1	78.6
Cigarettes	12.08	12.02	12.58	11.98	Cigarettes	91.5	92.7	89.2	88.9
Inhalants	10.90	11.94	12.36	12.69	Marijuana	91.0	92.5	93.9	92.8
Marijuana	13.45	13.68	14.00	13.51	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	69.0	68.8	61.6	59.2
Alcohol	44.4	42.6	54.0	55.6	Cigarettes	85.4	84.4	78.2	78.2
Cigarettes	35.1	37.7	47.1	46.7	Marijuana	80.1	82.4	80.7	80.6
Marijuana	34.9	31.2	38.6	38.3	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.1	96.1	95.1	93.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.2	10.5	19.5	20.9	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	46.7	45.9	53.8	54.4
Alcohol	23.9	24.4	30.6	32.8	Cigarettes	45.1	46.7	53.7	56.5
Cigarettes	10.4	13.2	16.7	16.6	Marijuana	34.1	32.0	40.8	39.3
Marijuana	13.6	11.7	13.0	14.8	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.6	15.8	24.0	22.7
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	61.5	56.7	55.9	68.9	Were grouchy, irritable, or in a bad mood	34.0	23.5	27.1	24.0
Were victims of mean rumors or lies spread at school	49.3	50.1	49.8	55.9	Had difficulty concentrating on school work	31.2	24.5	26.6	27.4
Were victims of an embarrassing or hurtful text message or something posted on the Internet	24.5	22.7	20.5	18.5	Were very sad	26.1	18.7	19.9	21.6
					Felt hopeless about the future	15.6	10.0	11.9	16.2
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	16.0	12.3	15.9	13.8	Parents involve student in making family decisions	65.0	67.5	67.3	67.6
Made plan about how they would attempt suicide	13.1	10.0	10.7	9.8	Parents notice and comment on student's good work	79.4	81.2	82.7	82.7
Attempted suicide	8.1	5.1	6.7	6.6	Teachers notice and comment on student's good work	65.4	71.0		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

CALDWELL COUNTY



DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	13
Adult Psychiatric	13
POPULATION	
Census 2010	9,424
2015 Estimate	9,014

BIRTH RISK	2014	2013	2012
Resident Births	87	84	89
Mother Reported Smoking while Pregnant	25	22	25

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	0
Hepatitis C Chronic and Acute	4	3	5
Tuberculosis Infection Cases	1	0	0

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	116	102	112
Suicides	3	1	2
Homicides	0	0	0
Alcohol Induced Deaths	1	0	1
Drug Induced Deaths	1	0	1
Smoking Attributable Deaths	21	21	23
Self-inflicted Injuries	16	7	5
Assault Injuries	10	23	17

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	47	35	34
Mental Illness Secondary Diagnosis	99	98	124
Alcohol Principal Diagnosis	2	1	1
Alcohol Secondary Diagnosis	14	6	6
Drug Principal Diagnosis	1	2	1
Drug Secondary Diagnosis	7	11	6
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	27	24	15
Mental Illness Secondary Diagnosis	179	159	180
Alcohol Principal Diagnosis	3	2	2
Alcohol Secondary Diagnosis	28	11	30
Drug Principal Diagnosis	1	3	1
Drug Secondary Diagnosis	8	8	13
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	44	63	50
Mental Illness Secondary Diagnosis	100	92	74
Alcohol Principal Diagnosis	4	1	8
Alcohol Secondary Diagnosis	17	11	4
Drug Principal Diagnosis	4	7	10
Drug Secondary Diagnosis	15	23	18

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	6	4	5
Alcohol Package Carry-out Licenses	11	11	10

EMPLOYMENT	2015	2014	2013
Labor Force	4,480	4,452	4,149
Employed	4,279	4,209	3,868
Unemployed	201	243	281
Unemployment Rate	4.5%	5.5%	6.8%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	10	3	4
Fatal Crashes	0	0	1
Injury Crashes	7	2	1
Property Damage Crashes	1	1	2
Crash Fatalities	0	0	1
Crash Injuries	7	6	1
Drug Involved Crashes	1	1	1
Fatal Crashes	0	0	0
Injury Crashes	1	1	1
Property Damage Crashes	0	0	0
Crash Fatalities	0	0	0
Crash Injuries	2	1	1

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	41	53	49
Liquor Law Arrests	2	9	9
Drug Arrests	14	33	41
Violent Offenses	10	25	33
Property Offenses	111	127	188
Domestic Violence Reports	24	81	69

	2015	2014	2013
Methamphetamine Lab Seizures	0	0	0

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	472	448	486
Drop-outs	0	1	1
Drop-out Rate	0.0%	0.2%	0.2%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	3	2	0
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	4	9	11
Juvenile Alcohol Offenses	0	0	1
Juvenile Drug Offenses	8	0	1
School Truancy Status Offense	11	7	21
Absent from Home Status Offense	0	3	1
Beyond Parental Control Status Offense	5	4	6
Injurious Behavior Status Offense	1	9	12
Child Abuse	4	5	0
Child Neglect	1	3	19
Child Custody Issues	0	3	0

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	15	10	5
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	5	4	0
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	27	37	22
Probation/Parole Admissions--DWI	9	10	5
Prison Admissions--Drug	17	25	22
Prison Admissions--DWI	7	7	6

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

CALDWELL COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	*	*	*
CSTAR Adolescent	*	*	*
CSTAR Women and Children	*	*	*
CSTAR General Adult	26	12	14
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	13	6
Clinical SATOP (CIP, YCIP, SROP)	5	8	6
Other Substance Abuse Treatment	0	0	*


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	29	34	22
- Adolescent Diversion Education Program	0	*	0
- Offender Education Program	13	8	8
- Weekend Intervention Program	6	6	5
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	*	*	*
Early Intervention	0	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	33	26	30	Alcohol	13	15	11
AGE				Marijuana / Hashish	8	*	10
Under 18	*	*	*	Cocaine (total)	0	0	0
18 to 24	*	*	7	- Crack	0	0	0
25 to 29	6	*	5	Stimulant (total)	11	*	5
30 to 34	*	5	9	- Methamphetamine	11	*	5
35 to 39	*	6	0	Heroin	0	*	0
40 to 44	*	*	*	Analgesic except Heroin	*	*	*
45 to 54	6	*	*	- Non-Prescription Methadone	0	0	0
55 and Over	5	*	0	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	*	0
Male	21	17	19	Inhalant	0	0	*
Female	12	9	11	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	*	0
Caucasian	33	25	30	Average Age at First Use of Drug	19.4	17.8	16.6
African American	0	0	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	*	*	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	0	0
Hispanic	0	*	0	- Weekly Injection Use	*	0	*
Other Race / Two or More Races	0	0	0	- Less than Weekly Injection Use	0	*	0
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	16	*	8	0	18	10	19
High School Graduate or G.E.D.	15	14	18	1 or 2	9	8	8
Associate Degree or Some College	*	8	*	3 or More	6	8	*
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	8	6	5
Employed	8	7	12	School	0	0	*
Unemployed	7	9	12	Mental Health Provider	0	0	*
Not in Labor Force	18	10	6	Health Care Provider	5	0	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	18	14	13
Independent Living	25	21	25	Other Referral Source	*	6	7
Dependent Living	*	*	*	TREATMENT ACCOMMODATION			
Homeless	0	0	*	Pregnant when Admitted to any Episode	0	0	0
MARITAL / FAMILY STATUS				Military Veteran	*	0	0
Never Married	18	13	20	Special Education Services Needed	*	*	*
Married / Cohabiting	10	9	5	Co-Occurring Psychological Problem	10	10	14
Previously Married	5	*	5	Co-Occurring Developmental Problem	*	0	0

CALDWELL COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 13
CENSUS 2010 9,424
2015 POPULATION ESTIMATE 9,014

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	*	*	*
Anxiety Disorder	49	42	37
Dementia	0	0	*
Developmental Disorder	*	*	*
Impulse Control Disorder	23	15	14
Mood Disorder	70	58	60
Personality Disorder	7	8	13
Psychotic Disorder	8	9	15
Sexual Disorder	0	0	0
Other Diagnosis	9	6	11
Diagnosis Unknown	*	6	*

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	99	82	83	Less than High School Diploma	37	23	30
AGE				High School Grad or G.E.D.	0	0	*
Under 6	*	0	0	Associate Degree or Some College	0	0	0
6 to 9	7	*	*	Bachelor or Advanced Degree	0	0	0
10 to 13	8	8	10	Education Level Unknown	62	59	52
14 to 17	9	6	5	EMPLOYMENT			
18 to 24	*	8	7	Employed	11	5	9
25 to 29	9	6	6	Unemployed	5	9	5
30 to 34	9	14	9	Not in Labor Force	68	51	56
35 to 39	8	6	7	Employment Status Unknown	15	17	13
40 to 44	*	5	8	HOUSING / LIVING ARRANGEMENT			
45 to 49	16	12	12	Independent Living	55	48	49
50 to 54	11	8	7	Dependent Living	29	16	19
55 to 59	5	*	*	Homeless	*	*	0
60 and Over	8	5	6	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	13	16	15
GENDER				TREATMENT REFERRAL SOURCE			
Male	49	33	33	Self / Family / Friend	44	40	38
Female	50	49	50	School	*	0	*
Gender Unknown	0	0	0	Mental Health Provider	8	7	10
RACE / ETHNICITY				Health Care Provider	17	16	20
Caucasian	96	79	80	Court / Criminal Justice	16	13	7
African American	0	0	*	Other	13	6	7
Native American / Alaskan	*	*	*	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	0	0	0	Voluntary	97	81	82
Other Race	*	*	*	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	0	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	0	0	0
Past or Current Military Service	*	0	*				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	41.2	37.0	38.8	49.5	Alcohol	16.9	13.9	16.3	19.4
Chewing Tobacco	18.4	13.9	16.9	17.0	Alcohol (5+ drinks on single occasion past 2 weeks)	8.0	5.5		
Cigarettes	25.0	22.7	25.6	32.3	Chewing Tobacco	10.2	7.4	10.6	5.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.5	0.9	0.6	1.4	Cigarettes	11.8	7.3	8.8	15.6
Cocaine	3.0	0.9	1.3	1.4	Inhalants	2.9	0.9	0.6	2.3
Electronic Cigarettes	21.3	11.0			Marijuana	9.6	1.8	3.1	4.2
Hallucinogens	3.7	0.9	1.3	1.8	Over-the-counter medications for non-medical use	2.2	0.0	2.5	2.8
Heroin	0.7	0.0	1.9	0.5	Prescription medications not prescribed for student	8.0	4.6	3.8	6.9
Inhalants	5.2	0.9	3.1	3.7	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	16.9	4.6	8.8	10.6	Alcohol (1 or 2 drinks daily)	60.0	50.9		
Methamphetamine	1.5	0.0	0.7	0.0	Alcohol (Binge: 5+ drinks once or twice a week)	71.1	63.9		
Over-the-counter medications for non-medical use	5.1	0.0	3.8	4.7	Cigarettes (1+ packs per day)	80.9	81.5		
Prescription medications not prescribed for student	12.6	6.4	6.9	11.0	Marijuana (once or twice a week)	68.9	81.7		
Synthetic drugs (K2, bath salts, Spice, etc)	5.9	1.8	3.8		Other: Cocaine, LSD, Meth, Club Drug (any use)	89.6	94.5	93.0	92.2
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.85	12.84	12.93	13.29	Alcohol	82.2	74.1	79.1	72.4
Cigarettes	12.75	13.21	13.07	12.31	Cigarettes	90.4	88.9	91.2	87.9
Inhalants		10.79	10.74	11.64	Marijuana	92.6	94.4	95.6	92.6
Marijuana	13.97	13.53	13.48	14.50	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	67.2	56.9	63.8	54.4
Alcohol	44.9	52.8	50.0	66.8	Cigarettes	83.2	85.3	84.3	77.1
Cigarettes	35.3	39.8	37.5	42.2	Marijuana	81.5	93.6	89.3	88.4
Marijuana	31.9	25.9	21.9	30.1	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	94.8	99.1	98.1	95.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.7	9.3	9.4	12.1	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	50.7	54.1	57.2	68.1
Alcohol	28.7	33.0	27.5	40.3	Cigarettes	46.7	51.4	53.1	66.8
Cigarettes	13.3	10.9	10.1	11.0	Marijuana	33.3	23.1	32.7	32.9
Marijuana	15.4	4.6	5.7	6.0	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.1	9.3	15.2	17.6
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	63.7	64.8	68.4	72.5	Were grouchy, irritable, or in a bad mood	34.6	28.4	23.8	12.5
Were victims of mean rumors or lies spread at school	52.9	55.0	61.6	59.6	Had difficulty concentrating on school work	27.7	24.8	22.6	16.6
Were victims of an embarrassing or hurtful text message or something posted on the Internet	29.4	36.1	27.0	18.4	Were very sad	20.6	24.8	17.6	8.3
					Felt hopeless about the future	12.5	11.0	10.1	5.1
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	14.0	15.9	13.8	12.8	Parents involve student in making family decisions	66.2	67.0	70.0	64.7
Made plan about how they would attempt suicide	11.0	5.5	7.0	11.0	Parents notice and comment on student's good work	82.2	76.1	80.0	76.5
Attempted suicide	5.1	6.4	5.0	4.1	Teachers notice and comment on student's good work	76.5	77.1		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

CALLAWAY COUNTY



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	11
Adult Psychiatric	15
POPULATION	
Census 2010	44,332
2015 Estimate	44,834

BIRTH RISK	2014	2013	2012
Resident Births	519	525	527
Mother Reported Smoking while Pregnant	124	145	126

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	4	0	1
Hepatitis B Chronic, Acute, Prenatal	3	4	5
Hepatitis C Chronic and Acute	121	26	16
Tuberculosis Infection Cases	17	16	19

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	339	371	353
Suicides	7	9	4
Homicides	1	0	4
Alcohol Induced Deaths	3	4	4
Drug Induced Deaths	6	10	8
Smoking Attributable Deaths	62	58	66
Self-inflicted Injuries	56	93	86
Assault Injuries	232	257	254

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	184	205	135
Mental Illness Secondary Diagnosis	583	646	711
Alcohol Principal Diagnosis	6	16	10
Alcohol Secondary Diagnosis	44	43	45
Drug Principal Diagnosis	7	8	8
Drug Secondary Diagnosis	51	47	43
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	309	306	312
Mental Illness Secondary Diagnosis	751	765	578
Alcohol Principal Diagnosis	36	57	46
Alcohol Secondary Diagnosis	57	65	72
Drug Principal Diagnosis	54	32	30
Drug Secondary Diagnosis	65	50	47
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	467	413	409
Mental Illness Secondary Diagnosis	987	934	710
Alcohol Principal Diagnosis	75	53	79
Alcohol Secondary Diagnosis	88	86	96
Drug Principal Diagnosis	83	42	75
Drug Secondary Diagnosis	91	85	82

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	41	42	46
Alcohol Package Carry-out Licenses	46	42	46

EMPLOYMENT	2015	2014	2013
Labor Force	21,968	21,705	22,076
Employed	20,938	20,488	20,794
Unemployed	1,030	1,217	1,282
Unemployment Rate	4.7%	5.6%	5.8%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	44	34	41
Fatal Crashes	2	2	2
Injury Crashes	22	16	14
Property Damage Crashes	16	16	25
Crash Fatalities	2	2	2
Crash Injuries	30	18	20
Drug Involved Crashes	12	5	8
Fatal Crashes	0	1	1
Injury Crashes	7	2	3
Property Damage Crashes	5	2	4
Crash Fatalities	0	1	1
Crash Injuries	9	3	10

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	252	217	245
Liquor Law Arrests	51	77	91
Drug Arrests	306	282	251
Violent Offenses	150	128	117
Property Offenses	1,072	1,217	1,319
Domestic Violence Reports	427	441	389

	2015	2014	2013
Methamphetamine Lab Seizures	0	0	0

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	1,522	1,495	1,524
Drop-outs	32	48	54
Drop-out Rate	2.1%	3.2%	3.5%
School Discipline Involving Alcohol	0	1	0
School Discipline Involving Drugs	14	4	19
School Discipline Involving Tobacco	9	2	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	58	55	51
Juvenile Alcohol Offenses	5	13	19
Juvenile Drug Offenses	22	23	29
School Truancy Status Offense	64	43	60
Absent from Home Status Offense	2	8	1
Beyond Parental Control Status Offense	98	113	93
Injurious Behavior Status Offense	160	69	93
Child Abuse	20	8	9
Child Neglect	160	172	129
Child Custody Issues	13	13	16

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	95	68	38
Parental Alcohol Use Related	0	4	1
Parental Drug Use Related	31	28	15
Parental Alcohol and Drug Use	0	1	0

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	52	57	44
Probation/Parole Admissions--Drug	87	81	94
Probation/Parole Admissions--DWI	16	32	29
Prison Admissions--Drug	45	47	46
Prison Admissions--DWI	10	12	9

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

CALLAWAY COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	14	20	29
CSTAR Adolescent	12	10	17
CSTAR Women and Children	35	40	28
CSTAR General Adult	103	113	99
CSTAR Opioid	0	0	0
Primary Recovery Treatment	63	98	170
Clinical SATOP (CIP, YCIP, SROP)	47	42	52
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	173	181	177
- Adolescent Diversion Education Program	11	16	12
- Offender Education Program	56	49	55
- Weekend Intervention Program	41	39	32
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	15	7	9
Compulsive Gambling	0	0	0
Recovery Supports	*	*	*
Early Intervention	7	*	16

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	237	249	336	Alcohol	103	110	142
AGE				Marijuana / Hashish	49	47	85
Under 18	12	8	17	Cocaine (total)	13	8	22
18 to 24	35	50	63	- Crack	5	*	12
25 to 29	45	49	70	Stimulant (total)	46	48	38
30 to 34	37	49	48	- Methamphetamine	46	46	35
35 to 39	40	35	35	Heroin	10	13	17
40 to 44	25	18	28	Analgesic except Heroin	12	11	21
45 to 54	31	29	55	- Non-Prescription Methadone	0	0	0
55 and Over	12	11	20	PCP, LSD, other Hallucinogen	0	*	*
GENDER				Tranquilizer	*	*	*
Male	158	166	237	Inhalant	0	0	0
Female	79	83	99	Sedative	*	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	*	9	*
Caucasian	208	213	278	Average Age at First Use of Drug	17.6	17.8	17.7
African American	26	26	49	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	29	39	40
Asian / Pacific Islander	0	*	0	- Daily Injection Use	6	7	10
Hispanic	*	*	*	- Weekly Injection Use	10	10	9
Other Race / Two or More Races	*	6	7	- Less than Weekly Injection Use	13	22	21
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	81	75	99	0	129	129	168
High School Graduate or G.E.D.	111	124	157	1 or 2	72	74	102
Associate Degree or Some College	41	46	75	3 or More	36	46	66
Bachelor or Advanced Degree	*	*	5	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	51	59	68
Employed	91	95	127	School	0	*	0
Unemployed	85	100	130	Mental Health Provider	*	*	*
Not in Labor Force	61	54	79	Health Care Provider	10	8	11
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	134	142	226
Independent Living	183	203	282	Other Referral Source	38	31	23
Dependent Living	31	19	30	TREATMENT ACCOMMODATION			
Homeless	7	7	8	Pregnant when Admitted to any Episode	*	6	6
MARITAL / FAMILY STATUS				Military Veteran	14	9	15
Never Married	133	134	190	Special Education Services Needed	22	24	25
Married / Cohabiting	56	68	77	Co-Occurring Psychological Problem	101	91	105
Previously Married	48	47	69	Co-Occurring Developmental Problem	*	*	*

CALLAWAY COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 15
CENSUS 2010 44,332
2015 POPULATION ESTIMATE 44,834

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	33	39	21
Anxiety Disorder	236	290	240
Dementia	*	*	*
Developmental Disorder	14	19	13
Impulse Control Disorder	154	188	162
Mood Disorder	389	471	457
Personality Disorder	64	70	65
Psychotic Disorder	119	123	113
Sexual Disorder	18	10	*
Other Diagnosis	56	67	62
Diagnosis Unknown	58	68	60

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	627	729	682	Less than High School Diploma	203	248	196
AGE				High School Grad or G.E.D.	0	0	*
Under 6	*	10	*	Associate Degree or Some College	0	0	0
6 to 9	36	40	33	Bachelor or Advanced Degree	0	0	0
10 to 13	41	62	53	Education Level Unknown	424	481	482
14 to 17	58	60	63	EMPLOYMENT			
18 to 24	57	76	55	Employed	40	56	43
25 to 29	57	51	49	Unemployed	53	68	47
30 to 34	55	66	73	Not in Labor Force	356	429	358
35 to 39	69	81	61	Employment Status Unknown	178	176	234
40 to 44	50	50	63	HOUSING / LIVING ARRANGEMENT			
45 to 49	54	77	64	Independent Living	190	221	200
50 to 54	57	62	73	Dependent Living	194	228	195
55 to 59	38	42	44	Homeless	8	8	6
60 and Over	51	52	47	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	235	272	281
GENDER				TREATMENT REFERRAL SOURCE			
Male	327	366	333	Self / Family / Friend	305	389	374
Female	300	363	349	School	5	*	*
Gender Unknown	0	0	0	Mental Health Provider	80	80	84
RACE / ETHNICITY				Health Care Provider	59	70	74
Caucasian	551	663	617	Court / Criminal Justice	49	41	37
African American	58	46	42	Other	129	145	111
Native American / Alaskan	*	*	*	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	*	TYPE OF COMMITMENT			
Hispanic	*	*	*	Voluntary	583	695	648
Other Race	12	15	16	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	22	26	28
TREATMENT ACCOMMODATION				Sexual Predatory	21	6	*
Hearing Impaired	34	39	33	Commitment Type Unknown	0	0	0
Past or Current Military Service	21	18	19				

CALLAWAY COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	45.6	42.0	43.6	49.6	Alcohol	21.0	20.1	20.4	24.4
Chewing Tobacco	21.4	14.4	16.0	19.5	Alcohol (5+ drinks on single occasion past 2 weeks)	8.7	10.9		
Cigarettes	25.8	19.3	27.2	29.2	Chewing Tobacco	10.9	7.4	9.1	8.4
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.0	0.7	2.4	1.8	Cigarettes	11.3	8.5	14.1	13.3
Cocaine	1.2	1.3	1.9	1.7	Inhalants	0.5	0.4	3.2	2.8
Electronic Cigarettes	28.2	14.1			Marijuana	4.8	8.2	10.2	6.5
Hallucinogens	1.2	2.0	3.5	2.9	Over-the-counter medications for non-medical use	1.1	1.1	4.7	5.0
Heroin	0.0	0.4	1.1	0.8	Prescription medications not prescribed for student	10.4	3.0	6.0	7.2
Inhalants	1.8	2.6	5.1	6.7	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	13.1	18.8	19.2	15.0	Alcohol (1 or 2 drinks daily)	55.3	50.6		
Methamphetamine	0.1	0.6	1.6	1.3	Alcohol (Binge: 5+ drinks once or twice a week)	67.1	65.1		
Over-the-counter medications for non-medical use	4.2	2.2	6.2	8.7	Cigarettes (1+ packs per day)	82.2	85.7		
Prescription medications not prescribed for student	14.7	7.0	10.3	12.7	Marijuana (once or twice a week)	67.8	54.8		
Synthetic drugs (K2, bath salts, Spice, etc)	1.6	4.3	6.4		Other: Cocaine, LSD, Meth, Club Drug (any use)	90.5	91.2	93.0	94.8
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.92	13.45	12.76	12.76	Alcohol	77.3	72.4	73.0	75.2
Cigarettes	12.89	13.49	12.77	12.46	Cigarettes	91.2	90.3	87.6	91.7
Inhalants	13.25	11.77	12.22	12.27	Marijuana	91.5	90.0	92.0	95.5
Marijuana	14.19	14.08	13.87	13.94	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	57.6	53.2	53.2	53.9
Alcohol	55.3	56.4	56.5	60.4	Cigarettes	84.0	83.7	77.0	77.8
Cigarettes	37.6	39.2	44.5	48.4	Marijuana	82.7	77.8	77.0	83.8
Marijuana	31.9	40.3	38.2	32.6	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.0	96.4	94.6	95.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.3	11.0	13.3	15.9	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	53.4	66.2	58.5	60.6
Alcohol	31.2	35.0	34.5	38.6	Cigarettes	47.7	54.1	54.1	56.2
Cigarettes	9.5	12.0	16.4	18.1	Marijuana	32.6	39.6	37.8	29.9
Marijuana	8.9	14.8	15.5	11.5	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.4	14.2	15.8	15.2
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	61.2	64.1	57.2	71.7	Were grouchy, irritable, or in a bad mood	31.2	22.4	23.6	21.5
Were victims of mean rumors or lies spread at school	53.5	51.3	44.9	56.5	Had difficulty concentrating on school work	24.9	24.9	19.4	23.9
Were victims of an embarrassing or hurtful text message or something posted on the Internet	26.8	25.3	16.5	19.1	Were very sad	16.9	20.0	17.8	18.9
					Felt hopeless about the future	10.4	12.9	9.9	16.6
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	12.0	10.6	14.8	13.2	Parents involve student in making family decisions	75.3	69.2	66.7	66.7
Made plan about how they would attempt suicide	9.0	9.6	10.9	7.9	Parents notice and comment on student's good work	86.6	82.7	82.0	86.7
Attempted suicide	4.8	4.2	6.2	4.8	Teachers notice and comment on student's good work	81.9	66.1		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

CAMDEN COUNTY



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	11
Adult Psychiatric	11
POPULATION	
Census 2010	44,002
2015 Estimate	44,237

BIRTH RISK	2014	2013	2012
Resident Births	417	384	400
Mother Reported Smoking while Pregnant	97	100	120

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	1	0	0
Hepatitis B Chronic, Acute, Prenatal	2	3	6
Hepatitis C Chronic and Acute	37	39	34
Tuberculosis Infection Cases	8	14	11

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	476	458	466
Suicides	11	8	6
Homicides	1	2	0
Alcohol Induced Deaths	3	1	10
Drug Induced Deaths	5	9	9
Smoking Attributable Deaths	86	91	101
Self-inflicted Injuries	65	51	35
Assault Injuries	98	76	136

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	194	166	152
Mental Illness Secondary Diagnosis	487	449	499
Alcohol Principal Diagnosis	11	17	10
Alcohol Secondary Diagnosis	38	59	35
Drug Principal Diagnosis	10	9	8
Drug Secondary Diagnosis	28	23	26
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	89	99	123
Mental Illness Secondary Diagnosis	799	869	972
Alcohol Principal Diagnosis	54	54	59
Alcohol Secondary Diagnosis	113	126	132
Drug Principal Diagnosis	23	23	13
Drug Secondary Diagnosis	39	36	42
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	340	355	369
Mental Illness Secondary Diagnosis	1,947	1,275	991
Alcohol Principal Diagnosis	80	71	65
Alcohol Secondary Diagnosis	97	79	62
Drug Principal Diagnosis	82	65	69
Drug Secondary Diagnosis	80	50	74

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	140	146	151
Alcohol Package Carry-out Licenses	76	76	78

EMPLOYMENT	2015	2014	2013
Labor Force	19,028	18,781	20,593
Employed	17,795	17,263	18,940
Unemployed	1,233	1,518	1,653
Unemployment Rate	6.5%	8.1%	8.0%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	64	52	65
Fatal Crashes	2	4	4
Injury Crashes	31	21	36
Property Damage Crashes	27	27	25
Crash Fatalities	2	4	4
Crash Injuries	49	30	48
Drug Involved Crashes	13	12	6
Fatal Crashes	1	0	0
Injury Crashes	7	7	2
Property Damage Crashes	5	5	4
Crash Fatalities	1	0	0
Crash Injuries	11	10	2

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	235	337	359
Liquor Law Arrests	17	63	93
Drug Arrests	155	181	202
Violent Offenses	108	76	93
Property Offenses	873	819	1,057
Domestic Violence Reports	322	348	302
	2015	2014	2013
Methamphetamine Lab Seizures	4	9	6

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	1,608	1,602	1,636
Drop-outs	16	22	33
Drop-out Rate	1.0%	1.4%	2.0%
School Discipline Involving Alcohol	12	1	9
School Discipline Involving Drugs	29	18	30
School Discipline Involving Tobacco	6	1	4

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	22	19	30
Juvenile Alcohol Offenses	7	9	34
Juvenile Drug Offenses	6	15	9
School Truancy Status Offense	15	17	23
Absent from Home Status Offense	5	9	7
Beyond Parental Control Status Offense	9	5	11
Injurious Behavior Status Offense	56	30	23
Child Abuse	5	12	14
Child Neglect	73	77	104
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	45	44	46
Parental Alcohol Use Related	5	8	0
Parental Drug Use Related	13	2	13
Parental Alcohol and Drug Use	3	1	0

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	162	119	113
Probation/Parole Admissions--DWI	25	31	32
Prison Admissions--Drug	79	81	71
Prison Admissions--DWI	8	13	16

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

CAMDEN COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	15	9	7
CSTAR Adolescent	13	16	13
CSTAR Women and Children	11	10	12
CSTAR General Adult	161	151	177
CSTAR Opioid	0	0	0
Primary Recovery Treatment	10	12	10
Clinical SATOP (CIP, YCIP, SROP)	43	37	38
Other Substance Abuse Treatment	0	*	*


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	153	170	187
- Adolescent Diversion Education Program	*	*	0
- Offender Education Program	43	68	69
- Weekend Intervention Program	34	36	40
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	15	*	7
Compulsive Gambling	0	0	*
Recovery Supports	*	5	*
Early Intervention	7	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	229	221	250	Alcohol	96	87	111
AGE				Marijuana / Hashish	51	54	58
Under 18	15	18	14	Cocaine (total)	*	0	*
18 to 24	47	36	42	- Crack	*	0	*
25 to 29	32	34	45	Stimulant (total)	47	45	44
30 to 34	43	49	39	- Methamphetamine	42	43	41
35 to 39	24	27	27	Heroin	9	5	10
40 to 44	19	16	35	Analgesic except Heroin	20	22	24
45 to 54	35	33	39	- Non-Prescription Methadone	0	0	0
55 and Over	14	8	9	PCP, LSD, other Hallucinogen	0	*	0
GENDER				Tranquilizer	0	*	*
Male	144	134	161	Inhalant	0	0	0
Female	85	87	89	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	6	*
Caucasian	217	213	241	Average Age at First Use of Drug	17.1	17.5	17.5
African American	*	*	*	INJECTION DRUG USE			
Native American / Alaskan	*	*	*	Any Injection Use at Admission	31	30	40
Asian / Pacific Islander	0	0	0	- Daily Injection Use	10	*	*
Hispanic	*	*	*	- Weekly Injection Use	9	12	11
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	12	14	27
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	61	62	65	0	115	119	80
High School Graduate or G.E.D.	111	104	114	1 or 2	79	68	84
Associate Degree or Some College	52	53	66	3 or More	35	34	86
Bachelor or Advanced Degree	5	*	5	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	61	73	74
Employed	75	66	91	School	*	0	*
Unemployed	82	94	73	Mental Health Provider	*	*	*
Not in Labor Force	72	61	86	Health Care Provider	5	5	12
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	72	82	125
Independent Living	174	169	206	Other Referral Source	87	54	32
Dependent Living	26	28	24	TREATMENT ACCOMMODATION			
Homeless	6	6	8	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	8	6	9
Never Married	128	114	126	Special Education Services Needed	*	*	19
Married / Cohabiting	56	59	66	Co-Occurring Psychological Problem	130	103	65
Previously Married	45	48	58	Co-Occurring Developmental Problem	*	7	13

CAMDEN COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 11
CENSUS 2010 44,002
2015 POPULATION ESTIMATE 44,237

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	37	20	16
Anxiety Disorder	307	243	197
Dementia	0	0	0
Developmental Disorder	*	5	*
Impulse Control Disorder	73	51	36
Mood Disorder	350	283	252
Personality Disorder	30	17	12
Psychotic Disorder	35	27	29
Sexual Disorder	*	0	0
Other Diagnosis	32	27	24
Diagnosis Unknown	22	22	10

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	481	401	331	Less than High School Diploma	179	133	124
AGE				High School Grad or G.E.D.	0	0	*
Under 6	12	11	*	Associate Degree or Some College	0	0	*
6 to 9	35	32	23	Bachelor or Advanced Degree	0	0	*
10 to 13	47	35	27	Education Level Unknown	302	268	203
14 to 17	45	34	36	EMPLOYMENT			
18 to 24	30	29	26	Employed	29	12	16
25 to 29	36	26	23	Unemployed	46	20	30
30 to 34	41	34	28	Not in Labor Force	259	185	208
35 to 39	36	35	23	Employment Status Unknown	147	184	77
40 to 44	42	42	33	HOUSING / LIVING ARRANGEMENT			
45 to 49	47	40	38	Independent Living	203	104	162
50 to 54	53	39	37	Dependent Living	135	117	97
55 to 59	33	27	13	Homeless	10	5	*
60 and Over	24	17	20	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	133	175	69
GENDER				TREATMENT REFERRAL SOURCE			
Male	196	167	139	Self / Family / Friend	341	271	202
Female	285	234	192	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	13	15	21
RACE / ETHNICITY				Health Care Provider	59	43	43
Caucasian	463	385	316	Court / Criminal Justice	17	24	23
African American	*	*	*	Other	47	46	40
Native American / Alaskan	*	*	*	Referral Source Unknown	0	0	0
Asian / Pacific Islander	*	0	0	TYPE OF COMMITMENT			
Hispanic	6	6	6	Voluntary	477	398	330
Other Race	8	6	*	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	19	14	13	Commitment Type Unknown	0	0	0
Past or Current Military Service	15	12	10				

CAMDEN COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	47.5	43.1	40.0	46.3	Alcohol	28.9	13.9	17.7	22.3
Chewing Tobacco	34.1	10.2	12.9	15.4	Alcohol (5+ drinks on single occasion past 2 weeks)	16.2	2.2		
Cigarettes	36.5	34.2	26.6	32.4	Chewing Tobacco	14.7	5.6	6.7	8.3
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	5.9	2.4	2.2	4.3	Cigarettes	15.8	14.6	12.6	17.6
Cocaine	1.7	1.0	1.5	3.3	Inhalants	1.3	1.2	2.5	5.8
Electronic Cigarettes	44.0	23.4			Marijuana	7.6	4.5	8.6	11.5
Hallucinogens	7.4	1.2	3.4	6.3	Over-the-counter medications for non-medical use	3.1	0.0	3.5	6.8
Heroin	0.0	0.0	0.5	1.2	Prescription medications not prescribed for student	11.4	2.2	4.4	10.5
Inhalants	3.3	1.2	5.4	10.7	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	20.6	19.4	17.5	22.6	Alcohol (1 or 2 drinks daily)	56.2	52.8		
Methamphetamine	1.3	0.0	1.2	2.9	Alcohol (Binge: 5+ drinks once or twice a week)	67.9	65.8		
Over-the-counter medications for non-medical use	6.3	0.0	6.4	9.6	Cigarettes (1+ packs per day)	72.4	88.8		
Prescription medications not prescribed for student	21.2	10.2	9.1	14.3	Marijuana (once or twice a week)	49.4	54.7		
Synthetic drugs (K2, bath salts, Spice, etc)	3.3	5.4	9.7		Other: Cocaine, LSD, Meth, Club Drug (any use)	93.8	90.3	92.6	94.0
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	11.87	13.05	12.43	11.92	Alcohol	80.8	81.1	80.4	78.7
Cigarettes	11.92	12.84	12.09	11.59	Cigarettes	87.8	91.1	88.5	89.8
Inhalants	14.91	12.00	12.24	11.96	Marijuana	83.8	95.0	91.8	93.9
Marijuana	13.51	13.82	13.42	13.01	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	59.4	65.8	63.1	55.3
Alcohol	68.3	41.3	50.3	59.7	Cigarettes	72.2	79.8	80.1	75.1
Cigarettes	64.5	42.8	43.6	51.2	Marijuana	69.6	75.7	79.5	76.2
Marijuana	59.4	29.0	36.3	39.4	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	94.5	95.6	94.4	93.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	20.6	6.9	16.4	23.5	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	61.7	46.9	53.0	56.2
Alcohol	47.5	26.5	29.6	38.0	Cigarettes	58.4	56.4	51.9	57.7
Cigarettes	21.9	15.3	14.8	20.2	Marijuana	50.8	36.3	34.8	38.0
Marijuana	27.8	10.7	14.0	19.2	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	19.1	12.9	17.9	16.6
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	68.7	46.0	60.1	67.4	Were grouchy, irritable, or in a bad mood	52.7	27.3	24.9	21.6
Were victims of mean rumors or lies spread at school	55.6	43.5	50.9	53.5	Had difficulty concentrating on school work	32.0	24.0	22.3	26.2
Were victims of an embarrassing or hurtful text message or something posted on the Internet	29.1	20.4	20.6	21.2	Were very sad	31.3	20.2	20.4	18.4
					Felt hopeless about the future	20.7	11.3	11.1	15.0
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	23.4	10.1	11.3	12.7	Parents involve student in making family decisions	57.3	70.0	69.5	71.0
Made plan about how they would attempt suicide	13.1	5.6	8.6	8.7	Parents notice and comment on student's good work	80.1	85.2	83.2	86.1
Attempted suicide	10.1	3.2	5.4	5.6	Teachers notice and comment on student's good work	78.1	73.5		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

CAPE GIRARDEAU COUNTY



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	21
Adult Psychiatric	21
POPULATION	
Census 2010	75,674
2015 Estimate	78,572

BIRTH RISK	2014	2013	2012
Resident Births	909	942	919
Mother Reported Smoking while Pregnant	164	192	194

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	4	3	3
Hepatitis B Chronic, Acute, Prenatal	6	8	8
Hepatitis C Chronic and Acute	66	57	48
Tuberculosis Infection Cases	55	31	31

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	751	732	719
Suicides	18	10	12
Homicides	4	6	1
Alcohol Induced Deaths	4	5	3
Drug Induced Deaths	9	10	8
Smoking Attributable Deaths	124	135	123
Self-inflicted Injuries	69	68	91
Assault Injuries	235	270	308

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	637	662	676
Mental Illness Secondary Diagnosis	742	1,374	1,065
Alcohol Principal Diagnosis	34	38	72
Alcohol Secondary Diagnosis	53	118	97
Drug Principal Diagnosis	35	34	43
Drug Secondary Diagnosis	58	79	100
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	97	82	75
Mental Illness Secondary Diagnosis	1,351	707	889
Alcohol Principal Diagnosis	53	37	35
Alcohol Secondary Diagnosis	112	89	99
Drug Principal Diagnosis	26	18	11
Drug Secondary Diagnosis	81	50	56
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	856	824	714
Mental Illness Secondary Diagnosis	2,253	1,735	3,414
Alcohol Principal Diagnosis	166	129	144
Alcohol Secondary Diagnosis	136	131	135
Drug Principal Diagnosis	124	95	84
Drug Secondary Diagnosis	216	146	147

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	113	118	120
Alcohol Package Carry-out Licenses	70	68	65

EMPLOYMENT	2015	2014	2013
Labor Force	41,110	40,781	39,075
Employed	39,340	38,556	36,773
Unemployed	1,770	2,225	2,302
Unemployment Rate	4.3%	5.5%	5.9%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	58	57	53
Fatal Crashes	1	0	2
Injury Crashes	23	19	19
Property Damage Crashes	38	38	32
Crash Fatalities	1	0	2
Crash Injuries	38	27	30
Drug Involved Crashes	18	14	16
Fatal Crashes	1	1	1
Injury Crashes	5	7	6
Property Damage Crashes	12	6	9
Crash Fatalities	2	1	1
Crash Injuries	9	12	6

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	395	474	572
Liquor Law Arrests	109	109	174
Drug Arrests	327	347	293
Violent Offenses	268	298	280
Property Offenses	2,367	2,569	3,351
Domestic Violence Reports	501	482	505
	2015	2014	2013
Methamphetamine Lab Seizures	2	4	15

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	2,721	2,805	2,781
Drop-outs	63	58	82
Drop-out Rate	2.3%	2.1%	2.9%
School Discipline Involving Alcohol	4	2	2
School Discipline Involving Drugs	30	23	28
School Discipline Involving Tobacco	2	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	76	76	101
Juvenile Alcohol Offenses	7	6	13
Juvenile Drug Offenses	27	26	41
School Truancy Status Offense	89	92	107
Absent from Home Status Offense	52	72	64
Beyond Parental Control Status Offense	28	16	29
Injurious Behavior Status Offense	256	163	100
Child Abuse	67	58	36
Child Neglect	336	258	122
Child Custody Issues	0	67	15

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	117	72	80
Parental Alcohol Use Related	4	4	2
Parental Drug Use Related	59	29	40
Parental Alcohol and Drug Use	7	2	2

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	65	65	80
Probation/Parole Admissions--Drug	195	187	170
Probation/Parole Admissions--DWI	42	32	54
Prison Admissions--Drug	79	93	79
Prison Admissions--DWI	13	25	26

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

CAPE GIRARDEAU COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	106	132	109
CSTAR Adolescent	31	29	43
CSTAR Women and Children	122	90	93
CSTAR General Adult	275	249	223
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	6	75
Clinical SATOP (CIP, YCIP, SROP)	58	77	51
Other Substance Abuse Treatment	*	*	*


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	307	369	363
- Adolescent Diversion Education Program	*	0	0
- Offender Education Program	145	166	184
- Weekend Intervention Program	71	93	95
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	6	5	7
Compulsive Gambling	*	*	*
Recovery Supports	59	235	208
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	481	547	532	Alcohol	194	211	206
AGE				Marijuana / Hashish	121	162	156
Under 18	34	30	44	Cocaine (total)	24	38	41
18 to 24	70	112	97	- Crack	13	16	22
25 to 29	72	97	88	Stimulant (total)	78	67	69
30 to 34	89	86	79	- Methamphetamine	75	63	65
35 to 39	55	67	76	Heroin	15	18	13
40 to 44	45	46	56	Analgesic except Heroin	40	40	38
45 to 54	82	81	74	- Non-Prescription Methadone	0	0	0
55 and Over	34	28	18	PCP, LSD, other Hallucinogen	0	*	*
GENDER				Tranquilizer	8	9	5
Male	277	385	364	Inhalant	*	0	*
Female	204	162	168	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	*
Caucasian	371	401	402	Average Age at First Use of Drug	18.3	17.7	17.9
African American	83	117	112	INJECTION DRUG USE			
Native American / Alaskan	0	*	*	Any Injection Use at Admission	62	64	57
Asian / Pacific Islander	*	0	*	- Daily Injection Use	12	21	7
Hispanic	12	14	7	- Weekly Injection Use	19	19	15
Other Race / Two or More Races	17	14	11	- Less than Weekly Injection Use	31	24	35
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	137	167	165	0	255	292	281
High School Graduate or G.E.D.	220	249	243	1 or 2	136	165	153
Associate Degree or Some College	121	126	120	3 or More	90	90	98
Bachelor or Advanced Degree	*	5	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	125	145	149
Employed	153	176	149	School	*	*	*
Unemployed	154	200	206	Mental Health Provider	*	*	7
Not in Labor Force	174	171	177	Health Care Provider	40	27	34
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	199	284	261
Independent Living	388	444	418	Other Referral Source	98	63	56
Dependent Living	56	59	90	TREATMENT ACCOMMODATION			
Homeless	27	38	18	Pregnant when Admitted to any Episode	6	*	8
MARITAL / FAMILY STATUS				Military Veteran	17	24	16
Never Married	261	304	288	Special Education Services Needed	39	44	62
Married / Cohabiting	112	141	131	Co-Occurring Psychological Problem	269	230	205
Previously Married	108	102	113	Co-Occurring Developmental Problem	8	8	13

CAPE GIRARDEAU COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 21
CENSUS 2010 75,674
2015 POPULATION ESTIMATE 78,572

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	151	204	211
Anxiety Disorder	326	310	272
Dementia	*	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	231	229	191
Mood Disorder	1,117	1,185	972
Personality Disorder	28	21	24
Psychotic Disorder	201	205	190
Sexual Disorder	*	0	0
Other Diagnosis	73	54	47
Diagnosis Unknown	117	152	209

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	1,889	2,085	1,881	Less than High School Diploma	206	203	215
AGE				High School Grad or G.E.D.	0	0	*
Under 6	*	0	*	Associate Degree or Some College	0	0	0
6 to 9	53	74	67	Bachelor or Advanced Degree	0	0	0
10 to 13	121	119	91	Education Level Unknown	1,683	1,882	1,665
14 to 17	139	121	96	EMPLOYMENT			
18 to 24	185	226	198	Employed	21	19	20
25 to 29	169	201	214	Unemployed	19	27	21
30 to 34	187	243	211	Not in Labor Force	477	436	404
35 to 39	189	197	177	Employment Status Unknown	1,372	1,603	1,436
40 to 44	162	195	178	HOUSING / LIVING ARRANGEMENT			
45 to 49	184	181	177	Independent Living	270	258	246
50 to 54	171	195	183	Dependent Living	257	232	202
55 to 59	151	157	145	Homeless	*	11	8
60 and Over	174	176	141	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	1,358	1,584	1,425
GENDER				TREATMENT REFERRAL SOURCE			
Male	803	905	811	Self / Family / Friend	1,294	1,307	1,198
Female	1,086	1,180	1,070	School	42	36	13
Gender Unknown	0	0	0	Mental Health Provider	110	175	158
RACE / ETHNICITY				Health Care Provider	184	230	214
Caucasian	1,483	1,677	1,508	Court / Criminal Justice	54	53	57
African American	228	218	203	Other	196	274	232
Native American / Alaskan	0	0	*	Referral Source Unknown	9	10	9
Asian / Pacific Islander	*	*	*	TYPE OF COMMITMENT			
Hispanic	93	121	111	Voluntary	1,870	2,064	1,858
Other Race	83	66	55	Civil	0	0	*
Race/Ethnicity Unknown	0	0	0	Criminal	11	11	12
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	*
Hearing Impaired	72	79	82	Commitment Type Unknown	8	10	9
Past or Current Military Service	56	46	40				

CAPE GIRARDEAU COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	37.8	40.3	39.2	44.9	Alcohol	13.1	14.0	15.0	20.3
Chewing Tobacco	15.7	19.2	11.3	13.4	Alcohol (5+ drinks on single occasion past 2 weeks)	3.7	8.4		
Cigarettes	23.3	26.3	24.2	27.6	Chewing Tobacco	4.7	13.1	5.6	7.5
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.3	1.0	1.6	2.1	Cigarettes	6.6	15.2	12.2	14.3
Cocaine	1.7	1.5	1.3	0.8	Inhalants	1.5	1.8	1.3	2.5
Electronic Cigarettes	23.4	12.6			Marijuana	6.6	2.4	4.8	10.2
Hallucinogens	4.1	0.8	3.0	3.8	Over-the-counter medications for non-medical use	2.1	2.4	3.1	5.2
Heroin	0.9	0.0	0.6	0.7	Prescription medications not prescribed for student	7.7	4.8	2.7	4.9
Inhalants	2.7	5.3	3.8	6.6	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	9.5	9.0	12.2	18.7	Alcohol (1 or 2 drinks daily)	60.9	53.9		
Methamphetamine	0.9	0.0	1.4	0.8	Alcohol (Binge: 5+ drinks once or twice a week)	71.2	65.9		
Over-the-counter medications for non-medical use	5.1	4.5	5.7	7.5	Cigarettes (1+ packs per day)	78.2	82.0		
Prescription medications not prescribed for student	10.8	7.5	6.6	11.2	Marijuana (once or twice a week)	72.2	76.5		
Synthetic drugs (K2, bath salts, Spice, etc)	0.6	3.3	6.4		Other: Cocaine, LSD, Meth, Club Drug (any use)	93.3	91.5	93.2	94.9
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.06	12.59	12.71	13.03	Alcohol	77.9	72.5	78.8	77.8
Cigarettes	13.03	12.49	12.95	12.53	Cigarettes	87.5	92.0	92.1	89.7
Inhalants	10.78	13.11	12.25	12.60	Marijuana	91.2	93.2	94.6	94.1
Marijuana	13.07	13.86	13.75	13.71	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	66.6	59.8	62.1	61.1
Alcohol	50.5	53.6	52.1	62.0	Cigarettes	77.8	78.1	82.0	78.3
Cigarettes	35.0	41.0	42.7	49.9	Marijuana	87.3	88.6	86.6	80.1
Marijuana	29.7	18.5	32.8	41.8	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.6	97.6	95.8	95.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.3	6.5	15.5	19.2	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	51.0	55.3	57.6	61.1
Alcohol	28.0	27.6	26.3	32.4	Cigarettes	50.0	50.7	53.8	58.5
Cigarettes	12.4	18.0	14.2	15.7	Marijuana	33.1	22.7	35.7	39.3
Marijuana	10.7	6.7	8.6	15.1	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	16.1	11.5	19.5	19.4
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	75.8	64.6	62.2	68.2	Were grouchy, irritable, or in a bad mood	31.3	27.1	22.6	22.1
Were victims of mean rumors or lies spread at school	66.4	59.2	49.2	50.8	Had difficulty concentrating on school work	29.6	27.6	22.4	25.1
Were victims of an embarrassing or hurtful text message or something posted on the Internet	28.6	28.8	20.6	22.4	Were very sad	17.0	22.2	17.5	20.3
					Felt hopeless about the future	11.1	10.7	11.9	14.1
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	13.5	9.7	9.9	12.1	Parents involve student in making family decisions	73.1	77.3	70.0	69.9
Made plan about how they would attempt suicide	10.4	6.9	7.7	8.5	Parents notice and comment on student's good work	86.3	83.7	83.1	83.9
Attempted suicide	6.3	2.9	4.8	5.0	Teachers notice and comment on student's good work	80.8	74.9		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

CARROLL COUNTY



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	12
Adult Psychiatric	12
POPULATION	
Census 2010	9,295
2015 Estimate	8,992

BIRTH RISK	2014	2013	2012
Resident Births	96	123	107
Mother Reported Smoking while Pregnant	24	31	27

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	1	0	0
Hepatitis B Chronic, Acute, Prenatal	2	0	0
Hepatitis C Chronic and Acute	0	4	7
Tuberculosis Infection Cases	0	1	1

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	114	129	134
Suicides	4	1	0
Homicides	0	0	0
Alcohol Induced Deaths	1	0	2
Drug Induced Deaths	1	0	3
Smoking Attributable Deaths	18	22	30
Self-inflicted Injuries	11	13	11
Assault Injuries	29	22	25

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	62	70	53
Mental Illness Secondary Diagnosis	177	190	186
Alcohol Principal Diagnosis	2	2	4
Alcohol Secondary Diagnosis	12	11	16
Drug Principal Diagnosis	0	2	3
Drug Secondary Diagnosis	4	12	18
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	13	12	19
Mental Illness Secondary Diagnosis	78	87	89
Alcohol Principal Diagnosis	0	1	7
Alcohol Secondary Diagnosis	10	8	13
Drug Principal Diagnosis	3	5	3
Drug Secondary Diagnosis	7	4	6
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	94	92	65
Mental Illness Secondary Diagnosis	105	135	122
Alcohol Principal Diagnosis	8	10	8
Alcohol Secondary Diagnosis	15	25	17
Drug Principal Diagnosis	7	9	8
Drug Secondary Diagnosis	14	12	17

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	11	10	11
Alcohol Package Carry-out Licenses	12	12	11

EMPLOYMENT	2015	2014	2013
Labor Force	4,889	4,756	4,886
Employed	4,599	4,417	4,568
Unemployed	290	339	318
Unemployment Rate	5.9%	7.1%	6.5%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	14	11	14
Fatal Crashes	0	0	0
Injury Crashes	5	9	5
Property Damage Crashes	2	2	9
Crash Fatalities	0	0	0
Crash Injuries	6	9	9
Drug Involved Crashes	1	1	2
Fatal Crashes	0	0	0
Injury Crashes	1	1	1
Property Damage Crashes	0	0	1
Crash Fatalities	0	0	0
Crash Injuries	1	1	1

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	35	38	26
Liquor Law Arrests	8	21	2
Drug Arrests	21	20	6
Violent Offenses	19	13	13
Property Offenses	122	142	141
Domestic Violence Reports	31	27	50

	2015	2014	2013
Methamphetamine Lab Seizures	0	1	0

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	496	480	474
Drop-outs	2	4	4
Drop-out Rate	0.4%	0.8%	0.8%
School Discipline Involving Alcohol	2	0	0
School Discipline Involving Drugs	0	2	0
School Discipline Involving Tobacco	1	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	10	10	10
Juvenile Alcohol Offenses	3	12	1
Juvenile Drug Offenses	1	0	1
School Truancy Status Offense	15	15	16
Absent from Home Status Offense	2	2	7
Beyond Parental Control Status Offense	0	4	5
Injurious Behavior Status Offense	16	8	11
Child Abuse	5	5	1
Child Neglect	9	0	3
Child Custody Issues	0	0	2

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	4	2	2
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	1	1	0
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	19	18	12
Probation/Parole Admissions--DWI	2	5	3
Prison Admissions--Drug	13	11	13
Prison Admissions--DWI	2	1	0

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

CARROLL COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	*	*	*
CSTAR Adolescent	*	*	*
CSTAR Women and Children	*	*	*
CSTAR General Adult	21	24	18
CSTAR Opioid	0	0	0
Primary Recovery Treatment	20	14	23
Clinical SATOP (CIP, YCIP, SROP)	7	6	7
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	39	29	22
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	16	14	10
- Weekend Intervention Program	6	5	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	*
Compulsive Gambling	0	0	0
Recovery Supports	0	6	0
Early Intervention	0	0	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	49	42	48	Alcohol	20	12	16
AGE				Marijuana / Hashish	11	6	6
Under 18	*	0	*	Cocaine (total)	*	0	0
18 to 24	10	6	5	- Crack	0	0	0
25 to 29	6	10	12	Stimulant (total)	16	21	19
30 to 34	13	8	8	- Methamphetamine	13	21	17
35 to 39	*	6	7	Heroin	0	0	0
40 to 44	5	7	7	Analgesic except Heroin	*	*	6
45 to 54	6	*	6	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	*	0
Male	29	24	35	Inhalant	0	0	0
Female	20	18	13	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	*
Caucasian	46	38	46	Average Age at First Use of Drug	17.4	19.5	19.7
African American	*	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	8	6	13
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	0	*
Hispanic	0	0	0	- Weekly Injection Use	*	*	5
Other Race / Two or More Races	0	0	0	- Less than Weekly Injection Use	7	*	7
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	15	14	12	0	28	19	19
High School Graduate or G.E.D.	31	18	27	1 or 2	12	18	21
Associate Degree or Some College	*	9	8	3 or More	9	5	8
Bachelor or Advanced Degree	*	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	9	5	11
Employed	15	11	12	School	0	0	0
Unemployed	15	21	23	Mental Health Provider	0	*	0
Not in Labor Force	19	10	13	Health Care Provider	*	*	0
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	26	26	34
Independent Living	43	38	46	Other Referral Source	12	9	*
Dependent Living	*	*	*	TREATMENT ACCOMMODATION			
Homeless	0	*	0	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	0	*	*
Never Married	28	21	20	Special Education Services Needed	*	*	*
Married / Cohabiting	13	11	19	Co-Occurring Psychological Problem	15	12	14
Previously Married	8	10	9	Co-Occurring Developmental Problem	0	0	*

CARROLL COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 12
CENSUS 2010 9,295
2015 POPULATION ESTIMATE 8,992

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	14	11	7
Anxiety Disorder	77	73	65
Dementia	5	*	*
Developmental Disorder	*	5	*
Impulse Control Disorder	31	27	21
Mood Disorder	92	92	98
Personality Disorder	13	23	24
Psychotic Disorder	16	12	10
Sexual Disorder	0	0	0
Other Diagnosis	15	8	6
Diagnosis Unknown	7	*	6

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	138	124	128	Less than High School Diploma	55	50	41
AGE				High School Grad or G.E.D.	0	0	*
Under 6	*	0	0	Associate Degree or Some College	0	0	0
6 to 9	10	11	6	Bachelor or Advanced Degree	0	0	0
10 to 13	14	11	10	Education Level Unknown	83	74	86
14 to 17	13	7	8	EMPLOYMENT			
18 to 24	9	5	*	Employed	8	9	11
25 to 29	11	8	13	Unemployed	*	9	6
30 to 34	10	10	13	Not in Labor Force	111	95	95
35 to 39	6	15	14	Employment Status Unknown	17	11	16
40 to 44	15	9	7	HOUSING / LIVING ARRANGEMENT			
45 to 49	7	12	14	Independent Living	74	75	81
50 to 54	12	9	10	Dependent Living	46	37	30
55 to 59	13	11	13	Homeless	*	*	0
60 and Over	17	16	16	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	17	11	17
GENDER				TREATMENT REFERRAL SOURCE			
Male	58	48	47	Self / Family / Friend	82	80	83
Female	80	76	81	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	10	11	9
RACE / ETHNICITY				Health Care Provider	28	21	19
Caucasian	135	118	118	Court / Criminal Justice	6	5	9
African American	*	*	5	Other	10	5	5
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	*	*	Voluntary	138	124	127
Other Race	0	*	*	Civil	0	0	*
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	0	0	0
Past or Current Military Service	*	*	*				

CARROLL COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	43.9	40.5	49.0	49.3	Alcohol	20.9	21.8	24.0	29.1
Chewing Tobacco	14.5	19.8	16.9	21.8	Alcohol (5+ drinks on single occasion past 2 weeks)	8.8	10.0		
Cigarettes	23.3	21.8	31.2	30.8	Chewing Tobacco	7.5	9.0	10.4	12.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	0.9	0.7	0.9	Cigarettes	9.4	6.4	14.9	15.4
Cocaine	0.6	0.0	0.0	0.9	Inhalants	0.0	1.8	0.6	2.3
Electronic Cigarettes	14.5	14.4			Marijuana	1.9	0.9	5.2	6.0
Hallucinogens	0.6	1.8	1.9	1.4	Over-the-counter medications for non-medical use	0.6	1.8	1.3	4.2
Heroin	0.0	0.0	0.6	0.0	Prescription medications not prescribed for student	7.5	3.6	1.9	6.0
Inhalants	0.6	1.8	3.2	6.5					
Marijuana	11.3	3.6	7.7	12.1	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.6	0.0	0.7	0.9	Alcohol (1 or 2 drinks daily)	58.5	56.0		
Over-the-counter medications for non-medical use	2.5	1.8	2.6	6.5	Alcohol (Binge: 5+ drinks once or twice a week)	67.9	65.8		
Prescription medications not prescribed for student	13.3	7.2	5.2	9.8	Cigarettes (1+ packs per day)	79.2	83.6		
Synthetic drugs (K2, bath salts, Spice, etc)	1.3	2.7	3.2		Marijuana (once or twice a week)	74.7	73.9		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	91.8	89.3	89.5	91.1
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.00	12.25	12.15	11.98	Alcohol	75.3	77.3	69.9	71.8
Cigarettes	13.18	13.08	11.89	11.85	Cigarettes	91.1	91.8	89.5	88.4
Inhalants		11.35	11.42	11.79	Marijuana	95.6	94.6	96.7	94.4
Marijuana	15.14	13.62	13.58	13.48					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	46.8	50.9	61.7	69.0	Alcohol	60.4	62.5	47.1	51.9
Cigarettes	34.0	43.2	46.8	54.4	Cigarettes	84.3	85.7	76.6	76.7
Marijuana	24.5	19.4	26.6	27.3	Marijuana	86.8	91.0	89.0	87.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	6.9	5.5	8.4	11.7	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.5	97.3	96.7	95.8
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	31.6	32.4	45.5	42.1	Alcohol	51.3	51.4	61.7	62.0
Cigarettes	11.4	8.1	18.2	16.7	Cigarettes	44.7	49.1	48.1	53.5
Marijuana	8.2	5.4	6.5	7.4	Marijuana	25.6	29.1	28.8	24.9
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	8.9	15.6	13.0	12.6
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	62.3	60.4	68.8	67.3	Were grouchy, irritable, or in a bad mood	25.2	25.2	24.7	25.1
Were victims of mean rumors or lies spread at school	52.8	56.8	56.6	54.6	Had difficulty concentrating on school work	23.1	20.7	22.7	24.1
Were victims of an embarrassing or hurtful text message or something posted on the Internet	27.5	26.8	24.7	18.5	Were very sad	15.7	15.3	17.5	23.5
					Felt hopeless about the future	6.9	8.2	9.7	14.8
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	9.5	10.8	11.7	10.1	Parents involve student in making family decisions	71.5	74.8	66.9	67.1
Made plan about how they would attempt suicide	6.9	4.5	7.8	8.3	Parents notice and comment on student's good work	84.2	85.6	78.6	81.1
Attempted suicide	5.0	6.3	7.1	4.7	Teachers notice and comment on student's good work	78.8	68.5		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

CARTER COUNTY



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	19
Adult Psychiatric	19
POPULATION	
Census 2010	6,265
2015 Estimate	6,263

BIRTH RISK	2014	2013	2012
Resident Births	73	93	81
Mother Reported Smoking while Pregnant	21	23	30

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	0
Hepatitis C Chronic and Acute	5	6	9
Tuberculosis Infection Cases	0	0	0

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	65	58	65
Suicides	0	1	2
Homicides	0	0	0
Alcohol Induced Deaths	1	0	0
Drug Induced Deaths	0	1	1
Smoking Attributable Deaths	11	9	11
Self-inflicted Injuries	5	10	13
Assault Injuries	16	22	14

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	47	60	57
Mental Illness Secondary Diagnosis	120	121	95
Alcohol Principal Diagnosis	1	2	1
Alcohol Secondary Diagnosis	4	7	9
Drug Principal Diagnosis	2	2	1
Drug Secondary Diagnosis	10	1	3
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	15	16	16
Mental Illness Secondary Diagnosis	110	127	86
Alcohol Principal Diagnosis	1	0	4
Alcohol Secondary Diagnosis	5	3	8
Drug Principal Diagnosis	3	2	0
Drug Secondary Diagnosis	3	3	3
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	54	93	65
Mental Illness Secondary Diagnosis	79	151	64
Alcohol Principal Diagnosis	11	8	2
Alcohol Secondary Diagnosis	4	12	5
Drug Principal Diagnosis	6	8	10
Drug Secondary Diagnosis	10	11	10

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	10	10	8
Alcohol Package Carry-out Licenses	12	12	13

EMPLOYMENT	2015	2014	2013
Labor Force	2,530	2,537	3,015
Employed	2,341	2,312	2,789
Unemployed	189	225	226
Unemployment Rate	7.5%	8.9%	7.5%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	4	7	8
Fatal Crashes	0	2	0
Injury Crashes	2	3	5
Property Damage Crashes	2	2	3
Crash Fatalities	0	3	0
Crash Injuries	5	5	6
Drug Involved Crashes	2	1	3
Fatal Crashes	0	0	0
Injury Crashes	1	1	2
Property Damage Crashes	1	0	1
Crash Fatalities	0	0	0
Crash Injuries	1	1	2

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	41	44	39
Liquor Law Arrests	3	21	48
Drug Arrests	88	92	100
Violent Offenses	17	8	7
Property Offenses	81	71	44
Domestic Violence Reports	32	20	11

	2015	2014	2013
Methamphetamine Lab Seizures	0	2	2

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	367	370	356
Drop-outs	1	0	1
Drop-out Rate	0.3%	0.0%	0.3%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	2	0	0
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	3	4	2
Juvenile Alcohol Offenses	0	0	0
Juvenile Drug Offenses	2	1	1
School Truancy Status Offense	3	0	1
Absent from Home Status Offense	2	3	1
Beyond Parental Control Status Offense	9	10	6
Injurious Behavior Status Offense	4	2	5
Child Abuse	2	0	0
Child Neglect	0	3	1
Child Custody Issues	3	6	0

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	4	2	0
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	1	0	0
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	3	8	5
Probation/Parole Admissions--DWI	0	1	1
Prison Admissions--Drug	3	1	4
Prison Admissions--DWI	0	1	0

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

CARTER COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	*	5	5
CSTAR Adolescent	*	*	*
CSTAR Women and Children	*	*	*
CSTAR General Adult	42	35	34
CSTAR Opioid	0	0	0
Primary Recovery Treatment	6	*	17
Clinical SATOP (CIP, YCIP, SROP)	6	6	*
Other Substance Abuse Treatment	0	*	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	23	16	8
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	9	*	*
- Weekend Intervention Program	*	*	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	0
Compulsive Gambling	0	0	0
Recovery Supports	*	13	13
Early Intervention	0	0	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	57	46	46	Alcohol	20	17	14
AGE				Marijuana / Hashish	19	12	14
Under 18	*	*	*	Cocaine (total)	0	*	0
18 to 24	11	8	6	- Crack	0	*	0
25 to 29	9	7	7	Stimulant (total)	14	6	10
30 to 34	7	10	12	- Methamphetamine	12	6	10
35 to 39	7	7	6	Heroin	0	*	*
40 to 44	6	*	*	Analgesic except Heroin	*	5	*
45 to 54	11	6	7	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	*	*
Male	41	28	27	Inhalant	0	0	0
Female	16	18	19	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	*	0
Caucasian	55	44	44	Average Age at First Use of Drug	18.1	18.2	17.5
African American	0	0	*	INJECTION DRUG USE			
Native American / Alaskan	0	*	*	Any Injection Use at Admission	*	6	6
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	*	*
Hispanic	0	0	0	- Weekly Injection Use	0	*	0
Other Race / Two or More Races	*	*	0	- Less than Weekly Injection Use	*	*	5
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	19	18	26	0	29	20	26
High School Graduate or G.E.D.	34	17	15	1 or 2	15	18	15
Associate Degree or Some College	*	11	5	3 or More	13	8	5
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	5	14	9
Employed	20	14	20	School	0	0	0
Unemployed	17	24	16	Mental Health Provider	*	*	0
Not in Labor Force	20	8	10	Health Care Provider	*	*	5
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	37	22	25
Independent Living	49	44	43	Other Referral Source	10	*	5
Dependent Living	5	*	*	TREATMENT ACCOMMODATION			
Homeless	*	0	*	Pregnant when Admitted to any Episode	0	*	*
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	24	14	18	Special Education Services Needed	8	6	10
Married / Cohabiting	18	20	16	Co-Occurring Psychological Problem	20	23	25
Previously Married	15	12	12	Co-Occurring Developmental Problem	*	6	*

CARTER COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 19
CENSUS 2010 6,265
2015 POPULATION ESTIMATE 6,263

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	0	*	*
Anxiety Disorder	13	16	16
Dementia	0	0	0
Developmental Disorder	0	0	0
Impulse Control Disorder	0	0	*
Mood Disorder	57	41	39
Personality Disorder	0	0	*
Psychotic Disorder	13	15	9
Sexual Disorder	0	0	0
Other Diagnosis	*	*	0
Diagnosis Unknown	*	5	*

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	79	70	66	Less than High School Diploma	31	23	26
AGE				High School Grad or G.E.D.	0	0	0
Under 6	0	*	0	Associate Degree or Some College	0	0	0
6 to 9	*	*	*	Bachelor or Advanced Degree	0	0	0
10 to 13	*	*	*	Education Level Unknown	48	47	40
14 to 17	5	*	7	EMPLOYMENT			
18 to 24	*	5	5	Employed	5	*	*
25 to 29	5	*	5	Unemployed	*	*	0
30 to 34	6	5	*	Not in Labor Force	60	45	40
35 to 39	9	14	11	Employment Status Unknown	12	20	25
40 to 44	8	7	*	HOUSING / LIVING ARRANGEMENT			
45 to 49	10	8	*	Independent Living	54	43	32
50 to 54	10	9	10	Dependent Living	9	5	7
55 to 59	8	*	*	Homeless	*	*	0
60 and Over	11	11	13	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	14	21	27
GENDER				TREATMENT REFERRAL SOURCE			
Male	25	24	26	Self / Family / Friend	34	24	26
Female	54	46	40	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	8	9	9
RACE / ETHNICITY				Health Care Provider	23	25	22
Caucasian	77	69	65	Court / Criminal Justice	7	*	*
African American	*	0	*	Other	7	8	5
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	0	0	0	Voluntary	75	68	64
Other Race	*	*	0	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	0	0	0
Past or Current Military Service	*	*	*				

CARTER COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	41.8		44.7	55.1	Alcohol	16.7		18.8	23.6
Chewing Tobacco	11.8		17.5	23.8	Alcohol (5+ drinks on single occasion past 2 weeks)	8.6			
Cigarettes	16.3		32.0	46.0	Chewing Tobacco	2.2		12.6	14.3
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.1		2.9	3.1	Cigarettes	6.5		23.1	25.4
Cocaine	2.2		2.0	4.0	Inhalants	1.1		1.9	3.9
Electronic Cigarettes	27.5				Marijuana	2.2		8.7	15.0
Hallucinogens	0.0		5.8	8.0	Over-the-counter medications for non-medical use	6.5		5.8	11.0
Heroin	2.2		1.0	2.4	Prescription medications not prescribed for student	11.8		7.8	8.7
Inhalants	3.2		2.9	11.0					
Marijuana	12.0		18.4	29.9	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.0		2.9	4.7	Alcohol (1 or 2 drinks daily)	79.3			
Over-the-counter medications for non-medical use	7.5		6.8	18.3	Alcohol (Binge: 5+ drinks once or twice a week)	82.8			
Prescription medications not prescribed for student	14.1		12.6	15.7	Cigarettes (1+ packs per day)	85.9			
Synthetic drugs (K2, bath salts, Spice, etc)	1.1		4.9		Marijuana (once or twice a week)	75.6			
					Other: Cocaine, LSD, Meth, Club Drug (any use)	89.7		84.5	92.2
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.47		11.97	12.27	Alcohol	88.2		76.2	77.0
Cigarettes	12.69		11.58	11.36	Cigarettes	93.5		87.9	84.4
Inhalants				12.61	Marijuana	91.4		94.0	91.2
Marijuana	13.55		12.88	12.83					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	63.4		55.3	72.1	Alcohol	67.4		55.3	53.1
Cigarettes	38.7		52.4	68.2	Cigarettes	88.2		71.8	70.1
Marijuana	29.3		27.2	53.5	Marijuana	91.9		76.7	73.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.8		7.8	34.1	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.7		95.1	91.3
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	23.1		34.0	40.8	Alcohol	69.6		53.9	76.7
Cigarettes	7.5		23.8	23.6	Cigarettes	68.5		54.9	80.6
Marijuana	9.8		17.3	23.2	Marijuana	50.0		37.6	55.9
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	31.5		14.9	31.5
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	44.1		58.4	61.2	Were grouchy, irritable, or in a bad mood	33.3		23.5	22.5
Were victims of mean rumors or lies spread at school	35.5		38.8	58.1	Had difficulty concentrating on school work	20.4		31.1	26.0
Were victims of an embarrassing or hurtful text message or something posted on the Internet	9.7		16.8	20.2	Were very sad	14.3		20.4	18.9
					Felt hopeless about the future	10.8		7.8	9.3
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	6.5		18.8	15.6	Parents involve student in making family decisions	68.8		61.6	55.9
Made plan about how they would attempt suicide	4.3		18.6	7.8	Parents notice and comment on student's good work	77.7		77.5	78.0
Attempted suicide	2.2		11.5	4.7	Teachers notice and comment on student's good work	80.6			

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

CASS COUNTY



DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	7
Adult Psychiatric	7
POPULATION	
Census 2010	99,478
2015 Estimate	101,603

BIRTH RISK	2014	2013	2012
Resident Births	1,178	1,231	1,154
Mother Reported Smoking while Pregnant	188	217	202

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	7	7	2
Hepatitis B Chronic, Acute, Prenatal	3	1	3
Hepatitis C Chronic and Acute	45	31	38
Tuberculosis Infection Cases	20	25	12

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	893	946	890
Suicides	19	21	15
Homicides	4	2	1
Alcohol Induced Deaths	11	8	6
Drug Induced Deaths	15	12	5
Smoking Attributable Deaths	183	161	162
Self-inflicted Injuries	107	126	154
Assault Injuries	227	242	248

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	778	799	801
Mental Illness Secondary Diagnosis	1,173	969	990
Alcohol Principal Diagnosis	62	48	55
Alcohol Secondary Diagnosis	80	75	66
Drug Principal Diagnosis	34	35	42
Drug Secondary Diagnosis	70	82	74
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	171	220	186
Mental Illness Secondary Diagnosis	1,427	1,344	1,236
Alcohol Principal Diagnosis	63	53	45
Alcohol Secondary Diagnosis	122	145	119
Drug Principal Diagnosis	22	21	25
Drug Secondary Diagnosis	96	102	104
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	680	714	716
Mental Illness Secondary Diagnosis	881	857	935
Alcohol Principal Diagnosis	155	176	176
Alcohol Secondary Diagnosis	141	159	131
Drug Principal Diagnosis	120	128	140
Drug Secondary Diagnosis	191	208	265

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	69	68	72
Alcohol Package Carry-out Licenses	85	83	82

EMPLOYMENT	2015	2014	2013
Labor Force	54,463	53,809	49,900
Employed	51,861	50,788	46,780
Unemployed	2,602	3,021	3,120
Unemployment Rate	4.8%	5.6%	6.3%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	55	58	72
Fatal Crashes	2	3	4
Injury Crashes	27	19	26
Property Damage Crashes	36	36	42
Crash Fatalities	2	7	4
Crash Injuries	34	27	35
Drug Involved Crashes	17	11	18
Fatal Crashes	0	0	1
Injury Crashes	5	3	11
Property Damage Crashes	12	8	6
Crash Fatalities	0	0	2
Crash Injuries	6	4	19

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	382	475	610
Liquor Law Arrests	120	152	146
Drug Arrests	476	383	410
Violent Offenses	171	160	186
Property Offenses	2,079	2,002	2,148
Domestic Violence Reports	887	823	910

	2015	2014	2013
Methamphetamine Lab Seizures	0	1	0

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	5,482	5,538	5,515
Drop-outs	104	111	90
Drop-out Rate	1.9%	2.0%	1.6%
School Discipline Involving Alcohol	10	10	9
School Discipline Involving Drugs	61	71	35
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	93	102	154
Juvenile Alcohol Offenses	19	14	21
Juvenile Drug Offenses	66	38	78
School Truancy Status Offense	55	52	48
Absent from Home Status Offense	84	58	107
Beyond Parental Control Status Offense	69	43	69
Injurious Behavior Status Offense	180	149	217
Child Abuse	16	15	40
Child Neglect	381	231	253
Child Custody Issues	13	43	36

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	91	112	102
Parental Alcohol Use Related	1	3	0
Parental Drug Use Related	34	39	17
Parental Alcohol and Drug Use	0	5	11

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	71	78	103
Probation/Parole Admissions--Drug	118	120	103
Probation/Parole Admissions--DWI	29	37	46
Prison Admissions--Drug	53	48	53
Prison Admissions--DWI	16	15	20

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

CASS COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	25	22	19
CSTAR Adolescent	68	54	54
CSTAR Women and Children	21	14	23
CSTAR General Adult	174	246	321
CSTAR Opioid	0	*	*
Primary Recovery Treatment	*	*	*
Clinical SATOP (CIP, YCIP, SROP)	96	102	110
Other Substance Abuse Treatment	0	0	*


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	294	353	398
- Adolescent Diversion Education Program	*	*	*
- Offender Education Program	104	129	147
- Weekend Intervention Program	43	73	90
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	13	10	19
Compulsive Gambling	*	0	0
Recovery Supports	27	26	68
Early Intervention	7	10	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	375	454	564	Alcohol	164	195	257
AGE				Marijuana / Hashish	97	113	128
Under 18	72	54	57	Cocaine (total)	*	6	7
18 to 24	47	73	85	- Crack	*	*	6
25 to 29	45	81	89	Stimulant (total)	74	101	118
30 to 34	67	71	106	- Methamphetamine	71	96	107
35 to 39	36	55	60	Heroin	12	9	5
40 to 44	31	40	48	Analgesic except Heroin	21	22	34
45 to 54	54	62	97	- Non-Prescription Methadone	*	0	0
55 and Over	23	18	22	PCP, LSD, other Hallucinogen	0	0	7
GENDER				Tranquilizer	0	*	*
Male	224	317	372	Inhalant	0	*	*
Female	151	137	192	Sedative	*	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	*
Caucasian	336	424	527	Average Age at First Use of Drug	17.2	17.3	17.0
African American	16	15	11	INJECTION DRUG USE			
Native American / Alaskan	*	0	*	Any Injection Use at Admission	30	43	49
Asian / Pacific Islander	*	0	*	- Daily Injection Use	11	13	*
Hispanic	16	12	15	- Weekly Injection Use	10	15	15
Other Race / Two or More Races	10	7	12	- Less than Weekly Injection Use	9	15	30
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	139	142	184	0	204	246	269
High School Graduate or G.E.D.	156	194	262	1 or 2	92	131	159
Associate Degree or Some College	76	112	115	3 or More	79	77	136
Bachelor or Advanced Degree	*	6	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	151	161	320
Employed	120	172	205	School	0	*	0
Unemployed	106	149	163	Mental Health Provider	7	*	7
Not in Labor Force	149	133	196	Health Care Provider	13	7	11
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	122	177	112
Independent Living	268	359	466	Other Referral Source	78	99	71
Dependent Living	79	61	64	TREATMENT ACCOMMODATION			
Homeless	10	9	10	Pregnant when Admitted to any Episode	*	6	10
MARITAL / FAMILY STATUS				Military Veteran	5	10	21
Never Married	203	254	298	Special Education Services Needed	6	9	24
Married / Cohabiting	90	112	149	Co-Occurring Psychological Problem	133	165	156
Previously Married	82	88	117	Co-Occurring Developmental Problem	7	16	11

CASS COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 7
CENSUS 2010 99,478
2015 POPULATION ESTIMATE 101,603

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	35	50	57
Anxiety Disorder	283	277	273
Dementia	*	*	0
Developmental Disorder	8	13	10
Impulse Control Disorder	125	138	148
Mood Disorder	350	374	410
Personality Disorder	47	41	40
Psychotic Disorder	90	88	93
Sexual Disorder	*	*	*
Other Diagnosis	31	40	39
Diagnosis Unknown	23	57	82

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	534	635	702	Less than High School Diploma	175	195	211
AGE				High School Grad or G.E.D.	0	0	*
Under 6	5	8	11	Associate Degree or Some College	0	0	0
6 to 9	36	41	58	Bachelor or Advanced Degree	0	0	0
10 to 13	45	83	69	Education Level Unknown	359	440	489
14 to 17	64	75	91	EMPLOYMENT			
18 to 24	39	54	69	Employed	29	21	31
25 to 29	39	56	61	Unemployed	23	28	35
30 to 34	45	55	50	Not in Labor Force	247	271	294
35 to 39	52	51	68	Employment Status Unknown	235	315	342
40 to 44	45	57	66	HOUSING / LIVING ARRANGEMENT			
45 to 49	45	55	60	Independent Living	133	148	152
50 to 54	48	46	47	Dependent Living	164	179	200
55 to 59	45	33	35	Homeless	11	7	6
60 and Over	26	21	17	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	226	301	344
GENDER				TREATMENT REFERRAL SOURCE			
Male	238	294	307	Self / Family / Friend	396	462	483
Female	296	341	395	School	0	*	*
Gender Unknown	0	0	0	Mental Health Provider	7	9	16
RACE / ETHNICITY				Health Care Provider	58	64	70
Caucasian	478	572	630	Court / Criminal Justice	8	15	17
African American	21	23	21	Other	64	81	111
Native American / Alaskan	*	0	0	Referral Source Unknown	*	*	*
Asian / Pacific Islander	*	*	*	TYPE OF COMMITMENT			
Hispanic	17	18	19	Voluntary	530	629	692
Other Race	15	20	30	Civil	0	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	5
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	18	14	15	Commitment Type Unknown	*	*	*
Past or Current Military Service	14	17	23				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	32.7	38.9	34.9	43.9	Alcohol	12.3	18.0	11.6	19.4
Chewing Tobacco	8.9	13.4	11.3	12.0	Alcohol (5+ drinks on single occasion past 2 weeks)	3.4	7.9		
Cigarettes	10.9	21.1	19.3	26.5	Chewing Tobacco	4.4	5.5	5.5	7.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.0	3.6	2.2	2.4	Cigarettes	5.3	10.4	6.9	14.0
Cocaine	0.1	1.9	2.1	2.0	Inhalants	1.8	0.8	2.3	3.3
Electronic Cigarettes	20.3	20.8			Marijuana	3.5	10.1	3.2	8.1
Hallucinogens	0.9	5.3	2.4	2.7	Over-the-counter medications for non-medical use	1.5	1.7	3.6	5.3
Heroin	0.0	0.5	1.0	0.5	Prescription medications not prescribed for student	7.7	4.5	4.1	6.6
Inhalants	3.4	2.6	5.3	7.0					
Marijuana	7.1	16.7	8.2	15.9	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.1	0.8	1.8	1.2	Alcohol (1 or 2 drinks daily)	68.8	58.4		
Over-the-counter medications for non-medical use	3.8	3.2	6.8	8.9	Alcohol (Binge: 5+ drinks once or twice a week)	78.5	69.6		
Prescription medications not prescribed for student	10.7	10.0	7.6	11.9	Cigarettes (1+ packs per day)	85.2	87.5		
Synthetic drugs (K2, bath salts, Spice, etc)	0.8	6.3	5.5		Marijuana (once or twice a week)	72.9	61.9		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	90.9	91.1	94.1	93.5
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.93	13.53	12.50	12.80	Alcohol	83.2	78.6	77.9	75.8
Cigarettes	12.99	13.36	12.50	12.89	Cigarettes	95.2	90.6	92.0	89.5
Inhalants	9.34	11.58	11.39	11.78	Marijuana	96.7	91.3	95.5	93.9
Marijuana	13.71	14.06	13.40	13.80					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	35.7	50.5	41.7	60.0	Alcohol	69.6	60.6	61.8	56.4
Cigarettes	22.6	37.8	32.1	49.1	Cigarettes	91.7	82.2	83.3	77.4
Marijuana	26.8	37.8	20.1	37.3	Marijuana	89.2	76.9	88.5	81.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.9	15.6	9.8	17.8	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.3	95.0	95.7	94.5
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	19.5	30.8	28.7	35.2	Alcohol	49.4	57.1	51.0	61.5
Cigarettes	6.5	12.8	11.1	15.8	Cigarettes	40.7	51.4	44.7	57.4
Marijuana	8.2	15.0	6.7	12.1	Marijuana	27.1	39.3	25.3	34.6
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.6	18.7	12.2	17.4
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	59.4	64.2	63.3	67.7	Were grouchy, irritable, or in a bad mood	29.4	26.3	18.8	25.6
Were victims of mean rumors or lies spread at school	45.6	54.4	50.8	54.2	Had difficulty concentrating on school work	24.6	28.4	22.2	26.6
Were victims of an embarrassing or hurtful text message or something posted on the Internet	26.6	31.2	22.2	21.5	Were very sad	20.8	25.2	16.8	19.1
					Felt hopeless about the future	11.3	15.3	7.6	13.4
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	11.0	14.8	10.7	11.4	Parents involve student in making family decisions	74.4	65.9	69.6	69.0
Made plan about how they would attempt suicide	10.1	11.6	8.7	7.4	Parents notice and comment on student's good work	86.1	78.9	81.9	83.1
Attempted suicide	4.7	5.9	4.7	5.0	Teachers notice and comment on student's good work	71.8	65.4		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

CEDAR COUNTY



DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	8
Adult Psychiatric	8B
POPULATION	
Census 2010	13,982
2015 Estimate	13,934

BIRTH RISK	2014	2013	2012
Resident Births	177	162	186
Mother Reported Smoking while Pregnant	35	42	42

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	1	1	0
Hepatitis B Chronic, Acute, Prenatal	0	0	0
Hepatitis C Chronic and Acute	18	8	7
Tuberculosis Infection Cases	2	1	1

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	202	187	201
Suicides	2	5	2
Homicides	1	0	0
Alcohol Induced Deaths	0	2	0
Drug Induced Deaths	1	2	6
Smoking Attributable Deaths	39	39	33
Self-inflicted Injuries	20	20	17
Assault Injuries	34	43	47

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	119	125	123
Mental Illness Secondary Diagnosis	249	331	359
Alcohol Principal Diagnosis	4	4	6
Alcohol Secondary Diagnosis	16	19	20
Drug Principal Diagnosis	6	6	11
Drug Secondary Diagnosis	7	25	15
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	45	48	71
Mental Illness Secondary Diagnosis	153	161	166
Alcohol Principal Diagnosis	5	4	7
Alcohol Secondary Diagnosis	18	16	21
Drug Principal Diagnosis	8	8	10
Drug Secondary Diagnosis	13	13	15
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	130	138	166
Mental Illness Secondary Diagnosis	697	932	1,101
Alcohol Principal Diagnosis	19	21	27
Alcohol Secondary Diagnosis	52	58	53
Drug Principal Diagnosis	35	27	46
Drug Secondary Diagnosis	62	78	67

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	18	18	19
Alcohol Package Carry-out Licenses	13	14	16

EMPLOYMENT	2015	2014	2013
Labor Force	5,985	5,843	6,388
Employed	5,668	5,472	6,001
Unemployed	317	371	387
Unemployment Rate	5.3%	6.3%	6.1%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	12	13	24
Fatal Crashes	0	0	1
Injury Crashes	5	6	6
Property Damage Crashes	7	6	17
Crash Fatalities	0	0	1
Crash Injuries	6	9	13
Drug Involved Crashes	0	0	2
Fatal Crashes	0	0	0
Injury Crashes	0	0	0
Property Damage Crashes	0	0	2
Crash Fatalities	0	0	0
Crash Injuries	0	0	0

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	37	49	70
Liquor Law Arrests	11	5	10
Drug Arrests	28	22	13
Violent Offenses	41	47	56
Property Offenses	312	386	336
Domestic Violence Reports	47	49	69
	2015	2014	2013
Methamphetamine Lab Seizures	0	1	2

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	673	709	691
Drop-outs	8	14	8
Drop-out Rate	1.2%	2.0%	1.2%
School Discipline Involving Alcohol	7	1	2
School Discipline Involving Drugs	6	4	2
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	9	13	17
Juvenile Alcohol Offenses	5	4	2
Juvenile Drug Offenses	5	2	5
School Truancy Status Offense	12	12	24
Absent from Home Status Offense	5	3	3
Beyond Parental Control Status Offense	11	11	10
Injurious Behavior Status Offense	5	9	7
Child Abuse	21	20	16
Child Neglect	50	31	32
Child Custody Issues	0	1	1

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	11	7	6
Parental Alcohol Use Related	0	1	0
Parental Drug Use Related	0	1	1
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	13	13	16
Probation/Parole Admissions--Drug	28	27	22
Probation/Parole Admissions--DWI	8	6	7
Prison Admissions--Drug	15	14	14
Prison Admissions--DWI	2	5	5

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

CEDAR COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	7	11	8
CSTAR Adolescent	9	7	*
CSTAR Women and Children	*	6	5
CSTAR General Adult	89	92	82
CSTAR Opioid	0	*	0
Primary Recovery Treatment	*	*	0
Clinical SATOP (CIP, YCIP, SROP)	8	5	9
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	31	32	48
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	5	9	19
- Weekend Intervention Program	8	7	8
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	7
Compulsive Gambling	0	0	0
Recovery Supports	7	8	8
Early Intervention	*	0	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	104	113	111	Alcohol	33	38	32
AGE				Marijuana / Hashish	26	24	26
Under 18	8	8	5	Cocaine (total)	0	0	*
18 to 24	11	17	28	- Crack	0	0	0
25 to 29	15	20	18	Stimulant (total)	33	29	32
30 to 34	19	16	14	- Methamphetamine	33	29	32
35 to 39	15	15	16	Heroin	*	*	0
40 to 44	12	10	11	Analgesic except Heroin	11	18	15
45 to 54	15	21	14	- Non-Prescription Methadone	0	0	0
55 and Over	9	6	5	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	*	*
Male	61	77	66	Inhalant	0	0	0
Female	43	36	45	Sedative	0	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	0	*	*
Caucasian	101	109	108	Average Age at First Use of Drug	18.0	18.0	18.6
African American	*	0	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	*	Any Injection Use at Admission	18	21	20
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	5	6
Hispanic	0	*	*	- Weekly Injection Use	*	8	5
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	12	8	9
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	45	32	29	0	69	71	64
High School Graduate or G.E.D.	42	61	63	1 or 2	24	26	23
Associate Degree or Some College	16	20	19	3 or More	11	16	24
Bachelor or Advanced Degree	*	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	23	34	51
Employed	22	27	23	School	0	*	0
Unemployed	36	36	50	Mental Health Provider	*	0	*
Not in Labor Force	46	50	38	Health Care Provider	8	8	10
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	28	20	33
Independent Living	79	88	84	Other Referral Source	41	48	16
Dependent Living	14	18	15	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	*	0	*
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	48	49	63	Special Education Services Needed	*	*	12
Married / Cohabiting	33	30	24	Co-Occurring Psychological Problem	60	46	45
Previously Married	23	34	24	Co-Occurring Developmental Problem	*	*	*

CEDAR COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southwest
PSYCHIATRIC SERVICE AREA 8B
CENSUS 2010 13,982
2015 POPULATION ESTIMATE 13,934

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	6	5	*
Anxiety Disorder	88	91	110
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	30	23	24
Mood Disorder	151	165	188
Personality Disorder	14	13	17
Psychotic Disorder	43	35	43
Sexual Disorder	0	0	*
Other Diagnosis	10	8	9
Diagnosis Unknown	6	23	20

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	205	232	267	Less than High School Diploma	75	81	92
AGE				High School Grad or G.E.D.	0	0	0
Under 6	*	*	*	Associate Degree or Some College	0	0	0
6 to 9	10	13	13	Bachelor or Advanced Degree	0	0	0
10 to 13	27	25	15	Education Level Unknown	130	151	175
14 to 17	16	9	16	EMPLOYMENT			
18 to 24	8	13	23	Employed	6	5	11
25 to 29	14	21	24	Unemployed	*	6	5
30 to 34	18	25	22	Not in Labor Force	154	172	173
35 to 39	23	26	26	Employment Status Unknown	43	49	78
40 to 44	13	15	25	HOUSING / LIVING ARRANGEMENT			
45 to 49	19	22	33	Independent Living	70	58	45
50 to 54	21	22	28	Dependent Living	87	120	134
55 to 59	18	23	22	Homeless	*	*	5
60 and Over	16	16	18	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	46	51	83
GENDER				TREATMENT REFERRAL SOURCE			
Male	81	94	104	Self / Family / Friend	144	150	160
Female	124	138	163	School	0	*	*
Gender Unknown	0	0	0	Mental Health Provider	6	11	23
RACE / ETHNICITY				Health Care Provider	25	33	40
Caucasian	199	225	258	Court / Criminal Justice	*	6	7
African American	*	*	6	Other	24	29	34
Native American / Alaskan	*	*	*	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	0	0	*	Voluntary	203	228	259
Other Race	*	*	0	Civil	0	*	5
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	*
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	*	*	9	Commitment Type Unknown	*	*	*
Past or Current Military Service	*	*	*				

MISSOURI STUDENT SURVEY

	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	37.4	33.7	43.9	44.4	Alcohol	18.0	14.2	28.6	22.0
Chewing Tobacco	20.6	16.4	21.8	18.0	Alcohol (5+ drinks on single occasion past 2 weeks)	10.7	7.4		
Cigarettes	29.4	17.2	35.9	26.0	Chewing Tobacco	9.7	8.5	12.7	12.9
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.5	1.2	8.2	0.3	Cigarettes	15.1	6.1	15.5	14.3
Cocaine	0.5	2.5	9.6	0.0	Inhalants	1.0	1.2	6.8	2.7
Electronic Cigarettes	25.0	10.9			Marijuana	8.3	4.8	11.5	4.7
Hallucinogens	1.5	2.4	8.7	1.3	Over-the-counter medications for non-medical use	1.5	1.2	8.6	5.4
Heroin	0.0	0.6	7.3	0.0	Prescription medications not prescribed for student	9.3	1.2	9.5	6.4
Inhalants	1.5	2.4	11.8	9.2					
Marijuana	16.1	10.8	23.2	12.1	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.5	1.3	8.5	0.0	Alcohol (1 or 2 drinks daily)	61.5	58.1		
Over-the-counter medications for non-medical use	3.9	3.6	10.5	7.8	Alcohol (Binge: 5+ drinks once or twice a week)	70.2	79.2		
Prescription medications not prescribed for student	12.3	3.6	13.6	9.5	Cigarettes (1+ packs per day)	80.9	84.9		
Synthetic drugs (K2, bath salts, Spice, etc)	2.9	1.8	13.6		Marijuana (once or twice a week)	65.7	73.3		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	92.7	94.2	87.3	91.6
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.05	13.14	11.26	11.74	Alcohol	76.2	78.5	76.8	79.1
Cigarettes	12.73	12.91	11.35	11.41	Cigarettes	87.5	88.5	89.9	91.1
Inhalants	0.00	12.48	10.46	12.39	Marijuana	89.6	94.4	91.2	93.9
Marijuana	12.81	14.54	11.85	13.69					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	49.0	38.2	62.7	53.5	Alcohol	60.5	66.9	52.1	58.6
Cigarettes	41.7	35.2	52.7	42.0	Cigarettes	80.8	82.2	74.5	78.7
Marijuana	30.6	20.6	40.5	24.3	Marijuana	78.8	89.6	74.3	83.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	8.3	7.3	21.0	10.7	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.1	98.1	88.6	96.6
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	27.9	24.8	42.7	35.5	Alcohol	53.0	46.0	58.9	54.5
Cigarettes	14.6	7.3	19.6	14.0	Cigarettes	52.5	50.3	56.8	53.3
Marijuana	15.6	4.9	17.8	11.4	Marijuana	34.5	17.8	29.0	24.8
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.8	5.8	18.3	13.8
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	63.6	54.5	57.8	68.7	Were grouchy, irritable, or in a bad mood	42.2	17.6	27.9	27.0
Were victims of mean rumors or lies spread at school	58.7	46.7	51.4	57.1	Had difficulty concentrating on school work	27.3	17.6	31.8	29.3
Were victims of an embarrassing or hurtful text message or something posted on the Internet	24.8	17.6	16.4	17.5	Were very sad	26.8	16.4	29.2	21.0
					Felt hopeless about the future	14.1	10.5	14.7	16.0
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	12.7	13.5	21.9	15.0	Parents involve student in making family decisions	63.9	72.2	57.8	67.9
Made plan about how they would attempt suicide	11.3	9.3	15.0	10.4	Parents notice and comment on student's good work	79.5	82.1	79.4	79.1
Attempted suicide	9.3	1.2	11.3	9.0	Teachers notice and comment on student's good work	75.6	73.3		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

CHARITON COUNTY



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	12
Adult Psychiatric	12
POPULATION	
Census 2010	7,831
2015 Estimate	7,589

BIRTH RISK	2014	2013	2012
Resident Births	86	104	80
Mother Reported Smoking while Pregnant	8	21	14

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	2	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	0
Hepatitis C Chronic and Acute	6	4	0
Tuberculosis Infection Cases	0	1	1

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	129	78	88
Suicides	2	0	0
Homicides	0	1	0
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	1	2	1
Smoking Attributable Deaths	27	14	19
Self-inflicted Injuries	6	14	12
Assault Injuries	21	16	22

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	67	54	60
Mental Illness Secondary Diagnosis	157	192	267
Alcohol Principal Diagnosis	2	1	2
Alcohol Secondary Diagnosis	5	9	6
Drug Principal Diagnosis	0	3	3
Drug Secondary Diagnosis	4	9	9
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	18	18	20
Mental Illness Secondary Diagnosis	68	87	53
Alcohol Principal Diagnosis	2	2	3
Alcohol Secondary Diagnosis	5	7	6
Drug Principal Diagnosis	4	2	3
Drug Secondary Diagnosis	2	1	4
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	44	53	44
Mental Illness Secondary Diagnosis	192	196	197
Alcohol Principal Diagnosis	10	8	6
Alcohol Secondary Diagnosis	11	11	9
Drug Principal Diagnosis	4	4	7
Drug Secondary Diagnosis	3	7	14

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	10	11	11
Alcohol Package Carry-out Licenses	14	15	16

EMPLOYMENT	2015	2014	2013
Labor Force	3,916	3,806	3,950
Employed	3,733	3,583	3,724
Unemployed	183	223	226
Unemployment Rate	4.7%	5.9%	5.7%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	7	13	9
Fatal Crashes	1	1	1
Injury Crashes	2	7	4
Property Damage Crashes	5	5	4
Crash Fatalities	1	2	1
Crash Injuries	2	8	6
Drug Involved Crashes	0	0	6
Fatal Crashes	0	0	0
Injury Crashes	0	0	4
Property Damage Crashes	0	0	2
Crash Fatalities	0	0	0
Crash Injuries	0	0	7

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	31	26	36
Liquor Law Arrests	5	1	4
Drug Arrests	7	11	6
Violent Offenses	51	25	24
Property Offenses	80	132	94
Domestic Violence Reports	15	17	24

	2015	2014	2013
Methamphetamine Lab Seizures	0	0	0

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	333	320	328
Drop-outs	2	4	6
Drop-out Rate	0.6%	1.2%	1.8%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	0	1	2
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	11	1	3
Juvenile Alcohol Offenses	5	0	0
Juvenile Drug Offenses	2	0	1
School Truancy Status Offense	87	8	11
Absent from Home Status Offense	0	0	0
Beyond Parental Control Status Offense	3	4	4
Injurious Behavior Status Offense	9	18	20
Child Abuse	1	0	1
Child Neglect	10	8	24
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	5	7	11
Parental Alcohol Use Related	2	0	0
Parental Drug Use Related	1	0	5
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	12	14	16
Probation/Parole Admissions--Drug	6	10	15
Probation/Parole Admissions--DWI	1	3	6
Prison Admissions--Drug	7	6	12
Prison Admissions--DWI	0	0	2

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

CHARITON COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	0	*	*
CSTAR Adolescent	*	0	*
CSTAR Women and Children	*	*	*
CSTAR General Adult	20	18	22
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	6	*
Clinical SATOP (CIP, YCIP, SROP)	8	*	5
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	32	24	27
- Adolescent Diversion Education Program	0	0	*
- Offender Education Program	13	7	9
- Weekend Intervention Program	9	6	5
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	*	0	*
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	34	25	33	Alcohol	14	11	13
AGE				Marijuana / Hashish	14	*	8
Under 18	*	0	*	Cocaine (total)	0	0	0
18 to 24	8	*	5	- Crack	0	0	0
25 to 29	*	*	6	Stimulant (total)	5	7	7
30 to 34	6	5	6	- Methamphetamine	5	7	6
35 to 39	*	5	7	Heroin	0	0	*
40 to 44	*	*	*	Analgesic except Heroin	*	*	*
45 to 54	6	6	5	- Non-Prescription Methadone	0	0	0
55 and Over	*	0	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	0	*
Male	22	14	16	Inhalant	0	0	0
Female	12	11	17	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	30	25	32	Average Age at First Use of Drug	15.6	19.4	19.0
African American	*	0	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	*	*	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	0	0
Hispanic	0	0	0	- Weekly Injection Use	*	0	*
Other Race / Two or More Races	*	0	0	- Less than Weekly Injection Use	0	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	12	9	8	0	16	12	16
High School Graduate or G.E.D.	15	12	15	1 or 2	14	9	10
Associate Degree or Some College	7	*	8	3 or More	*	*	7
Bachelor or Advanced Degree	0	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	8	5	8
Employed	12	10	12	School	0	0	0
Unemployed	11	10	8	Mental Health Provider	*	0	0
Not in Labor Force	11	5	13	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	14	10	12
Independent Living	26	23	31	Other Referral Source	7	9	11
Dependent Living	*	*	*	TREATMENT ACCOMMODATION			
Homeless	*	*	0	Pregnant when Admitted to any Episode	*	0	0
MARITAL / FAMILY STATUS				Military Veteran	5	*	*
Never Married	19	13	11	Special Education Services Needed	*	0	*
Married / Cohabiting	9	*	10	Co-Occurring Psychological Problem	16	12	17
Previously Married	6	9	12	Co-Occurring Developmental Problem	*	0	0

CHARITON COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 12
CENSUS 2010 7,831
2015 POPULATION ESTIMATE 7,589

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	*	0	0
Anxiety Disorder	26	25	14
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	11	9	5
Mood Disorder	43	42	28
Personality Disorder	6	10	*
Psychotic Disorder	8	10	6
Sexual Disorder	0	0	0
Other Diagnosis	5	5	*
Diagnosis Unknown	*	0	*

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	66	62	33	Less than High School Diploma	32	25	12
AGE				High School Grad or G.E.D.	0	0	0
Under 6	0	*	0	Associate Degree or Some College	0	0	0
6 to 9	7	*	*	Bachelor or Advanced Degree	0	0	0
10 to 13	5	5	*	Education Level Unknown	34	37	21
14 to 17	5	5	*	EMPLOYMENT			
18 to 24	6	*	*	Employed	7	5	*
25 to 29	*	6	*	Unemployed	*	*	*
30 to 34	10	10	*	Not in Labor Force	51	47	26
35 to 39	5	7	*	Employment Status Unknown	7	6	*
40 to 44	5	6	5	HOUSING / LIVING ARRANGEMENT			
45 to 49	*	*	0	Independent Living	34	30	17
50 to 54	*	5	*	Dependent Living	24	23	12
55 to 59	6	5	5	Homeless	0	0	*
60 and Over	9	*	*	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	8	9	*
GENDER				TREATMENT REFERRAL SOURCE			
Male	22	22	12	Self / Family / Friend	48	38	22
Female	44	40	21	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	*	*	*
RACE / ETHNICITY				Health Care Provider	13	17	8
Caucasian	60	56	31	Court / Criminal Justice	*	*	0
African American	*	*	*	Other	*	*	*
Native American / Alaskan	0	*	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	*	*	Voluntary	66	61	33
Other Race	*	*	0	Civil	0	*	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	0	0	0
Past or Current Military Service	*	*	*				

CHARITON COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol		38.1	46.6	51.4	Alcohol	14.3	19.5	26.0	
Chewing Tobacco		19.0	19.5	13.1	Alcohol (5+ drinks on single occasion past 2 weeks)	7.1			
Cigarettes		25.0	23.7	27.4	Chewing Tobacco	11.9	11.9	9.0	
Club drugs (Ecstasy, GHB, roofie, Special K, etc)		1.2	0.9	0.0	Cigarettes	11.9	11.8	10.3	
Cocaine		0.0	0.9	0.7	Inhalants	0.0	1.7	1.4	
Electronic Cigarettes		9.4			Marijuana	3.6	4.2	4.1	
Hallucinogens		1.2	0.8	1.4	Over-the-counter medications for non-medical use	1.2	2.5	4.1	
Heroin		0.0	0.0	0.7	Prescription medications not prescribed for student	1.2	4.2	5.4	
Inhalants		4.7	5.1	5.5					
Marijuana		6.0	10.2	9.0	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine		0.0	0.0	0.0	Alcohol (1 or 2 drinks daily)	56.6			
Over-the-counter medications for non-medical use		1.2	4.2	6.2	Alcohol (Binge: 5+ drinks once or twice a week)	66.3			
Prescription medications not prescribed for student		6.0	7.6	8.8	Cigarettes (1+ packs per day)	83.1			
Synthetic drugs (K2, bath salts, Spice, etc)		2.4	3.4		Marijuana (once or twice a week)	79.8			
					Other: Cocaine, LSD, Meth, Club Drug (any use)	95.1	93.2	95.2	
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.02	12.70	12.58		Alcohol	78.8	74.4	73.5	
Cigarettes	13.56	12.81	11.75		Cigarettes	89.4	90.7	92.5	
Inhalants	13.06	11.82	12.31		Marijuana	97.6	96.6	98.0	
Marijuana	12.66	13.52	13.40						
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	47.1	51.7	66.4		Alcohol	68.2	56.8	57.8	
Cigarettes	36.5	44.1	39.5		Cigarettes	79.8	76.9	81.6	
Marijuana	15.5	24.6	19.2		Marijuana	90.5	88.1	92.5	
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	4.7	6.8	8.8		Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.8	96.6	97.9	
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	23.8	31.1	42.6		Alcohol	47.0	49.6	60.3	
Cigarettes	13.1	11.1	10.2		Cigarettes	44.0	50.0	54.4	
Marijuana	4.8	5.9	5.6		Marijuana	17.9	21.4	21.8	
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.2	11.1	8.2	
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	60.0	67.5	74.1		Were grouchy, irritable, or in a bad mood	18.8	26.1	29.5	
Were victims of mean rumors or lies spread at school	50.0	49.2	62.1		Had difficulty concentrating on school work	17.9	17.6	31.7	
Were victims of an embarrassing or hurtful text message or something posted on the Internet	20.2	24.8	25.2		Were very sad	14.1	21.0	26.9	
					Felt hopeless about the future	7.1	11.0	16.4	
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	7.1	11.9	8.8		Parents involve student in making family decisions	77.4	68.4	75.5	
Made plan about how they would attempt suicide	4.8	6.7	6.1		Parents notice and comment on student's good work	88.2	86.4	90.5	
Attempted suicide	1.2	2.5	2.7		Teachers notice and comment on student's good work	81.2			

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

CHRISTIAN COUNTY



DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	10
Adult Psychiatric	10
POPULATION	
Census 2010	77,422
2015 Estimate	83,279

BIRTH RISK	2014	2013	2012
Resident Births	1,002	980	962
Mother Reported Smoking while Pregnant	130	134	108

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	2	2	2
Hepatitis B Chronic, Acute, Prenatal	7	7	8
Hepatitis C Chronic and Acute	54	41	39
Tuberculosis Infection Cases	10	6	10

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	620	563	557
Suicides	10	11	14
Homicides	3	2	0
Alcohol Induced Deaths	2	4	2
Drug Induced Deaths	10	7	14
Smoking Attributable Deaths	96	102	93
Self-inflicted Injuries	105	92	75
Assault Injuries	100	144	139

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	297	252	216
Mental Illness Secondary Diagnosis	597	508	563
Alcohol Principal Diagnosis	9	11	16
Alcohol Secondary Diagnosis	20	16	23
Drug Principal Diagnosis	18	14	18
Drug Secondary Diagnosis	34	31	33
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	381	312	322
Mental Illness Secondary Diagnosis	1,321	1,160	1,085
Alcohol Principal Diagnosis	105	111	87
Alcohol Secondary Diagnosis	119	112	105
Drug Principal Diagnosis	64	74	88
Drug Secondary Diagnosis	90	102	83
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	462	445	503
Mental Illness Secondary Diagnosis	1,966	1,985	1,977
Alcohol Principal Diagnosis	123	137	114
Alcohol Secondary Diagnosis	71	88	72
Drug Principal Diagnosis	107	109	133
Drug Secondary Diagnosis	113	122	135

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	43	48	43
Alcohol Package Carry-out Licenses	50	48	46

EMPLOYMENT	2015	2014	2013
Labor Force	43,445	42,022	40,999
Employed	41,624	39,959	38,798
Unemployed	1,821	2,063	2,201
Unemployment Rate	4.2%	4.9%	5.4%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	57	65	57
Fatal Crashes	2	1	3
Injury Crashes	26	29	25
Property Damage Crashes	35	35	29
Crash Fatalities	2	1	3
Crash Injuries	33	38	33
Drug Involved Crashes	8	12	25
Fatal Crashes	1	0	1
Injury Crashes	4	7	11
Property Damage Crashes	3	5	13
Crash Fatalities	1	0	1
Crash Injuries	5	13	12

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	301	313	292
Liquor Law Arrests	75	134	94
Drug Arrests	496	463	409
Violent Offenses	121	138	140
Property Offenses	1,323	1,423	1,381
Domestic Violence Reports	595	472	444
	2015	2014	2013
Methamphetamine Lab Seizures	9	15	18

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	4,216	4,171	4,082
Drop-outs	56	29	40
Drop-out Rate	1.3%	0.7%	1.0%
School Discipline Involving Alcohol	4	3	5
School Discipline Involving Drugs	23	20	29
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	97	74	77
Juvenile Alcohol Offenses	29	28	10
Juvenile Drug Offenses	37	44	39
School Truancy Status Offense	13	21	5
Absent from Home Status Offense	37	16	12
Beyond Parental Control Status Offense	20	16	17
Injurious Behavior Status Offense	137	130	177
Child Abuse	14	17	15
Child Neglect	149	92	120
Child Custody Issues	3	4	5

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	77	40	65
Parental Alcohol Use Related	1	0	0
Parental Drug Use Related	32	14	27
Parental Alcohol and Drug Use	0	0	5

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	71	59	58
Probation/Parole Admissions--Drug	178	156	126
Probation/Parole Admissions--DWI	27	18	16
Prison Admissions--Drug	53	71	61
Prison Admissions--DWI	6	7	8

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

CHRISTIAN COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	59	57	49
CSTAR Adolescent	25	25	35
CSTAR Women and Children	33	24	35
CSTAR General Adult	57	64	91
CSTAR Opioid	0	0	0
Primary Recovery Treatment	186	160	104
Clinical SATOP (CIP, YCIP, SROP)	66	65	28
Other Substance Abuse Treatment	*	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	277	260	214
- Adolescent Diversion Education Program	*	*	0
- Offender Education Program	101	98	87
- Weekend Intervention Program	51	51	56
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	6
Compulsive Gambling	0	0	0
Recovery Supports	31	108	173
Early Intervention	16	15	17

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	383	392	428	Alcohol	143	148	127
AGE				Marijuana / Hashish	69	90	89
Under 18	26	24	37	Cocaine (total)	*	*	*
18 to 24	68	74	80	- Crack	0	*	0
25 to 29	60	71	76	Stimulant (total)	121	90	130
30 to 34	77	70	85	- Methamphetamine	121	84	114
35 to 39	53	46	64	Heroin	11	11	18
40 to 44	36	48	36	Analgesic except Heroin	25	42	47
45 to 54	44	37	39	- Non-Prescription Methadone	0	0	*
55 and Over	19	22	11	PCP, LSD, other Hallucinogen	*	*	*
GENDER				Tranquilizer	6	*	9
Male	243	268	292	Inhalant	0	0	0
Female	140	124	136	Sedative	*	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	*
Caucasian	365	362	398	Average Age at First Use of Drug	17.8	17.9	17.8
African American	*	6	*	INJECTION DRUG USE			
Native American / Alaskan	0	*	*	Any Injection Use at Admission	89	67	102
Asian / Pacific Islander	0	0	*	- Daily Injection Use	13	12	10
Hispanic	8	10	11	- Weekly Injection Use	22	14	20
Other Race / Two or More Races	8	16	17	- Less than Weekly Injection Use	54	41	72
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	103	108	153	0	203	206	258
High School Graduate or G.E.D.	166	177	189	1 or 2	120	121	123
Associate Degree or Some College	110	105	84	3 or More	60	65	47
Bachelor or Advanced Degree	*	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	217	183	293
Employed	154	158	152	School	*	*	*
Unemployed	112	130	146	Mental Health Provider	5	7	7
Not in Labor Force	117	104	130	Health Care Provider	24	10	7
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	113	157	80
Independent Living	320	337	349	Other Referral Source	20	34	33
Dependent Living	49	40	63	TREATMENT ACCOMMODATION			
Homeless	9	9	7	Pregnant when Admitted to any Episode	5	*	9
MARITAL / FAMILY STATUS				Military Veteran	23	23	9
Never Married	195	200	237	Special Education Services Needed	15	18	43
Married / Cohabiting	98	96	90	Co-Occurring Psychological Problem	164	112	130
Previously Married	90	96	101	Co-Occurring Developmental Problem	11	11	12

CHRISTIAN COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southwest
PSYCHIATRIC SERVICE AREA 10
CENSUS 2010 77,422
2015 POPULATION ESTIMATE 83,279

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	15	18	12
Anxiety Disorder	124	95	89
Dementia	*	*	*
Developmental Disorder	14	8	11
Impulse Control Disorder	46	39	39
Mood Disorder	168	163	161
Personality Disorder	55	43	37
Psychotic Disorder	99	90	91
Sexual Disorder	0	0	0
Other Diagnosis	45	44	41
Diagnosis Unknown	26	17	18

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	296	273	284	Less than High School Diploma	88	73	82
AGE				High School Grad or G.E.D.	0	0	*
Under 6	16	8	9	Associate Degree or Some College	0	0	0
6 to 9	15	9	15	Bachelor or Advanced Degree	0	0	0
10 to 13	23	16	22	Education Level Unknown	208	200	201
14 to 17	13	22	20	EMPLOYMENT			
18 to 24	17	26	12	Employed	8	7	7
25 to 29	12	18	21	Unemployed	7	6	6
30 to 34	26	20	31	Not in Labor Force	182	159	183
35 to 39	31	34	36	Employment Status Unknown	99	101	88
40 to 44	39	33	28	HOUSING / LIVING ARRANGEMENT			
45 to 49	28	25	25	Independent Living	64	61	60
50 to 54	27	23	23	Dependent Living	132	105	126
55 to 59	23	20	17	Homeless	*	*	7
60 and Over	26	19	25	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	98	104	91
GENDER				TREATMENT REFERRAL SOURCE			
Male	150	129	152	Self / Family / Friend	120	132	139
Female	146	144	132	School	0	*	*
Gender Unknown	0	0	0	Mental Health Provider	17	17	21
RACE / ETHNICITY				Health Care Provider	68	53	48
Caucasian	275	254	263	Court / Criminal Justice	27	17	16
African American	5	*	*	Other	61	51	55
Native American / Alaskan	0	0	0	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	*	*	TYPE OF COMMITMENT			
Hispanic	6	5	*	Voluntary	282	263	271
Other Race	10	9	12	Civil	6	*	6
Race/Ethnicity Unknown	0	0	0	Criminal	*	5	*
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	6	*	7	Commitment Type Unknown	*	*	*
Past or Current Military Service	10	5	5				

CHRISTIAN COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	26.5	20.9	25.3	33.2	Alcohol	9.4	7.6	9.2	13.3
Chewing Tobacco	6.6	9.2	9.0	9.4	Alcohol (5+ drinks on single occasion past 2 weeks)	2.4	2.7		
Cigarettes	13.8	17.2	16.2	20.7	Chewing Tobacco	2.4	3.2	4.3	4.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.8	1.4	1.5	2.4	Cigarettes	4.6	7.4	7.1	10.7
Cocaine	1.2	0.1	1.3	1.5	Inhalants	1.0	1.6	2.2	2.9
Electronic Cigarettes	18.9	13.3			Marijuana	3.9	3.1	4.9	6.3
Hallucinogens	0.9	0.5	2.1	3.5	Over-the-counter medications for non-medical use	1.7	2.2	3.5	4.9
Heroin	0.4	0.0	0.6	0.8	Prescription medications not prescribed for student	10.3	3.0	3.2	5.3
Inhalants	2.3	2.0	6.2	6.7					
Marijuana	8.8	10.3	10.4	12.0	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.5	0.3	1.0	0.8	Alcohol (1 or 2 drinks daily)	72.5	67.0		
Over-the-counter medications for non-medical use	3.8	2.8	6.4	8.3	Alcohol (Binge: 5+ drinks once or twice a week)	80.9	78.4		
Prescription medications not prescribed for student	15.3	5.2	7.1	10.1	Cigarettes (1+ packs per day)	88.6	90.4		
Synthetic drugs (K2, bath salts, Spice, etc)	1.2	1.7	6.1		Marijuana (once or twice a week)	72.6	76.0		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	93.3	93.8	94.0	89.1
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.52	12.79	12.51	12.27	Alcohol	88.7	87.7	87.4	85.9
Cigarettes	12.43	12.66	12.35	12.10	Cigarettes	96.6	95.6	95.1	93.9
Inhalants	10.13	12.24	11.39	11.79	Marijuana	93.8	95.1	95.1	95.9
Marijuana	13.86	13.99	13.09	12.93					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	34.8	32.3	40.0	52.2	Alcohol	77.4	75.6	73.6	65.6
Cigarettes	23.9	29.5	32.9	39.7	Cigarettes	90.5	85.9	86.8	78.7
Marijuana	25.0	24.4	28.9	32.8	Marijuana	85.3	85.3	86.0	85.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.4	9.5	14.6	20.1	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.4	98.3	96.7	95.4
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	15.9	13.4	17.7	25.5	Alcohol	46.8	40.7	45.9	49.9
Cigarettes	6.7	8.4	8.8	12.3	Cigarettes	37.5	39.3	39.4	52.4
Marijuana	10.5	7.6	9.2	12.2	Marijuana	25.1	24.6	28.1	29.8
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.0	8.6	12.9	16.8
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	63.9	58.8	59.0	70.3	Were grouchy, irritable, or in a bad mood	28.6	24.0	19.3	22.0
Were victims of mean rumors or lies spread at school	47.9	50.4	47.7	57.6	Had difficulty concentrating on school work	25.5	19.5	19.3	23.6
Were victims of an embarrassing or hurtful text message or something posted on the Internet	25.4	24.2	21.6	20.4	Were very sad	22.9	18.7	17.4	16.1
					Felt hopeless about the future	13.1	9.8	8.8	11.0
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	15.6	9.6	11.1	11.2	Parents involve student in making family decisions	73.8	68.2	71.9	73.5
Made plan about how they would attempt suicide	10.0	7.8	8.1	9.0	Parents notice and comment on student's good work	84.0	84.4	84.1	84.7
Attempted suicide	6.3	4.1	5.4	5.3	Teachers notice and comment on student's good work	71.5	74.0		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

CLARK COUNTY



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	14
Adult Psychiatric	14
POPULATION	
Census 2010	7,139
2015 Estimate	6,801

BIRTH RISK	2014	2013	2012
Resident Births	66	75	103
Mother Reported Smoking while Pregnant	18	26	29

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	0
Hepatitis C Chronic and Acute	2	4	5
Tuberculosis Infection Cases	0	2	0

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	89	94	89
Suicides	1	1	0
Homicides	0	0	0
Alcohol Induced Deaths	0	1	0
Drug Induced Deaths	0	0	0
Smoking Attributable Deaths	15	21	18
Self-inflicted Injuries	6	3	3
Assault Injuries	9	2	4

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	24	11	20
Mental Illness Secondary Diagnosis	149	166	211
Alcohol Principal Diagnosis	4	2	1
Alcohol Secondary Diagnosis	4	8	6
Drug Principal Diagnosis	1	1	2
Drug Secondary Diagnosis	6	12	10
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	2	1	1
Mental Illness Secondary Diagnosis	19	14	16
Alcohol Principal Diagnosis	1	0	0
Alcohol Secondary Diagnosis	1	3	4
Drug Principal Diagnosis	0	1	1
Drug Secondary Diagnosis	4	3	2
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	13	11	17
Mental Illness Secondary Diagnosis	30	27	49
Alcohol Principal Diagnosis	5	1	2
Alcohol Secondary Diagnosis	8	8	3
Drug Principal Diagnosis	4	5	3
Drug Secondary Diagnosis	3	5	4

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	10	10	11
Alcohol Package Carry-out Licenses	13	12	12

EMPLOYMENT	2015	2014	2013
Labor Force	3,509	3,421	3,374
Employed	3,260	3,185	3,127
Unemployed	249	236	247
Unemployment Rate	7.1%	6.9%	7.3%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	10	9	8
Fatal Crashes	0	1	0
Injury Crashes	5	4	6
Property Damage Crashes	4	4	2
Crash Fatalities	0	1	0
Crash Injuries	5	9	8
Drug Involved Crashes	0	1	2
Fatal Crashes	0	0	0
Injury Crashes	0	1	1
Property Damage Crashes	0	0	1
Crash Fatalities	0	0	0
Crash Injuries	0	1	1

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	47	54	78
Liquor Law Arrests	11	8	31
Drug Arrests	63	60	73
Violent Offenses	4	11	9
Property Offenses	30	50	42
Domestic Violence Reports	8	17	14

	2015	2014	2013
Methamphetamine Lab Seizures	2	4	4

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	310	326	324
Drop-outs	0	0	4
Drop-out Rate	0.0%	0.0%	1.2%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	0	0	0
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	2	4	2
Juvenile Alcohol Offenses	4	4	7
Juvenile Drug Offenses	1	4	2
School Truancy Status Offense	20	9	16
Absent from Home Status Offense	3	0	1
Beyond Parental Control Status Offense	3	2	5
Injurious Behavior Status Offense	69	70	52
Child Abuse	0	0	0
Child Neglect	53	53	64
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	28	20	26
Parental Alcohol Use Related	2	1	0
Parental Drug Use Related	9	6	8
Parental Alcohol and Drug Use	0	3	2

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	28	29	36
Probation/Parole Admissions--Drug	27	26	32
Probation/Parole Admissions--DWI	9	13	13
Prison Admissions--Drug	11	12	18
Prison Admissions--DWI	2	3	7

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

CLARK COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	*	*	5
CSTAR Adolescent	*	7	*
CSTAR Women and Children	*	0	*
CSTAR General Adult	32	28	27
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	0	5
Clinical SATOP (CIP, YCIP, SROP)	*	*	5
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	22	34	27
- Adolescent Diversion Education Program	0	0	*
- Offender Education Program	12	14	8
- Weekend Intervention Program	5	7	9
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	0	0
Compulsive Gambling	0	0	0
Recovery Supports	*	*	*
Early Intervention	*	13	9

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	37	39	40	Alcohol	10	14	16
AGE				Marijuana / Hashish	13	16	8
Under 18	*	7	*	Cocaine (total)	0	0	0
18 to 24	*	*	*	- Crack	0	0	0
25 to 29	14	9	6	Stimulant (total)	9	6	11
30 to 34	*	6	6	- Methamphetamine	9	6	11
35 to 39	10	6	9	Heroin	0	*	0
40 to 44	*	*	6	Analgesic except Heroin	*	*	*
45 to 54	*	8	6	- Non-Prescription Methadone	0	0	0
55 and Over	*	0	*	PCP, LSD, other Hallucinogen	*	0	0
GENDER				Tranquilizer	*	0	0
Male	22	25	24	Inhalant	0	0	0
Female	15	14	16	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	0	*
Caucasian	36	38	39	Average Age at First Use of Drug	18.2	16.4	17.6
African American	0	*	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	0	*	5
Asian / Pacific Islander	0	0	*	- Daily Injection Use	0	*	0
Hispanic	0	0	0	- Weekly Injection Use	0	0	0
Other Race / Two or More Races	*	0	0	- Less than Weekly Injection Use	0	*	5
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	11	16	14	0	21	26	25
High School Graduate or G.E.D.	19	18	22	1 or 2	14	7	6
Associate Degree or Some College	7	5	*	3 or More	*	6	9
Bachelor or Advanced Degree	0	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	7	6	6
Employed	14	14	17	School	0	0	0
Unemployed	14	9	10	Mental Health Provider	0	0	0
Not in Labor Force	9	16	13	Health Care Provider	*	0	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	12	16	17
Independent Living	30	31	36	Other Referral Source	13	16	14
Dependent Living	6	7	*	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	*	0	*
MARITAL / FAMILY STATUS				Military Veteran	*	*	0
Never Married	18	20	19	Special Education Services Needed	5	*	8
Married / Cohabiting	7	12	13	Co-Occurring Psychological Problem	20	18	21
Previously Married	12	7	8	Co-Occurring Developmental Problem	*	0	*

CLARK COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 14
CENSUS 2010 7,139
2015 POPULATION ESTIMATE 6,801

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	*	*	*
Anxiety Disorder	25	27	24
Dementia	*	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	26	29	24
Mood Disorder	45	44	46
Personality Disorder	*	*	*
Psychotic Disorder	*	7	*
Sexual Disorder	*	0	*
Other Diagnosis	16	14	11
Diagnosis Unknown	0	*	*

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	55	59	62	Less than High School Diploma	34	33	35
AGE				High School Grad or G.E.D.	0	0	0
Under 6	*	0	0	Associate Degree or Some College	0	0	0
6 to 9	5	8	11	Bachelor or Advanced Degree	0	0	0
10 to 13	12	12	8	Education Level Unknown	21	26	27
14 to 17	9	10	15	EMPLOYMENT			
18 to 24	*	6	*	Employed	*	*	*
25 to 29	*	*	*	Unemployed	*	*	*
30 to 34	*	*	*	Not in Labor Force	46	48	50
35 to 39	*	*	*	Employment Status Unknown	6	8	9
40 to 44	*	*	*	HOUSING / LIVING ARRANGEMENT			
45 to 49	6	*	5	Independent Living	18	21	25
50 to 54	5	*	5	Dependent Living	32	30	26
55 to 59	*	*	*	Homeless	0	0	0
60 and Over	*	*	*	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	5	8	11
GENDER				TREATMENT REFERRAL SOURCE			
Male	22	26	26	Self / Family / Friend	10	15	19
Female	33	33	36	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	*	*	0
RACE / ETHNICITY				Health Care Provider	*	*	*
Caucasian	54	58	60	Court / Criminal Justice	*	*	*
African American	*	*	*	Other	37	35	35
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	*	TYPE OF COMMITMENT			
Hispanic	0	0	0	Voluntary	54	58	60
Other Race	0	0	0	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	*	0	*
Hearing Impaired	0	0	0	Commitment Type Unknown	0	0	0
Past or Current Military Service	0	*	0				

CLARK COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	36.1	49.4		53.5	Alcohol	11.9	19.0		29.0
Chewing Tobacco	11.9	11.5		20.6	Alcohol (5+ drinks on single occasion past 2 weeks)	2.7	10.3		
Cigarettes	20.9	24.1		35.9	Chewing Tobacco	7.3	6.3		12.3
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.9	0.0		0.6	Cigarettes	8.3	11.5		16.8
Cocaine	1.9	0.0		0.7	Inhalants	1.8	1.3		2.6
Electronic Cigarettes	16.5	15.4			Marijuana	2.8	1.3		5.1
Hallucinogens	2.9	5.1		1.3	Over-the-counter medications for non-medical use	0.0	1.3		5.8
Heroin	0.0	0.0		0.0	Prescription medications not prescribed for student	9.2	3.8		9.7
Inhalants	4.6	3.8		9.1	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	11.8	12.7		10.3	Alcohol (1 or 2 drinks daily)	66.7	46.8		
Methamphetamine	0.9	0.0		0.0	Alcohol (Binge: 5+ drinks once or twice a week)	78.7	64.1		
Over-the-counter medications for non-medical use	1.8	6.4		11.0	Cigarettes (1+ packs per day)	87.0	92.3		
Prescription medications not prescribed for student	13.9	16.7		13.5	Marijuana (once or twice a week)	70.6	64.1		
Synthetic drugs (K2, bath salts, Spice, etc)	1.8	5.1			Other: Cocaine, LSD, Meth, Club Drug (any use)	95.4	97.5		92.8
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.30	12.36		12.08	Alcohol	80.6	80.8		63.6
Cigarettes	12.39	11.62		11.78	Cigarettes	91.7	96.2		90.3
Inhalants		13.58		13.58	Marijuana	95.4	97.5		94.8
Marijuana	13.26	13.21		14.19	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	66.1	58.2		46.2
Alcohol	42.2	64.1		65.6	Cigarettes	88.9	79.7		74.2
Cigarettes	38.5	48.7		54.8	Marijuana	86.2	83.3		85.9
Marijuana	22.2	29.5		25.8	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.1	98.7		94.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.5	11.5		9.7	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	45.4	55.1		63.5
Alcohol	22.2	29.5		45.5	Cigarettes	40.7	53.8		58.7
Cigarettes	6.4	15.2		18.6	Marijuana	23.1	33.3		31.4
Marijuana	4.6	10.1		7.7	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	6.5	10.7		15.5
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	66.4	66.7		74.4	Were grouchy, irritable, or in a bad mood	27.8	23.1		25.6
Were victims of mean rumors or lies spread at school	52.3	59.5		61.5	Had difficulty concentrating on school work	21.8	11.5		20.0
Were victims of an embarrassing or hurtful text message or something posted on the Internet	18.5	23.1		17.6	Were very sad	20.2	13.2		17.5
					Felt hopeless about the future	8.3	3.8		11.0
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	9.2	7.7		15.4	Parents involve student in making family decisions	74.3	59.5		64.1
Made plan about how they would attempt suicide	7.5	7.6		10.3	Parents notice and comment on student's good work	82.4	89.7		79.5
Attempted suicide	3.7	1.3		4.5	Teachers notice and comment on student's good work	76.4	69.6		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

CLAY COUNTY



DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	6
Adult Psychiatric	6
POPULATION	
Census 2010	221,939
2015 Estimate	235,637

BIRTH RISK	2014	2013	2012
Resident Births	3,078	3,043	3,121
Mother Reported Smoking while Pregnant	366	409	446

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	12	9	19
Hepatitis B Chronic, Acute, Prenatal	11	6	5
Hepatitis C Chronic and Acute	36	38	38
Tuberculosis Infection Cases	20	22	25

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	1,720	1,624	1,580
Suicides	38	39	36
Homicides	11	5	11
Alcohol Induced Deaths	24	21	19
Drug Induced Deaths	22	30	30
Smoking Attributable Deaths	281	298	282
Self-inflicted Injuries	373	423	343
Assault Injuries	593	692	750

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	1,877	1,568	1,543
Mental Illness Secondary Diagnosis	2,799	2,498	2,535
Alcohol Principal Diagnosis	123	119	132
Alcohol Secondary Diagnosis	230	179	178
Drug Principal Diagnosis	70	70	86
Drug Secondary Diagnosis	223	198	174
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	259	312	368
Mental Illness Secondary Diagnosis	4,694	4,856	4,986
Alcohol Principal Diagnosis	121	112	156
Alcohol Secondary Diagnosis	505	479	533
Drug Principal Diagnosis	62	71	77
Drug Secondary Diagnosis	299	345	377
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	1,799	2,037	1,975
Mental Illness Secondary Diagnosis	5,989	5,915	4,400
Alcohol Principal Diagnosis	528	536	594
Alcohol Secondary Diagnosis	452	515	554
Drug Principal Diagnosis	249	300	343
Drug Secondary Diagnosis	842	847	642

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	187	190	185
Alcohol Package Carry-out Licenses	143	148	146

EMPLOYMENT	2015	2014	2013
Labor Force	133,450	130,479	121,070
Employed	127,427	123,484	113,476
Unemployed	6,023	6,995	7,594
Unemployment Rate	4.5%	5.4%	6.3%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	179	165	176
Fatal Crashes	2	1	1
Injury Crashes	69	71	71
Property Damage Crashes	93	93	104
Crash Fatalities	2	1	1
Crash Injuries	92	100	96
Drug Involved Crashes	38	33	42
Fatal Crashes	1	0	1
Injury Crashes	17	21	18
Property Damage Crashes	20	12	23
Crash Fatalities	1	0	1
Crash Injuries	22	27	25

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	937	1,029	989
Liquor Law Arrests	184	178	229
Drug Arrests	1,053	759	776
Violent Offenses	278	210	244
Property Offenses	2,644	2,455	2,828
Domestic Violence Reports	629	578	640
	2015	2014	2013
Methamphetamine Lab Seizures	3	2	4

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	11,811	11,720	11,788
Drop-outs	139	138	154
Drop-out Rate	1.2%	1.2%	1.3%
School Discipline Involving Alcohol	3	13	0
School Discipline Involving Drugs	103	72	128
School Discipline Involving Tobacco	2	3	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	153	146	151
Juvenile Alcohol Offenses	20	26	33
Juvenile Drug Offenses	91	101	89
School Truancy Status Offense	15	13	13
Absent from Home Status Offense	11	26	25
Beyond Parental Control Status Offense	24	17	23
Injurious Behavior Status Offense	6	3	5
Child Abuse	11	24	17
Child Neglect	218	265	230
Child Custody Issues	14	9	17

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	76	85	44
Parental Alcohol Use Related	4	1	2
Parental Drug Use Related	38	39	11
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	55	40	50
Probation/Parole Admissions--Drug	287	273	219
Probation/Parole Admissions--DWI	96	82	72
Prison Admissions--Drug	151	140	119
Prison Admissions--DWI	34	39	42

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

CLAY COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	48	62	59
CSTAR Adolescent	67	65	52
CSTAR Women and Children	46	40	33
CSTAR General Adult	674	673	631
CSTAR Opioid	14	12	*
Primary Recovery Treatment	9	10	35
Clinical SATOP (CIP, YCIP, SROP)	220	227	200
Other Substance Abuse Treatment	0	0	*


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	802	811	856
- Adolescent Diversion Education Program	9	7	6
- Offender Education Program	245	288	303
- Weekend Intervention Program	233	220	233
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	14	10	16
Compulsive Gambling	0	*	*
Recovery Supports	27	31	43
Early Intervention	28	30	5

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	1,036	1,056	988	Alcohol	440	448	424
AGE				Marijuana / Hashish	258	234	243
Under 18	74	66	57	Cocaine (total)	17	27	28
18 to 24	166	215	195	- Crack	10	14	14
25 to 29	190	193	171	Stimulant (total)	216	237	187
30 to 34	188	171	161	- Methamphetamine	208	233	184
35 to 39	121	117	90	Heroin	33	27	20
40 to 44	100	92	103	Analgesic except Heroin	59	67	64
45 to 54	139	146	163	- Non-Prescription Methadone	*	0	*
55 and Over	58	56	48	PCP, LSD, other Hallucinogen	*	*	*
GENDER				Tranquilizer	7	6	12
Male	697	718	692	Inhalant	0	*	0
Female	339	338	296	Sedative	*	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	5	7
Caucasian	915	944	873	Average Age at First Use of Drug	17.7	17.7	17.9
African American	61	49	52	INJECTION DRUG USE			
Native American / Alaskan	5	6	*	Any Injection Use at Admission	118	122	94
Asian / Pacific Islander	*	*	8	- Daily Injection Use	23	22	12
Hispanic	41	44	38	- Weekly Injection Use	36	28	22
Other Race / Two or More Races	30	31	26	- Less than Weekly Injection Use	59	72	60
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	230	256	260	0	525	530	476
High School Graduate or G.E.D.	486	522	456	1 or 2	312	330	318
Associate Degree or Some College	301	265	265	3 or More	199	196	194
Bachelor or Advanced Degree	18	13	7	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	225	259	190
Employed	462	414	347	School	6	5	*
Unemployed	258	333	380	Mental Health Provider	65	74	90
Not in Labor Force	316	309	260	Health Care Provider	35	29	29
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	429	428	454
Independent Living	895	925	869	Other Referral Source	148	121	113
Dependent Living	90	77	68	TREATMENT ACCOMMODATION			
Homeless	30	23	32	Pregnant when Admitted to any Episode	13	12	16
MARITAL / FAMILY STATUS				Military Veteran	52	33	33
Never Married	604	618	562	Special Education Services Needed	51	49	46
Married / Cohabiting	218	221	222	Co-Occurring Psychological Problem	387	344	319
Previously Married	214	217	204	Co-Occurring Developmental Problem	7	12	19

CLAY COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 6
CENSUS 2010 221,939
2015 POPULATION ESTIMATE 235,637

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	50	42	34
Anxiety Disorder	613	538	503
Dementia	*	0	*
Developmental Disorder	10	8	7
Impulse Control Disorder	257	320	274
Mood Disorder	1,793	1,805	1,796
Personality Disorder	32	33	32
Psychotic Disorder	343	363	344
Sexual Disorder	*	*	*
Other Diagnosis	38	43	43
Diagnosis Unknown	198	191	287

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	2,668	2,719	2,749	Less than High School Diploma	463	432	381
AGE				High School Grad or G.E.D.	*	0	0
Under 6	11	15	28	Associate Degree or Some College	0	0	0
6 to 9	89	138	133	Bachelor or Advanced Degree	0	0	0
10 to 13	163	172	141	Education Level Unknown	2,204	2,287	2,368
14 to 17	213	204	184	EMPLOYMENT			
18 to 24	219	205	215	Employed	229	161	191
25 to 29	202	218	228	Unemployed	124	184	201
30 to 34	245	268	284	Not in Labor Force	981	871	854
35 to 39	256	259	249	Employment Status Unknown	1,334	1,503	1,503
40 to 44	226	257	277	HOUSING / LIVING ARRANGEMENT			
45 to 49	247	246	299	Independent Living	818	780	860
50 to 54	309	279	286	Dependent Living	493	414	365
55 to 59	236	243	227	Homeless	36	36	34
60 and Over	252	215	198	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	1,321	1,489	1,490
GENDER				TREATMENT REFERRAL SOURCE			
Male	1,075	1,179	1,159	Self / Family / Friend	2,497	2,553	2,563
Female	1,593	1,540	1,590	School	5	*	*
Gender Unknown	0	0	0	Mental Health Provider	27	36	38
RACE / ETHNICITY				Health Care Provider	65	53	49
Caucasian	2,286	2,347	2,351	Court / Criminal Justice	17	10	14
African American	140	138	164	Other	36	42	57
Native American / Alaskan	15	13	14	Referral Source Unknown	21	23	26
Asian / Pacific Islander	15	18	14	TYPE OF COMMITMENT			
Hispanic	100	90	88	Voluntary	2,639	2,688	2,715
Other Race	112	113	118	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	5	*
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	56	52	46	Commitment Type Unknown	21	23	26
Past or Current Military Service	34	28	28				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	29.8	28.0	35.6	37.9	Alcohol	12.3	11.8	16.0	17.3
Chewing Tobacco	5.7	7.1	9.6	10.1	Alcohol (5+ drinks on single occasion past 2 weeks)	4.2	5.2		
Cigarettes	12.8	13.1	18.6	20.8	Chewing Tobacco	2.5	2.9	5.2	5.3
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.8	1.2	2.3	2.5	Cigarettes	4.5	5.3	8.3	11.5
Cocaine	0.7	0.7	1.7	1.8	Inhalants	0.9	1.0	2.0	3.3
Electronic Cigarettes	17.4	12.2			Marijuana	6.4	6.2	8.3	7.7
Hallucinogens	1.8	1.8	3.2	3.2	Over-the-counter medications for non-medical use	1.4	1.6	3.8	5.7
Heroin	0.2	0.2	0.8	0.7	Prescription medications not prescribed for student	7.8	3.4	4.5	6.8
Inhalants	2.3	2.5	5.5	6.9	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	13.1	12.1	16.2	14.3	Alcohol (1 or 2 drinks daily)	72.5	63.8		
Methamphetamine	0.4	0.5	1.1	1.0	Alcohol (Binge: 5+ drinks once or twice a week)	81.5	75.6		
Over-the-counter medications for non-medical use	3.8	2.4	6.6	8.5	Cigarettes (1+ packs per day)	87.0	88.7		
Prescription medications not prescribed for student	11.6	6.9	8.7	11.6	Marijuana (once or twice a week)	69.3	66.6		
Synthetic drugs (K2, bath salts, Spice, etc)	1.4	2.5	6.4		Other: Cocaine, LSD, Meth, Club Drug (any use)	91.4	93.1	94.1	93.8
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.21	13.31	13.00	12.75	Alcohol	85.7	83.8	80.9	80.6
Cigarettes	12.98	13.30	13.06	12.55	Cigarettes	95.7	94.7	93.0	91.6
Inhalants	10.61	11.53	11.90	11.77	Marijuana	93.8	94.4	93.9	94.5
Marijuana	14.18	14.13	13.83	13.72	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	73.3	68.8	64.9	63.2
Alcohol	38.7	40.9	51.1	54.9	Cigarettes	91.7	87.8	83.2	81.1
Cigarettes	24.1	29.6	39.8	42.9	Marijuana	82.8	81.7	81.4	82.6
Marijuana	31.5	33.3	38.8	37.1	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.8	96.5	95.3	94.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.1	12.7	17.4	20.4	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	50.0	52.9	59.2	59.7
Alcohol	19.3	21.8	27.2	29.0	Cigarettes	39.3	43.8	51.0	52.5
Cigarettes	5.6	8.0	11.0	13.4	Marijuana	32.1	33.6	37.9	35.9
Marijuana	11.9	11.5	13.5	12.3	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.2	12.9	17.7	18.3
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	58.8	58.7	61.3	68.8	Were grouchy, irritable, or in a bad mood	30.5	22.8	23.1	25.2
Were victims of mean rumors or lies spread at school	43.6	45.7	47.1	53.5	Had difficulty concentrating on school work	27.0	24.1	22.5	23.2
Were victims of an embarrassing or hurtful text message or something posted on the Internet	24.5	25.6	22.5	21.4	Were very sad	20.3	19.0	18.4	20.2
					Felt hopeless about the future	12.0	11.8	11.3	12.3
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	11.8	11.1	12.1	11.9	Parents involve student in making family decisions	73.0	72.4	69.0	70.5
Made plan about how they would attempt suicide	9.1	7.9	8.5	8.0	Parents notice and comment on student's good work	84.5	83.2	82.7	83.6
Attempted suicide	4.9	4.7	4.5	5.3	Teachers notice and comment on student's good work	75.2	69.1		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

CLINTON COUNTY



DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	1
Adult Psychiatric	1
POPULATION	
Census 2010	20,743
2015 Estimate	20,609

BIRTH RISK	2014	2013	2012
Resident Births	234	203	220
Mother Reported Smoking while Pregnant	63	54	49

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	1	0	0
Hepatitis B Chronic, Acute, Prenatal	0	1	1
Hepatitis C Chronic and Acute	8	10	12
Tuberculosis Infection Cases	4	7	7

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	274	247	239
Suicides	6	2	4
Homicides	0	0	2
Alcohol Induced Deaths	1	4	1
Drug Induced Deaths	3	4	5
Smoking Attributable Deaths	59	47	43
Self-inflicted Injuries	24	21	25
Assault Injuries	50	47	60

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	144	147	127
Mental Illness Secondary Diagnosis	294	237	256
Alcohol Principal Diagnosis	3	9	13
Alcohol Secondary Diagnosis	20	11	11
Drug Principal Diagnosis	4	3	8
Drug Secondary Diagnosis	13	10	10
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	56	56	53
Mental Illness Secondary Diagnosis	483	477	505
Alcohol Principal Diagnosis	7	10	8
Alcohol Secondary Diagnosis	32	37	46
Drug Principal Diagnosis	5	7	7
Drug Secondary Diagnosis	26	22	31
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	132	123	154
Mental Illness Secondary Diagnosis	259	239	183
Alcohol Principal Diagnosis	18	23	22
Alcohol Secondary Diagnosis	26	22	25
Drug Principal Diagnosis	18	20	13
Drug Secondary Diagnosis	57	40	50

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	14	15	18
Alcohol Package Carry-out Licenses	22	21	19

EMPLOYMENT	2015	2014	2013
Labor Force	11,026	11,057	9,890
Employed	10,488	10,418	9,184
Unemployed	538	639	706
Unemployment Rate	4.9%	5.8%	7.1%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	17	14	16
Fatal Crashes	2	0	1
Injury Crashes	9	8	10
Property Damage Crashes	6	6	5
Crash Fatalities	2	0	1
Crash Injuries	12	11	14
Drug Involved Crashes	4	3	1
Fatal Crashes	0	0	0
Injury Crashes	4	1	1
Property Damage Crashes	0	2	0
Crash Fatalities	0	0	0
Crash Injuries	4	1	1

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	78	125	117
Liquor Law Arrests	18	32	20
Drug Arrests	239	208	144
Violent Offenses	142	71	71
Property Offenses	331	364	465
Domestic Violence Reports	343	278	296
	2015	2014	2013
Methamphetamine Lab Seizures	0	1	0

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	1,058	1,024	1,022
Drop-outs	18	14	14
Drop-out Rate	1.7%	1.4%	1.4%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	6	2	1
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	26	24	32
Juvenile Alcohol Offenses	3	3	11
Juvenile Drug Offenses	7	2	3
School Truancy Status Offense	44	40	43
Absent from Home Status Offense	5	14	28
Beyond Parental Control Status Offense	10	17	29
Injurious Behavior Status Offense	40	28	25
Child Abuse	1	2	4
Child Neglect	17	11	24
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	19	17	21
Parental Alcohol Use Related	0	0	2
Parental Drug Use Related	8	9	9
Parental Alcohol and Drug Use	1	0	0

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	39	41	41
Probation/Parole Admissions--DWI	9	8	11
Prison Admissions--Drug	33	25	35
Prison Admissions--DWI	12	7	4

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

CLINTON COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	*	8	5
CSTAR Adolescent	7	5	14
CSTAR Women and Children	*	*	*
CSTAR General Adult	62	26	44
CSTAR Opioid	*	0	0
Primary Recovery Treatment	*	31	39
Clinical SATOP (CIP, YCIP, SROP)	12	14	25
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	77	63	77
- Adolescent Diversion Education Program	*	0	*
- Offender Education Program	26	19	32
- Weekend Intervention Program	16	18	14
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	*
Compulsive Gambling	0	*	0
Recovery Supports	*	*	0
Early Intervention	*	*	8

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	82	72	119	Alcohol	32	30	53
AGE				Marijuana / Hashish	29	15	31
Under 18	9	5	14	Cocaine (total)	0	0	0
18 to 24	14	7	21	- Crack	0	0	0
25 to 29	7	15	23	Stimulant (total)	14	15	24
30 to 34	19	8	16	- Methamphetamine	14	15	23
35 to 39	8	10	6	Heroin	*	*	*
40 to 44	7	8	12	Analgesic except Heroin	*	8	7
45 to 54	13	10	24	- Non-Prescription Methadone	0	0	0
55 and Over	5	9	*	PCP, LSD, other Hallucinogen	0	*	*
GENDER				Tranquilizer	0	0	*
Male	51	50	82	Inhalant	0	0	0
Female	31	22	37	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	*	0
Caucasian	75	70	114	Average Age at First Use of Drug	17.5	18.5	16.5
African American	5	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	9	8	9
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	0	*
Hispanic	*	0	*	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	*	0	*	- Less than Weekly Injection Use	5	5	5
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	23	24	39	0	44	36	65
High School Graduate or G.E.D.	47	38	61	1 or 2	21	21	31
Associate Degree or Some College	12	10	18	3 or More	17	15	23
Bachelor or Advanced Degree	0	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	21	23	28
Employed	28	17	38	School	*	0	0
Unemployed	12	20	34	Mental Health Provider	*	0	*
Not in Labor Force	42	35	47	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	37	30	55
Independent Living	65	58	98	Other Referral Source	10	9	15
Dependent Living	11	6	17	TREATMENT ACCOMMODATION			
Homeless	0	*	*	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	*	6	10
Never Married	47	33	68	Special Education Services Needed	*	*	7
Married / Cohabiting	16	22	28	Co-Occurring Psychological Problem	26	22	30
Previously Married	19	17	23	Co-Occurring Developmental Problem	*	*	*

CLINTON COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 1
CENSUS 2010 20,743
2015 POPULATION ESTIMATE 20,609

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	8	6	*
Anxiety Disorder	68	52	73
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	34	29	37
Mood Disorder	100	69	86
Personality Disorder	11	14	15
Psychotic Disorder	21	20	21
Sexual Disorder	0	0	*
Other Diagnosis	24	13	16
Diagnosis Unknown	*	6	29

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	153	112	178	Less than High School Diploma	56	43	74
AGE				High School Grad or G.E.D.	0	0	*
Under 6	*	*	5	Associate Degree or Some College	0	0	0
6 to 9	11	14	24	Bachelor or Advanced Degree	0	0	0
10 to 13	19	14	23	Education Level Unknown	97	69	103
14 to 17	12	7	20	EMPLOYMENT			
18 to 24	10	9	16	Employed	16	11	10
25 to 29	11	6	12	Unemployed	8	11	16
30 to 34	14	12	24	Not in Labor Force	106	79	110
35 to 39	21	8	12	Employment Status Unknown	23	11	42
40 to 44	11	9	12	HOUSING / LIVING ARRANGEMENT			
45 to 49	11	8	8	Independent Living	86	63	81
50 to 54	12	13	10	Dependent Living	44	38	51
55 to 59	6	*	8	Homeless	*	*	*
60 and Over	13	7	*	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	20	10	45
GENDER				TREATMENT REFERRAL SOURCE			
Male	62	45	77	Self / Family / Friend	79	52	82
Female	91	67	101	School	*	*	6
Gender Unknown	0	0	0	Mental Health Provider	14	16	28
RACE / ETHNICITY				Health Care Provider	26	25	29
Caucasian	145	105	160	Court / Criminal Justice	9	*	7
African American	*	*	*	Other	20	13	24
Native American / Alaskan	*	*	*	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	*	8	Voluntary	149	108	168
Other Race	*	*	6	Civil	*	*	8
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	*	*	*
Past or Current Military Service	5	*	*				

CLINTON COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	39.4	36.7	34.8	41.9	Alcohol	19.1	17.3	14.7	17.1
Chewing Tobacco	14.4	11.8	12.3	13.8	Alcohol (5+ drinks on single occasion past 2 weeks)	9.4	9.3		
Cigarettes	22.5	21.9	15.3	27.3	Chewing Tobacco	7.5	5.5	5.4	7.3
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.3	1.7	0.4	0.7	Cigarettes	10.9	11.8	5.6	14.2
Cocaine	0.9	1.3	0.1	0.9	Inhalants	1.2	1.7	1.5	3.4
Electronic Cigarettes	23.8	15.6			Marijuana	6.9	9.3	3.7	5.9
Hallucinogens	2.5	1.7	1.6	0.2	Over-the-counter medications for non-medical use	0.9	1.7	0.5	6.5
Heroin	0.3	0.8	0.4	0.2	Prescription medications not prescribed for student	8.4	3.8	3.2	9.9
Inhalants	3.8	5.1	4.2	9.0					
Marijuana	16.9	15.2	8.2	9.1	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	1.3	1.3	2.6	0.0	Alcohol (1 or 2 drinks daily)	64.2	59.5		
Over-the-counter medications for non-medical use	4.0	3.4	2.2	8.2	Alcohol (Binge: 5+ drinks once or twice a week)	77.2	72.0		
Prescription medications not prescribed for student	13.8	7.6	5.1	16.1	Cigarettes (1+ packs per day)	83.4	86.9		
Synthetic drugs (K2, bath salts, Spice, etc)	2.2	5.1	6.7		Marijuana (once or twice a week)	67.9	66.5		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	90.6	94.5	91.8	91.9
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.20	13.36	11.86	11.77	Alcohol	80.8	78.9	84.7	78.5
Cigarettes	13.01	13.01	11.84	11.75	Cigarettes	93.1	90.3	97.6	89.9
Inhalants	10.43	11.91	10.24	11.41	Marijuana	92.1	91.8	98.0	95.7
Marijuana	14.04	14.44	13.35	13.52					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	48.6	47.5	50.2	54.1	Alcohol	68.0	62.7	61.7	60.5
Cigarettes	41.7	38.7	38.0	47.7	Cigarettes	85.3	82.2	83.3	79.8
Marijuana	35.8	33.1	27.8	29.0	Marijuana	82.4	81.0	90.0	87.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.9	14.3	10.9	20.0	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.6	95.7	98.1	93.3
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	26.6	29.7	27.9	32.0	Alcohol	56.1	53.0	54.8	54.1
Cigarettes	12.2	15.2	11.1	15.3	Cigarettes	49.8	50.4	42.1	56.9
Marijuana	12.8	13.1	8.0	9.4	Marijuana	32.2	37.9	24.6	31.3
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.7	16.7	12.8	19.6
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	61.5	65.0	68.2	69.3	Were grouchy, irritable, or in a bad mood	33.8	26.6	26.5	25.2
Were victims of mean rumors or lies spread at school	53.3	53.2	51.4	56.1	Had difficulty concentrating on school work	32.5	24.9	23.4	19.1
Were victims of an embarrassing or hurtful text message or something posted on the Internet	25.4	25.7	19.4	20.5	Were very sad	24.7	25.3	12.8	23.0
					Felt hopeless about the future	13.1	13.5	9.1	10.3
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	12.9	12.7	10.5	17.4	Parents involve student in making family decisions	71.4	68.2	70.1	63.9
Made plan about how they would attempt suicide	9.4	9.3	9.9	8.1	Parents notice and comment on student's good work	86.5	80.6	84.7	84.8
Attempted suicide	6.0	5.1	3.3	5.1	Teachers notice and comment on student's good work	76.9	66.8		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

COLE COUNTY



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	11
Adult Psychiatric	11
POPULATION	
Census 2010	75,990
2015 Estimate	76,720

BIRTH RISK	2014	2013	2012
Resident Births	944	946	927
Mother Reported Smoking while Pregnant	182	141	169

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	5	2	6
Hepatitis B Chronic, Acute, Prenatal	4	10	5
Hepatitis C Chronic and Acute	61	72	56
Tuberculosis Infection Cases	60	46	30

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	656	627	608
Suicides	13	15	15
Homicides	3	4	1
Alcohol Induced Deaths	5	5	4
Drug Induced Deaths	8	7	9
Smoking Attributable Deaths	114	105	116
Self-inflicted Injuries	80	93	113
Assault Injuries	268	278	304

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	315	332	221
Mental Illness Secondary Diagnosis	744	812	740
Alcohol Principal Diagnosis	26	29	20
Alcohol Secondary Diagnosis	36	50	50
Drug Principal Diagnosis	7	18	12
Drug Secondary Diagnosis	58	57	56
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	550	435	500
Mental Illness Secondary Diagnosis	1,172	922	1,242
Alcohol Principal Diagnosis	82	89	98
Alcohol Secondary Diagnosis	116	122	126
Drug Principal Diagnosis	40	46	61
Drug Secondary Diagnosis	53	62	65
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	837	771	661
Mental Illness Secondary Diagnosis	2,714	2,291	1,957
Alcohol Principal Diagnosis	154	150	157
Alcohol Secondary Diagnosis	192	230	180
Drug Principal Diagnosis	89	107	103
Drug Secondary Diagnosis	212	192	201

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	97	105	104
Alcohol Package Carry-out Licenses	71	68	71

EMPLOYMENT	2015	2014	2013
Labor Force	39,909	39,931	39,543
Employed	38,318	37,932	37,484
Unemployed	1,591	1,999	2,059
Unemployment Rate	4.0%	5.0%	5.2%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	70	71	57
Fatal Crashes	3	2	1
Injury Crashes	22	35	18
Property Damage Crashes	34	34	38
Crash Fatalities	4	2	1
Crash Injuries	32	51	24
Drug Involved Crashes	25	18	10
Fatal Crashes	1	1	0
Injury Crashes	9	8	4
Property Damage Crashes	15	9	6
Crash Fatalities	1	1	0
Crash Injuries	13	11	5

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	291	307	366
Liquor Law Arrests	56	162	136
Drug Arrests	523	566	534
Violent Offenses	168	269	319
Property Offenses	1,694	1,742	1,930
Domestic Violence Reports	577	609	540
	2015	2014	2013
Methamphetamine Lab Seizures	0	0	0

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	3,352	3,452	3,516
Drop-outs	106	114	95
Drop-out Rate	3.2%	3.3%	2.7%
School Discipline Involving Alcohol	5	0	2
School Discipline Involving Drugs	45	18	25
School Discipline Involving Tobacco	0	1	1

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	102	77	95
Juvenile Alcohol Offenses	4	13	17
Juvenile Drug Offenses	29	25	36
School Truancy Status Offense	53	50	131
Absent from Home Status Offense	3	45	64
Beyond Parental Control Status Offense	79	28	15
Injurious Behavior Status Offense	126	112	65
Child Abuse	202	181	211
Child Neglect	132	94	158
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	89	114	98
Parental Alcohol Use Related	5	0	0
Parental Drug Use Related	22	25	33
Parental Alcohol and Drug Use	3	9	2

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	55	64	100
Probation/Parole Admissions--Drug	192	174	179
Probation/Parole Admissions--DWI	40	27	36
Prison Admissions--Drug	71	96	51
Prison Admissions--DWI	12	9	16

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

COLE COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	37	42	53
CSTAR Adolescent	36	29	41
CSTAR Women and Children	62	76	34
CSTAR General Adult	286	388	419
CSTAR Opioid	*	0	*
Primary Recovery Treatment	29	36	47
Clinical SATOP (CIP, YCIP, SROP)	85	88	83
Other Substance Abuse Treatment	0	*	*


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	287	283	306
- Adolescent Diversion Education Program	13	14	14
- Offender Education Program	93	100	100
- Weekend Intervention Program	51	51	61
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	11	6	*
Compulsive Gambling	0	0	*
Recovery Supports	*	*	5
Early Intervention	43	30	30

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	469	538	587	Alcohol	192	215	268
AGE				Marijuana / Hashish	111	133	158
Under 18	37	29	40	Cocaine (total)	18	23	21
18 to 24	70	82	112	- Crack	6	8	8
25 to 29	82	102	105	Stimulant (total)	76	84	54
30 to 34	75	82	92	- Methamphetamine	75	81	47
35 to 39	64	67	69	Heroin	30	51	42
40 to 44	41	60	52	Analgesic except Heroin	24	17	30
45 to 54	64	75	85	- Non-Prescription Methadone	*	*	*
55 and Over	36	41	32	PCP, LSD, other Hallucinogen	*	*	0
GENDER				Tranquilizer	*	*	*
Male	310	367	428	Inhalant	*	0	0
Female	159	171	159	Sedative	0	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	11	11	9
Caucasian	348	393	443	Average Age at First Use of Drug	18.3	18.7	17.8
African American	94	116	116	INJECTION DRUG USE			
Native American / Alaskan	*	*	*	Any Injection Use at Admission	57	69	53
Asian / Pacific Islander	*	*	*	- Daily Injection Use	17	17	13
Hispanic	7	8	9	- Weekly Injection Use	17	23	12
Other Race / Two or More Races	19	17	20	- Less than Weekly Injection Use	23	29	28
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	152	149	174	0	268	308	326
High School Graduate or G.E.D.	208	243	260	1 or 2	127	149	167
Associate Degree or Some College	98	132	137	3 or More	74	81	94
Bachelor or Advanced Degree	11	14	14	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	150	184	177
Employed	158	165	199	School	*	0	0
Unemployed	163	211	223	Mental Health Provider	*	6	15
Not in Labor Force	148	162	165	Health Care Provider	16	20	17
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	191	244	326
Independent Living	366	441	485	Other Referral Source	102	81	50
Dependent Living	57	50	59	TREATMENT ACCOMMODATION			
Homeless	19	20	19	Pregnant when Admitted to any Episode	*	5	10
MARITAL / FAMILY STATUS				Military Veteran	18	20	30
Never Married	292	311	351	Special Education Services Needed	14	9	39
Married / Cohabiting	102	115	118	Co-Occurring Psychological Problem	217	219	234
Previously Married	75	112	118	Co-Occurring Developmental Problem	*	*	20

COLE COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 11
CENSUS 2010 75,990
2015 POPULATION ESTIMATE 76,720

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	26	13	12
Anxiety Disorder	244	209	192
Dementia	*	0	0
Developmental Disorder	15	9	6
Impulse Control Disorder	78	47	46
Mood Disorder	371	367	342
Personality Disorder	39	33	37
Psychotic Disorder	158	163	163
Sexual Disorder	*	*	*
Other Diagnosis	27	17	25
Diagnosis Unknown	31	55	37

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	621	620	591	Less than High School Diploma	176	150	149
AGE				High School Grad or G.E.D.	0	0	*
Under 6	*	*	0	Associate Degree or Some College	0	0	*
6 to 9	32	15	10	Bachelor or Advanced Degree	0	0	0
10 to 13	27	29	24	Education Level Unknown	445	470	438
14 to 17	41	39	49	EMPLOYMENT			
18 to 24	32	32	37	Employed	36	41	31
25 to 29	47	58	46	Unemployed	58	74	40
30 to 34	43	48	47	Not in Labor Force	353	350	395
35 to 39	52	49	44	Employment Status Unknown	174	155	125
40 to 44	50	55	63	HOUSING / LIVING ARRANGEMENT			
45 to 49	68	78	67	Independent Living	248	299	281
50 to 54	83	82	83	Dependent Living	190	161	182
55 to 59	71	71	61	Homeless	24	10	20
60 and Over	72	63	60	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	159	150	108
GENDER				TREATMENT REFERRAL SOURCE			
Male	275	275	250	Self / Family / Friend	381	373	324
Female	346	345	341	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	77	91	97
RACE / ETHNICITY				Health Care Provider	72	67	72
Caucasian	512	511	474	Court / Criminal Justice	16	13	17
African American	79	80	81	Other	70	74	79
Native American / Alaskan	0	*	*	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	15	13	13	Voluntary	606	608	577
Other Race	15	14	21	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	10	9	8
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	36	36	39	Commitment Type Unknown	*	*	*
Past or Current Military Service	27	25	23				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	41.0	40.8	43.4	42.6	Alcohol	21.1	15.3	19.2	20.1
Chewing Tobacco	7.2	11.6	9.5	10.6	Alcohol (5+ drinks on single occasion past 2 weeks)	6.5	7.0		
Cigarettes	23.8	22.0	25.1	25.5	Chewing Tobacco	3.3	6.1	5.1	5.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.7	1.1	2.7	3.0	Cigarettes	7.2	9.1	11.3	13.6
Cocaine	0.6	0.9	1.7	2.0	Inhalants	0.8	0.1	1.8	2.2
Electronic Cigarettes	29.2	18.4			Marijuana	8.9	7.7	8.2	7.6
Hallucinogens	2.2	2.5	3.6	3.8	Over-the-counter medications for non-medical use	3.1	2.1	4.7	4.0
Heroin	0.0	0.2	0.5	0.6	Prescription medications not prescribed for student	10.5	4.8	5.1	7.4
Inhalants	1.6	1.7	4.5	5.3	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	19.5	18.6	16.8	16.1	Alcohol (1 or 2 drinks daily)	69.7	56.0		
Methamphetamine	0.0	0.1	0.9	0.7	Alcohol (Binge: 5+ drinks once or twice a week)	78.7	71.0		
Over-the-counter medications for non-medical use	8.0	3.7	7.3	7.5	Cigarettes (1+ packs per day)	84.2	86.9		
Prescription medications not prescribed for student	19.2	8.6	9.6	11.2	Marijuana (once or twice a week)	62.8	64.3		
Synthetic drugs (K2, bath salts, Spice, etc)	0.9	2.6	7.6		Other: Cocaine, LSD, Meth, Club Drug (any use)	90.5	91.4	94.8	94.6
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.33	13.26	12.64	12.64	Alcohol	78.3	80.4	77.1	79.6
Cigarettes	12.71	13.66	12.48	12.54	Cigarettes	95.2	93.5	91.1	91.3
Inhalants	9.64	11.18	12.05	12.20	Marijuana	91.0	92.2	92.7	94.1
Marijuana	14.27	14.00	13.59	13.44	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	63.5	60.8	55.9	59.1
Alcohol	48.0	52.1	62.6	62.7	Cigarettes	88.0	82.0	80.4	78.4
Cigarettes	35.9	38.9	47.1	48.4	Marijuana	77.6	78.1	79.3	80.0
Marijuana	37.0	34.6	41.1	40.2	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.7	94.6	95.0	93.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.5	13.5	16.9	20.9	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	53.3	54.4	63.9	64.2
Alcohol	31.1	30.1	32.8	33.9	Cigarettes	50.8	50.9	54.7	58.1
Cigarettes	7.3	12.6	14.7	14.5	Marijuana	32.5	36.2	40.4	40.4
Marijuana	14.3	14.9	14.3	13.6	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.2	17.4	19.0	22.6
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	62.7	62.4	62.0	68.2	Were grouchy, irritable, or in a bad mood	30.9	24.7	25.2	27.9
Were victims of mean rumors or lies spread at school	52.1	54.3	49.1	52.1	Had difficulty concentrating on school work	22.1	26.1	23.7	20.6
Were victims of an embarrassing or hurtful text message or something posted on the Internet	28.5	26.8	21.9	18.3	Were very sad	23.6	22.9	20.9	28.9
					Felt hopeless about the future	10.6	16.6	11.9	12.5
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	12.5	13.6	13.8	11.4	Parents involve student in making family decisions	73.1	66.2	67.6	72.0
Made plan about how they would attempt suicide	7.7	9.9	10.4	8.2	Parents notice and comment on student's good work	86.0	76.1	82.5	85.5
Attempted suicide	5.3	5.2	6.2	4.9	Teachers notice and comment on student's good work	81.3	70.6		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

COOPER COUNTY



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	12
Adult Psychiatric	12
POPULATION	
Census 2010	17,601
2015 Estimate	17,642

BIRTH RISK	2014	2013	2012
Resident Births	199	205	191
Mother Reported Smoking while Pregnant	42	41	38

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	4	1
Hepatitis C Chronic and Acute	32	9	15
Tuberculosis Infection Cases	7	1	8

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	196	182	186
Suicides	6	3	2
Homicides	0	0	1
Alcohol Induced Deaths	3	0	2
Drug Induced Deaths	1	1	3
Smoking Attributable Deaths	27	34	29
Self-inflicted Injuries	19	32	30
Assault Injuries	26	43	72

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	83	92	61
Mental Illness Secondary Diagnosis	245	265	325
Alcohol Principal Diagnosis	11	6	4
Alcohol Secondary Diagnosis	30	18	24
Drug Principal Diagnosis	4	4	3
Drug Secondary Diagnosis	25	9	17
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	69	68	42
Mental Illness Secondary Diagnosis	236	207	152
Alcohol Principal Diagnosis	13	13	13
Alcohol Secondary Diagnosis	36	33	20
Drug Principal Diagnosis	8	10	10
Drug Secondary Diagnosis	5	10	11
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	130	181	154
Mental Illness Secondary Diagnosis	464	748	464
Alcohol Principal Diagnosis	35	32	8
Alcohol Secondary Diagnosis	27	46	32
Drug Principal Diagnosis	15	25	21
Drug Secondary Diagnosis	30	91	23

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	20	18	21
Alcohol Package Carry-out Licenses	23	23	21

EMPLOYMENT	2015	2014	2013
Labor Force	7,700	7,671	8,570
Employed	7,254	7,216	8,031
Unemployed	446	455	539
Unemployment Rate	5.8%	5.9%	6.3%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	15	35	16
Fatal Crashes	2	1	0
Injury Crashes	8	17	7
Property Damage Crashes	17	17	9
Crash Fatalities	2	1	0
Crash Injuries	11	28	8
Drug Involved Crashes	13	3	4
Fatal Crashes	0	0	0
Injury Crashes	6	1	2
Property Damage Crashes	7	2	2
Crash Fatalities	0	0	0
Crash Injuries	7	1	4

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	105	105	128
Liquor Law Arrests	20	26	42
Drug Arrests	166	193	188
Violent Offenses	21	36	34
Property Offenses	411	398	455
Domestic Violence Reports	92	53	77
	2015	2014	2013
Methamphetamine Lab Seizures	1	1	3

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	800	781	822
Drop-outs	2	12	10
Drop-out Rate	0.2%	1.5%	1.2%
School Discipline Involving Alcohol	6	0	0
School Discipline Involving Drugs	1	3	10
School Discipline Involving Tobacco	1	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	46	84	19
Juvenile Alcohol Offenses	2	1	7
Juvenile Drug Offenses	0	8	14
School Truancy Status Offense	7	11	9
Absent from Home Status Offense	5	3	4
Beyond Parental Control Status Offense	13	27	26
Injurious Behavior Status Offense	67	69	92
Child Abuse	4	5	4
Child Neglect	26	17	5
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	21	14	17
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	13	4	3
Parental Alcohol and Drug Use	0	1	0

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	9	9	17
Probation/Parole Admissions--Drug	58	47	52
Probation/Parole Admissions--DWI	16	10	16
Prison Admissions--Drug	21	26	17
Prison Admissions--DWI	4	11	10

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.

³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

COOPER COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	5	*	*
CSTAR Adolescent	*	7	9
CSTAR Women and Children	10	16	*
CSTAR General Adult	24	39	29
CSTAR Opioid	0	0	0
Primary Recovery Treatment	10	*	6
Clinical SATOP (CIP, YCIP, SROP)	8	10	14
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	50	58	65
- Adolescent Diversion Education Program	5	0	*
- Offender Education Program	19	21	22
- Weekend Intervention Program	10	14	17
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	9	*	*
Compulsive Gambling	0	0	0
Recovery Supports	*	*	*
Early Intervention	0	0	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	55	67	56	Alcohol	18	27	22
AGE				Marijuana / Hashish	11	20	15
Under 18	*	8	8	Cocaine (total)	5	*	*
18 to 24	8	*	9	- Crack	*	*	0
25 to 29	8	17	15	Stimulant (total)	12	11	10
30 to 34	12	13	8	- Methamphetamine	12	11	9
35 to 39	*	5	*	Heroin	*	0	0
40 to 44	8	5	*	Analgesic except Heroin	5	*	6
45 to 54	9	10	7	- Non-Prescription Methadone	0	0	*
55 and Over	*	5	*	PCP, LSD, other Hallucinogen	*	0	0
GENDER				Tranquilizer	0	0	0
Male	31	37	35	Inhalant	0	0	0
Female	24	30	21	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	*
Caucasian	44	55	48	Average Age at First Use of Drug	18.6	16.9	18.3
African American	5	8	7	INJECTION DRUG USE			
Native American / Alaskan	*	*	0	Any Injection Use at Admission	8	6	*
Asian / Pacific Islander	*	*	*	- Daily Injection Use	*	*	*
Hispanic	*	*	*	- Weekly Injection Use	*	*	0
Other Race / Two or More Races	*	*	0	- Less than Weekly Injection Use	*	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	18	24	19	0	31	43	29
High School Graduate or G.E.D.	21	26	19	1 or 2	15	18	19
Associate Degree or Some College	16	17	18	3 or More	9	6	8
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	22	23	17
Employed	13	19	19	School	0	0	*
Unemployed	21	24	18	Mental Health Provider	0	*	0
Not in Labor Force	21	24	19	Health Care Provider	0	*	0
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	21	29	34
Independent Living	40	45	41	Other Referral Source	12	11	*
Dependent Living	6	11	12	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	*	0	0
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	28	35	37	Special Education Services Needed	*	*	*
Married / Cohabiting	17	21	9	Co-Occurring Psychological Problem	27	27	15
Previously Married	10	11	10	Co-Occurring Developmental Problem	0	0	0

COOPER COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 12
CENSUS 2010 17,601
2015 POPULATION ESTIMATE 17,642

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	11	13	10
Anxiety Disorder	95	79	67
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	21	15	11
Mood Disorder	119	98	88
Personality Disorder	11	7	9
Psychotic Disorder	33	23	23
Sexual Disorder	*	*	*
Other Diagnosis	13	10	9
Diagnosis Unknown	9	*	8

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	176	143	137	Less than High School Diploma	76	54	43
AGE				High School Grad or G.E.D.	0	0	0
Under 6	0	*	*	Associate Degree or Some College	0	0	0
6 to 9	7	6	7	Bachelor or Advanced Degree	0	0	0
10 to 13	18	18	10	Education Level Unknown	100	89	94
14 to 17	15	8	9	EMPLOYMENT			
18 to 24	15	5	13	Employed	16	14	14
25 to 29	18	19	14	Unemployed	15	10	5
30 to 34	19	22	20	Not in Labor Force	117	104	83
35 to 39	14	11	11	Employment Status Unknown	28	15	35
40 to 44	10	*	8	HOUSING / LIVING ARRANGEMENT			
45 to 49	16	17	13	Independent Living	80	82	59
50 to 54	14	11	11	Dependent Living	59	47	41
55 to 59	15	10	9	Homeless	5	*	*
60 and Over	15	11	11	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	32	13	34
GENDER				TREATMENT REFERRAL SOURCE			
Male	75	62	63	Self / Family / Friend	110	93	84
Female	101	81	74	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	7	*	7
RACE / ETHNICITY				Health Care Provider	30	25	29
Caucasian	151	117	114	Court / Criminal Justice	11	8	6
African American	18	17	13	Other	17	13	11
Native American / Alaskan	0	0	0	Referral Source Unknown	*	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	0	*	Voluntary	175	143	135
Other Race	5	9	8	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	*
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	6	*	*	Commitment Type Unknown	*	0	0
Past or Current Military Service	6	*	*				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	51.5	44.9	54.6	49.1	Alcohol	24.9	20.3	27.2	28.4
Chewing Tobacco	18.2	16.1	15.8	25.6	Alcohol (5+ drinks on single occasion past 2 weeks)	11.9	9.9		
Cigarettes	26.8	20.6	31.7	33.9	Chewing Tobacco	11.9	10.2	7.7	14.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.4	1.5	1.8	2.1	Cigarettes	11.2	8.4	16.0	16.2
Cocaine	0.4	2.0	2.1	4.0	Inhalants	1.9	1.0	3.5	3.9
Electronic Cigarettes	23.7	13.7			Marijuana	3.0	4.9	13.0	12.4
Hallucinogens	0.4	2.5	4.6	1.6	Over-the-counter medications for non-medical use	0.4	2.0	6.0	4.5
Heroin	0.0	0.5	0.7	0.8	Prescription medications not prescribed for student	7.8	4.4	6.3	6.9
Inhalants	4.4	2.0	8.1	9.2	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	8.9	13.2	22.9	22.5	Alcohol (1 or 2 drinks daily)	64.6	58.3		
Methamphetamine	0.0	0.5	1.1	1.3	Alcohol (Binge: 5+ drinks once or twice a week)	75.1	67.6		
Over-the-counter medications for non-medical use	3.7	2.5	8.8	9.5	Cigarettes (1+ packs per day)	84.7	85.3		
Prescription medications not prescribed for student	11.2	7.9	12.0	13.8	Marijuana (once or twice a week)	72.4	66.2		
Synthetic drugs (K2, bath salts, Spice, etc)	1.1	2.9	10.2		Other: Cocaine, LSD, Meth, Club Drug (any use)	92.5	91.6	93.3	91.8
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.62	12.73	12.31	12.46	Alcohol	74.5	73.5	72.0	69.8
Cigarettes	12.76	12.41	12.58	11.82	Cigarettes	92.1	92.1	90.7	89.1
Inhalants	10.07	12.06	13.46	11.60	Marijuana	94.7	93.0	93.8	94.1
Marijuana	13.32	14.10	13.39	13.55	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	53.6	56.7	50.2	49.5
Alcohol	63.8	49.5	62.9	69.1	Cigarettes	80.7	82.8	77.7	76.6
Cigarettes	40.1	33.5	50.7	56.8	Marijuana	87.2	83.0	79.9	79.1
Marijuana	23.1	28.3	47.0	41.3	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.1	95.0	96.8	92.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	6.4	8.8	21.6	20.8	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	56.7	55.1	61.6	64.6
Alcohol	40.3	31.7	41.2	45.0	Cigarettes	45.7	49.8	57.3	58.4
Cigarettes	12.0	10.7	16.0	17.1	Marijuana	17.8	30.7	46.2	39.3
Marijuana	8.6	10.3	17.7	18.2	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.6	10.3	19.4	19.0
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	67.0	57.8	68.3	75.3	Were grouchy, irritable, or in a bad mood	34.8	23.0	29.6	22.1
Were victims of mean rumors or lies spread at school	49.3	48.1	50.7	63.8	Had difficulty concentrating on school work	30.4	23.9	25.5	26.6
Were victims of an embarrassing or hurtful text message or something posted on the Internet	30.1	23.5	25.9	25.4	Were very sad	23.9	17.0	20.1	15.9
					Felt hopeless about the future	14.3	10.8	14.0	12.3
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	12.0	7.4	14.1	9.2	Parents involve student in making family decisions	70.2	71.7	65.6	66.8
Made plan about how they would attempt suicide	8.6	5.4	13.4	7.6	Parents notice and comment on student's good work	85.6	82.9	80.2	78.4
Attempted suicide	6.7	2.9	5.3	3.2	Teachers notice and comment on student's good work	73.0	73.8		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

CRAWFORD COUNTY



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	17
Adult Psychiatric	17A
POPULATION	
Census 2010	24,696
2015 Estimate	24,526

BIRTH RISK	2014	2013	2012
Resident Births	306	311	288
Mother Reported Smoking while Pregnant	86	110	78

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	2	1	1
Hepatitis C Chronic and Acute	35	21	18
Tuberculosis Infection Cases	1	3	4

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	294	264	268
Suicides	5	2	4
Homicides	2	0	0
Alcohol Induced Deaths	3	1	3
Drug Induced Deaths	5	5	3
Smoking Attributable Deaths	57	52	59
Self-inflicted Injuries	17	23	38
Assault Injuries	79	80	93

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	161	201	179
Mental Illness Secondary Diagnosis	291	341	326
Alcohol Principal Diagnosis	5	13	6
Alcohol Secondary Diagnosis	39	28	35
Drug Principal Diagnosis	37	40	23
Drug Secondary Diagnosis	22	31	16
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	140	138	141
Mental Illness Secondary Diagnosis	372	383	427
Alcohol Principal Diagnosis	11	16	12
Alcohol Secondary Diagnosis	28	30	40
Drug Principal Diagnosis	8	7	16
Drug Secondary Diagnosis	35	19	29
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	247	289	283
Mental Illness Secondary Diagnosis	1,060	1,023	1,059
Alcohol Principal Diagnosis	59	48	35
Alcohol Secondary Diagnosis	43	57	76
Drug Principal Diagnosis	75	42	58
Drug Secondary Diagnosis	65	89	97

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	27	31	27
Alcohol Package Carry-out Licenses	27	26	30

EMPLOYMENT	2015	2014	2013
Labor Force	11,051	10,888	12,297
Employed	10,386	10,040	11,416
Unemployed	665	848	881
Unemployment Rate	6.0%	7.8%	7.2%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	36	29	35
Fatal Crashes	1	0	3
Injury Crashes	18	12	18
Property Damage Crashes	17	17	14
Crash Fatalities	1	0	3
Crash Injuries	32	25	28
Drug Involved Crashes	9	8	5
Fatal Crashes	3	0	0
Injury Crashes	5	1	2
Property Damage Crashes	1	7	3
Crash Fatalities	3	0	0
Crash Injuries	13	1	2

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	234	203	234
Liquor Law Arrests	26	93	119
Drug Arrests	259	289	403
Violent Offenses	61	81	64
Property Offenses	990	913	914
Domestic Violence Reports	340	231	306

	2015	2014	2013
Methamphetamine Lab Seizures	18	37	51

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	952	938	994
Drop-outs	14	20	24
Drop-out Rate	1.5%	2.1%	2.4%
School Discipline Involving Alcohol	1	0	13
School Discipline Involving Drugs	3	5	9
School Discipline Involving Tobacco	0	1	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	19	21	23
Juvenile Alcohol Offenses	2	4	6
Juvenile Drug Offenses	4	10	7
School Truancy Status Offense	22	16	17
Absent from Home Status Offense	7	1	2
Beyond Parental Control Status Offense	24	28	30
Injurious Behavior Status Offense	16	6	2
Child Abuse	23	29	2
Child Neglect	51	117	20
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	48	33	17
Parental Alcohol Use Related	1	0	3
Parental Drug Use Related	16	17	4
Parental Alcohol and Drug Use	5	0	0

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	40	27	25
Probation/Parole Admissions--Drug	125	138	128
Probation/Parole Admissions--DWI	27	23	23
Prison Admissions--Drug	60	66	43
Prison Admissions--DWI	11	7	8

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.

³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

CRAWFORD COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	17	17	11
CSTAR Adolescent	8	5	6
CSTAR Women and Children	11	5	5
CSTAR General Adult	129	103	132
CSTAR Opioid	0	0	*
Primary Recovery Treatment	5	*	51
Clinical SATOP (CIP, YCIP, SROP)	46	40	43
Other Substance Abuse Treatment	0	*	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	113	121	146
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	26	34	46
- Weekend Intervention Program	24	24	28
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	5	0	*
Compulsive Gambling	*	0	0
Recovery Supports	0	*	0
Early Intervention	8	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	189	158	212	Alcohol	70	61	94
AGE				Marijuana / Hashish	30	27	48
Under 18	7	5	8	Cocaine (total)	*	0	*
18 to 24	24	25	29	- Crack	*	0	*
25 to 29	34	30	51	Stimulant (total)	52	41	33
30 to 34	44	31	36	- Methamphetamine	52	40	32
35 to 39	24	20	26	Heroin	11	12	10
40 to 44	19	13	15	Analgesic except Heroin	22	15	22
45 to 54	27	27	35	- Non-Prescription Methadone	*	0	*
55 and Over	10	7	12	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	0	*
Male	105	100	137	Inhalant	0	0	0
Female	84	58	75	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	*	0
Caucasian	186	148	202	Average Age at First Use of Drug	19.1	19.0	18.7
African American	*	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	*	*	Any Injection Use at Admission	32	29	25
Asian / Pacific Islander	0	0	0	- Daily Injection Use	7	6	*
Hispanic	*	*	*	- Weekly Injection Use	10	7	6
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	15	16	17
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	75	56	73	0	100	74	118
High School Graduate or G.E.D.	80	76	100	1 or 2	59	56	61
Associate Degree or Some College	33	26	39	3 or More	30	28	33
Bachelor or Advanced Degree	*	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	56	59	54
Employed	61	57	66	School	*	0	0
Unemployed	77	62	86	Mental Health Provider	*	*	*
Not in Labor Force	51	39	60	Health Care Provider	13	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	86	60	123
Independent Living	170	139	191	Other Referral Source	29	34	28
Dependent Living	11	10	16	TREATMENT ACCOMMODATION			
Homeless	5	*	*	Pregnant when Admitted to any Episode	6	0	6
MARITAL / FAMILY STATUS				Military Veteran	5	6	10
Never Married	94	74	109	Special Education Services Needed	27	19	37
Married / Cohabiting	51	51	66	Co-Occurring Psychological Problem	81	59	95
Previously Married	44	33	37	Co-Occurring Developmental Problem	17	*	19

CRAWFORD COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 17A
CENSUS 2010 24,696
2015 POPULATION ESTIMATE 24,526

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	21	25	17
Anxiety Disorder	222	225	237
Dementia	0	0	0
Developmental Disorder	*	*	0
Impulse Control Disorder	89	86	60
Mood Disorder	310	351	359
Personality Disorder	18	16	12
Psychotic Disorder	60	66	58
Sexual Disorder	0	0	*
Other Diagnosis	22	19	17
Diagnosis Unknown	15	29	23

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	426	484	482	Less than High School Diploma	183	184	238
AGE				High School Grad or G.E.D.	0	0	24
Under 6	9	11	9	Associate Degree or Some College	0	0	14
6 to 9	44	35	29	Bachelor or Advanced Degree	0	0	0
10 to 13	35	45	34	Education Level Unknown	243	300	206
14 to 17	23	33	34	EMPLOYMENT			
18 to 24	30	38	31	Employed	9	8	34
25 to 29	34	49	59	Unemployed	*	5	67
30 to 34	44	39	47	Not in Labor Force	305	301	281
35 to 39	28	35	42	Employment Status Unknown	109	170	100
40 to 44	39	51	46	HOUSING / LIVING ARRANGEMENT			
45 to 49	45	52	56	Independent Living	182	158	257
50 to 54	40	43	42	Dependent Living	146	145	128
55 to 59	30	28	26	Homeless	0	*	*
60 and Over	25	25	27	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	98	178	93
GENDER				TREATMENT REFERRAL SOURCE			
Male	173	217	205	Self / Family / Friend	329	367	354
Female	253	267	277	School	6	5	8
Gender Unknown	0	0	0	Mental Health Provider	8	7	9
RACE / ETHNICITY				Health Care Provider	38	51	49
Caucasian	411	466	458	Court / Criminal Justice	5	*	6
African American	*	*	*	Other	40	50	56
Native American / Alaskan	*	*	*	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	6	9	11	Voluntary	425	483	479
Other Race	6	*	7	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	*
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	9	11	14	Commitment Type Unknown	0	0	0
Past or Current Military Service	*	8	10				

CRAWFORD COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	37.8	37.8	46.6	52.7	Alcohol	13.3	15.3	19.4	24.0
Chewing Tobacco	15.2	14.7	17.5	19.3	Alcohol (5+ drinks on single occasion past 2 weeks)	5.3	8.2		
Cigarettes	23.0	25.9	30.8	36.0	Chewing Tobacco	6.6	8.1	8.9	8.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.3	0.7	3.3	1.8	Cigarettes	8.5	9.9	16.8	19.1
Cocaine	0.8	1.1	2.6	1.8	Inhalants	0.3	1.5	4.0	4.5
Electronic Cigarettes	22.0	18.8			Marijuana	6.1	7.7	11.1	10.8
Hallucinogens	1.6	1.5	4.8	3.7	Over-the-counter medications for non-medical use	0.8	1.1	4.8	5.3
Heroin	0.3	0.0	1.5	0.8	Prescription medications not prescribed for student	7.7	4.4	7.1	10.5
Inhalants	2.1	3.3	8.6	9.8					
Marijuana	13.5	15.9	20.0	17.8	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.5	0.7	2.3	1.8	Alcohol (1 or 2 drinks daily)	64.3	60.9		
Over-the-counter medications for non-medical use	2.1	2.6	6.8	9.8	Alcohol (Binge: 5+ drinks once or twice a week)	75.7	64.5		
Prescription medications not prescribed for student	11.2	9.6	12.6	16.4	Cigarettes (1+ packs per day)	86.4	81.0		
Synthetic drugs (K2, bath salts, Spice, etc)	1.3	4.1	9.1		Marijuana (once or twice a week)	67.6	65.5		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	93.6	93.7	90.6	92.0
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.06	12.66	12.37	12.32	Alcohol	79.1	73.5	74.7	72.4
Cigarettes	12.01	12.07	11.70	11.80	Cigarettes	92.8	87.1	86.5	85.7
Inhalants		12.84	12.65	12.61	Marijuana	92.0	88.8	88.7	93.9
Marijuana	13.81	14.08	13.07	13.41					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	44.6	49.6	60.2	66.7	Alcohol	67.3	61.1	55.9	49.7
Cigarettes	32.3	36.1	55.2	54.1	Cigarettes	87.3	80.0	71.9	71.5
Marijuana	29.3	32.1	40.4	38.3	Marijuana	82.4	79.8	77.2	79.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.2	7.2	19.4	18.0	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.4	96.3	93.7	94.1
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	25.6	30.8	33.2	39.7	Alcohol	51.1	51.4	57.1	63.0
Cigarettes	8.8	14.0	18.5	18.4	Cigarettes	50.8	50.7	56.5	67.1
Marijuana	11.1	13.3	15.7	12.8	Marijuana	33.9	35.6	38.5	40.0
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.4	14.7	20.9	21.8
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	61.4	61.4	62.9	72.0	Were grouchy, irritable, or in a bad mood	31.7	31.3	28.4	14.8
Were victims of mean rumors or lies spread at school	54.8	56.0	53.4	61.7	Had difficulty concentrating on school work	28.6	29.7	24.4	18.6
Were victims of an embarrassing or hurtful text message or something posted on the Internet	25.1	27.9	23.5	22.8	Were very sad	21.4	20.9	25.1	8.7
					Felt hopeless about the future	11.5	12.0	12.9	7.4
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	11.1	10.8	14.5	14.3	Parents involve student in making family decisions	69.6	62.5	61.9	60.5
Made plan about how they would attempt suicide	6.5	9.4	11.2	10.3	Parents notice and comment on student's good work	83.8	81.5	79.0	80.4
Attempted suicide	4.3	5.4	8.1	7.0	Teachers notice and comment on student's good work	74.6	72.7		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

DADE COUNTY



DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	10
Adult Psychiatric	8A
POPULATION	
Census 2010	7,883
2015 Estimate	7,595

BIRTH RISK	2014	2013	2012
Resident Births	65	62	60
Mother Reported Smoking while Pregnant	18	16	20

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	1
Hepatitis C Chronic and Acute	12	5	3
Tuberculosis Infection Cases	1	1	0

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	113	97	86
Suicides	2	2	1
Homicides	1	0	0
Alcohol Induced Deaths	0	1	0
Drug Induced Deaths	1	0	1
Smoking Attributable Deaths	19	21	11
Self-inflicted Injuries	8	7	13
Assault Injuries	19	20	16

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	44	51	33
Mental Illness Secondary Diagnosis	101	72	89
Alcohol Principal Diagnosis	2	0	3
Alcohol Secondary Diagnosis	3	4	2
Drug Principal Diagnosis	3	3	8
Drug Secondary Diagnosis	8	2	0
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	28	39	20
Mental Illness Secondary Diagnosis	144	139	105
Alcohol Principal Diagnosis	8	9	3
Alcohol Secondary Diagnosis	9	9	10
Drug Principal Diagnosis	7	8	7
Drug Secondary Diagnosis	8	5	15
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	43	51	55
Mental Illness Secondary Diagnosis	240	214	222
Alcohol Principal Diagnosis	7	5	5
Alcohol Secondary Diagnosis	23	22	11
Drug Principal Diagnosis	10	18	19
Drug Secondary Diagnosis	30	19	22

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	3	3	3
Alcohol Package Carry-out Licenses	12	12	11

EMPLOYMENT	2015	2014	2013
Labor Force	3,618	3,496	3,625
Employed	3,433	3,287	3,400
Unemployed	185	209	225
Unemployment Rate	5.1%	6.0%	6.2%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	9	4	6
Fatal Crashes	0	0	0
Injury Crashes	6	3	3
Property Damage Crashes	1	1	3
Crash Fatalities	0	0	0
Crash Injuries	9	4	4
Drug Involved Crashes	2	1	3
Fatal Crashes	0	0	0
Injury Crashes	2	0	1
Property Damage Crashes	0	1	2
Crash Fatalities	0	0	0
Crash Injuries	2	0	1

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	20	26	24
Liquor Law Arrests	4	3	0
Drug Arrests	54	33	36
Violent Offenses	12	33	10
Property Offenses	112	80	67
Domestic Violence Reports	36	21	17

	2015	2014	2013
Methamphetamine Lab Seizures	1	2	2

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	320	350	344
Drop-outs	3	9	1
Drop-out Rate	0.9%	2.6%	0.3%
School Discipline Involving Alcohol	0	1	0
School Discipline Involving Drugs	0	2	0
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	14	1	7
Juvenile Alcohol Offenses	1	1	0
Juvenile Drug Offenses	2	3	2
School Truancy Status Offense	4	4	6
Absent from Home Status Offense	3	2	0
Beyond Parental Control Status Offense	4	4	1
Injurious Behavior Status Offense	8	5	13
Child Abuse	7	21	14
Child Neglect	34	27	39
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	10	2	1
Parental Alcohol Use Related	0	1	0
Parental Drug Use Related	6	0	0
Parental Alcohol and Drug Use	1	0	0

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	7	5	0
Probation/Parole Admissions--Drug	21	20	6
Probation/Parole Admissions--DWI	1	4	3
Prison Admissions--Drug	4	8	5
Prison Admissions--DWI	1	1	2

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.

³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

DADE COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	*	9	5
CSTAR Adolescent	*	*	*
CSTAR Women and Children	*	11	*
CSTAR General Adult	11	8	9
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	*
Clinical SATOP (CIP, YCIP, SROP)	5	6	6
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	21	13	20
- Adolescent Diversion Education Program	*	0	*
- Offender Education Program	*	*	5
- Weekend Intervention Program	*	*	5
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	*	0	6
Early Intervention	0	0	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

	FY2015	FY2014	FY2013		FY2015	FY2014	FY2013
NUMBER ADMITTED				PRIMARY DRUG PROBLEM			
Total Individuals	29	30	27	Alcohol	9	8	10
AGE				Marijuana / Hashish	*	*	5
Under 18	*	*	*	Cocaine (total)	0	0	0
18 to 24	*	5	9	- Crack	0	0	0
25 to 29	7	*	*	Stimulant (total)	7	9	6
30 to 34	*	7	0	- Methamphetamine	7	9	6
35 to 39	*	6	*	Heroin	*	*	0
40 to 44	6	*	*	Analgesic except Heroin	8	7	5
45 to 54	*	5	*	- Non-Prescription Methadone	0	0	0
55 and Over	*	0	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	0	0
Male	19	12	17	Inhalant	0	0	0
Female	10	18	10	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	*	*
Caucasian	29	30	25	Average Age at First Use of Drug	18.3	21.2	18.0
African American	0	0	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	9	11	6
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	0
Hispanic	0	0	0	- Weekly Injection Use	0	6	*
Other Race / Two or More Races	0	0	*	- Less than Weekly Injection Use	7	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	8	8	7	0	17	15	18
High School Graduate or G.E.D.	15	17	12	1 or 2	*	10	5
Associate Degree or Some College	6	5	7	3 or More	8	5	*
Bachelor or Advanced Degree	0	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	9	11	16
Employed	9	*	9	School	0	*	0
Unemployed	7	10	5	Mental Health Provider	0	0	0
Not in Labor Force	13	16	13	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	13	7	9
Independent Living	24	21	23	Other Referral Source	5	8	*
Dependent Living	5	*	*	TREATMENT ACCOMMODATION			
Homeless	0	*	0	Pregnant when Admitted to any Episode	0	*	0
MARITAL / FAMILY STATUS				Military Veteran	*	*	0
Never Married	13	12	11	Special Education Services Needed	*	0	0
Married / Cohabiting	6	12	8	Co-Occurring Psychological Problem	16	10	12
Previously Married	10	6	8	Co-Occurring Developmental Problem	*	0	*

DADE COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southwest
PSYCHIATRIC SERVICE AREA 8A
CENSUS 2010 7,883
2015 POPULATION ESTIMATE 7,595

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	*	*	*
Anxiety Disorder	8	7	7
Dementia	0	0	0
Developmental Disorder	0	*	*
Impulse Control Disorder	9	6	*
Mood Disorder	15	14	14
Personality Disorder	*	*	*
Psychotic Disorder	6	6	6
Sexual Disorder	*	0	0
Other Diagnosis	8	8	5
Diagnosis Unknown	*	5	*

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	32	32	30	Less than High School Diploma	15	15	9
AGE				High School Grad or G.E.D.	0	0	0
Under 6	0	0	0	Associate Degree or Some College	0	0	0
6 to 9	5	5	*	Bachelor or Advanced Degree	0	0	0
10 to 13	5	*	*	Education Level Unknown	17	17	21
14 to 17	5	5	8	EMPLOYMENT			
18 to 24	5	*	*	Employed	*	0	0
25 to 29	*	*	*	Unemployed	*	*	0
30 to 34	*	*	*	Not in Labor Force	19	19	12
35 to 39	*	0	0	Employment Status Unknown	9	12	18
40 to 44	*	*	*	HOUSING / LIVING ARRANGEMENT			
45 to 49	0	*	*	Independent Living	6	7	*
50 to 54	0	*	*	Dependent Living	16	11	10
55 to 59	*	*	*	Homeless	0	0	*
60 and Over	0	0	*	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	10	14	17
GENDER				TREATMENT REFERRAL SOURCE			
Male	19	19	18	Self / Family / Friend	13	15	9
Female	13	13	12	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	*	*	*
RACE / ETHNICITY				Health Care Provider	*	*	*
Caucasian	31	30	25	Court / Criminal Justice	*	*	*
African American	*	*	*	Other	9	7	10
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	0	0	*	Voluntary	29	31	30
Other Race	0	*	*	Civil	*	*	0
Race/Ethnicity Unknown	0	0	0	Criminal	*	0	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	0	0	0	Commitment Type Unknown	0	0	0
Past or Current Military Service	0	0	0				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	43.5	28.7	36.7	37.3	Alcohol	21.7	12.9	17.3	14.7
Chewing Tobacco	16.5	7.4	10.8	16.3	Alcohol (5+ drinks on single occasion past 2 weeks)	8.7	6.4		
Cigarettes	28.7	15.1	22.3	22.5	Chewing Tobacco	5.2	4.2	5.8	8.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.9	1.1	2.2	2.0	Cigarettes	14.8	8.6	10.0	12.8
Cocaine	0.9	1.1	2.9	0.7	Inhalants	1.7	1.1	3.6	2.7
Electronic Cigarettes	24.3	12.9			Marijuana	6.9	5.4	4.3	7.3
Hallucinogens	1.7	1.1	1.4	1.4	Over-the-counter medications for non-medical use	1.7	0.0	2.2	4.1
Heroin	0.0	0.0	0.0	0.0	Prescription medications not prescribed for student	8.6	5.4	4.3	8.0
Inhalants	4.4	2.1	7.9	4.1					
Marijuana	13.0	7.6	10.8	13.9	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.9	1.1	0.7	0.7	Alcohol (1 or 2 drinks daily)	61.4	62.8		
Over-the-counter medications for non-medical use	6.1	1.1	7.2	6.1	Alcohol (Binge: 5+ drinks once or twice a week)	69.3	74.5		
Prescription medications not prescribed for student	11.4	10.8	6.5	10.6	Cigarettes (1+ packs per day)	85.0	87.1		
Synthetic drugs (K2, bath salts, Spice, etc)	0.9	2.1	5.7		Marijuana (once or twice a week)	65.8	73.4		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	91.3	92.5	96.4	91.4
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.34	13.28	12.70	12.89	Alcohol	75.7	82.8	81.2	83.3
Cigarettes	12.18	12.70	12.11	12.56	Cigarettes	90.5	94.6	92.8	90.5
Inhalants		11.76	12.36	13.90	Marijuana	93.0	95.7	95.6	93.9
Marijuana	14.27	14.09	13.72	13.61					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	45.2	35.1	43.9	52.3	Alcohol	61.9	71.0	69.8	65.8
Cigarettes	39.7	29.0	33.8	40.4	Cigarettes	83.5	89.2	86.3	80.1
Marijuana	26.3	22.3	23.0	30.0	Marijuana	83.5	88.0	87.8	86.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.8	5.3	14.3	17.9	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.3	96.7	97.1	94.7
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	33.6	19.4	22.3	30.2	Alcohol	56.3	46.2	55.0	53.6
Cigarettes	14.0	10.9	10.8	14.7	Cigarettes	58.4	47.3	50.7	54.0
Marijuana	13.0	10.6	6.5	9.4	Marijuana	37.2	29.0	29.5	38.4
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	16.1	10.6	15.8	22.5
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	66.7	65.6	66.2	75.5	Were grouchy, irritable, or in a bad mood	31.3	24.7	27.3	19.3
Were victims of mean rumors or lies spread at school	62.3	57.4	53.6	62.2	Had difficulty concentrating on school work	31.0	25.5	25.2	24.8
Were victims of an embarrassing or hurtful text message or something posted on the Internet	30.4	25.5	22.1	23.5	Were very sad	23.3	19.4	17.1	11.3
					Felt hopeless about the future	14.8	12.8	13.0	10.1
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	13.2	10.5	10.8	7.3	Parents involve student in making family decisions	66.1	71.3	74.8	73.0
Made plan about how they would attempt suicide	10.4	8.5	7.9	6.0	Parents notice and comment on student's good work	80.9	79.8	87.1	88.6
Attempted suicide	9.6	4.3	4.3	3.3	Teachers notice and comment on student's good work	70.4	69.5		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

DALLAS COUNTY



DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	10
Adult Psychiatric	10
POPULATION	
Census 2010	16,777
2015 Estimate	16,393

BIRTH RISK	2014	2013	2012
Resident Births	181	209	192
Mother Reported Smoking while Pregnant	50	43	41

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	0	1	0
Hepatitis B Chronic, Acute, Prenatal	4	1	0
Hepatitis C Chronic and Acute	17	16	8
Tuberculosis Infection Cases	4	1	1

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	201	194	162
Suicides	4	4	1
Homicides	0	0	1
Alcohol Induced Deaths	1	1	4
Drug Induced Deaths	2	2	1
Smoking Attributable Deaths	34	42	35
Self-inflicted Injuries	22	18	8
Assault Injuries	33	35	64

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	122	110	89
Mental Illness Secondary Diagnosis	171	148	165
Alcohol Principal Diagnosis	3	7	3
Alcohol Secondary Diagnosis	6	4	6
Drug Principal Diagnosis	8	3	8
Drug Secondary Diagnosis	11	8	14
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	76	72	69
Mental Illness Secondary Diagnosis	325	324	315
Alcohol Principal Diagnosis	10	10	15
Alcohol Secondary Diagnosis	35	31	31
Drug Principal Diagnosis	13	21	20
Drug Secondary Diagnosis	27	23	18
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	136	107	119
Mental Illness Secondary Diagnosis	1,069	1,013	893
Alcohol Principal Diagnosis	28	29	18
Alcohol Secondary Diagnosis	27	34	24
Drug Principal Diagnosis	25	16	33
Drug Secondary Diagnosis	54	44	53

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	9	8	10
Alcohol Package Carry-out Licenses	21	19	19

EMPLOYMENT	2015	2014	2013
Labor Force	7,132	7,086	7,106
Employed	6,693	6,561	6,584
Unemployed	439	525	522
Unemployment Rate	6.2%	7.4%	7.3%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	16	15	10
Fatal Crashes	1	0	1
Injury Crashes	7	9	6
Property Damage Crashes	6	6	3
Crash Fatalities	2	0	1
Crash Injuries	12	13	7
Drug Involved Crashes	1	2	2
Fatal Crashes	0	0	0
Injury Crashes	0	1	2
Property Damage Crashes	1	1	0
Crash Fatalities	0	0	0
Crash Injuries	0	1	5

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	56	74	116
Liquor Law Arrests	24	53	83
Drug Arrests	85	129	132
Violent Offenses	66	40	34
Property Offenses	243	340	401
Domestic Violence Reports	150	98	128

	2015	2014	2013
Methamphetamine Lab Seizures	1	5	10

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	476	486	496
Drop-outs	15	10	19
Drop-out Rate	3.1%	2.1%	3.8%
School Discipline Involving Alcohol	2	0	1
School Discipline Involving Drugs	3	5	6
School Discipline Involving Tobacco	3	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	18	20	27
Juvenile Alcohol Offenses	3	6	2
Juvenile Drug Offenses	10	7	10
School Truancy Status Offense	3	12	14
Absent from Home Status Offense	5	6	6
Beyond Parental Control Status Offense	22	8	14
Injurious Behavior Status Offense	2	1	7
Child Abuse	32	44	42
Child Neglect	132	69	82
Child Custody Issues	0	3	0

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	41	16	22
Parental Alcohol Use Related	4	1	4
Parental Drug Use Related	16	5	4
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	41	39	30
Probation/Parole Admissions--DWI	11	6	5
Prison Admissions--Drug	23	16	18
Prison Admissions--DWI	5	11	8

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

DALLAS COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	16	7	10
CSTAR Adolescent	*	5	*
CSTAR Women and Children	6	9	6
CSTAR General Adult	53	57	42
CSTAR Opioid	0	*	*
Primary Recovery Treatment	19	7	9
Clinical SATOP (CIP, YCIP, SROP)	5	*	9
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	43	46	42
- Adolescent Diversion Education Program	*	*	*
- Offender Education Program	21	12	20
- Weekend Intervention Program	*	13	8
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	0	*
Compulsive Gambling	0	0	0
Recovery Supports	*	10	*
Early Intervention	*	0	6

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	82	80	71	Alcohol	24	23	30
AGE				Marijuana / Hashish	19	20	13
Under 18	*	5	*	Cocaine (total)	0	0	0
18 to 24	16	16	9	- Crack	0	0	0
25 to 29	18	8	16	Stimulant (total)	31	32	21
30 to 34	10	12	6	- Methamphetamine	31	31	21
35 to 39	6	10	12	Heroin	*	0	*
40 to 44	11	13	11	Analgesic except Heroin	6	5	*
45 to 54	14	12	10	- Non-Prescription Methadone	0	0	0
55 and Over	5	*	5	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	0	0
Male	49	52	46	Inhalant	0	0	0
Female	33	28	25	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	*
Caucasian	78	78	70	Average Age at First Use of Drug	16.6	16.6	17.6
African American	*	0	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	*	Any Injection Use at Admission	26	27	12
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	0	*
Hispanic	*	*	0	- Weekly Injection Use	*	11	5
Other Race / Two or More Races	*	*	0	- Less than Weekly Injection Use	20	16	6
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	30	26	22	0	65	55	39
High School Graduate or G.E.D.	39	45	34	1 or 2	10	16	23
Associate Degree or Some College	13	9	15	3 or More	7	9	9
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	13	18	24
Employed	20	16	19	School	0	0	0
Unemployed	27	31	15	Mental Health Provider	*	*	*
Not in Labor Force	35	33	37	Health Care Provider	*	*	5
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	56	44	27
Independent Living	75	68	61	Other Referral Source	10	11	13
Dependent Living	5	10	6	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	*	*	0
MARITAL / FAMILY STATUS				Military Veteran	5	*	*
Never Married	33	33	26	Special Education Services Needed	16	6	10
Married / Cohabiting	29	22	20	Co-Occurring Psychological Problem	34	35	33
Previously Married	20	25	25	Co-Occurring Developmental Problem	5	*	7

DALLAS COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southwest
PSYCHIATRIC SERVICE AREA 10
CENSUS 2010 16,777
2015 POPULATION ESTIMATE 16,393

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	5	6	5
Anxiety Disorder	34	35	27
Dementia	*	*	*
Developmental Disorder	*	*	*
Impulse Control Disorder	10	11	8
Mood Disorder	46	41	43
Personality Disorder	14	17	16
Psychotic Disorder	26	27	24
Sexual Disorder	0	0	0
Other Diagnosis	17	11	8
Diagnosis Unknown	*	*	7

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	85	79	75	Less than High School Diploma	31	21	9
AGE				High School Grad or G.E.D.	0	0	0
Under 6	*	*	*	Associate Degree or Some College	0	0	*
6 to 9	14	12	6	Bachelor or Advanced Degree	0	0	0
10 to 13	5	*	*	Education Level Unknown	54	58	65
14 to 17	*	*	5	EMPLOYMENT			
18 to 24	*	*	*	Employed	0	*	*
25 to 29	*	*	5	Unemployed	*	*	*
30 to 34	10	9	5	Not in Labor Force	49	35	26
35 to 39	6	9	8	Employment Status Unknown	34	40	45
40 to 44	13	8	10	HOUSING / LIVING ARRANGEMENT			
45 to 49	8	8	10	Independent Living	22	20	19
50 to 54	9	8	6	Dependent Living	29	17	8
55 to 59	*	5	6	Homeless	0	0	0
60 and Over	7	6	6	Other	0	0	*
Age Unknown	0	0	0	Housing Unknown	34	42	47
GENDER				TREATMENT REFERRAL SOURCE			
Male	48	41	38	Self / Family / Friend	42	42	39
Female	37	38	37	School	*	0	0
Gender Unknown	0	0	0	Mental Health Provider	*	*	5
RACE / ETHNICITY				Health Care Provider	14	12	8
Caucasian	83	77	73	Court / Criminal Justice	5	*	*
African American	0	0	0	Other	19	20	20
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	0	0	0	Voluntary	81	79	74
Other Race	*	*	*	Civil	*	0	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	0	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	0	0	0
Past or Current Military Service	*	*	*				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol			39.5	38.8	Alcohol			13.3	15.4
Chewing Tobacco			17.5	21.6	Alcohol (5+ drinks on single occasion past 2 weeks)				
Cigarettes			30.3	27.1	Chewing Tobacco			9.8	12.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)			2.5	1.1	Cigarettes			13.6	8.8
Cocaine			2.1	0.8	Inhalants			1.4	3.2
Electronic Cigarettes					Marijuana			5.6	4.0
Hallucinogens			2.5	1.4	Over-the-counter medications for non-medical use			4.5	3.8
Heroin			1.1	0.0	Prescription medications not prescribed for student			4.9	7.1
Inhalants			4.9	5.6					
Marijuana			13.2	11.2	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine			1.8	0.8	Alcohol (1 or 2 drinks daily)				
Over-the-counter medications for non-medical use			6.3	6.5	Alcohol (Binge: 5+ drinks once or twice a week)				
Prescription medications not prescribed for student			8.0	13.3	Cigarettes (1+ packs per day)				
Synthetic drugs (K2, bath salts, Spice, etc)			5.9		Marijuana (once or twice a week)				
					Other: Cocaine, LSD, Meth, Club Drug (any use)			92.6	97.3
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol			12.58	12.10	Alcohol			81.6	80.8
Cigarettes			12.05	11.72	Cigarettes			90.2	91.0
Inhalants			12.10	12.45	Marijuana			92.6	95.9
Marijuana			13.17	12.98					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol			47.6	56.2	Alcohol			66.0	64.2
Cigarettes			42.9	42.2	Cigarettes			81.1	82.5
Marijuana			28.7	25.0	Marijuana			83.2	90.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)			12.3	11.9	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)			95.8	98.7
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol			22.7	26.5	Alcohol			47.3	52.4
Cigarettes			11.3	10.4	Cigarettes			49.1	53.7
Marijuana			11.2	6.1	Marijuana			32.0	27.9
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)			18.0	16.4
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others			61.1	67.1	Were grouchy, irritable, or in a bad mood			27.3	21.9
Were victims of mean rumors or lies spread at school			51.2	59.6	Had difficulty concentrating on school work			24.8	19.0
Were victims of an embarrassing or hurtful text message or something posted on the Internet			18.9	18.3	Were very sad			20.9	13.0
					Felt hopeless about the future			12.6	9.1
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide			14.7	11.3	Parents involve student in making family decisions			67.0	66.7
Made plan about how they would attempt suicide			9.5	9.8	Parents notice and comment on student's good work			78.5	84.5
Attempted suicide			6.7	3.7	Teachers notice and comment on student's good work				

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

DAVISS COUNTY



DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	13
Adult Psychiatric	13
POPULATION	
Census 2010	8,433
2015 Estimate	8,253

BIRTH RISK	2014	2013	2012
Resident Births	137	107	106
Mother Reported Smoking while Pregnant	35	27	23

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	0
Hepatitis C Chronic and Acute	3	5	1
Tuberculosis Infection Cases	2	0	0

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	87	95	90
Suicides	1	3	2
Homicides	0	0	0
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	0	0	1
Smoking Attributable Deaths	17	21	19
Self-inflicted Injuries	3	1	9
Assault Injuries	11	10	11

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	37	49	45
Mental Illness Secondary Diagnosis	98	80	94
Alcohol Principal Diagnosis	1	2	2
Alcohol Secondary Diagnosis	7	3	5
Drug Principal Diagnosis	2	1	2
Drug Secondary Diagnosis	4	7	5
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	11	10	18
Mental Illness Secondary Diagnosis	103	124	110
Alcohol Principal Diagnosis	4	2	2
Alcohol Secondary Diagnosis	11	6	11
Drug Principal Diagnosis	2	0	2
Drug Secondary Diagnosis	6	8	6
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	45	44	44
Mental Illness Secondary Diagnosis	54	55	61
Alcohol Principal Diagnosis	8	5	14
Alcohol Secondary Diagnosis	10	7	10
Drug Principal Diagnosis	3	2	6
Drug Secondary Diagnosis	11	9	9

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	5	5	5
Alcohol Package Carry-out Licenses	11	11	10

EMPLOYMENT	2015	2014	2013
Labor Force	4,120	4,059	3,972
Employed	3,932	3,823	3,735
Unemployed	188	236	237
Unemployment Rate	4.6%	5.8%	6.0%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	7	6	10
Fatal Crashes	0	1	1
Injury Crashes	5	5	5
Property Damage Crashes	0	0	4
Crash Fatalities	0	1	1
Crash Injuries	6	5	6
Drug Involved Crashes	0	2	3
Fatal Crashes	0	0	0
Injury Crashes	0	1	1
Property Damage Crashes	0	1	2
Crash Fatalities	0	0	0
Crash Injuries	0	1	1

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	41	27	38
Liquor Law Arrests	6	3	1
Drug Arrests	41	57	44
Violent Offenses	12	6	6
Property Offenses	76	64	97
Domestic Violence Reports	14	14	15

	2015	2014	2013
Methamphetamine Lab Seizures	0	0	0

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	370	353	348
Drop-outs	3	3	0
Drop-out Rate	0.8%	0.8%	0.0%
School Discipline Involving Alcohol	1	0	0
School Discipline Involving Drugs	1	1	2
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	3	6	6
Juvenile Alcohol Offenses	1	0	2
Juvenile Drug Offenses	0	2	0
School Truancy Status Offense	1	3	24
Absent from Home Status Offense	2	2	6
Beyond Parental Control Status Offense	6	7	9
Injurious Behavior Status Offense	13	17	14
Child Abuse	4	2	0
Child Neglect	7	3	5
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	13	10	17
Parental Alcohol Use Related	1	0	0
Parental Drug Use Related	4	2	7
Parental Alcohol and Drug Use	0	0	3

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	25	29	45
Probation/Parole Admissions--DWI	3	8	7
Prison Admissions--Drug	15	21	22
Prison Admissions--DWI	7	2	5

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

DAVIESS COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	*	*	*
CSTAR Adolescent	*	*	*
CSTAR Women and Children	*	0	0
CSTAR General Adult	23	21	25
CSTAR Opioid	0	0	0
Primary Recovery Treatment	0	7	11
Clinical SATOP (CIP, YCIP, SROP)	*	*	5
Other Substance Abuse Treatment	0	0	*


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	17	24	32
- Adolescent Diversion Education Program	0	*	*
- Offender Education Program	6	*	9
- Weekend Intervention Program	6	7	11
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	0	0	*
Early Intervention	0	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	35	31	39	Alcohol	9	13	18
AGE				Marijuana / Hashish	9	9	11
Under 18	*	*	*	Cocaine (total)	*	0	0
18 to 24	8	6	13	- Crack	0	0	0
25 to 29	*	*	*	Stimulant (total)	11	7	9
30 to 34	7	*	7	- Methamphetamine	10	7	9
35 to 39	*	5	5	Heroin	*	0	0
40 to 44	6	*	*	Analgesic except Heroin	*	*	*
45 to 54	7	7	9	- Non-Prescription Methadone	0	0	0
55 and Over	0	*	0	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	0	0
Male	17	21	27	Inhalant	0	0	0
Female	18	10	12	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	0	0
Caucasian	35	30	39	Average Age at First Use of Drug	17.6	15.4	16.6
African American	0	0	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	6	*	5
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	0	*
Hispanic	0	*	0	- Weekly Injection Use	0	0	0
Other Race / Two or More Races	0	0	0	- Less than Weekly Injection Use	5	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	13	12	15	0	20	17	18
High School Graduate or G.E.D.	15	16	19	1 or 2	13	8	13
Associate Degree or Some College	6	*	5	3 or More	*	6	8
Bachelor or Advanced Degree	*	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	14	7	*
Employed	13	13	10	School	0	0	0
Unemployed	10	11	23	Mental Health Provider	0	*	0
Not in Labor Force	12	7	6	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	12	8	14
Independent Living	30	27	36	Other Referral Source	*	14	20
Dependent Living	*	*	*	TREATMENT ACCOMMODATION			
Homeless	*	0	0	Pregnant when Admitted to any Episode	0	0	0
MARITAL / FAMILY STATUS				Military Veteran	*	0	*
Never Married	18	14	18	Special Education Services Needed	*	*	*
Married / Cohabiting	6	11	11	Co-Occurring Psychological Problem	14	16	16
Previously Married	11	6	10	Co-Occurring Developmental Problem	0	0	*

DAVISS COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 13
CENSUS 2010 8,433
2015 POPULATION ESTIMATE 8,253

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	*	*	*
Anxiety Disorder	37	26	29
Dementia	0	0	0
Developmental Disorder	*	*	5
Impulse Control Disorder	10	16	23
Mood Disorder	56	44	55
Personality Disorder	11	7	6
Psychotic Disorder	6	6	7
Sexual Disorder	*	*	0
Other Diagnosis	9	9	11
Diagnosis Unknown	0	*	*

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	72	64	78	Less than High School Diploma	27	20	38
AGE				High School Grad or G.E.D.	0	*	5
Under 6	0	0	0	Associate Degree or Some College	0	*	*
6 to 9	5	5	9	Bachelor or Advanced Degree	0	0	0
10 to 13	7	7	6	Education Level Unknown	45	41	33
14 to 17	*	7	22	EMPLOYMENT			
18 to 24	7	5	*	Employed	6	9	11
25 to 29	6	*	6	Unemployed	5	6	5
30 to 34	9	*	*	Not in Labor Force	46	39	50
35 to 39	*	5	6	Employment Status Unknown	15	10	12
40 to 44	7	*	*	HOUSING / LIVING ARRANGEMENT			
45 to 49	6	8	6	Independent Living	38	36	32
50 to 54	8	8	5	Dependent Living	19	15	34
55 to 59	8	7	*	Homeless	*	0	0
60 and Over	*	*	*	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	12	13	12
GENDER				TREATMENT REFERRAL SOURCE			
Male	23	27	36	Self / Family / Friend	29	32	32
Female	49	37	42	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	5	6	8
RACE / ETHNICITY				Health Care Provider	15	10	9
Caucasian	68	62	76	Court / Criminal Justice	14	8	10
African American	0	0	0	Other	8	7	17
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	*	*	Voluntary	72	63	78
Other Race	*	*	*	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	*	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	*	*	0	Commitment Type Unknown	0	0	0
Past or Current Military Service	*	*	*				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	38.1	34.7	31.0	49.5	Alcohol	14.9	14.9	13.8	21.3
Chewing Tobacco	19.4	14.9	19.3	23.4	Alcohol (5+ drinks on single occasion past 2 weeks)	4.5	6.9		
Cigarettes	23.3	26.7	30.3	29.3	Chewing Tobacco	11.2	7.9	11.6	12.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.8	1.0	5.5	3.3	Cigarettes	8.2	13.9	16.8	14.1
Cocaine	0.8	1.0	2.8	4.9	Inhalants	0.0	2.0	4.1	3.3
Electronic Cigarettes	10.4	12.0			Marijuana	2.2	4.0	5.5	7.7
Hallucinogens	0.8	1.0	5.5	3.3	Over-the-counter medications for non-medical use	0.7	1.0	7.5	6.1
Heroin	0.0	0.0	2.8	2.2	Prescription medications not prescribed for student	10.4	2.0	6.8	9.9
Inhalants	2.3	5.0	9.6	7.1	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	9.0	11.9	13.0	14.8	Alcohol (1 or 2 drinks daily)	64.2	49.0		
Methamphetamine	0.0	0.0	2.8	1.7	Alcohol (Binge: 5+ drinks once or twice a week)	72.9	61.4		
Over-the-counter medications for non-medical use	2.2	3.0	8.3	9.5	Cigarettes (1+ packs per day)	88.0	80.0		
Prescription medications not prescribed for student	11.9	8.0	12.3	19.2	Marijuana (once or twice a week)	78.5	69.0		
Synthetic drugs (K2, bath salts, Spice, etc)	1.5	5.9	11.6		Other: Cocaine, LSD, Meth, Club Drug (any use)	91.8	92.0	91.7	93.9
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.98	12.99	12.57	12.77	Alcohol	80.9	78.0	89.0	77.7
Cigarettes	13.38	13.38	12.17	12.61	Cigarettes	93.1	89.0	92.4	88.0
Inhalants		12.75	12.17	12.55	Marijuana	96.9	93.9	97.3	97.3
Marijuana	13.51	14.27	13.48	13.94	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	70.5	61.4	65.5	63.0
Alcohol	42.1	44.0	45.9	51.1	Cigarettes	85.7	78.0	76.6	79.2
Cigarettes	32.8	40.6	43.2	48.4	Marijuana	90.3	85.0	84.8	86.8
Marijuana	20.0	24.0	23.8	26.9	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.5	98.0	93.8	95.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	6.7	6.0	12.3	11.1	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	45.8	50.0	39.3	54.9
Alcohol	24.1	26.7	27.4	27.1	Cigarettes	46.2	49.5	44.1	59.9
Cigarettes	10.6	17.0	21.2	16.9	Marijuana	23.5	25.3	25.5	28.7
Marijuana	6.7	8.9	12.4	9.4	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.4	9.1	16.1	13.2
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	58.5	55.0	66.2	69.7	Were grouchy, irritable, or in a bad mood	29.1	24.0	31.0	12.6
Were victims of mean rumors or lies spread at school	51.5	47.5	46.2	55.0	Had difficulty concentrating on school work	23.3	20.8	23.4	14.2
Were victims of an embarrassing or hurtful text message or something posted on the Internet	23.1	23.0	24.1	23.2	Were very sad	18.7	14.9	24.0	7.0
					Felt hopeless about the future	9.7	7.9	13.7	4.3
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	10.5	9.9	12.6	10.3	Parents involve student in making family decisions	72.2	71.3	73.8	70.1
Made plan about how they would attempt suicide	7.5	8.0	9.7	6.5	Parents notice and comment on student's good work	80.5	82.2	81.4	88.0
Attempted suicide	5.3	4.0	7.6	3.8	Teachers notice and comment on student's good work	72.4	74.3		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

DE KALB COUNTY



DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	1
Adult Psychiatric	1
POPULATION	
Census 2010	12,892
2015 Estimate	12,687

BIRTH RISK	2014	2013	2012
Resident Births	102	104	100
Mother Reported Smoking while Pregnant	30	27	28

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	2	0	0
Hepatitis B Chronic, Acute, Prenatal	1	4	0
Hepatitis C Chronic and Acute	37	17	17
Tuberculosis Infection Cases	1	1	22

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	113	132	131
Suicides	2	2	2
Homicides	1	0	0
Alcohol Induced Deaths	2	2	2
Drug Induced Deaths	0	1	0
Smoking Attributable Deaths	24	24	25
Self-inflicted Injuries	3	6	17
Assault Injuries	36	38	20

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	50	44	51
Mental Illness Secondary Diagnosis	76	85	83
Alcohol Principal Diagnosis	2	0	0
Alcohol Secondary Diagnosis	8	10	4
Drug Principal Diagnosis	1	0	2
Drug Secondary Diagnosis	3	3	5
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	23	35	33
Mental Illness Secondary Diagnosis	254	175	199
Alcohol Principal Diagnosis	3	6	1
Alcohol Secondary Diagnosis	17	13	13
Drug Principal Diagnosis	1	3	3
Drug Secondary Diagnosis	7	11	9
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	73	53	72
Mental Illness Secondary Diagnosis	76	67	69
Alcohol Principal Diagnosis	3	5	7
Alcohol Secondary Diagnosis	11	6	9
Drug Principal Diagnosis	9	4	1
Drug Secondary Diagnosis	8	10	13

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	10	10	11
Alcohol Package Carry-out Licenses	13	12	12

EMPLOYMENT	2015	2014	2013
Labor Force	5,074	5,142	5,676
Employed	4,838	4,870	5,327
Unemployed	236	272	349
Unemployment Rate	4.7%	5.3%	6.1%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	10	10	8
Fatal Crashes	0	1	0
Injury Crashes	5	5	5
Property Damage Crashes	4	4	3
Crash Fatalities	0	2	0
Crash Injuries	7	6	5
Drug Involved Crashes	2	3	1
Fatal Crashes	0	0	0
Injury Crashes	1	2	0
Property Damage Crashes	1	1	1
Crash Fatalities	0	0	0
Crash Injuries	3	2	0

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	48	43	41
Liquor Law Arrests	9	4	3
Drug Arrests	51	20	48
Violent Offenses	18	12	7
Property Offenses	77	70	84
Domestic Violence Reports	17	28	18

	2015	2014	2013
Methamphetamine Lab Seizures	0	1	0

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	314	336	328
Drop-outs	6	4	5
Drop-out Rate	1.9%	1.2%	1.5%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	2	0	1
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	16	8	18
Juvenile Alcohol Offenses	2	0	1
Juvenile Drug Offenses	4	2	1
School Truancy Status Offense	13	15	10
Absent from Home Status Offense	4	6	10
Beyond Parental Control Status Offense	6	14	10
Injurious Behavior Status Offense	12	9	19
Child Abuse	3	4	1
Child Neglect	14	10	17
Child Custody Issues	0	0	2

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	15	7	17
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	12	6	7
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	29	24	30
Probation/Parole Admissions--DWI	6	10	6
Prison Admissions--Drug	19	20	16
Prison Admissions--DWI	6	5	10

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.

³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

DE KALB COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	0	*	*
CSTAR Adolescent	*	*	*
CSTAR Women and Children	0	*	0
CSTAR General Adult	15	13	18
CSTAR Opioid	0	0	0
Primary Recovery Treatment	0	16	15
Clinical SATOP (CIP, YCIP, SROP)	*	*	*
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	29	27	21
- Adolescent Diversion Education Program	*	0	0
- Offender Education Program	13	14	10
- Weekend Intervention Program	6	5	5
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	*	0	0
Early Intervention	0	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	29	33	37	Alcohol	9	13	12
AGE				Marijuana / Hashish	9	5	11
Under 18	*	*	*	Cocaine (total)	0	0	0
18 to 24	*	*	6	- Crack	0	0	0
25 to 29	5	8	8	Stimulant (total)	8	12	9
30 to 34	6	6	9	- Methamphetamine	8	11	9
35 to 39	*	6	*	Heroin	0	0	*
40 to 44	*	5	*	Analgesic except Heroin	*	*	*
45 to 54	*	*	*	- Non-Prescription Methadone	0	0	0
55 and Over	*	0	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	0	0
Male	13	18	19	Inhalant	0	0	0
Female	16	15	18	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	*	*
Caucasian	27	32	35	Average Age at First Use of Drug	17.5	17.8	18.6
African American	*	0	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	*	*	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	*	*
Hispanic	*	0	*	- Weekly Injection Use	0	0	*
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	*	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	9	13	10	0	20	22	24
High School Graduate or G.E.D.	11	16	15	1 or 2	5	*	11
Associate Degree or Some College	9	*	12	3 or More	*	7	*
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	11	9	11
Employed	5	9	12	School	0	0	0
Unemployed	9	13	14	Mental Health Provider	0	0	0
Not in Labor Force	15	11	11	Health Care Provider	*	0	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	11	15	17
Independent Living	18	26	33	Other Referral Source	6	9	7
Dependent Living	5	6	*	TREATMENT ACCOMMODATION			
Homeless	0	*	*	Pregnant when Admitted to any Episode	*	0	*
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	14	16	16	Special Education Services Needed	*	0	*
Married / Cohabiting	8	9	13	Co-Occurring Psychological Problem	14	12	15
Previously Married	7	8	8	Co-Occurring Developmental Problem	0	0	*

DE KALB COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 1
CENSUS 2010 12,892
2015 POPULATION ESTIMATE 12,687

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	*	*	*
Anxiety Disorder	22	22	22
Dementia	0	0	0
Developmental Disorder	0	0	0
Impulse Control Disorder	12	6	11
Mood Disorder	35	33	38
Personality Disorder	8	7	9
Psychotic Disorder	9	12	10
Sexual Disorder	*	*	*
Other Diagnosis	*	*	6
Diagnosis Unknown	*	*	8

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	53	49	67	Less than High School Diploma	19	18	25
AGE				High School Grad or G.E.D.	0	0	*
Under 6	*	0	0	Associate Degree or Some College	0	0	0
6 to 9	*	*	8	Bachelor or Advanced Degree	0	0	0
10 to 13	7	*	7	Education Level Unknown	34	31	40
14 to 17	*	*	6	EMPLOYMENT			
18 to 24	6	*	6	Employed	*	*	*
25 to 29	*	*	*	Unemployed	*	*	5
30 to 34	6	7	*	Not in Labor Force	39	39	49
35 to 39	5	*	*	Employment Status Unknown	11	6	12
40 to 44	*	5	7	HOUSING / LIVING ARRANGEMENT			
45 to 49	*	5	*	Independent Living	27	29	31
50 to 54	7	7	7	Dependent Living	15	12	22
55 to 59	*	5	6	Homeless	0	0	0
60 and Over	5	5	5	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	11	8	14
GENDER				TREATMENT REFERRAL SOURCE			
Male	23	18	29	Self / Family / Friend	29	21	32
Female	30	31	38	School	0	0	*
Gender Unknown	0	0	0	Mental Health Provider	7	7	10
RACE / ETHNICITY				Health Care Provider	9	10	9
Caucasian	49	46	60	Court / Criminal Justice	*	*	*
African American	*	*	*	Other	5	9	10
Native American / Alaskan	0	*	*	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	0	0	Voluntary	52	48	63
Other Race	*	0	*	Civil	0	0	*
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	*	*	*	Commitment Type Unknown	0	0	0
Past or Current Military Service	*	*	*				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	26.1	25.8	39.5	31.2	Alcohol	7.9	11.3	15.6	9.1
Chewing Tobacco	14.9	12.8	20.5	10.3	Alcohol (5+ drinks on single occasion past 2 weeks)	4.5	5.6		
Cigarettes	22.2	21.0	27.1	28.9	Chewing Tobacco	6.8	7.2	12.0	7.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.6	0.8	0.6	0.0	Cigarettes	9.1	10.5	12.0	15.6
Cocaine	0.6	0.8	0.6	0.5	Inhalants	0.6	0.8	1.8	2.5
Electronic Cigarettes	16.7	9.6			Marijuana	3.4	0.0	1.8	2.5
Hallucinogens	0.6	0.8	1.2	1.0	Over-the-counter medications for non-medical use	1.7	0.0	1.8	2.5
Heroin	0.0	0.0	1.2	0.0	Prescription medications not prescribed for student	7.9	0.0	1.8	3.5
Inhalants	1.7	3.2	2.4	4.5					
Marijuana	7.9	6.4	9.6	5.0	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.6	0.0	0.6	0.5	Alcohol (1 or 2 drinks daily)	61.9	60.0		
Over-the-counter medications for non-medical use	5.1	0.0	2.4	2.5	Alcohol (Binge: 5+ drinks once or twice a week)	81.5	79.0		
Prescription medications not prescribed for student	8.5	3.2	3.0	7.1	Cigarettes (1+ packs per day)	79.8	86.1		
Synthetic drugs (K2, bath salts, Spice, etc)	1.1	0.8	1.8		Marijuana (once or twice a week)	75.7	80.0		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	93.2	97.6	87.2	95.0
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.49	12.80	13.09	12.04	Alcohol	89.1	81.6	79.4	88.8
Cigarettes	13.45	13.74	13.15	10.89	Cigarettes	95.4	88.6	93.4	93.0
Inhalants		11.28		10.32	Marijuana	94.8	92.8	97.6	97.0
Marijuana	14.56	15.24	14.65	14.33					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	34.5	31.0	54.8	28.1	Alcohol	72.7	74.8	61.1	69.8
Cigarettes	32.6	32.0	50.0	34.8	Cigarettes	86.5	82.3	82.4	86.1
Marijuana	21.3	12.8	27.7	14.9	Marijuana	83.7	90.2	91.0	90.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	3.9	1.6	7.8	9.3	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.2	99.2	97.0	98.0
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	19.3	18.3	28.5	19.9	Alcohol	44.9	46.4	59.0	39.9
Cigarettes	10.2	13.5	13.9	9.0	Cigarettes	44.6	42.4	56.0	46.8
Marijuana	8.4	2.4	4.8	4.1	Marijuana	26.0	13.0	27.9	16.1
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.9	3.2	12.3	6.1
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	59.6	68.0	63.3	64.4	Were grouchy, irritable, or in a bad mood	30.9	20.8	21.7	14.6
Were victims of mean rumors or lies spread at school	48.9	55.2	51.8	47.8	Had difficulty concentrating on school work	28.1	21.6	10.8	14.3
Were victims of an embarrassing or hurtful text message or something posted on the Internet	22.0	23.2	21.2	14.1	Were very sad	15.3	17.6	22.9	7.3
					Felt hopeless about the future	10.1	8.9	7.8	2.5
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	8.5	5.6	7.9	13.2	Parents involve student in making family decisions	73.6	69.6	66.3	80.4
Made plan about how they would attempt suicide	6.3	3.2	4.2	11.7	Parents notice and comment on student's good work	84.2	78.6	82.5	83.3
Attempted suicide	3.7	0.8	3.0	1.5	Teachers notice and comment on student's good work	79.2	74.4		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

DENT COUNTY



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	17
Adult Psychiatric	17A
POPULATION	
Census 2010	15,657
2015 Estimate	15,593

BIRTH RISK	2014	2013	2012
Resident Births	179	180	173
Mother Reported Smoking while Pregnant	44	56	49

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	0	0	1
Hepatitis B Chronic, Acute, Prenatal	0	2	0
Hepatitis C Chronic and Acute	15	16	15
Tuberculosis Infection Cases	1	3	0

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	194	190	185
Suicides	3	3	2
Homicides	0	0	0
Alcohol Induced Deaths	1	0	0
Drug Induced Deaths	7	2	6
Smoking Attributable Deaths	36	41	37
Self-inflicted Injuries	38	22	26
Assault Injuries	60	62	59

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	117	142	142
Mental Illness Secondary Diagnosis	259	290	332
Alcohol Principal Diagnosis	4	9	12
Alcohol Secondary Diagnosis	14	13	15
Drug Principal Diagnosis	62	49	20
Drug Secondary Diagnosis	16	28	9
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	43	48	44
Mental Illness Secondary Diagnosis	285	222	148
Alcohol Principal Diagnosis	3	10	8
Alcohol Secondary Diagnosis	21	17	21
Drug Principal Diagnosis	8	7	6
Drug Secondary Diagnosis	13	9	16
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	175	180	175
Mental Illness Secondary Diagnosis	547	594	477
Alcohol Principal Diagnosis	41	32	52
Alcohol Secondary Diagnosis	20	19	12
Drug Principal Diagnosis	39	32	33
Drug Secondary Diagnosis	38	44	35

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	10	10	13
Alcohol Package Carry-out Licenses	14	14	15

EMPLOYMENT	2015	2014	2013
Labor Force	6,379	6,202	7,076
Employed	6,008	5,785	6,623
Unemployed	371	417	453
Unemployment Rate	5.8%	6.7%	6.4%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	5	16	23
Fatal Crashes	1	1	1
Injury Crashes	1	6	9
Property Damage Crashes	9	9	13
Crash Fatalities	1	1	1
Crash Injuries	1	6	12
Drug Involved Crashes	2	9	3
Fatal Crashes	1	0	0
Injury Crashes	0	1	2
Property Damage Crashes	1	8	1
Crash Fatalities	1	0	0
Crash Injuries	0	1	2

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	68	67	100
Liquor Law Arrests	8	5	12
Drug Arrests	60	69	79
Violent Offenses	12	27	33
Property Offenses	305	377	296
Domestic Violence Reports	2	30	31

	2015	2014	2013
Methamphetamine Lab Seizures	6	6	4

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	634	628	631
Drop-outs	7	1	7
Drop-out Rate	1.1%	0.2%	1.1%
School Discipline Involving Alcohol	1	1	5
School Discipline Involving Drugs	7	4	5
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	4	13	26
Juvenile Alcohol Offenses	0	2	0
Juvenile Drug Offenses	1	2	2
School Truancy Status Offense	4	1	21
Absent from Home Status Offense	2	4	4
Beyond Parental Control Status Offense	3	7	10
Injurious Behavior Status Offense	6	3	14
Child Abuse	0	1	2
Child Neglect	31	9	13
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	24	14	18
Parental Alcohol Use Related	0	1	0
Parental Drug Use Related	13	3	4
Parental Alcohol and Drug Use	0	0	3

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	30	34	27
Probation/Parole Admissions--Drug	42	54	49
Probation/Parole Admissions--DWI	1	2	7
Prison Admissions--Drug	24	30	26
Prison Admissions--DWI	2	3	2

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

DENT COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	30	24	28
CSTAR Adolescent	*	*	5
CSTAR Women and Children	6	*	5
CSTAR General Adult	105	102	118
CSTAR Opioid	0	0	*
Primary Recovery Treatment	0	0	36
Clinical SATOP (CIP, YCIP, SROP)	15	17	22
Other Substance Abuse Treatment	0	0	*


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	57	52	67
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	20	14	19
- Weekend Intervention Program	9	10	9
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	0	*
Compulsive Gambling	0	0	0
Recovery Supports	0	*	*
Early Intervention	8	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	119	123	151	Alcohol	49	47	55
AGE				Marijuana / Hashish	17	21	27
Under 18	*	*	6	Cocaine (total)	0	*	*
18 to 24	19	18	33	- Crack	0	0	*
25 to 29	24	27	32	Stimulant (total)	22	14	18
30 to 34	21	26	24	- Methamphetamine	22	13	18
35 to 39	19	14	17	Heroin	11	11	13
40 to 44	9	6	15	Analgesic except Heroin	20	25	36
45 to 54	18	24	18	- Non-Prescription Methadone	0	0	*
55 and Over	6	*	6	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	*	*
Male	77	83	94	Inhalant	0	0	0
Female	42	40	57	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	*	0
Caucasian	115	117	147	Average Age at First Use of Drug	20.5	18.3	18.1
African American	*	*	*	INJECTION DRUG USE			
Native American / Alaskan	*	*	0	Any Injection Use at Admission	32	29	42
Asian / Pacific Islander	0	0	0	- Daily Injection Use	9	*	9
Hispanic	*	*	*	- Weekly Injection Use	9	11	14
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	14	15	19
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	47	47	65	0	54	60	79
High School Graduate or G.E.D.	56	57	57	1 or 2	39	38	54
Associate Degree or Some College	15	19	27	3 or More	26	25	18
Bachelor or Advanced Degree	*	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	99	98	106
Employed	37	23	38	School	0	0	0
Unemployed	60	57	72	Mental Health Provider	0	*	*
Not in Labor Force	22	43	41	Health Care Provider	6	*	6
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	9	11	32
Independent Living	106	111	135	Other Referral Source	5	8	6
Dependent Living	7	8	7	TREATMENT ACCOMMODATION			
Homeless	5	*	6	Pregnant when Admitted to any Episode	*	0	*
MARITAL / FAMILY STATUS				Military Veteran	*	7	7
Never Married	58	61	60	Special Education Services Needed	*	8	12
Married / Cohabiting	29	30	48	Co-Occurring Psychological Problem	62	61	67
Previously Married	32	32	43	Co-Occurring Developmental Problem	6	15	20

DENT COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 17A
CENSUS 2010 15,657
2015 POPULATION ESTIMATE 15,593

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	8	6	5
Anxiety Disorder	198	188	170
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	53	49	46
Mood Disorder	195	203	174
Personality Disorder	14	14	12
Psychotic Disorder	28	31	33
Sexual Disorder	0	0	0
Other Diagnosis	11	24	15
Diagnosis Unknown	10	9	9

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	294	290	258	Less than High School Diploma	85	105	80
AGE				High School Grad or G.E.D.	0	0	*
Under 6	5	6	*	Associate Degree or Some College	0	0	*
6 to 9	26	21	16	Bachelor or Advanced Degree	0	0	0
10 to 13	20	28	20	Education Level Unknown	209	185	173
14 to 17	25	31	29	EMPLOYMENT			
18 to 24	37	27	27	Employed	9	15	6
25 to 29	26	27	21	Unemployed	22	7	12
30 to 34	25	29	23	Not in Labor Force	144	177	121
35 to 39	24	24	26	Employment Status Unknown	119	91	119
40 to 44	24	23	28	HOUSING / LIVING ARRANGEMENT			
45 to 49	28	26	23	Independent Living	106	124	78
50 to 54	22	23	22	Dependent Living	73	83	61
55 to 59	20	15	13	Homeless	*	*	0
60 and Over	12	10	8	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	114	82	119
GENDER				TREATMENT REFERRAL SOURCE			
Male	108	126	123	Self / Family / Friend	248	244	202
Female	186	164	135	School	*	*	0
Gender Unknown	0	0	0	Mental Health Provider	*	*	*
RACE / ETHNICITY				Health Care Provider	29	24	29
Caucasian	280	279	247	Court / Criminal Justice	0	5	7
African American	*	*	0	Other	15	15	17
Native American / Alaskan	*	*	*	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	6	6	7	Voluntary	294	289	256
Other Race	*	*	*	Civil	0	0	*
Race/Ethnicity Unknown	0	0	0	Criminal	0	*	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	10	12	9	Commitment Type Unknown	0	0	0
Past or Current Military Service	8	8	10				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	36.1	12.4	28.2	40.5	Alcohol	13.5	1.9	17.1	15.3
Chewing Tobacco	23.7	35.6	22.9	23.7	Alcohol (5+ drinks on single occasion past 2 weeks)	8.3	0.0		
Cigarettes	32.0	14.1	22.4	30.8	Chewing Tobacco	11.8	19.0	11.4	14.3
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.2	0.6	0.0	2.3	Cigarettes	15.7	3.1	13.5	16.5
Cocaine	0.8	0.6	1.2	1.6	Inhalants	2.0	0.6	9.4	2.6
Electronic Cigarettes	32.4	17.9			Marijuana	6.7	0.6	6.9	6.5
Hallucinogens	1.2	0.6	3.3	2.9	Over-the-counter medications for non-medical use	1.6	1.2	3.3	5.2
Heroin	1.2	0.6	0.8	0.3	Prescription medications not prescribed for student	6.8	2.5	2.0	7.8
Inhalants	4.4	1.8	12.6	5.8					
Marijuana	16.5	1.9	13.9	12.8	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	1.2	0.0	0.8	1.6	Alcohol (1 or 2 drinks daily)	54.4	59.5		
Over-the-counter medications for non-medical use	4.8	1.2	9.8	8.4	Alcohol (Binge: 5+ drinks once or twice a week)	68.7	69.8		
Prescription medications not prescribed for student	12.0	4.3	8.6	11.7	Cigarettes (1+ packs per day)	77.6	85.7		
Synthetic drugs (K2, bath salts, Spice, etc)	1.2	0.6	8.2		Marijuana (once or twice a week)	64.7	73.5		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	89.6	89.6	96.1	92.3
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.89	9.90	10.50	11.58	Alcohol	79.7	70.7	76.3	79.6
Cigarettes	12.53	10.97	10.78	11.55	Cigarettes	86.9	74.8	83.3	91.3
Inhalants	12.79	9.57	9.89	11.39	Marijuana	91.9	87.0	99.1	95.2
Marijuana	13.31	12.27	13.30	12.30					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	45.6	25.9	36.7	49.4	Alcohol	65.2	73.6	71.2	67.0
Cigarettes	35.0	26.4	34.7	44.8	Cigarettes	79.5	78.3	82.7	76.1
Marijuana	28.1	16.6	19.3	28.1	Marijuana	81.4	94.5	83.5	85.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.1	1.9	4.9	11.9	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.3	98.7	96.5	94.6
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	29.1	29.4	17.1	27.2	Alcohol	48.8	33.1	40.2	49.4
Cigarettes	17.4	9.2	10.2	17.0	Cigarettes	48.0	30.1	37.1	53.0
Marijuana	12.7	3.1	9.3	9.6	Marijuana	32.2	8.1	23.4	26.5
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.3	4.3	7.8	16.3
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	57.1	38.0	66.5	72.1	Were grouchy, irritable, or in a bad mood	31.2	15.2	26.0	14.6
Were victims of mean rumors or lies spread at school	50.4	30.7	47.8	59.1	Had difficulty concentrating on school work	24.0	24.2	27.8	14.3
Were victims of an embarrassing or hurtful text message or something posted on the Internet	21.3	13.4	17.3	17.2	Were very sad	26.1	8.6	28.5	9.3
					Felt hopeless about the future	10.2	6.7	21.2	6.4
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	8.0	1.8	13.5	13.7	Parents involve student in making family decisions	68.9	69.1	78.0	68.6
Made plan about how they would attempt suicide	7.2	1.2	4.9	8.9	Parents notice and comment on student's good work	83.4	78.7	86.1	84.9
Attempted suicide	5.2	0.6	2.0	6.4	Teachers notice and comment on student's good work	79.5	79.8		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

DOUGLAS COUNTY



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	18
Adult Psychiatric	18
POPULATION	
Census 2010	13,684
2015 Estimate	13,373

BIRTH RISK	2014	2013	2012
Resident Births	155	140	143
Mother Reported Smoking while Pregnant	40	29	35
DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	0	0	2
Hepatitis B Chronic, Acute, Prenatal	1	0	1
Hepatitis C Chronic and Acute	7	6	13
Tuberculosis Infection Cases	2	0	2
DEATHS and INJURIES	2014	2013	2012
Resident Deaths	151	185	140
Suicides	2	2	3
Homicides	0	1	0
Alcohol Induced Deaths	1	0	0
Drug Induced Deaths	2	2	1
Smoking Attributable Deaths	27	38	25
Self-inflicted Injuries	7	9	4
Assault Injuries	10	14	18
HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	43	45	43
Mental Illness Secondary Diagnosis	90	77	93
Alcohol Principal Diagnosis	6	1	9
Alcohol Secondary Diagnosis	5	2	4
Drug Principal Diagnosis	4	4	6
Drug Secondary Diagnosis	10	2	6
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	31	25	34
Mental Illness Secondary Diagnosis	195	193	202
Alcohol Principal Diagnosis	12	4	13
Alcohol Secondary Diagnosis	9	12	12
Drug Principal Diagnosis	7	4	9
Drug Secondary Diagnosis	12	10	11
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	47	45	52
Mental Illness Secondary Diagnosis	256	262	276
Alcohol Principal Diagnosis	14	7	23
Alcohol Secondary Diagnosis	9	11	10
Drug Principal Diagnosis	7	12	18
Drug Secondary Diagnosis	9	8	16
ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	4	4	5
Alcohol Package Carry-out Licenses	11	11	12
EMPLOYMENT	2015	2014	2013
Labor Force	5,110	4,996	6,254
Employed	4,761	4,620	5,798
Unemployed	349	376	456
Unemployment Rate	6.8%	7.5%	7.3%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	12	13	16
Fatal Crashes	1	1	2
Injury Crashes	5	4	11
Property Damage Crashes	8	8	3
Crash Fatalities	1	1	2
Crash Injuries	11	6	15
Drug Involved Crashes	2	7	1
Fatal Crashes	0	0	0
Injury Crashes	1	2	0
Property Damage Crashes	1	5	1
Crash Fatalities	0	0	0
Crash Injuries	1	2	0
POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	41	52	44
Liquor Law Arrests	22	24	23
Drug Arrests	146	106	69
Violent Offenses	24	32	24
Property Offenses	186	254	229
Domestic Violence Reports	0	0	0
	2015	2014	2013
Methamphetamine Lab Seizures	1	1	10
SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	426	424	450
Drop-outs	1	1	0
Drop-out Rate	0.2%	0.2%	0.0%
School Discipline Involving Alcohol	1	2	4
School Discipline Involving Drugs	1	1	1
School Discipline Involving Tobacco	0	0	0
JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	7	11	25
Juvenile Alcohol Offenses	3	0	3
Juvenile Drug Offenses	2	2	4
School Truancy Status Offense	1	4	5
Absent from Home Status Offense	1	0	2
Beyond Parental Control Status Offense	5	7	11
Injurious Behavior Status Offense	3	0	1
Child Abuse	2	2	7
Child Neglect	31	11	16
Child Custody Issues	1	7	5
JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	31	13	9
Parental Alcohol Use Related	1	1	0
Parental Drug Use Related	7	0	0
Parental Alcohol and Drug Use	1	3	1
CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	45	37	29
Probation/Parole Admissions--Drug	34	29	28
Probation/Parole Admissions--DWI	0	4	8
Prison Admissions--Drug	16	16	15
Prison Admissions--DWI	3	1	3

1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

DOUGLAS COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	5	6	5
CSTAR Adolescent	0	*	*
CSTAR Women and Children	9	*	*
CSTAR General Adult	31	13	15
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	14	22
Clinical SATOP (CIP, YCIP, SROP)	15	6	12
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	36	27	43
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	14	12	18
- Weekend Intervention Program	7	*	5
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	0	0
Compulsive Gambling	0	0	0
Recovery Supports	*	*	6
Early Intervention	0	0	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	54	39	52	Alcohol	19	11	24
AGE				Marijuana / Hashish	8	6	8
Under 18	0	*	*	Cocaine (total)	*	0	0
18 to 24	8	6	10	- Crack	0	0	0
25 to 29	8	*	9	Stimulant (total)	21	17	9
30 to 34	12	5	9	- Methamphetamine	21	17	9
35 to 39	7	8	5	Heroin	*	*	*
40 to 44	7	6	6	Analgesic except Heroin	*	*	7
45 to 54	6	6	10	- Non-Prescription Methadone	0	0	*
55 and Over	6	*	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	*	*
Male	34	27	38	Inhalant	0	0	0
Female	20	12	14	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	53	39	49	Average Age at First Use of Drug	18.5	18.7	18.2
African American	*	0	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	15	11	10
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	0
Hispanic	0	0	0	- Weekly Injection Use	*	*	6
Other Race / Two or More Races	0	0	*	- Less than Weekly Injection Use	10	6	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	16	13	18	0	27	20	26
High School Graduate or G.E.D.	26	16	27	1 or 2	18	11	14
Associate Degree or Some College	12	10	7	3 or More	9	8	12
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	8	9	16
Employed	23	6	10	School	0	0	0
Unemployed	10	15	30	Mental Health Provider	0	0	*
Not in Labor Force	21	18	12	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	36	23	26
Independent Living	47	31	43	Other Referral Source	7	6	6
Dependent Living	5	6	6	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	*	*	0
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	16	18	26	Special Education Services Needed	*	*	*
Married / Cohabiting	21	10	18	Co-Occurring Psychological Problem	20	10	11
Previously Married	17	11	8	Co-Occurring Developmental Problem	*	0	*

DOUGLAS COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 18
CENSUS 2010 13,684
2015 POPULATION ESTIMATE 13,373

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	*	*	*
Anxiety Disorder	45	43	30
Dementia	*	0	*
Developmental Disorder	0	*	*
Impulse Control Disorder	7	10	10
Mood Disorder	52	72	51
Personality Disorder	9	9	7
Psychotic Disorder	5	*	7
Sexual Disorder	0	0	0
Other Diagnosis	5	5	*
Diagnosis Unknown	6	*	*

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	77	92	73	Less than High School Diploma	19	26	31
AGE				High School Grad or G.E.D.	0	0	0
Under 6	0	0	0	Associate Degree or Some College	0	0	0
6 to 9	*	5	7	Bachelor or Advanced Degree	0	0	0
10 to 13	*	5	5	Education Level Unknown	58	66	42
14 to 17	7	8	6	EMPLOYMENT			
18 to 24	7	16	13	Employed	12	5	7
25 to 29	10	6	*	Unemployed	5	11	9
30 to 34	10	10	*	Not in Labor Force	43	52	53
35 to 39	11	6	6	Employment Status Unknown	17	24	*
40 to 44	5	6	5	HOUSING / LIVING ARRANGEMENT			
45 to 49	5	8	7	Independent Living	32	33	40
50 to 54	7	12	*	Dependent Living	15	19	18
55 to 59	*	7	9	Homeless	0	5	*
60 and Over	8	*	5	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	30	35	14
GENDER				TREATMENT REFERRAL SOURCE			
Male	26	33	30	Self / Family / Friend	37	44	38
Female	51	59	43	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	*	0	*
RACE / ETHNICITY				Health Care Provider	24	37	24
Caucasian	74	90	72	Court / Criminal Justice	*	*	*
African American	0	0	0	Other	10	7	8
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	*	*	Voluntary	76	91	72
Other Race	*	*	0	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	0	0	0
Past or Current Military Service	*	*	*				

MISSOURI STUDENT SURVEY

	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol		34.5	43.3	46.1	Alcohol	12.1	22.1	22.1	
Chewing Tobacco		17.0	25.0	26.9	Alcohol (5+ drinks on single occasion past 2 weeks)	8.6			
Cigarettes		25.6	29.3	39.5	Chewing Tobacco	7.4	16.4	15.9	
Club drugs (Ecstasy, GHB, roofie, Special K, etc)		1.1	0.5	2.7	Cigarettes	9.1	11.1	20.3	
Cocaine		0.6	2.0	1.4	Inhalants	0.6	1.9	4.7	
Electronic Cigarettes		17.6			Marijuana	2.3	7.7	6.1	
Hallucinogens		1.1	0.5	2.7	Over-the-counter medications for non-medical use	0.0	1.4	5.1	
Heroin		0.0	0.5	1.0	Prescription medications not prescribed for student	4.0	1.4	6.8	
Inhalants		3.4	3.4	9.8					
Marijuana		8.0	14.5	13.5	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine		0.0	1.4	0.7	Alcohol (1 or 2 drinks daily)	52.8			
Over-the-counter medications for non-medical use		0.6	1.9	9.4	Alcohol (Binge: 5+ drinks once or twice a week)	69.9			
Prescription medications not prescribed for student		6.3	7.2	13.5	Cigarettes (1+ packs per day)	84.9			
Synthetic drugs (K2, bath salts, Spice, etc)		2.9	7.7		Marijuana (once or twice a week)	74.9			
					Other: Cocaine, LSD, Meth, Club Drug (any use)	94.3	93.7	90.6	
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.59	12.95	12.02		Alcohol	83.3	75.2	79.4	
Cigarettes	12.86	12.19	12.64		Cigarettes	90.3	84.6	88.6	
Inhalants	12.91	12.41	12.78		Marijuana	95.3	92.7	95.9	
Marijuana	13.92	13.19	13.83						
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	39.7	62.5	62.2		Alcohol	68.4	60.3	53.4	
Cigarettes	37.5	53.4	54.1		Cigarettes	81.6	68.9	66.7	
Marijuana	21.1	35.9	33.7		Marijuana	87.5	79.7	82.1	
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	8.1	13.9	16.8		Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.8	95.7	92.9	
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	25.0	35.7	40.3		Alcohol	51.2	64.4	63.9	
Cigarettes	9.1	19.3	23.2		Cigarettes	50.0	65.5	65.5	
Marijuana	4.6	11.3	11.6		Marijuana	22.7	35.8	38.4	
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.7	15.2	22.3	
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	46.6	63.6	66.9		Were grouchy, irritable, or in a bad mood	24.7	30.9	33.0	
Were victims of mean rumors or lies spread at school	41.1	52.4	54.8		Had difficulty concentrating on school work	24.0	25.6	30.4	
Were victims of an embarrassing or hurtful text message or something posted on the Internet	19.9	25.7	19.9		Were very sad	16.8	25.6	22.0	
					Felt hopeless about the future	10.8	15.2	19.5	
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	7.4	10.6	11.8		Parents involve student in making family decisions	72.0	68.8	63.1	
Made plan about how they would attempt suicide	6.8	8.7	9.5		Parents notice and comment on student's good work	84.1	81.6	78.0	
Attempted suicide	5.7	3.8	6.1		Teachers notice and comment on student's good work	72.7			


Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:

<https://seow.dmh.mo.gov/DetailSearch.aspx>

DUNKLIN COUNTY



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	20
Adult Psychiatric	19
POPULATION	
Census 2010	31,953
2015 Estimate	30,895

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	22	23	35
Fatal Crashes	3	2	2
Injury Crashes	8	10	19
Property Damage Crashes	11	11	14
Crash Fatalities	3	2	2
Crash Injuries	11	17	32
Drug Involved Crashes	10	18	5
Fatal Crashes	0	1	0
Injury Crashes	6	10	3
Property Damage Crashes	4	7	2
Crash Fatalities	0	1	0
Crash Injuries	9	14	3

BIRTH RISK	2014	2013	2012
Resident Births	457	469	444
Mother Reported Smoking while Pregnant	130	139	149

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	3	1	0
Hepatitis B Chronic, Acute, Prenatal	0	0	0
Hepatitis C Chronic and Acute	38	29	29
Tuberculosis Infection Cases	1	3	2

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	464	423	453
Suicides	6	6	6
Homicides	3	1	0
Alcohol Induced Deaths	2	1	5
Drug Induced Deaths	12	4	15
Smoking Attributable Deaths	105	101	88
Self-inflicted Injuries	76	81	89
Assault Injuries	155	207	183

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	538	462	505
Mental Illness Secondary Diagnosis	809	772	829
Alcohol Principal Diagnosis	30	22	21
Alcohol Secondary Diagnosis	64	52	66
Drug Principal Diagnosis	73	47	42
Drug Secondary Diagnosis	48	40	42
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	140	153	155
Mental Illness Secondary Diagnosis	602	652	736
Alcohol Principal Diagnosis	14	8	13
Alcohol Secondary Diagnosis	35	30	58
Drug Principal Diagnosis	22	24	20
Drug Secondary Diagnosis	22	11	18
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	599	526	543
Mental Illness Secondary Diagnosis	1,269	785	238
Alcohol Principal Diagnosis	57	73	71
Alcohol Secondary Diagnosis	52	36	50
Drug Principal Diagnosis	103	68	62
Drug Secondary Diagnosis	56	46	38

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	25	25	26
Alcohol Package Carry-out Licenses	46	48	45

EMPLOYMENT	2015	2014	2013
Labor Force	13,380	12,946	14,829
Employed	12,317	11,794	13,648
Unemployed	1,063	1,152	1,181
Unemployment Rate	7.9%	8.9%	8.0%

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	149	145	195
Liquor Law Arrests	46	45	79
Drug Arrests	193	158	204
Violent Offenses	156	93	121
Property Offenses	1,379	1,150	1,254
Domestic Violence Reports	182	157	158
	2015	2014	2013
Methamphetamine Lab Seizures	4	2	3
SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	1,500	1,598	1,619
Drop-outs	13	13	18
Drop-out Rate	0.9%	0.8%	1.1%
School Discipline Involving Alcohol	1	1	0
School Discipline Involving Drugs	14	26	4
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	44	50	21
Juvenile Alcohol Offenses	12	13	11
Juvenile Drug Offenses	10	7	0
School Truancy Status Offense	51	53	59
Absent from Home Status Offense	7	8	3
Beyond Parental Control Status Offense	30	26	30
Injurious Behavior Status Offense	5	11	8
Child Abuse	76	166	150
Child Neglect	369	265	422
Child Custody Issues	3	2	12

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	122	68	77
Parental Alcohol Use Related	0	0	1
Parental Drug Use Related	71	46	59
Parental Alcohol and Drug Use	0	0	1

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	95	72	80
Probation/Parole Admissions--Drug	156	117	112
Probation/Parole Admissions--DWI	24	22	38
Prison Admissions--Drug	101	78	68
Prison Admissions--DWI	10	19	22

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

DUNKLIN COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	56	92	74
CSTAR Adolescent	18	21	26
CSTAR Women and Children	13	23	30
CSTAR General Adult	141	146	102
CSTAR Opioid	0	0	0
Primary Recovery Treatment	79	75	172
Clinical SATOP (CIP, YCIP, SROP)	24	19	23
Other Substance Abuse Treatment	0	*	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	103	98	110
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	30	38	29
- Weekend Intervention Program	16	19	22
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	0	0	0
Recovery Supports	7	23	8
Early Intervention	*	0	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	272	278	348	Alcohol	81	85	121
AGE				Marijuana / Hashish	82	91	115
Under 18	21	25	28	Cocaine (total)	11	6	20
18 to 24	39	44	68	- Crack	6	*	11
25 to 29	48	45	61	Stimulant (total)	63	64	48
30 to 34	37	50	57	- Methamphetamine	62	64	48
35 to 39	42	37	37	Heroin	*	*	*
40 to 44	20	29	32	Analgesic except Heroin	23	20	27
45 to 54	51	36	48	- Non-Prescription Methadone	0	0	0
55 and Over	14	12	17	PCP, LSD, other Hallucinogen	*	0	0
GENDER				Tranquilizer	9	8	11
Male	183	186	243	Inhalant	0	0	0
Female	89	92	105	Sedative	0	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	*	0	*
Caucasian	225	226	282	Average Age at First Use of Drug	17.9	17.5	17.8
African American	36	41	55	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	30	31	25
Asian / Pacific Islander	0	0	*	- Daily Injection Use	*	7	*
Hispanic	*	5	9	- Weekly Injection Use	16	7	7
Other Race / Two or More Races	10	7	*	- Less than Weekly Injection Use	13	17	16
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	127	118	159	0	171	174	224
High School Graduate or G.E.D.	110	126	146	1 or 2	64	65	86
Associate Degree or Some College	34	31	42	3 or More	37	39	38
Bachelor or Advanced Degree	*	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	51	58	52
Employed	52	54	80	School	0	0	*
Unemployed	93	76	90	Mental Health Provider	*	*	*
Not in Labor Force	127	148	178	Health Care Provider	24	18	22
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	162	148	234
Independent Living	196	202	255	Other Referral Source	28	46	33
Dependent Living	59	64	78	TREATMENT ACCOMMODATION			
Homeless	9	*	5	Pregnant when Admitted to any Episode	*	6	7
MARITAL / FAMILY STATUS				Military Veteran	5	13	13
Never Married	131	133	182	Special Education Services Needed	26	28	40
Married / Cohabiting	82	78	87	Co-Occurring Psychological Problem	104	67	84
Previously Married	59	67	79	Co-Occurring Developmental Problem	7	7	8

DUNKLIN COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 19
CENSUS 2010 31,953
2015 POPULATION ESTIMATE 30,895

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	32	35	26
Anxiety Disorder	93	86	45
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	74	67	51
Mood Disorder	458	370	316
Personality Disorder	6	*	*
Psychotic Disorder	118	101	80
Sexual Disorder	0	0	0
Other Diagnosis	10	11	8
Diagnosis Unknown	60	107	78

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	813	743	585	Less than High School Diploma	346	156	132
AGE				High School Grad or G.E.D.	0	0	*
Under 6	*	*	*	Associate Degree or Some College	0	0	0
6 to 9	38	46	28	Bachelor or Advanced Degree	0	0	0
10 to 13	71	53	44	Education Level Unknown	467	587	452
14 to 17	58	46	42	EMPLOYMENT			
18 to 24	52	76	53	Employed	65	8	*
25 to 29	67	68	58	Unemployed	103	39	6
30 to 34	77	60	48	Not in Labor Force	516	302	261
35 to 39	86	92	59	Employment Status Unknown	129	394	314
40 to 44	87	74	63	HOUSING / LIVING ARRANGEMENT			
45 to 49	80	63	52	Independent Living	429	217	178
50 to 54	79	69	52	Dependent Living	214	98	85
55 to 59	52	41	39	Homeless	31	6	*
60 and Over	64	53	45	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	139	422	320
GENDER				TREATMENT REFERRAL SOURCE			
Male	338	328	252	Self / Family / Friend	330	237	155
Female	475	415	333	School	*	6	*
Gender Unknown	0	0	0	Mental Health Provider	77	78	66
RACE / ETHNICITY				Health Care Provider	170	157	146
Caucasian	661	583	485	Court / Criminal Justice	108	143	122
African American	120	129	85	Other	119	113	78
Native American / Alaskan	0	0	0	Referral Source Unknown	7	9	14
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	9	16	9	Voluntary	797	729	568
Other Race	23	15	6	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	7	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	15	16	10	Commitment Type Unknown	8	9	14
Past or Current Military Service	18	12	9				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	40.1	49.3	42.2	42.9	Alcohol	14.6	18.9	18.8	17.9
Chewing Tobacco	15.9	24.1	17.4	15.6	Alcohol (5+ drinks on single occasion past 2 weeks)	6.8	10.0		
Cigarettes	25.6	41.1	31.7	34.5	Chewing Tobacco	7.5	20.7	9.1	6.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.9	0.8	2.4	1.1	Cigarettes	10.6	19.8	16.8	17.2
Cocaine	1.1	1.8	2.5	1.3	Inhalants	1.6	1.1	3.0	3.4
Electronic Cigarettes	30.0	20.1			Marijuana	4.9	4.7	7.9	6.1
Hallucinogens	1.6	0.0	2.2	1.7	Over-the-counter medications for non-medical use	2.9	2.4	3.8	4.4
Heroin	0.2	0.5	1.5	0.3	Prescription medications not prescribed for student	13.0	8.4	7.2	9.0
Inhalants	6.1	2.6	7.2	7.4					
Marijuana	14.8	20.5	17.9	15.4	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	1.3	0.0	1.8	1.1	Alcohol (1 or 2 drinks daily)	60.8	52.5		
Over-the-counter medications for non-medical use	6.1	5.0	6.6	7.5	Alcohol (Binge: 5+ drinks once or twice a week)	72.6	55.9		
Prescription medications not prescribed for student	20.8	13.9	12.7	14.3	Cigarettes (1+ packs per day)	82.2	77.6		
Synthetic drugs (K2, bath salts, Spice, etc)	4.9	1.8	10.2		Marijuana (once or twice a week)	66.7	59.9		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	89.0	91.1	93.1	92.5
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.79	12.79	12.95	12.76	Alcohol	88.5	81.4	82.8	82.9
Cigarettes	12.20	12.22	12.11	12.24	Cigarettes	92.4	88.7	90.2	90.1
Inhalants	11.01	10.81	12.95	12.26	Marijuana	94.2	94.4	94.0	94.9
Marijuana	13.51	13.34	13.41	13.67					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	48.6	53.4	56.8	58.7	Alcohol	71.1	62.2	60.5	61.6
Cigarettes	37.3	55.1	50.6	54.8	Cigarettes	86.1	75.1	76.7	75.6
Marijuana	31.6	38.5	36.9	35.4	Marijuana	84.2	70.1	81.8	83.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.6	13.6	15.5	16.2	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.2	96.6	96.2	94.5
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	27.4	32.5	33.9	33.4	Alcohol	47.6	44.4	53.5	55.5
Cigarettes	10.3	18.4	17.7	17.5	Cigarettes	47.4	63.9	59.6	58.6
Marijuana	10.9	13.9	13.1	11.0	Marijuana	32.0	53.0	37.8	35.7
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.0	22.5	18.1	19.9
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	67.9	67.3	65.5	71.3	Were grouchy, irritable, or in a bad mood	38.7	36.4	27.6	19.7
Were victims of mean rumors or lies spread at school	59.2	55.9	58.0	60.1	Had difficulty concentrating on school work	30.5	19.4	22.1	21.4
Were victims of an embarrassing or hurtful text message or something posted on the Internet	31.3	20.6	23.9	19.2	Were very sad	24.6	21.9	18.5	13.4
					Felt hopeless about the future	14.4	10.8	11.0	8.3
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	13.8	15.9	11.8	13.1	Parents involve student in making family decisions	68.7	67.5	70.0	69.4
Made plan about how they would attempt suicide	11.8	7.0	9.0	10.6	Parents notice and comment on student's good work	82.3	87.1	85.0	85.0
Attempted suicide	6.0	6.6	5.4	7.0	Teachers notice and comment on student's good work	77.3	73.0		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

FRANKLIN COUNTY



DBH REGION	Eastern
DBH SERVICE AREAS	
Substance Use	16
Adult Psychiatric	16
POPULATION	
Census 2010	101,492
2015 Estimate	102,426

BIRTH RISK	2014	2013	2012
Resident Births	1,211	1,229	1,247
Mother Reported Smoking while Pregnant	246	267	308

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	2	1	2
Hepatitis B Chronic, Acute, Prenatal	2	3	2
Hepatitis C Chronic and Acute	86	61	62
Tuberculosis Infection Cases	18	5	10

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	957	906	968
Suicides	17	20	25
Homicides	1	3	4
Alcohol Induced Deaths	9	5	7
Drug Induced Deaths	26	21	18
Smoking Attributable Deaths	175	158	168
Self-inflicted Injuries	131	132	162
Assault Injuries	315	311	371

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	608	606	636
Mental Illness Secondary Diagnosis	1,301	1,372	1,281
Alcohol Principal Diagnosis	59	55	60
Alcohol Secondary Diagnosis	91	78	72
Drug Principal Diagnosis	76	96	92
Drug Secondary Diagnosis	94	73	74
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	580	598	641
Mental Illness Secondary Diagnosis	2,202	2,065	2,166
Alcohol Principal Diagnosis	47	69	60
Alcohol Secondary Diagnosis	214	215	209
Drug Principal Diagnosis	46	48	58
Drug Secondary Diagnosis	111	136	151
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	985	982	1,082
Mental Illness Secondary Diagnosis	9,442	8,573	7,694
Alcohol Principal Diagnosis	181	184	175
Alcohol Secondary Diagnosis	227	216	238
Drug Principal Diagnosis	256	233	220
Drug Secondary Diagnosis	372	318	375

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	127	127	122
Alcohol Package Carry-out Licenses	99	98	97

EMPLOYMENT	2015	2014	2013
Labor Force	53,129	52,061	51,661
Employed	50,446	48,705	48,061
Unemployed	2,683	3,356	3,600
Unemployment Rate	5.0%	6.4%	7.0%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	114	106	129
Fatal Crashes	6	5	8
Injury Crashes	45	45	46
Property Damage Crashes	56	56	75
Crash Fatalities	6	9	8
Crash Injuries	63	81	70
Drug Involved Crashes	28	42	44
Fatal Crashes	4	2	1
Injury Crashes	12	9	22
Property Damage Crashes	12	31	21
Crash Fatalities	4	2	1
Crash Injuries	20	17	42

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	449	534	667
Liquor Law Arrests	75	104	113
Drug Arrests	550	559	619
Violent Offenses	170	182	178
Property Offenses	2,084	2,217	2,180
Domestic Violence Reports	631	720	553

	2015	2014	2013
Methamphetamine Lab Seizures	7	21	68

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	4,776	4,902	4,916
Drop-outs	98	91	95
Drop-out Rate	2.1%	1.9%	1.9%
School Discipline Involving Alcohol	19	14	14
School Discipline Involving Drugs	47	30	54
School Discipline Involving Tobacco	1	0	3

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	121	62	96
Juvenile Alcohol Offenses	26	32	38
Juvenile Drug Offenses	50	39	33
School Truancy Status Offense	184	91	79
Absent from Home Status Offense	54	26	48
Beyond Parental Control Status Offense	19	8	19
Injurious Behavior Status Offense	62	38	52
Child Abuse	4	2	5
Child Neglect	191	129	127
Child Custody Issues	0	0	1

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	112	123	134
Parental Alcohol Use Related	4	3	4
Parental Drug Use Related	79	73	86
Parental Alcohol and Drug Use	0	0	6

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	93	78	111
Probation/Parole Admissions--Drug	167	183	188
Probation/Parole Admissions--DWI	61	57	72
Prison Admissions--Drug	94	95	53
Prison Admissions--DWI	25	26	24

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

FRANKLIN COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	68	52	54
CSTAR Adolescent	49	48	47
CSTAR Women and Children	34	40	31
CSTAR General Adult	237	211	175
CSTAR Opioid	6	*	*
Primary Recovery Treatment	13	11	44
Clinical SATOP (CIP, YCIP, SROP)	114	99	147
Other Substance Abuse Treatment	*	*	*


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	402	422	556
- Adolescent Diversion Education Program	0	7	*
- Offender Education Program	136	148	208
- Weekend Intervention Program	98	124	164
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	5	5
Compulsive Gambling	*	0	*
Recovery Supports	*	*	*
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	450	402	444	Alcohol	155	157	183
AGE				Marijuana / Hashish	68	70	85
Under 18	49	48	47	Cocaine (total)	*	*	*
18 to 24	83	81	87	- Crack	*	*	*
25 to 29	96	70	92	Stimulant (total)	86	68	57
30 to 34	74	67	64	- Methamphetamine	85	59	57
35 to 39	42	43	48	Heroin	110	70	79
40 to 44	35	23	32	Analgesic except Heroin	22	25	29
45 to 54	48	55	54	- Non-Prescription Methadone	0	0	*
55 and Over	23	15	20	PCP, LSD, other Hallucinogen	*	0	0
GENDER				Tranquilizer	*	7	5
Male	300	259	296	Inhalant	*	0	0
Female	150	143	148	Sedative	0	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	*
Caucasian	431	386	431	Average Age at First Use of Drug	18.0	17.5	18.1
African American	9	7	*	INJECTION DRUG USE			
Native American / Alaskan	0	*	*	Any Injection Use at Admission	125	104	96
Asian / Pacific Islander	0	*	0	- Daily Injection Use	45	30	26
Hispanic	*	*	*	- Weekly Injection Use	40	33	24
Other Race / Two or More Races	9	*	8	- Less than Weekly Injection Use	40	41	46
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	163	158	165	0	244	203	204
High School Graduate or G.E.D.	187	170	175	1 or 2	131	125	157
Associate Degree or Some College	96	72	96	3 or More	75	74	83
Bachelor or Advanced Degree	*	*	8	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	136	141	117
Employed	143	107	126	School	9	6	*
Unemployed	144	164	179	Mental Health Provider	7	6	*
Not in Labor Force	163	131	139	Health Care Provider	20	13	12
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	194	168	251
Independent Living	360	331	373	Other Referral Source	73	58	48
Dependent Living	62	52	53	TREATMENT ACCOMMODATION			
Homeless	18	9	11	Pregnant when Admitted to any Episode	11	5	10
MARITAL / FAMILY STATUS				Military Veteran	21	19	13
Never Married	263	238	259	Special Education Services Needed	46	30	37
Married / Cohabiting	103	71	108	Co-Occurring Psychological Problem	184	142	143
Previously Married	84	93	77	Co-Occurring Developmental Problem	18	8	17

FRANKLIN COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Eastern
PSYCHIATRIC SERVICE AREA 16
CENSUS 2010 101,492
2015 POPULATION ESTIMATE 102,426

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	47	39	24
Anxiety Disorder	605	495	429
Dementia	*	*	*
Developmental Disorder	38	39	46
Impulse Control Disorder	334	282	251
Mood Disorder	867	755	710
Personality Disorder	102	94	95
Psychotic Disorder	159	147	137
Sexual Disorder	0	0	0
Other Diagnosis	78	71	58
Diagnosis Unknown	59	57	70

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	1,303	1,157	1,081	Less than High School Diploma	524	505	538
AGE				High School Grad or G.E.D.	0	*	18
Under 6	5	16	14	Associate Degree or Some College	0	*	10
6 to 9	141	128	117	Bachelor or Advanced Degree	0	0	0
10 to 13	152	134	138	Education Level Unknown	779	649	515
14 to 17	161	135	135	EMPLOYMENT			
18 to 24	101	106	95	Employed	79	59	61
25 to 29	89	95	93	Unemployed	36	38	45
30 to 34	119	86	72	Not in Labor Force	786	715	727
35 to 39	93	83	72	Employment Status Unknown	402	345	248
40 to 44	92	76	76	HOUSING / LIVING ARRANGEMENT			
45 to 49	98	94	91	Independent Living	491	418	418
50 to 54	96	85	88	Dependent Living	427	403	402
55 to 59	77	61	44	Homeless	12	15	11
60 and Over	79	58	46	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	373	321	250
GENDER				TREATMENT REFERRAL SOURCE			
Male	662	601	559	Self / Family / Friend	252	193	170
Female	641	556	522	School	190	181	166
Gender Unknown	0	0	0	Mental Health Provider	78	70	75
RACE / ETHNICITY				Health Care Provider	280	209	146
Caucasian	1,235	1,102	1,033	Court / Criminal Justice	30	47	42
African American	16	15	11	Other	468	451	474
Native American / Alaskan	*	*	*	Referral Source Unknown	5	6	8
Asian / Pacific Islander	*	*	*	TYPE OF COMMITMENT			
Hispanic	16	15	15	Voluntary	1,286	1,141	1,061
Other Race	33	21	18	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	11	8	9
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	72	45	36	Commitment Type Unknown	5	6	8
Past or Current Military Service	17	11	9				

FRANKLIN COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	39.2	32.9	43.2	44.7	Alcohol	17.0	11.5	18.1	20.2
Chewing Tobacco	11.0	11.2	12.5	14.9	Alcohol (5+ drinks on single occasion past 2 weeks)	7.4	4.6		
Cigarettes	17.3	19.2	21.0	24.3	Chewing Tobacco	5.5	4.1	7.6	9.1
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.7	1.3	1.7	2.1	Cigarettes	6.6	8.0	9.6	13.5
Cocaine	1.3	0.7	0.9	1.6	Inhalants	0.9	1.2	2.3	3.7
Electronic Cigarettes	23.1	17.0			Marijuana	7.9	5.8	6.2	8.1
Hallucinogens	2.0	1.7	2.2	4.1	Over-the-counter medications for non-medical use	1.5	1.2	2.8	4.7
Heroin	0.4	0.3	0.5	0.6	Prescription medications not prescribed for student	8.6	2.9	3.6	7.7
Inhalants	3.0	3.2	5.0	8.5					
Marijuana	15.8	11.7	13.6	15.9	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.5	0.8	0.8	1.0	Alcohol (1 or 2 drinks daily)	67.6	59.6		
Over-the-counter medications for non-medical use	3.7	2.7	4.8	8.1	Alcohol (Binge: 5+ drinks once or twice a week)	76.9	74.2		
Prescription medications not prescribed for student	12.7	4.9	8.1	12.8	Cigarettes (1+ packs per day)	85.8	86.2		
Synthetic drugs (K2, bath salts, Spice, etc)	1.5	3.4	4.9		Marijuana (once or twice a week)	67.9	66.4		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	92.9	94.3	93.7	92.2
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.05	12.81	12.53	12.29	Alcohol	79.3	82.6	78.3	76.4
Cigarettes	12.95	12.77	12.14	11.87	Cigarettes	93.4	94.5	93.0	89.3
Inhalants	10.72	12.06	12.24	12.36	Marijuana	92.2	93.9	94.3	92.5
Marijuana	14.41	13.61	13.16	13.25					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	48.6	41.7	55.0	57.1	Alcohol	66.0	69.5	58.1	58.1
Cigarettes	30.5	34.2	39.5	44.5	Cigarettes	89.2	88.9	84.1	80.1
Marijuana	36.9	29.3	32.3	33.3	Marijuana	80.8	83.9	84.0	83.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.8	10.5	13.2	16.7	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.0	97.1	96.1	95.3
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	25.8	21.9	32.1	33.9	Alcohol	55.7	47.9	58.4	58.3
Cigarettes	7.4	9.1	11.2	14.4	Cigarettes	48.5	44.1	51.8	53.7
Marijuana	12.6	10.7	10.5	11.8	Marijuana	36.5	29.3	35.4	34.8
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	16.1	11.8	15.5	17.9
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	60.7	60.0	63.0	68.7	Were grouchy, irritable, or in a bad mood	31.5	24.5	26.1	21.9
Were victims of mean rumors or lies spread at school	47.4	48.8	51.8	55.1	Had difficulty concentrating on school work	30.2	23.8	24.8	20.0
Were victims of an embarrassing or hurtful text message or something posted on the Internet	26.6	21.6	20.0	19.5	Were very sad	22.9	20.5	19.7	18.7
					Felt hopeless about the future	13.7	12.6	11.0	10.7
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	14.0	11.8	11.9	10.9	Parents involve student in making family decisions	68.5	67.5	65.8	68.7
Made plan about how they would attempt suicide	10.6	9.6	9.8	8.5	Parents notice and comment on student's good work	82.5	84.1	82.4	84.2
Attempted suicide	6.0	5.8	5.4	5.7	Teachers notice and comment on student's good work	74.3	75.0		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

GASCONADE COUNTY



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	17
Adult Psychiatric	17A
POPULATION	
Census 2010	15,222
2015 Estimate	14,858

BIRTH RISK	2014	2013	2012
Resident Births	138	183	133
Mother Reported Smoking while Pregnant	35	35	29

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	1	0	1
Hepatitis B Chronic, Acute, Prenatal	3	0	1
Hepatitis C Chronic and Acute	11	7	9
Tuberculosis Infection Cases	1	3	1

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	182	199	205
Suicides	4	3	4
Homicides	0	1	0
Alcohol Induced Deaths	1	1	2
Drug Induced Deaths	2	2	6
Smoking Attributable Deaths	27	30	30
Self-inflicted Injuries	7	11	19
Assault Injuries	31	50	37

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	77	75	84
Mental Illness Secondary Diagnosis	222	307	258
Alcohol Principal Diagnosis	2	4	3
Alcohol Secondary Diagnosis	15	21	22
Drug Principal Diagnosis	11	1	4
Drug Secondary Diagnosis	5	9	7
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	56	48	67
Mental Illness Secondary Diagnosis	224	254	281
Alcohol Principal Diagnosis	10	7	12
Alcohol Secondary Diagnosis	24	29	34
Drug Principal Diagnosis	7	9	8
Drug Secondary Diagnosis	11	9	13
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	115	101	123
Mental Illness Secondary Diagnosis	707	726	630
Alcohol Principal Diagnosis	34	22	28
Alcohol Secondary Diagnosis	29	27	35
Drug Principal Diagnosis	16	14	23
Drug Secondary Diagnosis	26	20	30

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	53	54	58
Alcohol Package Carry-out Licenses	20	19	19

EMPLOYMENT	2015	2014	2013
Labor Force	7,775	7,605	7,439
Employed	7,448	7,199	6,978
Unemployed	327	406	461
Unemployment Rate	4.2%	5.3%	6.2%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	23	13	26
Fatal Crashes	1	0	1
Injury Crashes	12	4	12
Property Damage Crashes	9	9	13
Crash Fatalities	1	0	1
Crash Injuries	17	6	18
Drug Involved Crashes	3	5	5
Fatal Crashes	0	0	0
Injury Crashes	3	2	3
Property Damage Crashes	0	3	2
Crash Fatalities	0	0	0
Crash Injuries	5	3	5

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	46	54	63
Liquor Law Arrests	2	3	5
Drug Arrests	28	26	10
Violent Offenses	14	29	22
Property Offenses	179	200	281
Domestic Violence Reports	6	13	12
	2015	2014	2013
Methamphetamine Lab Seizures	4	4	9

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	912	903	906
Drop-outs	15	12	13
Drop-out Rate	1.6%	1.3%	1.4%
School Discipline Involving Alcohol	8	4	3
School Discipline Involving Drugs	5	2	6
School Discipline Involving Tobacco	4	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	7	16	15
Juvenile Alcohol Offenses	14	4	1
Juvenile Drug Offenses	2	1	10
School Truancy Status Offense	10	2	5
Absent from Home Status Offense	2	6	3
Beyond Parental Control Status Offense	5	0	1
Injurious Behavior Status Offense	1	5	12
Child Abuse	0	0	0
Child Neglect	7	8	16
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	6	10	21
Parental Alcohol Use Related	0	0	2
Parental Drug Use Related	2	2	7
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	2	6	13
Probation/Parole Admissions--Drug	20	31	20
Probation/Parole Admissions--DWI	7	6	4
Prison Admissions--Drug	15	9	10
Prison Admissions--DWI	4	2	0

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

GASCONADE COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	7	5	11
CSTAR Adolescent	8	5	*
CSTAR Women and Children	*	*	6
CSTAR General Adult	61	43	51
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	0
Clinical SATOP (CIP, YCIP, SROP)	11	5	8
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	52	41	48
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	19	15	14
- Weekend Intervention Program	11	11	16
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	0
Compulsive Gambling	0	0	0
Recovery Supports	0	0	*
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	84	61	70	Alcohol	25	16	25
AGE				Marijuana / Hashish	17	13	17
Under 18	8	5	*	Cocaine (total)	*	0	*
18 to 24	13	12	15	- Crack	*	0	0
25 to 29	17	15	12	Stimulant (total)	18	8	9
30 to 34	18	11	12	- Methamphetamine	18	8	9
35 to 39	7	*	*	Heroin	14	13	6
40 to 44	6	8	7	Analgesic except Heroin	7	9	11
45 to 54	8	7	12	- Non-Prescription Methadone	0	0	0
55 and Over	7	*	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	*	0
Male	47	38	40	Inhalant	0	0	*
Female	37	23	30	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	84	61	69	Average Age at First Use of Drug	18.1	17.6	18.6
African American	0	0	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	22	17	8
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	*
Hispanic	*	*	*	- Weekly Injection Use	*	6	*
Other Race / Two or More Races	0	0	*	- Less than Weekly Injection Use	16	9	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	30	25	28	0	51	40	36
High School Graduate or G.E.D.	39	25	28	1 or 2	22	15	23
Associate Degree or Some College	14	11	13	3 or More	11	6	11
Bachelor or Advanced Degree	*	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	30	29	25
Employed	23	15	16	School	0	*	0
Unemployed	33	29	29	Mental Health Provider	*	0	0
Not in Labor Force	28	17	25	Health Care Provider	*	*	7
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	37	23	30
Independent Living	70	50	58	Other Referral Source	13	6	8
Dependent Living	10	6	7	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	*	0	*
MARITAL / FAMILY STATUS				Military Veteran	*	*	6
Never Married	46	39	35	Special Education Services Needed	17	*	*
Married / Cohabiting	20	9	22	Co-Occurring Psychological Problem	39	30	27
Previously Married	18	13	13	Co-Occurring Developmental Problem	7	5	*

GASCONADE COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 17A
CENSUS 2010 15,222
2015 POPULATION ESTIMATE 14,858

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	9	12	7
Anxiety Disorder	75	79	76
Dementia	0	0	0
Developmental Disorder	*	*	5
Impulse Control Disorder	25	39	36
Mood Disorder	104	124	105
Personality Disorder	13	20	23
Psychotic Disorder	13	19	21
Sexual Disorder	0	0	0
Other Diagnosis	14	16	7
Diagnosis Unknown	17	13	*

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	147	174	154	Less than High School Diploma	45	66	60
AGE				High School Grad or G.E.D.	0	0	6
Under 6	*	*	*	Associate Degree or Some College	0	0	*
6 to 9	19	21	12	Bachelor or Advanced Degree	0	0	0
10 to 13	12	18	14	Education Level Unknown	102	108	86
14 to 17	7	12	11	EMPLOYMENT			
18 to 24	12	13	10	Employed	6	6	11
25 to 29	10	17	15	Unemployed	10	5	23
30 to 34	15	17	15	Not in Labor Force	69	80	74
35 to 39	16	16	13	Employment Status Unknown	62	83	46
40 to 44	13	11	8	HOUSING / LIVING ARRANGEMENT			
45 to 49	10	14	19	Independent Living	37	36	62
50 to 54	19	19	18	Dependent Living	47	53	46
55 to 59	7	9	9	Homeless	0	*	*
60 and Over	*	5	7	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	63	84	45
GENDER				TREATMENT REFERRAL SOURCE			
Male	72	80	69	Self / Family / Friend	79	87	76
Female	75	94	85	School	*	0	*
Gender Unknown	0	0	0	Mental Health Provider	*	*	*
RACE / ETHNICITY				Health Care Provider	26	28	19
Caucasian	142	170	151	Court / Criminal Justice	*	*	*
African American	*	0	*	Other	35	55	52
Native American / Alaskan	*	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	*	0	0	TYPE OF COMMITMENT			
Hispanic	*	*	0	Voluntary	146	173	154
Other Race	*	*	*	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	10	7	5	Commitment Type Unknown	0	0	0
Past or Current Military Service	*	*	*				

GASCONADE COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	38.4	39.5	44.7	52.4	Alcohol	14.8	15.5	17.7	28.6
Chewing Tobacco	15.6	8.0	15.1	16.6	Alcohol (5+ drinks on single occasion past 2 weeks)	7.1	7.5		
Cigarettes	23.9	16.7	20.3	28.5	Chewing Tobacco	7.6	4.3	9.7	10.3
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.4	0.6	1.3	2.2	Cigarettes	9.5	6.8	9.7	13.9
Cocaine	1.9	0.0	1.7	2.6	Inhalants	1.4	0.6	2.9	2.9
Electronic Cigarettes	26.5	16.7			Marijuana	6.6	2.5	6.8	7.7
Hallucinogens	1.4	0.6	2.6	4.8	Over-the-counter medications for non-medical use	2.8	0.6	2.9	3.2
Heroin	0.0	0.0	0.4	0.6	Prescription medications not prescribed for student	9.5	2.5	5.9	7.6
Inhalants	2.9	1.8	6.7	7.7					
Marijuana	12.8	8.6	10.1	17.3	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.5	0.0	1.3	1.0	Alcohol (1 or 2 drinks daily)	60.5	56.8		
Over-the-counter medications for non-medical use	5.7	1.8	5.9	6.4	Alcohol (Binge: 5+ drinks once or twice a week)	72.7	69.1		
Prescription medications not prescribed for student	14.8	6.8	10.5	13.7	Cigarettes (1+ packs per day)	86.1	87.7		
Synthetic drugs (K2, bath salts, Spice, etc)	2.4	1.9	3.8		Marijuana (once or twice a week)	73.4	72.8		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	92.3	93.2	92.7	93.3
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.34	13.05	11.79	12.44	Alcohol	78.1	72.2	70.4	65.7
Cigarettes	12.15	13.22	11.45	12.43	Cigarettes	91.9	92.6	94.1	86.6
Inhalants		10.38	11.31	13.60	Marijuana	91.8	94.4	95.8	93.6
Marijuana	14.21	14.44	12.15	14.00					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	44.3	51.2	53.0	67.9	Alcohol	67.6	57.4	55.9	50.8
Cigarettes	34.1	37.4	37.6	47.5	Cigarettes	86.7	85.8	84.3	75.0
Marijuana	25.7	28.8	26.9	34.9	Marijuana	86.2	86.3	86.1	84.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.7	10.4	14.4	17.8	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.1	95.0	95.8	96.2
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	27.1	32.9	31.9	43.7	Alcohol	51.9	59.3	62.9	66.6
Cigarettes	11.4	10.5	11.8	15.9	Cigarettes	46.2	50.9	47.3	60.8
Marijuana	10.5	8.0	11.4	12.5	Marijuana	24.5	27.2	28.4	36.3
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.6	10.6	14.3	18.0
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	64.9	62.0	67.2	73.6	Were grouchy, irritable, or in a bad mood	29.0	25.8	23.3	18.9
Were victims of mean rumors or lies spread at school	52.1	51.2	55.3	54.7	Had difficulty concentrating on school work	25.6	22.7	21.9	18.9
Were victims of an embarrassing or hurtful text message or something posted on the Internet	23.2	24.7	27.1	19.6	Were very sad	19.0	22.7	22.8	10.1
					Felt hopeless about the future	11.0	14.8	11.0	8.2
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	13.3	10.4	13.6	12.6	Parents involve student in making family decisions	67.6	67.7	68.5	68.8
Made plan about how they would attempt suicide	10.0	8.0	10.2	8.8	Parents notice and comment on student's good work	83.3	79.0	84.4	83.8
Attempted suicide	4.3	4.3	5.9	4.7	Teachers notice and comment on student's good work	71.6	72.4		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

GENTRY COUNTY



DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	1
Adult Psychiatric	1
POPULATION	
Census 2010	6,738
2015 Estimate	6,692

BIRTH RISK	2014	2013	2012
Resident Births	86	88	104
Mother Reported Smoking while Pregnant	13	19	28

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	2
Hepatitis C Chronic and Acute	3	4	2
Tuberculosis Infection Cases	1	1	1

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	93	100	94
Suicides	1	2	2
Homicides	0	0	0
Alcohol Induced Deaths	1	0	1
Drug Induced Deaths	1	1	1
Smoking Attributable Deaths	19	22	16
Self-inflicted Injuries	16	11	14
Assault Injuries	12	23	24

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	52	56	51
Mental Illness Secondary Diagnosis	114	138	152
Alcohol Principal Diagnosis	1	1	2
Alcohol Secondary Diagnosis	4	6	10
Drug Principal Diagnosis	2	2	3
Drug Secondary Diagnosis	6	10	3
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	35	40	35
Mental Illness Secondary Diagnosis	74	97	114
Alcohol Principal Diagnosis	1	2	1
Alcohol Secondary Diagnosis	6	8	6
Drug Principal Diagnosis	3	3	2
Drug Secondary Diagnosis	1	4	9
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	52	67	75
Mental Illness Secondary Diagnosis	208	179	161
Alcohol Principal Diagnosis	3	3	6
Alcohol Secondary Diagnosis	5	11	8
Drug Principal Diagnosis	2	7	3
Drug Secondary Diagnosis	10	16	19

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	4	6	6
Alcohol Package Carry-out Licenses	12	9	10

EMPLOYMENT	2015	2014	2013
Labor Force	3,685	3,636	3,673
Employed	3,530	3,430	3,497
Unemployed	155	206	176
Unemployment Rate	4.2%	5.7%	4.8%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	4	4	4
Fatal Crashes	0	0	0
Injury Crashes	2	3	3
Property Damage Crashes	1	1	1
Crash Fatalities	0	0	0
Crash Injuries	3	3	3
Drug Involved Crashes	1	1	0
Fatal Crashes	0	0	0
Injury Crashes	1	0	0
Property Damage Crashes	0	1	0
Crash Fatalities	0	0	0
Crash Injuries	1	0	0

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	30	10	23
Liquor Law Arrests	10	5	5
Drug Arrests	8	6	2
Violent Offenses	1	2	0
Property Offenses	33	22	46
Domestic Violence Reports	3	2	0

	2015	2014	2013
Methamphetamine Lab Seizures	0	0	1

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	338	322	336
Drop-outs	2	8	0
Drop-out Rate	0.6%	2.5%	0.0%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	0	0	0
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	1	2	1
Juvenile Alcohol Offenses	4	0	2
Juvenile Drug Offenses	1	1	0
School Truancy Status Offense	11	1	1
Absent from Home Status Offense	0	0	0
Beyond Parental Control Status Offense	3	4	2
Injurious Behavior Status Offense	6	14	7
Child Abuse	0	0	0
Child Neglect	35	40	22
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	7	12	4
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	2	2	3
Parental Alcohol and Drug Use	1	0	0

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	1	1	0
Probation/Parole Admissions--Drug	5	3	0
Probation/Parole Admissions--DWI	1	1	0
Prison Admissions--Drug	3	1	1
Prison Admissions--DWI	0	0	1

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.

³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

GENTRY COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	*	6	5
CSTAR Adolescent	0	*	*
CSTAR Women and Children	*	*	*
CSTAR General Adult	15	11	9
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	13	7
Clinical SATOP (CIP, YCIP, SROP)	*	0	6
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	26	24	32
- Adolescent Diversion Education Program	*	5	5
- Offender Education Program	14	7	14
- Weekend Intervention Program	6	*	6
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	*	*	*
Early Intervention	*	0	6

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	20	25	21	Alcohol	7	8	10
AGE				Marijuana / Hashish	7	7	*
Under 18	0	*	0	Cocaine (total)	0	0	0
18 to 24	*	*	8	- Crack	0	0	0
25 to 29	6	9	*	Stimulant (total)	*	5	*
30 to 34	7	5	*	- Methamphetamine	*	5	*
35 to 39	*	*	*	Heroin	0	*	*
40 to 44	*	*	*	Analgesic except Heroin	*	*	6
45 to 54	*	*	*	- Non-Prescription Methadone	0	0	0
55 and Over	0	*	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	0	0
Male	11	16	12	Inhalant	0	0	0
Female	9	9	9	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	20	25	21	Average Age at First Use of Drug	17.0	18.6	17.5
African American	0	0	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	*	7	9
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	*	*
Hispanic	0	0	0	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	0	0	0	- Less than Weekly Injection Use	*	*	5
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	5	6	*	0	13	11	10
High School Graduate or G.E.D.	11	13	12	1 or 2	*	8	7
Associate Degree or Some College	*	5	8	3 or More	*	6	*
Bachelor or Advanced Degree	0	*	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	*	11	5
Employed	7	11	10	School	0	0	0
Unemployed	*	8	8	Mental Health Provider	0	0	0
Not in Labor Force	12	6	*	Health Care Provider	*	0	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	8	8	14
Independent Living	15	21	19	Other Referral Source	7	6	*
Dependent Living	*	*	*	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	0	0	0
MARITAL / FAMILY STATUS				Military Veteran	0	*	*
Never Married	7	9	11	Special Education Services Needed	*	*	0
Married / Cohabiting	6	12	*	Co-Occurring Psychological Problem	*	7	5
Previously Married	7	*	6	Co-Occurring Developmental Problem	*	0	0

GENTRY COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 1
CENSUS 2010 6,738
2015 POPULATION ESTIMATE 6,692

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	*	*	*
Anxiety Disorder	10	14	13
Dementia	0	0	0
Developmental Disorder	0	0	0
Impulse Control Disorder	*	*	*
Mood Disorder	16	19	16
Personality Disorder	*	*	*
Psychotic Disorder	7	*	*
Sexual Disorder	0	0	0
Other Diagnosis	0	0	0
Diagnosis Unknown	*	*	*

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	27	26	27	Less than High School Diploma	12	10	5
AGE				High School Grad or G.E.D.	0	0	*
Under 6	0	*	*	Associate Degree or Some College	0	0	0
6 to 9	0	0	*	Bachelor or Advanced Degree	0	0	*
10 to 13	0	*	*	Education Level Unknown	15	16	20
14 to 17	*	*	*	EMPLOYMENT			
18 to 24	5	*	6	Employed	*	*	*
25 to 29	*	0	0	Unemployed	*	0	6
30 to 34	*	*	*	Not in Labor Force	15	16	10
35 to 39	*	*	5	Employment Status Unknown	6	6	10
40 to 44	*	*	*	HOUSING / LIVING ARRANGEMENT			
45 to 49	*	*	*	Independent Living	14	14	13
50 to 54	*	*	0	Dependent Living	8	5	8
55 to 59	*	*	*	Homeless	0	0	0
60 and Over	*	*	*	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	5	7	6
GENDER				TREATMENT REFERRAL SOURCE			
Male	12	11	11	Self / Family / Friend	7	6	5
Female	15	15	16	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	7	7	7
RACE / ETHNICITY				Health Care Provider	9	8	7
Caucasian	27	26	27	Court / Criminal Justice	*	0	6
African American	0	0	0	Other	*	5	*
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	0	0	0	Voluntary	25	25	25
Other Race	0	0	0	Civil	*	0	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	0	0	0
Past or Current Military Service	*	*	*				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol		2.2	29.1		Alcohol	0.0	14.7		
Chewing Tobacco		0.0	12.9		Alcohol (5+ drinks on single occasion past 2 weeks)	0.0			
Cigarettes		28.9	18.1		Chewing Tobacco	0.0	6.9		
Club drugs (Ecstasy, GHB, roofie, Special K, etc)		0.0	3.4		Cigarettes	0.0	9.4		
Cocaine		0.0	3.5		Inhalants	0.0	0.0		
Electronic Cigarettes		29.2			Marijuana	0.0	3.4		
Hallucinogens		0.0	3.4		Over-the-counter medications for non-medical use	28.9	0.0		
Heroin		0.0	3.4		Prescription medications not prescribed for student	2.2	0.0		
Inhalants		0.0	8.5						
Marijuana		0.0	6.8		<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine		0.0	3.5		Alcohol (1 or 2 drinks daily)	82.2			
Over-the-counter medications for non-medical use		28.9	11.1		Alcohol (Binge: 5+ drinks once or twice a week)	88.9			
Prescription medications not prescribed for student		3.3	6.9		Cigarettes (1+ packs per day)	95.6			
Synthetic drugs (K2, bath salts, Spice, etc)		0.0	3.4		Marijuana (once or twice a week)	65.6			
					Other: Cocaine, LSD, Meth, Club Drug (any use)	67.8	88.0		
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	10.88	12.59			Alcohol	98.9	85.5		
Cigarettes	9.00	14.10			Cigarettes	100.0	100.0		
Inhalants	8.88	11.50			Marijuana	100.0	100.0		
Marijuana		13.27							
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	4.4	43.6			Alcohol	68.9	76.1		
Cigarettes	2.2	34.2			Cigarettes	100.0	83.8		
Marijuana	28.9	21.4			Marijuana	70.0	92.3		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	0.0	3.4			Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	100.0	100.0		
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	1.1	19.8			Alcohol	44.4	53.8		
Cigarettes	0.0	12.8			Cigarettes	42.2	53.0		
Marijuana	0.0	7.7			Marijuana	1.1	6.8		
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	0.0	2.6		
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	58.9	52.1			Were grouchy, irritable, or in a bad mood	40.0	21.6		
Were victims of mean rumors or lies spread at school	23.3	40.2			Had difficulty concentrating on school work	32.2	8.5		
Were victims of an embarrassing or hurtful text message or something posted on the Internet	8.9	16.5			Were very sad	38.9	16.2		
					Felt hopeless about the future	6.7	11.2		
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	3.3	9.5			Parents involve student in making family decisions	36.7	76.1		
Made plan about how they would attempt suicide	3.4	9.4			Parents notice and comment on student's good work	96.7	81.2		
Attempted suicide	2.2	3.4			Teachers notice and comment on student's good work	97.8			

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

GREENE COUNTY



DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	10
Adult Psychiatric	10
POPULATION	
Census 2010	275,174
2015 Estimate	288,072

BIRTH RISK	2014	2013	2012
Resident Births	3,623	3,506	3,574
Mother Reported Smoking while Pregnant	658	670	633

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	9	11	26
Hepatitis B Chronic, Acute, Prenatal	32	44	26
Hepatitis C Chronic and Acute	451	393	395
Tuberculosis Infection Cases	146	127	110

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	2,674	2,643	2,530
Suicides	51	44	35
Homicides	18	11	16
Alcohol Induced Deaths	41	23	30
Drug Induced Deaths	75	64	50
Smoking Attributable Deaths	419	424	413
Self-inflicted Injuries	568	491	504
Assault Injuries	1,056	1,105	1,153

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	1,620	1,573	1,368
Mental Illness Secondary Diagnosis	2,432	2,449	2,311
Alcohol Principal Diagnosis	98	156	97
Alcohol Secondary Diagnosis	106	114	105
Drug Principal Diagnosis	109	145	153
Drug Secondary Diagnosis	210	182	155
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	2,157	2,120	1,959
Mental Illness Secondary Diagnosis	6,108	5,972	5,425
Alcohol Principal Diagnosis	824	778	772
Alcohol Secondary Diagnosis	700	735	670
Drug Principal Diagnosis	563	469	533
Drug Secondary Diagnosis	641	571	461
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	3,048	2,947	2,955
Mental Illness Secondary Diagnosis	12,648	12,821	12,757
Alcohol Principal Diagnosis	1,415	1,502	1,490
Alcohol Secondary Diagnosis	577	718	774
Drug Principal Diagnosis	985	897	938
Drug Secondary Diagnosis	1,148	1,042	1,012

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	335	334	328
Alcohol Package Carry-out Licenses	223	223	173

EMPLOYMENT	2015	2014	2013
Labor Force	151,652	147,884	142,013
Employed	145,413	140,723	134,370
Unemployed	6,239	7,161	7,643
Unemployment Rate	4.1%	4.8%	5.4%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	271	328	304
Fatal Crashes	1	4	6
Injury Crashes	105	121	123
Property Damage Crashes	203	203	175
Crash Fatalities	1	4	6
Crash Injuries	145	161	178
Drug Involved Crashes	85	74	83
Fatal Crashes	3	1	2
Injury Crashes	40	31	42
Property Damage Crashes	42	42	39
Crash Fatalities	3	1	3
Crash Injuries	72	54	66

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	1,453	1,604	2,048
Liquor Law Arrests	126	114	171
Drug Arrests	1,287	1,413	1,414
Violent Offenses	2,050	2,032	1,761
Property Offenses	14,616	17,049	17,189
Domestic Violence Reports	3,290	3,438	3,428

	2015	2014	2013
Methamphetamine Lab Seizures	22	26	67

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	11,351	11,328	11,322
Drop-outs	222	202	247
Drop-out Rate	2.0%	1.8%	2.2%
School Discipline Involving Alcohol	34	29	22
School Discipline Involving Drugs	146	175	135
School Discipline Involving Tobacco	8	11	6

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	338	410	422
Juvenile Alcohol Offenses	33	31	53
Juvenile Drug Offenses	115	105	127
School Truancy Status Offense	1	2	10
Absent from Home Status Offense	80	55	72
Beyond Parental Control Status Offense	15	10	1
Injurious Behavior Status Offense	282	241	301
Child Abuse	53	56	50
Child Neglect	315	354	261
Child Custody Issues	81	42	67

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	364	411	301
Parental Alcohol Use Related	7	10	6
Parental Drug Use Related	127	186	131
Parental Alcohol and Drug Use	25	8	7

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	1,605	1,168	888
Probation/Parole Admissions--Drug	511	649	587
Probation/Parole Admissions--DWI	117	140	164
Prison Admissions--Drug	291	324	364
Prison Admissions--DWI	51	49	57

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.

³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

GREENE COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	519	470	447
CSTAR Adolescent	119	106	135
CSTAR Women and Children	285	264	246
CSTAR General Adult	420	494	638
CSTAR Opioid	0	*	*
Primary Recovery Treatment	532	495	424
Clinical SATOP (CIP, YCIP, SROP)	324	299	270
Other Substance Abuse Treatment	*	*	6


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	1,302	1,387	1,468
- Adolescent Diversion Education Program	19	12	29
- Offender Education Program	483	539	600
- Weekend Intervention Program	246	279	324
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	90	105	88
Compulsive Gambling	0	0	0
Recovery Supports	506	783	837
Early Intervention	78	115	112

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	1,915	1,863	1,971	Alcohol	826	737	808
AGE				Marijuana / Hashish	299	369	383
Under 18	120	101	140	Cocaine (total)	26	21	32
18 to 24	291	292	289	- Crack	11	12	12
25 to 29	362	349	370	Stimulant (total)	538	482	478
30 to 34	331	316	322	- Methamphetamine	522	464	464
35 to 39	219	222	211	Heroin	81	69	51
40 to 44	172	183	209	Analgesic except Heroin	118	139	160
45 to 54	323	307	322	- Non-Prescription Methadone	0	*	9
55 and Over	97	93	108	PCP, LSD, other Hallucinogen	5	6	12
GENDER				Tranquilizer	13	26	27
Male	1,206	1,239	1,345	Inhalant	*	*	*
Female	709	624	626	Sedative	*	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	6	8	13
Caucasian	1,687	1,637	1,729	Average Age at First Use of Drug	17.5	17.5	17.4
African American	122	120	147	INJECTION DRUG USE			
Native American / Alaskan	5	10	11	Any Injection Use at Admission	430	375	372
Asian / Pacific Islander	9	6	7	- Daily Injection Use	101	84	88
Hispanic	51	38	55	- Weekly Injection Use	140	108	115
Other Race / Two or More Races	60	65	47	- Less than Weekly Injection Use	189	183	169
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	578	575	683	0	1,000	927	968
High School Graduate or G.E.D.	763	758	774	1 or 2	535	594	625
Associate Degree or Some College	554	509	500	3 or More	380	342	378
Bachelor or Advanced Degree	20	21	14	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	681	573	750
Employed	550	526	511	School	11	7	12
Unemployed	481	557	621	Mental Health Provider	13	40	44
Not in Labor Force	884	780	839	Health Care Provider	147	115	106
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	838	914	885
Independent Living	1,388	1,403	1,487	Other Referral Source	214	205	161
Dependent Living	270	236	264	TREATMENT ACCOMMODATION			
Homeless	224	196	186	Pregnant when Admitted to any Episode	53	36	30
MARITAL / FAMILY STATUS				Military Veteran	71	73	94
Never Married	1,026	972	1,046	Special Education Services Needed	100	122	167
Married / Cohabiting	411	413	424	Co-Occurring Psychological Problem	744	752	769
Previously Married	478	478	501	Co-Occurring Developmental Problem	46	76	103

GREENE COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southwest
PSYCHIATRIC SERVICE AREA 10
CENSUS 2010 275,174
2015 POPULATION ESTIMATE 288,072

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	74	66	83
Anxiety Disorder	1,111	977	939
Dementia	19	13	9
Developmental Disorder	58	54	58
Impulse Control Disorder	258	230	226
Mood Disorder	1,541	1,512	1,430
Personality Disorder	408	366	309
Psychotic Disorder	615	618	590
Sexual Disorder	8	8	6
Other Diagnosis	242	226	208
Diagnosis Unknown	174	182	210

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	2,311	2,308	2,340	Less than High School Diploma	569	587	630
AGE				High School Grad or G.E.D.	0	*	*
Under 6	54	62	68	Associate Degree or Some College	0	0	0
6 to 9	123	103	132	Bachelor or Advanced Degree	0	0	0
10 to 13	96	89	101	Education Level Unknown	1,742	1,720	1,709
14 to 17	63	70	79	EMPLOYMENT			
18 to 24	148	151	150	Employed	73	86	67
25 to 29	177	180	175	Unemployed	75	92	101
30 to 34	225	229	247	Not in Labor Force	1,204	1,312	1,473
35 to 39	238	255	244	Employment Status Unknown	959	818	699
40 to 44	234	233	226	HOUSING / LIVING ARRANGEMENT			
45 to 49	237	276	294	Independent Living	666	827	937
50 to 54	318	296	279	Dependent Living	541	577	632
55 to 59	206	199	196	Homeless	94	55	89
60 and Over	192	165	149	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	1,010	849	682
GENDER				TREATMENT REFERRAL SOURCE			
Male	1,102	1,094	1,127	Self / Family / Friend	1,074	1,206	1,361
Female	1,209	1,214	1,213	School	6	10	12
Gender Unknown	0	0	0	Mental Health Provider	146	108	87
RACE / ETHNICITY				Health Care Provider	437	382	304
Caucasian	2,018	2,001	2,044	Court / Criminal Justice	199	157	138
African American	129	128	113	Other	397	387	379
Native American / Alaskan	5	8	6	Referral Source Unknown	52	58	59
Asian / Pacific Islander	5	6	5	TYPE OF COMMITMENT			
Hispanic	59	62	60	Voluntary	2,226	2,223	2,250
Other Race	95	103	112	Civil	14	7	10
Race/Ethnicity Unknown	0	0	0	Criminal	16	17	18
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	62	72	78	Commitment Type Unknown	53	59	60
Past or Current Military Service	75	74	74				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	29.3	32.0	33.1	38.0	Alcohol	10.6	12.9	13.9	16.6
Chewing Tobacco	6.3	7.7	9.7	11.0	Alcohol (5+ drinks on single occasion past 2 weeks)	3.7	6.5		
Cigarettes	16.5	20.1	22.9	27.0	Chewing Tobacco	2.0	4.1	5.1	5.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.1	2.9	3.0	3.1	Cigarettes	5.8	9.2	11.3	14.5
Cocaine	1.1	1.6	2.6	2.5	Inhalants	0.7	1.1	2.6	2.8
Electronic Cigarettes	21.1	15.8			Marijuana	8.7	8.9	9.8	11.5
Hallucinogens	2.2	4.0	4.5	4.6	Over-the-counter medications for non-medical use	1.7	1.6	4.4	5.8
Heroin	0.3	0.5	1.1	0.9	Prescription medications not prescribed for student	8.2	3.8	5.1	7.4
Inhalants	2.7	3.4	5.6	7.1					
Marijuana	16.2	16.5	18.0	20.3	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.7	1.0	1.7	1.3	Alcohol (1 or 2 drinks daily)	73.2	64.6		
Over-the-counter medications for non-medical use	3.8	2.8	7.2	9.4	Alcohol (Binge: 5+ drinks once or twice a week)	82.2	74.4		
Prescription medications not prescribed for student	12.6	8.7	9.4	13.3	Cigarettes (1+ packs per day)	87.3	86.5		
Synthetic drugs (K2, bath salts, Spice, etc)	2.3	4.8	8.3		Marijuana (once or twice a week)	63.9	64.2		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	93.0	92.2	93.0	93.2
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.12	13.12	12.63	12.55	Alcohol	86.2	84.8	81.9	81.6
Cigarettes	12.57	12.69	12.39	12.24	Cigarettes	94.8	93.5	90.9	89.4
Inhalants	10.72	12.27	12.20	12.32	Marijuana	90.9	92.1	92.0	91.1
Marijuana	13.75	13.52	13.19	13.46					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	39.2	42.7	47.5	54.3	Alcohol	73.1	69.0	66.1	62.4
Cigarettes	27.4	36.7	40.9	48.0	Cigarettes	90.3	83.7	79.7	75.6
Marijuana	36.7	35.6	38.6	42.5	Marijuana	77.5	77.3	77.9	76.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.4	17.8	19.2	23.8	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.6	95.0	93.5	92.4
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	19.6	21.6	25.5	29.4	Alcohol	47.9	49.2	54.2	57.3
Cigarettes	7.0	12.3	14.4	16.2	Cigarettes	43.1	47.2	52.0	57.8
Marijuana	16.5	16.3	16.8	17.2	Marijuana	38.1	38.4	41.1	41.9
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.8	18.6	21.8	23.4
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	60.5	61.4	58.1	65.8	Were grouchy, irritable, or in a bad mood	32.7	24.4	24.3	24.3
Were victims of mean rumors or lies spread at school	46.9	51.8	47.0	51.2	Had difficulty concentrating on school work	29.1	24.4	22.4	26.0
Were victims of an embarrassing or hurtful text message or something posted on the Internet	25.0	26.7	21.6	18.4	Were very sad	24.7	24.2	19.0	18.9
					Felt hopeless about the future	14.9	13.1	11.4	11.9
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	16.6	13.3	13.0	11.7	Parents involve student in making family decisions	72.2	69.7	69.8	70.5
Made plan about how they would attempt suicide	12.3	10.0	9.2	8.6	Parents notice and comment on student's good work	83.1	83.2	82.0	83.4
Attempted suicide	6.8	6.2	5.8	5.2	Teachers notice and comment on student's good work	75.3	72.9		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

GRUNDY COUNTY



DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	13
Adult Psychiatric	13
POPULATION	
Census 2010	10,261
2015 Estimate	10,097

BIRTH RISK	2014	2013	2012
Resident Births	170	163	153
Mother Reported Smoking while Pregnant	49	35	47

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	2	0
Hepatitis C Chronic and Acute	5	5	10
Tuberculosis Infection Cases	2	2	3

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	144	142	117
Suicides	2	1	0
Homicides	1	0	1
Alcohol Induced Deaths	2	1	0
Drug Induced Deaths	3	1	2
Smoking Attributable Deaths	20	21	23
Self-inflicted Injuries	10	14	11
Assault Injuries	31	28	27

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	96	91	71
Mental Illness Secondary Diagnosis	211	165	221
Alcohol Principal Diagnosis	3	4	2
Alcohol Secondary Diagnosis	13	12	10
Drug Principal Diagnosis	1	6	6
Drug Secondary Diagnosis	9	10	13
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	13	14	20
Mental Illness Secondary Diagnosis	112	130	147
Alcohol Principal Diagnosis	3	1	1
Alcohol Secondary Diagnosis	7	16	12
Drug Principal Diagnosis	2	2	9
Drug Secondary Diagnosis	6	7	12
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	94	89	98
Mental Illness Secondary Diagnosis	224	231	326
Alcohol Principal Diagnosis	6	10	15
Alcohol Secondary Diagnosis	33	29	18
Drug Principal Diagnosis	12	10	13
Drug Secondary Diagnosis	17	22	28

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	11	10	11
Alcohol Package Carry-out Licenses	10	11	11

EMPLOYMENT	2015	2014	2013
Labor Force	5,012	4,913	5,022
Employed	4,806	4,648	4,750
Unemployed	206	265	272
Unemployment Rate	4.1%	5.4%	5.4%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	9	13	5
Fatal Crashes	0	0	0
Injury Crashes	3	5	1
Property Damage Crashes	8	8	4
Crash Fatalities	0	0	0
Crash Injuries	5	6	2
Drug Involved Crashes	2	3	2
Fatal Crashes	0	0	0
Injury Crashes	1	1	1
Property Damage Crashes	1	2	1
Crash Fatalities	0	0	0
Crash Injuries	1	1	2

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	39	40	32
Liquor Law Arrests	27	7	13
Drug Arrests	58	24	27
Violent Offenses	9	40	17
Property Offenses	158	217	248
Domestic Violence Reports	121	112	141

	2015	2014	2013
Methamphetamine Lab Seizures	0	0	0

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	412	425	447
Drop-outs	5	8	8
Drop-out Rate	1.2%	1.9%	1.8%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	1	0	5
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	11	10	14
Juvenile Alcohol Offenses	0	0	0
Juvenile Drug Offenses	2	1	0
School Truancy Status Offense	19	15	8
Absent from Home Status Offense	5	8	9
Beyond Parental Control Status Offense	0	3	10
Injurious Behavior Status Offense	12	16	14
Child Abuse	47	42	30
Child Neglect	47	74	32
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	21	25	23
Parental Alcohol Use Related	0	0	4
Parental Drug Use Related	7	5	6
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	20	23	14
Probation/Parole Admissions--Drug	22	23	19
Probation/Parole Admissions--DWI	4	4	5
Prison Admissions--Drug	16	13	14
Prison Admissions--DWI	2	3	3

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

GRUNDY COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	11	11	9
CSTAR Adolescent	5	*	10
CSTAR Women and Children	5	*	*
CSTAR General Adult	63	90	80
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	7
Clinical SATOP (CIP, YCIP, SROP)	8	9	12
Other Substance Abuse Treatment	0	0	*


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	25	29	28
- Adolescent Diversion Education Program	0	0	*
- Offender Education Program	7	11	*
- Weekend Intervention Program	8	*	9
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	0	*
Compulsive Gambling	0	0	0
Recovery Supports	0	*	*
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	83	113	114	Alcohol	29	30	43
AGE				Marijuana / Hashish	24	38	26
Under 18	5	5	6	Cocaine (total)	0	0	0
18 to 24	23	19	21	- Crack	0	0	0
25 to 29	13	19	25	Stimulant (total)	17	21	28
30 to 34	8	27	18	- Methamphetamine	15	20	28
35 to 39	8	18	12	Heroin	0	*	*
40 to 44	*	5	11	Analgesic except Heroin	10	20	14
45 to 54	19	15	17	- Non-Prescription Methadone	0	0	0
55 and Over	*	5	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	*	*
Male	47	66	74	Inhalant	0	0	0
Female	36	47	40	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	*
Caucasian	78	110	112	Average Age at First Use of Drug	18.1	17.8	17.8
African American	*	*	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	11	24	21
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	*
Hispanic	*	*	*	- Weekly Injection Use	*	7	*
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	8	14	15
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	35	44	47	0	55	71	68
High School Graduate or G.E.D.	34	52	55	1 or 2	21	32	33
Associate Degree or Some College	13	17	11	3 or More	7	10	13
Bachelor or Advanced Degree	*	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	31	20	18
Employed	23	26	29	School	0	0	*
Unemployed	37	71	66	Mental Health Provider	*	0	0
Not in Labor Force	22	16	19	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	18	26	23
Independent Living	69	99	98	Other Referral Source	27	62	70
Dependent Living	11	8	12	TREATMENT ACCOMMODATION			
Homeless	*	6	*	Pregnant when Admitted to any Episode	*	*	0
MARITAL / FAMILY STATUS				Military Veteran	6	*	5
Never Married	49	56	61	Special Education Services Needed	5	9	8
Married / Cohabiting	20	31	25	Co-Occurring Psychological Problem	33	53	54
Previously Married	14	26	28	Co-Occurring Developmental Problem	*	*	*

GRUNDY COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 13
CENSUS 2010 10,261
2015 POPULATION ESTIMATE 10,097

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	9	8	8
Anxiety Disorder	129	121	109
Dementia	*	*	*
Developmental Disorder	8	11	12
Impulse Control Disorder	53	53	57
Mood Disorder	186	188	195
Personality Disorder	25	25	26
Psychotic Disorder	23	25	31
Sexual Disorder	0	0	*
Other Diagnosis	50	40	29
Diagnosis Unknown	12	14	8

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	278	275	267	Less than High School Diploma	113	130	114
AGE				High School Grad or G.E.D.	0	9	22
Under 6	*	*	*	Associate Degree or Some College	0	*	*
6 to 9	20	21	21	Bachelor or Advanced Degree	0	0	0
10 to 13	39	38	33	Education Level Unknown	165	135	127
14 to 17	23	29	28	EMPLOYMENT			
18 to 24	22	23	25	Employed	31	22	19
25 to 29	20	20	9	Unemployed	32	26	53
30 to 34	21	11	17	Not in Labor Force	175	195	156
35 to 39	18	18	24	Employment Status Unknown	40	32	39
40 to 44	21	30	25	HOUSING / LIVING ARRANGEMENT			
45 to 49	27	18	21	Independent Living	138	142	121
50 to 54	24	26	18	Dependent Living	91	103	101
55 to 59	14	18	17	Homeless	*	*	*
60 and Over	27	22	26	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	45	29	41
GENDER				TREATMENT REFERRAL SOURCE			
Male	103	111	101	Self / Family / Friend	161	165	151
Female	175	164	166	School	7	5	5
Gender Unknown	0	0	0	Mental Health Provider	13	15	16
RACE / ETHNICITY				Health Care Provider	51	41	43
Caucasian	267	265	256	Court / Criminal Justice	7	8	6
African American	*	*	*	Other	34	37	42
Native American / Alaskan	0	0	0	Referral Source Unknown	5	*	*
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	*	6	Voluntary	273	271	262
Other Race	*	*	*	Civil	0	0	*
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	6	8	7	Commitment Type Unknown	5	*	*
Past or Current Military Service	*	*	*				

GRUNDY COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	33.5	36.9	45.7	43.1	Alcohol	13.3	11.8	25.2	17.9
Chewing Tobacco	17.3	22.3	11.0	14.4	Alcohol (5+ drinks on single occasion past 2 weeks)	5.7	4.7		
Cigarettes	22.5	23.8	30.5	24.8	Chewing Tobacco	7.5	9.9	4.9	6.5
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.2	0.0	3.1	0.5	Cigarettes	11.6	14.6	15.9	14.9
Cocaine	1.2	2.3	3.0	2.0	Inhalants	0.6	1.5	4.3	8.2
Electronic Cigarettes	20.2	11.7			Marijuana	5.2	3.9	6.7	1.0
Hallucinogens	1.2	3.1	3.7	0.0	Over-the-counter medications for non-medical use	3.4	4.6	6.7	5.0
Heroin	0.0	0.0	2.5	2.0	Prescription medications not prescribed for student	9.2	6.2	7.3	3.5
Inhalants	4.0	5.3	6.7	11.3	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	12.7	13.2	13.4	3.0	Alcohol (1 or 2 drinks daily)	68.4	56.6		
Methamphetamine	0.0	0.8	2.4	2.1	Alcohol (Binge: 5+ drinks once or twice a week)	75.7	72.7		
Over-the-counter medications for non-medical use	6.4	7.7	9.1	7.9	Cigarettes (1+ packs per day)	84.4	82.2		
Prescription medications not prescribed for student	15.7	9.3	14.6	7.9	Marijuana (once or twice a week)	70.9	69.5		
Synthetic drugs (K2, bath salts, Spice, etc)	2.9	3.9	6.7		Other: Cocaine, LSD, Meth, Club Drug (any use)	91.3	93.9	92.6	98.5
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.17	12.61	13.13	11.34	Alcohol	84.9	81.5	86.0	81.7
Cigarettes	12.94	11.18	12.52	11.16	Cigarettes	92.4	96.2	93.2	95.0
Inhalants		11.12	12.27	12.26	Marijuana	94.7	96.9	95.0	99.5
Marijuana	14.05	13.25	13.32	10.30	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	72.3	68.7	55.2	62.4
Alcohol	40.1	38.2	59.5	59.2	Cigarettes	85.0	84.7	77.2	85.4
Cigarettes	31.0	31.3	51.2	46.0	Marijuana	86.0	89.2	82.7	88.5
Marijuana	22.0	16.8	38.9	27.1	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.1	98.5	92.5	98.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	6.9	6.9	15.3	9.5	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	46.2	42.3	60.4	67.2
Alcohol	23.7	30.0	39.6	35.6	Cigarettes	43.0	42.0	59.1	64.9
Cigarettes	12.7	17.6	14.7	14.9	Marijuana	26.2	26.7	34.4	23.3
Marijuana	10.4	10.0	13.4	7.5	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.3	14.5	16.0	11.4
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	65.9	69.2	69.5	61.7	Were grouchy, irritable, or in a bad mood	38.7	24.2	25.0	22.4
Were victims of mean rumors or lies spread at school	54.3	53.4	59.1	54.3	Had difficulty concentrating on school work	24.3	24.0	24.1	22.8
Were victims of an embarrassing or hurtful text message or something posted on the Internet	32.6	31.5	29.4	19.3	Were very sad	24.3	25.2	21.3	16.8
					Felt hopeless about the future	9.8	12.3	15.2	13.0
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	12.2	15.3	14.0	14.9	Parents involve student in making family decisions	75.0	66.2	61.0	73.8
Made plan about how they would attempt suicide	9.2	11.5	10.4	11.4	Parents notice and comment on student's good work	83.8	78.3	78.5	82.6
Attempted suicide	7.0	9.4	5.5	9.5	Teachers notice and comment on student's good work	83.3	71.8		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

HARRISON COUNTY



DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	13
Adult Psychiatric	13
POPULATION	
Census 2010	8,957
2015 Estimate	8,615

BIRTH RISK	2014	2013	2012
Resident Births	105	122	115
Mother Reported Smoking while Pregnant	31	38	27

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	0	1	0
Hepatitis B Chronic, Acute, Prenatal	0	0	0
Hepatitis C Chronic and Acute	5	2	4
Tuberculosis Infection Cases	2	0	0

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	127	120	112
Suicides	1	0	3
Homicides	0	0	2
Alcohol Induced Deaths	1	0	0
Drug Induced Deaths	3	2	2
Smoking Attributable Deaths	26	20	22
Self-inflicted Injuries	5	20	13
Assault Injuries	6	12	9

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	58	81	85
Mental Illness Secondary Diagnosis	227	214	219
Alcohol Principal Diagnosis	0	2	3
Alcohol Secondary Diagnosis	10	11	12
Drug Principal Diagnosis	3	5	2
Drug Secondary Diagnosis	1	6	15
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	16	27	20
Mental Illness Secondary Diagnosis	51	60	82
Alcohol Principal Diagnosis	2	0	3
Alcohol Secondary Diagnosis	4	8	9
Drug Principal Diagnosis	1	1	2
Drug Secondary Diagnosis	5	8	5
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	120	98	110
Mental Illness Secondary Diagnosis	93	108	83
Alcohol Principal Diagnosis	8	14	14
Alcohol Secondary Diagnosis	13	14	15
Drug Principal Diagnosis	4	15	8
Drug Secondary Diagnosis	11	16	17

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	5	5	6
Alcohol Package Carry-out Licenses	17	18	16

EMPLOYMENT	2015	2014	2013
Labor Force	4,036	3,988	4,398
Employed	3,831	3,730	4,122
Unemployed	205	258	276
Unemployment Rate	5.1%	6.5%	6.3%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	8	16	13
Fatal Crashes	0	1	1
Injury Crashes	4	4	8
Property Damage Crashes	11	11	4
Crash Fatalities	0	1	1
Crash Injuries	4	5	12
Drug Involved Crashes	0	1	3
Fatal Crashes	0	0	0
Injury Crashes	0	1	1
Property Damage Crashes	0	0	2
Crash Fatalities	0	0	0
Crash Injuries	0	1	1

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	49	63	73
Liquor Law Arrests	17	11	12
Drug Arrests	75	79	81
Violent Offenses	6	8	12
Property Offenses	112	116	111
Domestic Violence Reports	15	13	12

	2015	2014	2013
Methamphetamine Lab Seizures	0	0	0

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	406	378	386
Drop-outs	3	2	4
Drop-out Rate	0.7%	0.5%	1.0%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	0	0	0
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	12	19	0
Juvenile Alcohol Offenses	0	1	2
Juvenile Drug Offenses	0	3	0
School Truancy Status Offense	2	10	13
Absent from Home Status Offense	4	1	0
Beyond Parental Control Status Offense	4	4	0
Injurious Behavior Status Offense	2	3	4
Child Abuse	4	3	8
Child Neglect	53	57	42
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	7	20	18
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	4	7	8
Parental Alcohol and Drug Use	1	0	0

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	13	9	13
Probation/Parole Admissions--Drug	27	28	34
Probation/Parole Admissions--DWI	5	5	6
Prison Admissions--Drug	17	16	15
Prison Admissions--DWI	3	4	3

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.

³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

HARRISON COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	*	*	*
CSTAR Adolescent	*	0	*
CSTAR Women and Children	*	*	*
CSTAR General Adult	31	39	26
CSTAR Opioid	0	0	0
Primary Recovery Treatment	0	*	*
Clinical SATOP (CIP, YCIP, SROP)	*	6	*
Other Substance Abuse Treatment	0	0	*


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	18	29	22
- Adolescent Diversion Education Program	*	*	0
- Offender Education Program	7	*	7
- Weekend Intervention Program	*	*	7
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	0
Compulsive Gambling	0	0	0
Recovery Supports	0	0	0
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	37	52	33	Alcohol	12	22	11
AGE				Marijuana / Hashish	11	7	14
Under 18	*	0	*	Cocaine (total)	*	*	*
18 to 24	7	15	9	- Crack	0	0	0
25 to 29	8	12	8	Stimulant (total)	8	13	*
30 to 34	8	8	*	- Methamphetamine	8	12	*
35 to 39	5	6	*	Heroin	0	*	0
40 to 44	*	*	*	Analgesic except Heroin	*	5	*
45 to 54	5	*	5	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	0	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	*	0
Male	24	35	25	Inhalant	0	0	0
Female	13	17	8	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	0
Caucasian	34	51	32	Average Age at First Use of Drug	17.7	17.9	16.5
African American	*	*	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	7	9	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	0	*
Hispanic	*	0	*	- Weekly Injection Use	*	*	0
Other Race / Two or More Races	0	0	*	- Less than Weekly Injection Use	*	6	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	14	20	11	0	26	33	22
High School Graduate or G.E.D.	20	27	18	1 or 2	8	11	7
Associate Degree or Some College	*	5	*	3 or More	*	8	*
Bachelor or Advanced Degree	*	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	12	9	7
Employed	16	22	9	School	0	0	0
Unemployed	13	24	20	Mental Health Provider	0	0	0
Not in Labor Force	8	6	*	Health Care Provider	*	*	0
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	9	14	6
Independent Living	32	48	29	Other Referral Source	12	27	19
Dependent Living	*	*	*	TREATMENT ACCOMMODATION			
Homeless	0	*	*	Pregnant when Admitted to any Episode	*	*	0
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	18	24	18	Special Education Services Needed	*	0	*
Married / Cohabiting	15	21	6	Co-Occurring Psychological Problem	13	16	15
Previously Married	*	7	9	Co-Occurring Developmental Problem	*	0	*

HARRISON COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 13
CENSUS 2010 8,957
2015 POPULATION ESTIMATE 8,615

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	*	*	*
Anxiety Disorder	65	51	57
Dementia	*	*	*
Developmental Disorder	0	0	0
Impulse Control Disorder	27	15	22
Mood Disorder	80	66	72
Personality Disorder	18	20	18
Psychotic Disorder	14	14	17
Sexual Disorder	0	0	0
Other Diagnosis	20	11	9
Diagnosis Unknown	*	*	*

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	108	87	102	Less than High School Diploma	47	34	40
AGE				High School Grad or G.E.D.	0	*	*
Under 6	0	0	*	Associate Degree or Some College	0	0	0
6 to 9	5	*	6	Bachelor or Advanced Degree	0	0	0
10 to 13	14	7	7	Education Level Unknown	61	52	60
14 to 17	*	*	*	EMPLOYMENT			
18 to 24	14	12	17	Employed	12	14	14
25 to 29	11	8	9	Unemployed	18	9	11
30 to 34	10	*	5	Not in Labor Force	64	55	61
35 to 39	5	7	*	Employment Status Unknown	14	9	16
40 to 44	*	7	10	HOUSING / LIVING ARRANGEMENT			
45 to 49	13	9	14	Independent Living	60	58	60
50 to 54	10	12	7	Dependent Living	32	21	26
55 to 59	7	*	7	Homeless	*	0	*
60 and Over	11	10	12	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	14	8	15
GENDER				TREATMENT REFERRAL SOURCE			
Male	58	44	50	Self / Family / Friend	33	30	32
Female	50	43	52	School	*	0	*
Gender Unknown	0	0	0	Mental Health Provider	7	8	13
RACE / ETHNICITY				Health Care Provider	32	32	38
Caucasian	104	84	97	Court / Criminal Justice	20	12	13
African American	*	0	*	Other	14	5	5
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	*	*	Voluntary	108	87	101
Other Race	*	*	*	Civil	0	0	*
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	0	0	0
Past or Current Military Service	*	*	*				

HARRISON COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	32.6	40.6	43.6	40.2	Alcohol	15.0	14.6	27.6	16.2
Chewing Tobacco	14.3	21.4	28.4	20.2	Alcohol (5+ drinks on single occasion past 2 weeks)	6.7	5.2		
Cigarettes	23.1	32.0	32.3	32.4	Chewing Tobacco	7.5	11.2	14.9	13.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.5	0.0	0.0	1.6	Cigarettes	9.8	15.3	15.7	15.5
Cocaine	0.8	1.1	0.0	1.1	Inhalants	1.5	3.1	0.0	2.2
Electronic Cigarettes	16.4	13.4			Marijuana	2.2	2.1	11.2	3.3
Hallucinogens	1.5	1.0	0.0	1.1	Over-the-counter medications for non-medical use	2.3	1.0	0.8	4.4
Heroin	0.8	0.0	0.0	1.1	Prescription medications not prescribed for student	9.0	1.0	2.2	5.5
Inhalants	3.0	6.3	3.7	3.8					
Marijuana	6.8	5.2	15.7	9.4	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.8	1.1	0.0	0.5	Alcohol (1 or 2 drinks daily)	60.6	52.9		
Over-the-counter medications for non-medical use	3.8	1.0	0.8	7.1	Alcohol (Binge: 5+ drinks once or twice a week)	70.5	70.0		
Prescription medications not prescribed for student	11.4	2.1	2.2	12.6	Cigarettes (1+ packs per day)	85.5	88.2		
Synthetic drugs (K2, bath salts, Spice, etc)	0.8	4.2	3.0		Marijuana (once or twice a week)	77.9	80.8		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	90.9	93.0	91.7	92.3
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.86	13.91	12.49	12.63	Alcohol	80.3	83.0	70.2	76.6
Cigarettes	12.66	13.33	13.49	12.36	Cigarettes	90.9	93.6	82.2	85.8
Inhalants		9.31	11.98	12.18	Marijuana	96.2	95.7	94.8	97.8
Marijuana		13.78	13.64	14.32					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	42.1	41.6	61.2	53.0	Alcohol	68.4	65.3	43.9	62.5
Cigarettes	35.1	37.6	59.0	55.4	Cigarettes	85.1	83.0	72.3	71.6
Marijuana	19.5	13.9	18.8	20.2	Marijuana	93.2	86.7	88.1	89.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.3	4.0	0.0	11.1	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.7	98.0	100.0	95.7
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	24.2	29.2	35.4	29.0	Alcohol	47.3	40.8	45.7	62.0
Cigarettes	12.7	16.3	16.4	17.7	Cigarettes	45.5	47.5	56.7	65.4
Marijuana	5.3	6.1	6.8	6.7	Marijuana	21.4	15.5	14.3	28.2
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.2	6.2	6.0	13.7
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	66.7	56.6	56.4	72.3	Were grouchy, irritable, or in a bad mood	34.8	20.8	14.3	23.5
Were victims of mean rumors or lies spread at school	56.1	45.0	46.3	50.3	Had difficulty concentrating on school work	29.1	18.8	14.9	19.7
Were victims of an embarrassing or hurtful text message or something posted on the Internet	30.3	26.0	20.3	16.2	Were very sad	24.2	22.5	6.8	21.3
					Felt hopeless about the future	10.4	12.9	7.8	8.7
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	10.6	14.9	3.8	8.7	Parents involve student in making family decisions	68.4	76.0	74.6	67.6
Made plan about how they would attempt suicide	6.8	11.0	3.8	8.6	Parents notice and comment on student's good work	79.1	87.5	81.2	82.0
Attempted suicide	3.7	8.0	1.5	4.3	Teachers notice and comment on student's good work	76.1	82.2		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

HENRY COUNTY



DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	8
Adult Psychiatric	8B
POPULATION	
Census 2010	22,272
2015 Estimate	21,737

BIRTH RISK	2014	2013	2012
Resident Births	249	250	275
Mother Reported Smoking while Pregnant	58	64	84

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	3	0	0
Hepatitis B Chronic, Acute, Prenatal	4	0	1
Hepatitis C Chronic and Acute	12	20	21
Tuberculosis Infection Cases	4	2	3

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	306	299	322
Suicides	5	6	3
Homicides	1	0	1
Alcohol Induced Deaths	2	2	1
Drug Induced Deaths	3	2	2
Smoking Attributable Deaths	63	58	61
Self-inflicted Injuries	57	27	31
Assault Injuries	63	73	71

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	254	269	266
Mental Illness Secondary Diagnosis	567	537	554
Alcohol Principal Diagnosis	22	6	9
Alcohol Secondary Diagnosis	44	37	35
Drug Principal Diagnosis	6	10	18
Drug Secondary Diagnosis	31	35	34
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	38	28	35
Mental Illness Secondary Diagnosis	439	442	501
Alcohol Principal Diagnosis	17	19	14
Alcohol Secondary Diagnosis	39	41	51
Drug Principal Diagnosis	8	5	11
Drug Secondary Diagnosis	28	25	38
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	301	268	277
Mental Illness Secondary Diagnosis	440	348	221
Alcohol Principal Diagnosis	68	36	40
Alcohol Secondary Diagnosis	76	45	36
Drug Principal Diagnosis	43	37	33
Drug Secondary Diagnosis	92	50	37

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	24	24	25
Alcohol Package Carry-out Licenses	30	32	31

EMPLOYMENT	2015	2014	2013
Labor Force	10,235	10,082	10,743
Employed	9,677	9,434	10,059
Unemployed	558	648	684
Unemployment Rate	5.5%	6.4%	6.4%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	18	16	29
Fatal Crashes	0	0	1
Injury Crashes	8	12	14
Property Damage Crashes	4	4	14
Crash Fatalities	0	0	1
Crash Injuries	10	18	21
Drug Involved Crashes	4	8	6
Fatal Crashes	0	0	1
Injury Crashes	1	3	2
Property Damage Crashes	3	5	3
Crash Fatalities	0	0	1
Crash Injuries	1	3	2

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	90	113	106
Liquor Law Arrests	24	65	72
Drug Arrests	133	127	154
Violent Offenses	54	80	87
Property Offenses	787	757	802
Domestic Violence Reports	98	103	151

	2015	2014	2013
Methamphetamine Lab Seizures	0	0	0

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	906	888	883
Drop-outs	25	14	19
Drop-out Rate	2.8%	1.6%	2.2%
School Discipline Involving Alcohol	1	0	5
School Discipline Involving Drugs	19	8	14
School Discipline Involving Tobacco	1	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	21	26	38
Juvenile Alcohol Offenses	6	5	15
Juvenile Drug Offenses	4	8	11
School Truancy Status Offense	25	14	5
Absent from Home Status Offense	4	1	2
Beyond Parental Control Status Offense	5	16	6
Injurious Behavior Status Offense	78	72	65
Child Abuse	24	25	39
Child Neglect	126	132	119
Child Custody Issues	18	19	11

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	35	41	38
Parental Alcohol Use Related	4	2	3
Parental Drug Use Related	11	20	24
Parental Alcohol and Drug Use	2	0	0

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	10	11	13
Probation/Parole Admissions--Drug	71	79	77
Probation/Parole Admissions--DWI	14	18	15
Prison Admissions--Drug	43	41	36
Prison Admissions--DWI	8	9	7

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

HENRY COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	9	8	7
CSTAR Adolescent	19	17	13
CSTAR Women and Children	*	8	12
CSTAR General Adult	168	139	140
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	*
Clinical SATOP (CIP, YCIP, SROP)	6	14	16
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	32	60	76
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	12	20	28
- Weekend Intervention Program	5	13	15
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	5	5	6
Compulsive Gambling	0	0	0
Recovery Supports	37	113	124
Early Intervention	0	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	217	263	265	Alcohol	61	78	74
AGE				Marijuana / Hashish	69	71	82
Under 18	19	16	15	Cocaine (total)	*	0	*
18 to 24	39	43	52	- Crack	*	0	*
25 to 29	40	40	40	Stimulant (total)	65	87	90
30 to 34	24	37	58	- Methamphetamine	65	82	87
35 to 39	26	41	28	Heroin	0	*	*
40 to 44	28	21	26	Analgesic except Heroin	17	20	9
45 to 54	33	46	34	- Non-Prescription Methadone	0	*	0
55 and Over	8	19	12	PCP, LSD, other Hallucinogen	0	0	*
GENDER				Tranquilizer	*	0	*
Male	147	171	174	Inhalant	0	0	*
Female	70	92	91	Sedative	*	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	*
Caucasian	204	253	254	Average Age at First Use of Drug	17.2	18.3	17.1
African American	8	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	*	0	Any Injection Use at Admission	23	26	49
Asian / Pacific Islander	0	*	0	- Daily Injection Use	5	*	10
Hispanic	*	*	7	- Weekly Injection Use	*	7	11
Other Race / Two or More Races	5	*	*	- Less than Weekly Injection Use	16	18	28
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	78	82	87	0	137	172	154
High School Graduate or G.E.D.	112	146	139	1 or 2	55	54	79
Associate Degree or Some College	27	32	37	3 or More	25	37	32
Bachelor or Advanced Degree	0	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	39	62	79
Employed	46	65	69	School	0	0	0
Unemployed	70	61	74	Mental Health Provider	*	5	*
Not in Labor Force	101	137	122	Health Care Provider	*	10	5
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	64	44	72
Independent Living	156	212	203	Other Referral Source	107	141	105
Dependent Living	24	23	18	TREATMENT ACCOMMODATION			
Homeless	8	*	10	Pregnant when Admitted to any Episode	*	6	*
MARITAL / FAMILY STATUS				Military Veteran	*	5	6
Never Married	116	137	138	Special Education Services Needed	*	*	9
Married / Cohabiting	59	71	62	Co-Occurring Psychological Problem	83	59	40
Previously Married	42	55	65	Co-Occurring Developmental Problem	*	*	5

HENRY COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southwest
PSYCHIATRIC SERVICE AREA 8B
CENSUS 2010 22,272
2015 POPULATION ESTIMATE 21,737

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	27	27	32
Anxiety Disorder	237	240	255
Dementia	0	0	0
Developmental Disorder	*	*	6
Impulse Control Disorder	46	37	46
Mood Disorder	297	338	373
Personality Disorder	39	38	45
Psychotic Disorder	57	69	74
Sexual Disorder	0	0	0
Other Diagnosis	51	54	38
Diagnosis Unknown	28	38	44

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	438	493	533	Less than High School Diploma	153	208	212
AGE				High School Grad or G.E.D.	0	0	0
Under 6	9	5	*	Associate Degree or Some College	0	0	0
6 to 9	22	26	26	Bachelor or Advanced Degree	0	0	0
10 to 13	28	33	36	Education Level Unknown	285	285	321
14 to 17	41	23	19	EMPLOYMENT			
18 to 24	24	47	51	Employed	19	35	33
25 to 29	19	39	39	Unemployed	13	17	37
30 to 34	42	57	66	Not in Labor Force	310	333	341
35 to 39	37	40	42	Employment Status Unknown	96	108	122
40 to 44	42	43	45	HOUSING / LIVING ARRANGEMENT			
45 to 49	43	43	61	Independent Living	217	252	267
50 to 54	62	73	66	Dependent Living	124	125	130
55 to 59	31	35	49	Homeless	8	14	9
60 and Over	38	29	29	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	89	102	127
GENDER				TREATMENT REFERRAL SOURCE			
Male	179	207	227	Self / Family / Friend	189	275	323
Female	259	286	306	School	0	*	0
Gender Unknown	0	0	0	Mental Health Provider	16	18	17
RACE / ETHNICITY				Health Care Provider	34	28	33
Caucasian	424	481	515	Court / Criminal Justice	7	10	16
African American	*	*	5	Other	187	155	137
Native American / Alaskan	*	*	*	Referral Source Unknown	5	6	7
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	*	5	Voluntary	433	486	523
Other Race	5	5	7	Civil	0	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	8	7	8	Commitment Type Unknown	5	6	7
Past or Current Military Service	12	10	16				

HENRY COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	40.3	41.6	39.8	51.1	Alcohol	15.7	21.0	12.5	23.7
Chewing Tobacco	12.4	20.9	11.8	12.8	Alcohol (5+ drinks on single occasion past 2 weeks)	6.2	6.7		
Cigarettes	22.0	27.3	22.5	34.4	Chewing Tobacco	4.6	14.7	4.7	5.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.9	3.7	1.2	4.0	Cigarettes	8.4	13.1	8.3	17.3
Cocaine	0.9	1.7	0.6	2.5	Inhalants	1.5	2.0	1.2	2.2
Electronic Cigarettes	21.3	9.0			Marijuana	6.5	4.1	3.6	10.7
Hallucinogens	1.6	1.6	0.6	3.4	Over-the-counter medications for non-medical use	0.6	2.0	3.3	6.2
Heroin	0.0	0.4	0.3	0.5	Prescription medications not prescribed for student	6.8	2.1	2.7	7.2
Inhalants	3.7	4.9	3.3	5.6					
Marijuana	15.7	11.9	11.0	22.0	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.3	0.8	0.3	1.0	Alcohol (1 or 2 drinks daily)	65.0	52.9		
Over-the-counter medications for non-medical use	3.1	4.1	5.0	8.6	Alcohol (Binge: 5+ drinks once or twice a week)	77.6	61.5		
Prescription medications not prescribed for student	10.8	5.3	7.4	11.5	Cigarettes (1+ packs per day)	83.8	82.4		
Synthetic drugs (K2, bath salts, Spice, etc)	2.8	5.1	3.6		Marijuana (once or twice a week)	72.0	75.3		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	93.4	94.2	96.1	95.4
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.97	12.81	12.55	12.89	Alcohol	83.7	81.4	80.3	75.1
Cigarettes	12.45	12.49	12.29	12.49	Cigarettes	93.5	92.2	92.1	86.2
Inhalants	11.75	11.53	12.05	13.04	Marijuana	90.9	95.1	95.1	91.1
Marijuana	13.47	12.45	13.38	13.94					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	48.6	46.9	52.8	68.3	Alcohol	70.2	66.4	62.3	59.7
Cigarettes	32.6	42.9	35.1	57.3	Cigarettes	88.2	83.8	84.5	75.7
Marijuana	37.1	27.0	21.5	38.7	Marijuana	85.0	88.9	89.6	82.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.8	9.9	8.3	17.9	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.5	97.5	96.4	93.0
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	25.8	30.2	25.0	42.6	Alcohol	50.8	46.9	56.4	65.5
Cigarettes	8.6	13.6	9.9	17.1	Cigarettes	45.7	46.1	50.7	66.5
Marijuana	10.5	6.5	6.3	15.7	Marijuana	38.0	17.1	26.6	46.4
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	16.9	10.4	11.4	26.7
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	70.2	61.2	69.9	71.8	Were grouchy, irritable, or in a bad mood	38.3	26.7	24.5	21.0
Were victims of mean rumors or lies spread at school	61.7	55.8	57.6	57.4	Had difficulty concentrating on school work	32.4	21.6	20.1	21.1
Were victims of an embarrassing or hurtful text message or something posted on the Internet	37.5	26.9	24.7	22.5	Were very sad	32.0	23.3	23.7	22.8
					Felt hopeless about the future	18.5	14.8	9.0	11.8
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	21.6	14.8	9.8	9.3	Parents involve student in making family decisions	68.5	67.3	70.6	64.0
Made plan about how they would attempt suicide	18.2	10.2	5.3	4.4	Parents notice and comment on student's good work	80.7	84.9	83.6	77.4
Attempted suicide	10.2	7.8	3.9	3.9	Teachers notice and comment on student's good work	69.9	82.0		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

HICKORY COUNTY



DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	8
Adult Psychiatric	8B
POPULATION	
Census 2010	9,627
2015 Estimate	9,201

BIRTH RISK	2014	2013	2012
Resident Births	85	59	71
Mother Reported Smoking while Pregnant	22	19	20

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	0	0
Hepatitis C Chronic and Acute	13	8	7
Tuberculosis Infection Cases	0	2	0

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	149	137	141
Suicides	2	3	1
Homicides	0	0	0
Alcohol Induced Deaths	2	1	1
Drug Induced Deaths	2	2	2
Smoking Attributable Deaths	38	24	30
Self-inflicted Injuries	5	9	20
Assault Injuries	11	15	20

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	80	78	66
Mental Illness Secondary Diagnosis	99	103	116
Alcohol Principal Diagnosis	2	3	4
Alcohol Secondary Diagnosis	4	7	6
Drug Principal Diagnosis	1	4	5
Drug Secondary Diagnosis	9	5	7
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	26	40	30
Mental Illness Secondary Diagnosis	138	157	153
Alcohol Principal Diagnosis	2	8	3
Alcohol Secondary Diagnosis	12	16	8
Drug Principal Diagnosis	3	3	3
Drug Secondary Diagnosis	12	15	7
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	70	82	64
Mental Illness Secondary Diagnosis	532	460	448
Alcohol Principal Diagnosis	4	20	10
Alcohol Secondary Diagnosis	17	18	16
Drug Principal Diagnosis	8	19	13
Drug Secondary Diagnosis	31	33	27

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	9	11	13
Alcohol Package Carry-out Licenses	12	12	11

EMPLOYMENT	2015	2014	2013
Labor Force	3,783	3,705	3,540
Employed	3,531	3,394	3,186
Unemployed	252	311	354
Unemployment Rate	6.7%	8.4%	10.0%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	4	5	6
Fatal Crashes	0	0	0
Injury Crashes	3	4	4
Property Damage Crashes	1	1	2
Crash Fatalities	0	0	0
Crash Injuries	4	4	5
Drug Involved Crashes	0	2	1
Fatal Crashes	0	0	0
Injury Crashes	0	1	0
Property Damage Crashes	0	1	1
Crash Fatalities	0	0	0
Crash Injuries	0	2	0

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	20	17	18
Liquor Law Arrests	0	0	3
Drug Arrests	23	33	11
Violent Offenses	2	1	1
Property Offenses	143	112	143
Domestic Violence Reports	16	6	13

	2015	2014	2013
Methamphetamine Lab Seizures	0	0	1

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	468	484	505
Drop-outs	0	3	0
Drop-out Rate	0.0%	0.6%	0.0%
School Discipline Involving Alcohol	2	0	4
School Discipline Involving Drugs	9	3	6
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	5	12	2
Juvenile Alcohol Offenses	0	1	3
Juvenile Drug Offenses	5	3	0
School Truancy Status Offense	6	0	2
Absent from Home Status Offense	2	1	2
Beyond Parental Control Status Offense	9	3	4
Injurious Behavior Status Offense	9	3	6
Child Abuse	5	5	14
Child Neglect	19	26	23
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	4	8	5
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	0	4	1
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	11	8	5
Probation/Parole Admissions--DWI	2	1	3
Prison Admissions--Drug	4	6	3
Prison Admissions--DWI	3	0	1

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

HICKORY COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	*	*	*
CSTAR Adolescent	0	0	0
CSTAR Women and Children	*	*	7
CSTAR General Adult	17	12	12
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	*
Clinical SATOP (CIP, YCIP, SROP)	6	*	5
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	22	16	18
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	7	5	8
- Weekend Intervention Program	*	*	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	*
Compulsive Gambling	0	0	0
Recovery Supports	0	0	*
Early Intervention	0	0	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	26	20	25	Alcohol	10	8	14
AGE				Marijuana / Hashish	*	*	*
Under 18	0	0	0	Cocaine (total)	0	0	0
18 to 24	*	*	*	- Crack	0	0	0
25 to 29	9	*	*	Stimulant (total)	8	7	5
30 to 34	7	*	5	- Methamphetamine	8	7	5
35 to 39	0	*	0	Heroin	0	0	0
40 to 44	0	*	5	Analgesic except Heroin	*	*	*
45 to 54	*	*	6	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	0	0
Male	17	13	15	Inhalant	0	0	0
Female	9	7	10	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	26	20	25	Average Age at First Use of Drug	16.7	17.6	19.7
African American	0	0	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	6	5	5
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	0
Hispanic	0	0	0	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	0	0	0	- Less than Weekly Injection Use	*	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	10	8	9	0	14	9	11
High School Graduate or G.E.D.	14	9	11	1 or 2	8	7	8
Associate Degree or Some College	*	*	5	3 or More	*	*	6
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	*	8	8
Employed	10	6	8	School	0	0	0
Unemployed	9	*	6	Mental Health Provider	0	*	0
Not in Labor Force	7	10	11	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	11	6	10
Independent Living	23	17	23	Other Referral Source	10	*	5
Dependent Living	*	*	*	TREATMENT ACCOMMODATION			
Homeless	*	*	0	Pregnant when Admitted to any Episode	0	0	0
MARITAL / FAMILY STATUS				Military Veteran	0	*	0
Never Married	13	10	9	Special Education Services Needed	0	0	*
Married / Cohabiting	5	5	7	Co-Occurring Psychological Problem	8	11	8
Previously Married	8	5	9	Co-Occurring Developmental Problem	0	0	0

HICKORY COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southwest
PSYCHIATRIC SERVICE AREA 8B
CENSUS 2010 9,627
2015 POPULATION ESTIMATE 9,201

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	0	*	*
Anxiety Disorder	8	10	11
Dementia	0	0	*
Developmental Disorder	*	0	0
Impulse Control Disorder	5	*	0
Mood Disorder	19	17	22
Personality Disorder	*	*	*
Psychotic Disorder	0	*	*
Sexual Disorder	0	0	0
Other Diagnosis	5	*	*
Diagnosis Unknown	0	*	*

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	25	23	29	Less than High School Diploma	13	9	8
AGE				High School Grad or G.E.D.	0	0	0
Under 6	0	*	0	Associate Degree or Some College	0	0	0
6 to 9	*	*	0	Bachelor or Advanced Degree	0	0	0
10 to 13	*	*	*	Education Level Unknown	12	14	21
14 to 17	*	*	*	EMPLOYMENT			
18 to 24	*	*	*	Employed	*	*	*
25 to 29	*	*	6	Unemployed	*	0	0
30 to 34	*	*	*	Not in Labor Force	18	17	21
35 to 39	*	*	*	Employment Status Unknown	*	5	7
40 to 44	*	*	*	HOUSING / LIVING ARRANGEMENT			
45 to 49	*	*	5	Independent Living	7	10	16
50 to 54	*	*	*	Dependent Living	13	9	6
55 to 59	*	*	*	Homeless	*	0	0
60 and Over	0	0	0	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	*	*	7
GENDER				TREATMENT REFERRAL SOURCE			
Male	12	10	11	Self / Family / Friend	19	18	17
Female	13	13	18	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	0	0	*
RACE / ETHNICITY				Health Care Provider	5	*	6
Caucasian	23	23	29	Court / Criminal Justice	*	*	*
African American	0	0	0	Other	0	*	*
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	*	0	0	TYPE OF COMMITMENT			
Hispanic	*	0	0	Voluntary	25	23	24
Other Race	0	0	0	Civil	0	0	*
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	*
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	0	0	0	Commitment Type Unknown	0	0	0
Past or Current Military Service	0	0	0				

HICKORY COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol		36.5	39.5	47.6	Alcohol	21.2	14.0	20.7	
Chewing Tobacco		28.6	17.8	27.6	Alcohol (5+ drinks on single occasion past 2 weeks)	13.1			
Cigarettes		20.0	29.5	30.8	Chewing Tobacco	20.0	6.2	14.6	
Club drugs (Ecstasy, GHB, roofie, Special K, etc)		0.0	0.0	1.4	Cigarettes	3.5	10.1	13.7	
Cocaine		0.0	0.8	1.4	Inhalants	1.2	3.1	1.4	
Electronic Cigarettes		10.7			Marijuana	7.1	1.6	6.2	
Hallucinogens		1.2	0.0	2.1	Over-the-counter medications for non-medical use	2.4	3.9	2.7	
Heroin		0.0	0.8	0.7	Prescription medications not prescribed for student	1.2	4.7	2.8	
Inhalants		1.2	6.2	3.4					
Marijuana		7.1	6.2	13.0	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine		0.0	0.0	0.7	Alcohol (1 or 2 drinks daily)	52.9			
Over-the-counter medications for non-medical use		2.4	5.4	6.1	Alcohol (Binge: 5+ drinks once or twice a week)	64.7			
Prescription medications not prescribed for student		7.1	7.0	9.0	Cigarettes (1+ packs per day)	87.1			
Synthetic drugs (K2, bath salts, Spice, etc)		1.2	0.8		Marijuana (once or twice a week)	73.5			
					Other: Cocaine, LSD, Meth, Club Drug (any use)	95.3	91.3	93.8	
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.10	12.79	12.51		Alcohol	85.7	81.9	75.5	
Cigarettes	13.11	12.07	12.19		Cigarettes	95.2	96.0	87.0	
Inhalants		11.93	11.45		Marijuana	95.2	96.1	93.1	
Marijuana	12.65	13.66	13.05						
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	51.8	45.0	60.3		Alcohol	62.4	58.9	61.9	
Cigarettes	28.2	39.5	51.0		Cigarettes	89.3	82.2	77.6	
Marijuana	21.2	24.0	27.9		Marijuana	90.5	89.1	86.4	
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.9	11.8	12.2		Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.6	96.9	97.3	
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	31.8	31.3	33.8		Alcohol	49.4	54.3	55.5	
Cigarettes	4.8	12.4	16.0		Cigarettes	45.2	51.2	53.7	
Marijuana	7.1	6.9	8.8		Marijuana	27.1	24.8	26.0	
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.3	11.7	15.0	
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	61.2	59.7	68.0		Were grouchy, irritable, or in a bad mood	27.1	22.5	24.0	
Were victims of mean rumors or lies spread at school	50.0	47.3	56.9		Had difficulty concentrating on school work	21.4	18.6	18.6	
Were victims of an embarrassing or hurtful text message or something posted on the Internet	18.8	20.2	18.6		Were very sad	14.1	7.0	17.8	
					Felt hopeless about the future	9.4	7.8	11.6	
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	8.2	10.2	5.4		Parents involve student in making family decisions	69.9	68.2	76.0	
Made plan about how they would attempt suicide	5.9	8.7	4.1		Parents notice and comment on student's good work	79.5	90.7	88.3	
Attempted suicide	3.6	3.1	4.0		Teachers notice and comment on student's good work	72.9			

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

HOLT COUNTY



DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	1
Adult Psychiatric	1
POPULATION	
Census 2010	4,912
2015 Estimate	4,484

BIRTH RISK	2014	2013	2012
Resident Births	56	52	47
Mother Reported Smoking while Pregnant	12	11	12

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	1	0
Hepatitis C Chronic and Acute	1	4	3
Tuberculosis Infection Cases	0	0	0

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	64	69	69
Suicides	1	1	1
Homicides	0	0	0
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	0	1	0
Smoking Attributable Deaths	13	11	10
Self-inflicted Injuries	7	4	3
Assault Injuries	11	6	7

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	17	17	29
Mental Illness Secondary Diagnosis	43	40	49
Alcohol Principal Diagnosis	2	1	1
Alcohol Secondary Diagnosis	1	3	0
Drug Principal Diagnosis	2	2	3
Drug Secondary Diagnosis	0	1	0
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	22	9	10
Mental Illness Secondary Diagnosis	57	65	66
Alcohol Principal Diagnosis	7	3	3
Alcohol Secondary Diagnosis	9	8	9
Drug Principal Diagnosis	1	3	5
Drug Secondary Diagnosis	1	0	4
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	26	16	26
Mental Illness Secondary Diagnosis	76	67	59
Alcohol Principal Diagnosis	3	2	2
Alcohol Secondary Diagnosis	9	4	8
Drug Principal Diagnosis	0	2	4
Drug Secondary Diagnosis	2	1	5

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	7	8	12
Alcohol Package Carry-out Licenses	8	8	8

EMPLOYMENT	2015	2014	2013
Labor Force	2,761	2,726	2,877
Employed	2,660	2,592	2,738
Unemployed	101	134	139
Unemployment Rate	3.7%	4.9%	4.8%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	6	8	6
Fatal Crashes	0	0	0
Injury Crashes	2	4	3
Property Damage Crashes	4	4	3
Crash Fatalities	0	0	0
Crash Injuries	4	4	7
Drug Involved Crashes	3	0	1
Fatal Crashes	0	0	0
Injury Crashes	1	0	1
Property Damage Crashes	2	0	0
Crash Fatalities	0	0	0
Crash Injuries	1	0	2

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	22	31	23
Liquor Law Arrests	0	4	9
Drug Arrests	21	42	22
Violent Offenses	12	5	9
Property Offenses	73	88	101
Domestic Violence Reports	7	12	24

	2015	2014	2013
Methamphetamine Lab Seizures	0	0	0

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	151	153	166
Drop-outs	0	1	3
Drop-out Rate	0.0%	0.7%	1.8%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	0	0	0
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	0	3	1
Juvenile Alcohol Offenses	0	0	0
Juvenile Drug Offenses	0	0	0
School Truancy Status Offense	12	7	4
Absent from Home Status Offense	0	0	0
Beyond Parental Control Status Offense	12	13	8
Injurious Behavior Status Offense	11	11	2
Child Abuse	0	4	2
Child Neglect	42	35	23
Child Custody Issues	0	0	5

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	7	2	1
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	0	0	0
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	2	1	3
Probation/Parole Admissions--Drug	15	11	17
Probation/Parole Admissions--DWI	3	6	3
Prison Admissions--Drug	10	4	12
Prison Admissions--DWI	2	6	2

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

HOLT COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	0	*	*
CSTAR Adolescent	0	*	*
CSTAR Women and Children	*	0	0
CSTAR General Adult	7	5	5
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	5	8
Clinical SATOP (CIP, YCIP, SROP)	0	0	*
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	15	10	18
- Adolescent Diversion Education Program	*	0	*
- Offender Education Program	6	6	7
- Weekend Intervention Program	6	*	7
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	0	0	0
Early Intervention	0	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	9	11	16	Alcohol	*	*	7
AGE				Marijuana / Hashish	*	5	6
Under 18	0	*	*	Cocaine (total)	0	0	0
18 to 24	*	*	5	- Crack	0	0	0
25 to 29	0	0	*	Stimulant (total)	*	5	*
30 to 34	*	*	*	- Methamphetamine	*	5	*
35 to 39	*	*	*	Heroin	0	0	0
40 to 44	*	*	*	Analgesic except Heroin	*	0	0
45 to 54	*	*	0	- Non-Prescription Methadone	0	0	0
55 and Over	0	0	0	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	0	0
Male	5	8	13	Inhalant	0	0	0
Female	*	*	*	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	9	10	16	Average Age at First Use of Drug	20.1	17.5	16.1
African American	0	0	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	*	*	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	0	0
Hispanic	0	0	0	- Weekly Injection Use	0	*	0
Other Race / Two or More Races	0	*	0	- Less than Weekly Injection Use	*	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	*	5	*	0	6	8	9
High School Graduate or G.E.D.	5	*	8	1 or 2	*	*	5
Associate Degree or Some College	*	*	*	3 or More	0	0	*
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	*	*	*
Employed	5	*	6	School	0	0	0
Unemployed	0	*	5	Mental Health Provider	0	0	*
Not in Labor Force	*	5	5	Health Care Provider	0	*	0
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	6	6	11
Independent Living	7	9	14	Other Referral Source	0	0	0
Dependent Living	0	*	*	TREATMENT ACCOMMODATION			
Homeless	*	*	0	Pregnant when Admitted to any Episode	0	0	0
MARITAL / FAMILY STATUS				Military Veteran	0	*	*
Never Married	*	*	9	Special Education Services Needed	*	*	*
Married / Cohabiting	*	*	*	Co-Occurring Psychological Problem	*	7	8
Previously Married	*	5	*	Co-Occurring Developmental Problem	*	0	0

HOLT COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 1
CENSUS 2010 4,912
2015 POPULATION ESTIMATE 4,484

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	*	*	*
Anxiety Disorder	6	7	8
Dementia	0	0	0
Developmental Disorder	*	0	0
Impulse Control Disorder	5	*	*
Mood Disorder	16	16	15
Personality Disorder	*	*	*
Psychotic Disorder	5	*	*
Sexual Disorder	0	0	0
Other Diagnosis	*	*	*
Diagnosis Unknown	0	0	0

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	22	21	17	Less than High School Diploma	7	8	*
AGE				High School Grad or G.E.D.	0	0	*
Under 6	*	*	0	Associate Degree or Some College	0	0	0
6 to 9	0	0	0	Bachelor or Advanced Degree	0	0	0
10 to 13	0	*	*	Education Level Unknown	15	13	12
14 to 17	*	*	*	EMPLOYMENT			
18 to 24	*	*	*	Employed	*	0	*
25 to 29	*	*	*	Unemployed	*	*	*
30 to 34	*	0	*	Not in Labor Force	13	17	10
35 to 39	*	0	0	Employment Status Unknown	*	*	*
40 to 44	*	*	*	HOUSING / LIVING ARRANGEMENT			
45 to 49	*	*	*	Independent Living	11	13	10
50 to 54	*	*	*	Dependent Living	7	7	*
55 to 59	*	*	*	Homeless	0	0	0
60 and Over	*	*	*	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	*	*	*
GENDER				TREATMENT REFERRAL SOURCE			
Male	10	8	7	Self / Family / Friend	7	9	6
Female	12	13	10	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	*	*	0
RACE / ETHNICITY				Health Care Provider	7	7	*
Caucasian	22	21	17	Court / Criminal Justice	*	*	*
African American	0	0	0	Other	*	*	*
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	0	0	0	Voluntary	22	21	17
Other Race	0	0	0	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	0	0	0
Past or Current Military Service	0	0	*				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol		20.9	49.2	18.4	Alcohol		4.7	21.5	3.1
Chewing Tobacco		9.3	23.4	0.0	Alcohol (5+ drinks on single occasion past 2 weeks)		2.3		
Cigarettes		7.0	31.3	7.1	Chewing Tobacco		4.7	18.5	0.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)		0.0	4.6	0.0	Cigarettes		0.0	16.9	0.0
Cocaine		2.3	1.5	0.0	Inhalants		2.3	4.6	1.1
Electronic Cigarettes		0.0			Marijuana		0.0	7.7	0.0
Hallucinogens		2.3	1.5	0.0	Over-the-counter medications for non-medical use		2.3	6.2	0.0
Heroin		2.3	1.6	0.0	Prescription medications not prescribed for student		0.0	9.2	5.3
Inhalants		2.3	6.2	4.2					
Marijuana		2.3	13.8	0.0	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine		2.3	1.6	0.0	Alcohol (1 or 2 drinks daily)		72.7		
Over-the-counter medications for non-medical use		2.3	10.8	0.0	Alcohol (Binge: 5+ drinks once or twice a week)		77.3		
Prescription medications not prescribed for student		2.3	13.8	6.3	Cigarettes (1+ packs per day)		90.9		
Synthetic drugs (K2, bath salts, Spice, etc)		0.0	6.2		Marijuana (once or twice a week)		88.6		
					Other: Cocaine, LSD, Meth, Club Drug (any use)		93.0	95.3	94.7
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol		14.02	12.40	12.93	Alcohol		93.0	71.4	100.0
Cigarettes	9.67	14.57	12.72	15.00	Cigarettes		100.0	87.7	97.9
Inhalants		13.29		9.82	Marijuana		100.0	95.3	100.0
Marijuana			14.58						
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol		20.9	64.1	17.3	Alcohol		81.4	56.3	82.7
Cigarettes		9.1	56.9	17.3	Cigarettes		100.0	73.8	96.9
Marijuana		4.7	41.5	10.2	Marijuana		97.7	88.9	92.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		4.5	12.3	3.1	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		97.7	95.4	100.0
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol		13.6	34.4	9.6	Alcohol		39.5	63.1	42.6
Cigarettes		0.0	17.5	0.0	Cigarettes		30.2	58.5	29.6
Marijuana		0.0	7.8	6.3	Marijuana		9.1	36.9	15.3
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		4.5	13.8	1.0
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others		55.8	64.6	73.5	Were grouchy, irritable, or in a bad mood		18.2	26.2	26.5
Were victims of mean rumors or lies spread at school		41.9	49.2	44.9	Had difficulty concentrating on school work		14.0	13.8	24.2
Were victims of an embarrassing or hurtful text message or something posted on the Internet		11.6	21.5	23.5	Were very sad		11.6	18.5	20.4
					Felt hopeless about the future		4.7	12.5	17.3
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	5.5	9.3	9.4	5.1	Parents involve student in making family decisions		81.8	69.2	75.8
Made plan about how they would attempt suicide	12.7	9.1	6.3	5.1	Parents notice and comment on student's good work	90.9	88.6	83.1	98.9
Attempted suicide	1.8	4.5	4.6	1.0	Teachers notice and comment on student's good work		90.7		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

HOWARD COUNTY



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	12
Adult Psychiatric	12
POPULATION	
Census 2010	10,144
2015 Estimate	10,139

BIRTH RISK	2014	2013	2012
Resident Births	112	124	115
Mother Reported Smoking while Pregnant	29	35	30

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	0	0	1
Hepatitis B Chronic, Acute, Prenatal	0	0	0
Hepatitis C Chronic and Acute	1	0	2
Tuberculosis Infection Cases	2	3	0

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	109	110	81
Suicides	2	1	2
Homicides	0	0	0
Alcohol Induced Deaths	1	0	1
Drug Induced Deaths	0	1	1
Smoking Attributable Deaths	13	16	11
Self-inflicted Injuries	4	6	10
Assault Injuries	11	18	20

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	34	47	20
Mental Illness Secondary Diagnosis	109	122	161
Alcohol Principal Diagnosis	0	1	2
Alcohol Secondary Diagnosis	5	11	11
Drug Principal Diagnosis	0	0	1
Drug Secondary Diagnosis	7	5	5
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	58	53	40
Mental Illness Secondary Diagnosis	158	172	87
Alcohol Principal Diagnosis	8	9	10
Alcohol Secondary Diagnosis	17	10	17
Drug Principal Diagnosis	5	5	1
Drug Secondary Diagnosis	14	11	6
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	60	71	50
Mental Illness Secondary Diagnosis	115	236	121
Alcohol Principal Diagnosis	11	9	8
Alcohol Secondary Diagnosis	12	27	11
Drug Principal Diagnosis	6	3	8
Drug Secondary Diagnosis	8	33	9

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	16	14	10
Alcohol Package Carry-out Licenses	9	10	11

EMPLOYMENT	2015	2014	2013
Labor Force	5,108	4,978	5,155
Employed	4,859	4,709	4,865
Unemployed	249	269	290
Unemployment Rate	4.9%	5.4%	5.6%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	6	7	13
Fatal Crashes	0	0	2
Injury Crashes	4	3	6
Property Damage Crashes	4	4	5
Crash Fatalities	0	0	2
Crash Injuries	5	5	11
Drug Involved Crashes	1	2	2
Fatal Crashes	0	0	0
Injury Crashes	0	2	2
Property Damage Crashes	1	0	0
Crash Fatalities	0	0	0
Crash Injuries	0	2	3

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	56	40	68
Liquor Law Arrests	39	12	47
Drug Arrests	68	51	45
Violent Offenses	9	13	14
Property Offenses	136	92	71
Domestic Violence Reports	21	24	27

	2015	2014	2013
Methamphetamine Lab Seizures	3	5	0

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	418	408	418
Drop-outs	8	9	10
Drop-out Rate	1.9%	2.2%	2.4%
School Discipline Involving Alcohol	0	1	0
School Discipline Involving Drugs	0	5	3
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	7	9	16
Juvenile Alcohol Offenses	0	2	2
Juvenile Drug Offenses	1	6	3
School Truancy Status Offense	6	18	19
Absent from Home Status Offense	2	0	1
Beyond Parental Control Status Offense	3	4	6
Injurious Behavior Status Offense	30	20	35
Child Abuse	5	17	9
Child Neglect	17	24	23
Child Custody Issues	4	0	0

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	4	26	22
Parental Alcohol Use Related	0	1	2
Parental Drug Use Related	2	5	8
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	22	31	20
Probation/Parole Admissions--DWI	6	5	5
Prison Admissions--Drug	11	14	12
Prison Admissions--DWI	6	3	3

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

HOWARD COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	*	*	6
CSTAR Adolescent	*	8	6
CSTAR Women and Children	*	8	*
CSTAR General Adult	15	12	19
CSTAR Opioid	0	0	0
Primary Recovery Treatment	6	7	10
Clinical SATOP (CIP, YCIP, SROP)	10	*	8
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	32	31	33
- Adolescent Diversion Education Program	*	*	*
- Offender Education Program	14	8	16
- Weekend Intervention Program	5	8	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	5	5	*
Compulsive Gambling	0	0	0
Recovery Supports	*	*	0
Early Intervention	0	*	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	39	35	43	Alcohol	16	10	18
AGE				Marijuana / Hashish	11	10	9
Under 18	*	9	7	Cocaine (total)	0	*	*
18 to 24	*	*	5	- Crack	0	*	0
25 to 29	5	0	5	Stimulant (total)	9	10	12
30 to 34	9	*	8	- Methamphetamine	9	10	12
35 to 39	7	*	*	Heroin	0	0	0
40 to 44	6	5	*	Analgesic except Heroin	*	*	*
45 to 54	*	9	7	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	*	PCP, LSD, other Hallucinogen	*	*	*
GENDER				Tranquilizer	0	0	0
Male	28	20	32	Inhalant	0	*	0
Female	11	15	11	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	0
Caucasian	36	30	40	Average Age at First Use of Drug	17.2	17.3	17.0
African American	*	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	*	*	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	0
Hispanic	0	*	0	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	0	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	15	15	22	0	18	20	21
High School Graduate or G.E.D.	18	14	14	1 or 2	14	8	12
Associate Degree or Some College	6	6	6	3 or More	7	7	10
Bachelor or Advanced Degree	0	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	11	13	19
Employed	11	5	8	School	0	0	0
Unemployed	18	11	13	Mental Health Provider	0	*	*
Not in Labor Force	10	19	22	Health Care Provider	*	*	0
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	17	14	18
Independent Living	28	20	30	Other Referral Source	10	*	*
Dependent Living	6	12	9	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	0	0	*
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	20	18	20	Special Education Services Needed	6	*	*
Married / Cohabiting	9	8	13	Co-Occurring Psychological Problem	14	17	15
Previously Married	10	9	10	Co-Occurring Developmental Problem	*	*	0

HOWARD COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 12
CENSUS 2010 10,144
2015 POPULATION ESTIMATE 10,139

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	*	*	*
Anxiety Disorder	39	27	23
Dementia	0	0	0
Developmental Disorder	*	0	*
Impulse Control Disorder	13	6	8
Mood Disorder	52	41	50
Personality Disorder	8	*	6
Psychotic Disorder	27	22	25
Sexual Disorder	0	0	0
Other Diagnosis	6	*	*
Diagnosis Unknown	9	18	22

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	95	79	91	Less than High School Diploma	32	33	30
AGE				High School Grad or G.E.D.	0	0	0
Under 6	0	0	0	Associate Degree or Some College	0	0	0
6 to 9	0	0	*	Bachelor or Advanced Degree	0	0	0
10 to 13	*	*	0	Education Level Unknown	63	46	61
14 to 17	8	6	5	EMPLOYMENT			
18 to 24	10	8	11	Employed	13	11	10
25 to 29	5	*	9	Unemployed	*	*	7
30 to 34	12	7	13	Not in Labor Force	59	57	53
35 to 39	8	6	5	Employment Status Unknown	19	10	21
40 to 44	11	10	9	HOUSING / LIVING ARRANGEMENT			
45 to 49	*	6	11	Independent Living	30	31	30
50 to 54	12	11	12	Dependent Living	50	36	44
55 to 59	11	12	8	Homeless	0	*	0
60 and Over	10	8	7	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	15	11	17
GENDER				TREATMENT REFERRAL SOURCE			
Male	60	52	61	Self / Family / Friend	52	40	40
Female	35	27	30	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	14	16	18
RACE / ETHNICITY				Health Care Provider	23	17	23
Caucasian	70	62	69	Court / Criminal Justice	*	*	6
African American	19	14	17	Other	*	*	*
Native American / Alaskan	0	0	0	Referral Source Unknown	*	*	*
Asian / Pacific Islander	*	*	*	TYPE OF COMMITMENT			
Hispanic	0	0	*	Voluntary	91	74	85
Other Race	5	*	*	Civil	*	0	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	*	0	*	Commitment Type Unknown	*	*	*
Past or Current Military Service	7	7	7				

HOWARD COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	51.7	37.6	44.1	51.6	Alcohol	20.0	14.4	20.2	21.5
Chewing Tobacco	20.0	11.9	19.6	10.9	Alcohol (5+ drinks on single occasion past 2 weeks)	10.2	6.6		
Cigarettes	27.2	24.0	26.3	30.0	Chewing Tobacco	12.6	4.0	11.8	6.4
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.7	0.0	1.7	1.4	Cigarettes	15.1	14.4	15.7	11.7
Cocaine	1.7	0.8	2.2	2.7	Inhalants	2.3	0.0	2.2	0.9
Electronic Cigarettes	22.3	11.9			Marijuana	7.4	5.6	8.4	6.4
Hallucinogens	1.1	3.2	1.7	2.7	Over-the-counter medications for non-medical use	2.9	1.6	2.2	5.0
Heroin	0.0	0.8	1.7	0.0	Prescription medications not prescribed for student	9.7	0.0	5.0	5.0
Inhalants	4.6	4.0	6.1	2.3					
Marijuana	18.8	11.2	15.1	14.1	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.0	1.6	1.7	0.9	Alcohol (1 or 2 drinks daily)	58.4	53.2		
Over-the-counter medications for non-medical use	6.3	1.6	6.1	5.9	Alcohol (Binge: 5+ drinks once or twice a week)	60.1	57.1		
Prescription medications not prescribed for student	16.7	5.6	7.8	7.3	Cigarettes (1+ packs per day)	79.2	88.8		
Synthetic drugs (K2, bath salts, Spice, etc)	5.2	4.8	7.8		Marijuana (once or twice a week)	68.8	65.9		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	93.6	94.4	91.5	95.9
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.96	13.01	12.54	13.04	Alcohol	73.6	73.6	76.0	73.3
Cigarettes		12.64	13.13	12.91	Cigarettes	93.7	94.4	92.7	92.8
Inhalants		11.02	11.37	12.40	Marijuana	93.1	95.1	93.7	96.8
Marijuana	14.45	14.48	14.43	13.82					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	61.1	49.2	49.4	77.4	Alcohol	52.0	65.9	57.1	47.5
Cigarettes	49.1	38.1	44.1	48.9	Cigarettes	81.1	79.2	74.3	82.8
Marijuana	31.4	22.2	21.3	32.9	Marijuana	79.3	86.4	84.7	82.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.4	6.3	3.9	9.0	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.4	97.6	96.6	98.2
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	37.7	25.4	28.5	48.0	Alcohol	54.7	53.2	45.8	76.6
Cigarettes	17.1	13.5	12.8	14.1	Cigarettes	47.1	46.8	41.1	69.4
Marijuana	16.7	9.8	8.6	13.2	Marijuana	22.1	21.6	21.8	28.5
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.6	7.2	8.4	12.7
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	69.1	56.0	52.0	76.5	Were grouchy, irritable, or in a bad mood	36.6	22.4	21.9	15.8
Were victims of mean rumors or lies spread at school	55.4	46.8	41.3	61.5	Had difficulty concentrating on school work	27.4	20.0	16.9	15.0
Were victims of an embarrassing or hurtful text message or something posted on the Internet	25.6	21.0	12.2	23.1	Were very sad	17.1	12.7	19.0	12.7
					Felt hopeless about the future	9.8	7.2	10.1	6.3
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	6.9	4.8	7.8	7.7	Parents involve student in making family decisions	72.0	84.8	81.4	67.4
Made plan about how they would attempt suicide	8.0	5.6	3.9	6.3	Parents notice and comment on student's good work	85.1	92.0	88.8	82.0
Attempted suicide	2.9	1.6	2.8	3.6	Teachers notice and comment on student's good work	78.6	85.7		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

HOWELL COUNTY



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	18
Adult Psychiatric	18
POPULATION	
Census 2010	40,400
2015 Estimate	40,117

BIRTH RISK	2014	2013	2012
Resident Births	503	508	515
Mother Reported Smoking while Pregnant	125	162	129

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	1	1	1
Hepatitis B Chronic, Acute, Prenatal	1	0	4
Hepatitis C Chronic and Acute	73	54	56
Tuberculosis Infection Cases	8	5	28

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	497	547	479
Suicides	11	14	9
Homicides	2	2	3
Alcohol Induced Deaths	3	2	3
Drug Induced Deaths	6	7	4
Smoking Attributable Deaths	85	103	99
Self-inflicted Injuries	99	82	116
Assault Injuries	123	121	115

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	532	573	627
Mental Illness Secondary Diagnosis	1,106	1,140	1,269
Alcohol Principal Diagnosis	81	81	65
Alcohol Secondary Diagnosis	66	83	128
Drug Principal Diagnosis	99	98	98
Drug Secondary Diagnosis	71	63	82
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	37	29	31
Mental Illness Secondary Diagnosis	162	144	156
Alcohol Principal Diagnosis	7	3	11
Alcohol Secondary Diagnosis	14	20	19
Drug Principal Diagnosis	4	5	6
Drug Secondary Diagnosis	29	12	12
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	489	435	481
Mental Illness Secondary Diagnosis	2,554	2,936	2,214
Alcohol Principal Diagnosis	85	55	74
Alcohol Secondary Diagnosis	87	104	91
Drug Principal Diagnosis	63	59	67
Drug Secondary Diagnosis	112	87	81

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	31	31	30
Alcohol Package Carry-out Licenses	47	50	42

EMPLOYMENT	2015	2014	2013
Labor Force	16,543	16,169	19,762
Employed	15,480	15,026	18,550
Unemployed	1,063	1,143	1,212
Unemployment Rate	6.4%	7.1%	6.1%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	42	56	56
Fatal Crashes	0	3	2
Injury Crashes	20	17	26
Property Damage Crashes	36	36	28
Crash Fatalities	0	3	2
Crash Injuries	27	22	34
Drug Involved Crashes	12	11	12
Fatal Crashes	0	0	0
Injury Crashes	8	4	6
Property Damage Crashes	4	7	6
Crash Fatalities	0	0	0
Crash Injuries	9	6	7

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	183	252	300
Liquor Law Arrests	26	26	26
Drug Arrests	376	394	348
Violent Offenses	88	97	131
Property Offenses	1,251	1,320	1,461
Domestic Violence Reports	511	447	330
	2015	2014	2013
Methamphetamine Lab Seizures	5	11	11

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	1,863	1,911	1,979
Drop-outs	24	16	17
Drop-out Rate	1.3%	0.8%	0.9%
School Discipline Involving Alcohol	4	0	3
School Discipline Involving Drugs	4	12	20
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	12	18	24
Juvenile Alcohol Offenses	10	15	13
Juvenile Drug Offenses	8	13	18
School Truancy Status Offense	100	112	169
Absent from Home Status Offense	17	25	24
Beyond Parental Control Status Offense	80	51	75
Injurious Behavior Status Offense	76	42	64
Child Abuse	33	64	56
Child Neglect	101	127	111
Child Custody Issues	24	26	19

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	47	29	11
Parental Alcohol Use Related	1	0	1
Parental Drug Use Related	21	9	0
Parental Alcohol and Drug Use	0	1	0

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	14	15	30
Probation/Parole Admissions--Drug	105	123	105
Probation/Parole Admissions--DWI	17	19	15
Prison Admissions--Drug	36	49	49
Prison Admissions--DWI	4	4	7

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

HOWELL COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	72	67	79
CSTAR Adolescent	17	30	27
CSTAR Women and Children	17	14	12
CSTAR General Adult	128	115	126
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	13	22
Clinical SATOP (CIP, YCIP, SROP)	56	25	45
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	138	144	170
- Adolescent Diversion Education Program	*	0	*
- Offender Education Program	46	69	69
- Weekend Intervention Program	17	38	33
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	9	7	10
Compulsive Gambling	0	0	0
Recovery Supports	6	7	10
Early Intervention	*	*	6

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	218	199	235	Alcohol	83	70	101
AGE				Marijuana / Hashish	40	47	42
Under 18	17	31	27	Cocaine (total)	0	0	0
18 to 24	41	36	52	- Crack	0	0	0
25 to 29	49	31	38	Stimulant (total)	57	52	46
30 to 34	35	23	30	- Methamphetamine	57	52	46
35 to 39	25	17	27	Heroin	*	*	*
40 to 44	21	23	19	Analgesic except Heroin	29	25	33
45 to 54	21	29	31	- Non-Prescription Methadone	*	*	0
55 and Over	9	9	11	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	5	*	*
Male	132	125	146	Inhalant	0	0	0
Female	86	74	89	Sedative	*	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	9
Caucasian	204	192	228	Average Age at First Use of Drug	17.9	17.4	17.4
African American	*	*	*	INJECTION DRUG USE			
Native American / Alaskan	*	*	*	Any Injection Use at Admission	50	44	45
Asian / Pacific Islander	0	0	0	- Daily Injection Use	10	12	15
Hispanic	5	*	*	- Weekly Injection Use	15	19	14
Other Race / Two or More Races	9	5	5	- Less than Weekly Injection Use	25	13	16
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	71	86	87	0	117	120	112
High School Graduate or G.E.D.	100	84	108	1 or 2	60	49	88
Associate Degree or Some College	46	25	40	3 or More	41	30	35
Bachelor or Advanced Degree	*	*	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	94	84	108
Employed	34	20	19	School	*	*	*
Unemployed	65	64	102	Mental Health Provider	0	0	*
Not in Labor Force	119	115	114	Health Care Provider	16	13	9
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	83	64	78
Independent Living	173	155	189	Other Referral Source	21	36	33
Dependent Living	27	37	34	TREATMENT ACCOMMODATION			
Homeless	11	6	9	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	7	5	*
Never Married	106	101	116	Special Education Services Needed	26	9	18
Married / Cohabiting	64	54	58	Co-Occurring Psychological Problem	115	65	78
Previously Married	48	44	61	Co-Occurring Developmental Problem	7	*	8

HOWELL COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 18
CENSUS 2010 40,400
2015 POPULATION ESTIMATE 40,117

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	78	114	102
Anxiety Disorder	530	611	561
Dementia	*	*	9
Developmental Disorder	7	10	5
Impulse Control Disorder	159	163	170
Mood Disorder	687	824	835
Personality Disorder	55	53	34
Psychotic Disorder	97	107	107
Sexual Disorder	*	*	*
Other Diagnosis	58	58	41
Diagnosis Unknown	88	68	46

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	1,044	1,221	1,216	Less than High School Diploma	245	255	303
AGE				High School Grad or G.E.D.	0	0	*
Under 6	0	0	*	Associate Degree or Some College	0	0	0
6 to 9	42	44	33	Bachelor or Advanced Degree	0	0	0
10 to 13	45	55	42	Education Level Unknown	799	966	912
14 to 17	44	61	59	EMPLOYMENT			
18 to 24	140	160	177	Employed	137	157	163
25 to 29	141	155	139	Unemployed	75	140	248
30 to 34	127	141	155	Not in Labor Force	559	567	587
35 to 39	108	125	111	Employment Status Unknown	273	357	218
40 to 44	112	119	127	HOUSING / LIVING ARRANGEMENT			
45 to 49	106	102	116	Independent Living	480	562	749
50 to 54	81	127	129	Dependent Living	167	162	157
55 to 59	49	77	71	Homeless	70	50	54
60 and Over	49	55	56	Other	0	0	*
Age Unknown	0	0	0	Housing Unknown	327	447	255
GENDER				TREATMENT REFERRAL SOURCE			
Male	473	542	565	Self / Family / Friend	445	679	739
Female	571	679	651	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	31	22	30
RACE / ETHNICITY				Health Care Provider	360	336	256
Caucasian	996	1,179	1,178	Court / Criminal Justice	13	*	5
African American	*	9	10	Other	194	180	184
Native American / Alaskan	*	*	*	Referral Source Unknown	0	0	0
Asian / Pacific Islander	*	0	0	TYPE OF COMMITMENT			
Hispanic	16	17	14	Voluntary	1,043	1,219	1,213
Other Race	26	14	13	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	26	29	27	Commitment Type Unknown	0	0	0
Past or Current Military Service	39	30	34				

HOWELL COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	11.8	39.9	41.4	43.9	Alcohol	0.0	19.9	16.2	19.8
Chewing Tobacco	1.5	27.1	26.5	21.9	Alcohol (5+ drinks on single occasion past 2 weeks)	0.0	11.0		
Cigarettes	5.7	31.0	30.7	33.5	Chewing Tobacco	0.0	21.0	16.1	12.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	0.2	3.4	2.0	Cigarettes	0.0	13.6	14.4	17.9
Cocaine	0.0	0.0	2.1	1.3	Inhalants	0.0	0.0	3.1	3.3
Electronic Cigarettes	1.8	11.5			Marijuana	0.0	1.3	2.2	7.7
Hallucinogens	0.0	0.0	2.8	3.3	Over-the-counter medications for non-medical use	0.0	0.2	2.5	5.5
Heroin	0.0	0.0	1.6	0.6	Prescription medications not prescribed for student	3.4	0.4	2.6	8.0
Inhalants	0.0	0.2	7.7	7.4					
Marijuana	0.0	7.2	10.4	17.1	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.0	0.0	1.5	1.1	Alcohol (1 or 2 drinks daily)	74.5	51.9		
Over-the-counter medications for non-medical use	1.5	0.2	5.1	8.2	Alcohol (Binge: 5+ drinks once or twice a week)	84.8	59.5		
Prescription medications not prescribed for student	7.1	2.2	7.7	12.6	Cigarettes (1+ packs per day)	94.9	86.2		
Synthetic drugs (K2, bath salts, Spice, etc)	0.0	2.4	8.0		Marijuana (once or twice a week)	86.3	71.0		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	94.4	91.1	94.7	94.5
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	11.82	13.26	12.33	12.49	Alcohol	96.2	75.8	76.8	77.3
Cigarettes	10.28	13.53	12.33	12.00	Cigarettes	100.0	82.4	84.9	87.1
Inhalants		10.27	12.66	12.26	Marijuana	98.2	93.4	96.2	93.5
Marijuana		14.19	12.66	13.85					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	4.1	51.6	50.9	55.2	Alcohol	95.3	62.6	58.0	59.7
Cigarettes	7.0	44.2	41.7	50.2	Cigarettes	98.2	71.3	75.1	75.2
Marijuana	1.5	19.7	21.8	33.5	Marijuana	96.7	87.0	87.4	83.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	1.5	7.4	9.8	17.0	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.2	97.9	96.6	94.4
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	1.8	31.2	33.4	31.8	Alcohol	12.6	48.2	51.4	55.2
Cigarettes	0.0	18.1	17.3	18.1	Cigarettes	5.4	47.7	53.9	55.7
Marijuana	1.8	7.8	6.9	12.7	Marijuana	2.5	28.9	29.1	36.5
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	1.5	11.4	17.0	20.6
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	85.7	56.6	62.4	67.1	Were grouchy, irritable, or in a bad mood	20.7	20.6	19.0	19.8
Were victims of mean rumors or lies spread at school	28.6	55.2	51.9	57.9	Had difficulty concentrating on school work	17.0	22.9	17.3	20.7
Were victims of an embarrassing or hurtful text message or something posted on the Internet	18.2	21.4	18.5	17.1	Were very sad	8.2	12.6	17.1	19.1
					Felt hopeless about the future	5.6	9.6	10.6	10.9
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	3.4	4.6	8.5	11.9	Parents involve student in making family decisions	82.7	77.5	65.9	70.8
Made plan about how they would attempt suicide	3.3	4.0	8.7	9.0	Parents notice and comment on student's good work	90.5	85.2	83.4	83.2
Attempted suicide	0.0	1.3	4.8	5.2	Teachers notice and comment on student's good work	83.8	75.1		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

IRON COUNTY



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	17
Adult Psychiatric	17B
POPULATION	
Census 2010	10,630
2015 Estimate	10,125

BIRTH RISK	2014	2013	2012
Resident Births	101	91	114
Mother Reported Smoking while Pregnant	34	32	47

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	0	1
Hepatitis C Chronic and Acute	17	14	16
Tuberculosis Infection Cases	0	1	1

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	161	126	133
Suicides	3	4	4
Homicides	0	0	1
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	3	4	1
Smoking Attributable Deaths	35	27	32
Self-inflicted Injuries	28	21	18
Assault Injuries	52	31	43

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	262	248	274
Mental Illness Secondary Diagnosis	345	317	304
Alcohol Principal Diagnosis	3	3	7
Alcohol Secondary Diagnosis	29	24	23
Drug Principal Diagnosis	14	11	8
Drug Secondary Diagnosis	24	29	23
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	31	19	55
Mental Illness Secondary Diagnosis	169	161	265
Alcohol Principal Diagnosis	1	5	2
Alcohol Secondary Diagnosis	25	11	15
Drug Principal Diagnosis	1	5	6
Drug Secondary Diagnosis	10	10	17
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	189	174	189
Mental Illness Secondary Diagnosis	387	504	886
Alcohol Principal Diagnosis	20	27	22
Alcohol Secondary Diagnosis	30	26	36
Drug Principal Diagnosis	34	30	41
Drug Secondary Diagnosis	31	46	53

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	10	11	10
Alcohol Package Carry-out Licenses	10	8	8

EMPLOYMENT	2015	2014	2013
Labor Force	3,900	3,859	5,370
Employed	3,594	3,487	4,979
Unemployed	306	372	391
Unemployment Rate	7.8%	9.6%	7.3%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	5	11	6
Fatal Crashes	0	0	0
Injury Crashes	2	6	5
Property Damage Crashes	5	5	1
Crash Fatalities	0	0	0
Crash Injuries	2	6	9
Drug Involved Crashes	1	1	3
Fatal Crashes	0	0	0
Injury Crashes	1	0	3
Property Damage Crashes	0	1	0
Crash Fatalities	0	0	0
Crash Injuries	1	0	3

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	33	42	43
Liquor Law Arrests	8	6	3
Drug Arrests	16	23	21
Violent Offenses	37	40	47
Property Offenses	133	162	118
Domestic Violence Reports	33	36	19

	2015	2014	2013
Methamphetamine Lab Seizures	2	3	13

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	544	576	575
Drop-outs	9	2	1
Drop-out Rate	1.7%	0.3%	0.2%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	3	0	0
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	1	2	5
Juvenile Alcohol Offenses	1	0	0
Juvenile Drug Offenses	0	0	1
School Truancy Status Offense	31	23	28
Absent from Home Status Offense	0	1	1
Beyond Parental Control Status Offense	2	5	7
Injurious Behavior Status Offense	19	47	69
Child Abuse	14	46	64
Child Neglect	41	134	99
Child Custody Issues	0	4	0

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	25	36	31
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	10	15	9
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	21	18	14
Probation/Parole Admissions--Drug	23	17	26
Probation/Parole Admissions--DWI	1	2	3
Prison Admissions--Drug	11	17	12
Prison Admissions--DWI	1	1	2

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.

³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

IRON COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	9	12	9
CSTAR Adolescent	*	*	*
CSTAR Women and Children	*	0	*
CSTAR General Adult	56	50	52
CSTAR Opioid	0	0	0
Primary Recovery Treatment	0	*	23
Clinical SATOP (CIP, YCIP, SROP)	*	9	5
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	23	30	40
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	11	10	16
- Weekend Intervention Program	8	6	18
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	*
Compulsive Gambling	0	0	0
Recovery Supports	*	*	*
Early Intervention	0	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	71	56	82	Alcohol	17	19	21
AGE				Marijuana / Hashish	14	13	12
Under 18	*	*	*	Cocaine (total)	*	*	*
18 to 24	13	5	18	- Crack	*	0	*
25 to 29	15	10	19	Stimulant (total)	16	6	12
30 to 34	6	12	11	- Methamphetamine	16	6	12
35 to 39	9	5	9	Heroin	6	6	10
40 to 44	12	7	6	Analgesic except Heroin	11	9	22
45 to 54	8	10	14	- Non-Prescription Methadone	*	0	0
55 and Over	6	*	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	5	*	*
Male	44	36	51	Inhalant	0	0	*
Female	27	20	31	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	*	*
Caucasian	64	54	81	Average Age at First Use of Drug	20.5	18.6	19.3
African American	*	*	*	INJECTION DRUG USE			
Native American / Alaskan	*	0	0	Any Injection Use at Admission	15	11	19
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	12
Hispanic	*	0	0	- Weekly Injection Use	5	*	*
Other Race / Two or More Races	*	*	0	- Less than Weekly Injection Use	9	6	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	19	25	30	0	52	38	52
High School Graduate or G.E.D.	31	25	40	1 or 2	14	11	22
Associate Degree or Some College	21	6	12	3 or More	5	7	8
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	20	15	37
Employed	15	10	13	School	0	0	0
Unemployed	29	25	50	Mental Health Provider	0	*	0
Not in Labor Force	27	21	19	Health Care Provider	6	11	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	35	21	31
Independent Living	62	47	76	Other Referral Source	7	8	8
Dependent Living	6	8	*	TREATMENT ACCOMMODATION			
Homeless	*	0	*	Pregnant when Admitted to any Episode	*	0	*
MARITAL / FAMILY STATUS				Military Veteran	7	*	6
Never Married	33	24	36	Special Education Services Needed	11	11	7
Married / Cohabiting	15	18	28	Co-Occurring Psychological Problem	31	25	21
Previously Married	23	14	18	Co-Occurring Developmental Problem	*	5	11

IRON COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 17B
CENSUS 2010 10,630
2015 POPULATION ESTIMATE 10,125

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	0	*	*
Anxiety Disorder	45	43	35
Dementia	*	*	*
Developmental Disorder	5	*	5
Impulse Control Disorder	19	15	15
Mood Disorder	99	86	85
Personality Disorder	10	10	10
Psychotic Disorder	49	39	39
Sexual Disorder	*	*	*
Other Diagnosis	*	*	*
Diagnosis Unknown	19	18	22

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	191	184	177	Less than High School Diploma	46	47	62
AGE				High School Grad or G.E.D.	0	0	0
Under 6	*	*	*	Associate Degree or Some College	0	0	0
6 to 9	13	14	8	Bachelor or Advanced Degree	0	0	0
10 to 13	7	11	9	Education Level Unknown	145	137	115
14 to 17	14	15	19	EMPLOYMENT			
18 to 24	13	15	19	Employed	*	*	*
25 to 29	16	12	14	Unemployed	*	*	7
30 to 34	12	11	15	Not in Labor Force	115	88	100
35 to 39	24	17	16	Employment Status Unknown	71	89	66
40 to 44	19	26	22	HOUSING / LIVING ARRANGEMENT			
45 to 49	15	12	13	Independent Living	37	32	37
50 to 54	21	21	14	Dependent Living	77	60	71
55 to 59	14	12	11	Homeless	*	*	*
60 and Over	22	16	16	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	76	90	67
GENDER				TREATMENT REFERRAL SOURCE			
Male	86	91	88	Self / Family / Friend	65	60	55
Female	105	93	89	School	*	0	0
Gender Unknown	0	0	0	Mental Health Provider	37	27	28
RACE / ETHNICITY				Health Care Provider	41	40	43
Caucasian	179	177	170	Court / Criminal Justice	6	7	*
African American	5	*	*	Other	40	49	46
Native American / Alaskan	*	*	*	Referral Source Unknown	0	*	*
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	0	0	0	Voluntary	182	177	173
Other Race	6	*	*	Civil	*	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	7	6	*
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	12	10	9	Commitment Type Unknown	0	0	0
Past or Current Military Service	8	5	5				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	35.0	29.5	44.8	55.6	Alcohol	13.0	1.5	17.6	24.6
Chewing Tobacco	22.0	14.4	23.2	22.7	Alcohol (5+ drinks on single occasion past 2 weeks)	7.5	0.0		
Cigarettes	29.7	31.1	30.3	45.7	Chewing Tobacco	5.0	6.8	12.7	17.4
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.5	0.0	1.8	2.4	Cigarettes	11.3	1.5	10.3	23.0
Cocaine	2.5	0.0	0.6	1.9	Inhalants	0.0	1.5	1.8	2.4
Electronic Cigarettes	16.7	3.8			Marijuana	5.0	1.5	7.3	11.0
Hallucinogens	5.6	0.0	1.2	4.8	Over-the-counter medications for non-medical use	2.5	1.5	3.6	9.6
Heroin	0.0	0.0	0.6	0.0	Prescription medications not prescribed for student	1.9	2.3	5.5	14.4
Inhalants	2.5	16.7	2.4	9.1					
Marijuana	9.3	1.5	14.6	22.9	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.0	0.0	0.6	1.0	Alcohol (1 or 2 drinks daily)	65.8	84.0		
Over-the-counter medications for non-medical use	6.2	1.5	5.5	16.3	Alcohol (Binge: 5+ drinks once or twice a week)	74.8	91.7		
Prescription medications not prescribed for student	11.2	3.8	8.5	24.4	Cigarettes (1+ packs per day)	81.4	93.2		
Synthetic drugs (K2, bath salts, Spice, etc)	6.8	0.0	5.5		Marijuana (once or twice a week)	69.2	72.0		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	92.4	92.4	93.9	91.0
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.30	10.42	12.25	11.53	Alcohol	89.4	92.2	77.3	74.5
Cigarettes	13.14	10.80	11.72	11.24	Cigarettes	83.9	94.7	87.7	80.6
Inhalants		10.58		12.85	Marijuana	97.5	98.5	93.9	92.7
Marijuana	14.49	12.00	13.25	13.08					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	49.1	20.5	54.9	70.0	Alcohol	83.2	87.1	55.2	50.7
Cigarettes	39.8	12.9	41.8	54.5	Cigarettes	79.0	90.7	75.6	68.5
Marijuana	14.2	1.5	27.3	39.8	Marijuana	89.3	96.2	85.5	79.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	6.9	0.0	9.7	15.9	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.5	100.0	95.2	93.9
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	16.3	5.3	38.7	41.8	Alcohol	41.9	31.8	57.3	63.2
Cigarettes	14.9	4.5	14.5	23.8	Cigarettes	44.7	35.6	52.1	60.1
Marijuana	6.5	1.5	8.5	15.8	Marijuana	27.8	9.8	30.1	37.6
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	8.1	6.1	15.3	20.8
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	52.2	50.8	66.5	72.8	Were grouchy, irritable, or in a bad mood	28.6	9.8	25.6	23.0
Were victims of mean rumors or lies spread at school	41.0	66.2	55.8	63.4	Had difficulty concentrating on school work	16.1	14.5	16.4	23.1
Were victims of an embarrassing or hurtful text message or something posted on the Internet	14.3	37.2	24.2	20.7	Were very sad	6.2	8.3	23.0	13.7
					Felt hopeless about the future	14.8	6.1	10.4	14.6
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	3.7	3.8	9.8	15.5	Parents involve student in making family decisions	70.8	88.5	68.1	68.6
Made plan about how they would attempt suicide	3.7	1.5	8.5	14.1	Parents notice and comment on student's good work	90.1	77.9	84.8	83.2
Attempted suicide	3.1	0.0	3.7	7.9	Teachers notice and comment on student's good work	97.5	69.7		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

JACKSON COUNTY



DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	2-5 (JC)
Adult Psychiatric	2, 3, 4, 5
POPULATION	
Census 2010	674,158
2015 Estimate	687,623

BIRTH RISK	2014	2013	2012
Resident Births	9,520	9,478	9,630
Mother Reported Smoking while Pregnant	1,347	1,357	1,503

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	105	115	125
Hepatitis B Chronic, Acute, Prenatal	130	116	83
Hepatitis C Chronic and Acute	754	519	589
Tuberculosis Infection Cases	828	618	462

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	6,073	6,091	6,022
Suicides	104	116	108
Homicides	83	109	112
Alcohol Induced Deaths	83	77	82
Drug Induced Deaths	119	118	113
Smoking Attributable Deaths	989	1,005	1,013
Self-inflicted Injuries	990	1,122	1,150
Assault Injuries	3,866	4,242	4,567

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	6,460	6,521	6,293
Mental Illness Secondary Diagnosis	7,606	6,771	6,511
Alcohol Principal Diagnosis	607	815	726
Alcohol Secondary Diagnosis	1,328	1,622	1,377
Drug Principal Diagnosis	276	392	379
Drug Secondary Diagnosis	1,630	1,301	1,364
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	1,429	1,615	2,112
Mental Illness Secondary Diagnosis	13,597	12,373	11,745
Alcohol Principal Diagnosis	644	544	660
Alcohol Secondary Diagnosis	2,046	1,923	2,022
Drug Principal Diagnosis	261	263	330
Drug Secondary Diagnosis	1,663	1,557	2,052
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	5,551	5,482	5,886
Mental Illness Secondary Diagnosis	15,080	17,292	13,602
Alcohol Principal Diagnosis	4,012	4,099	4,113
Alcohol Secondary Diagnosis	2,729	3,119	3,617
Drug Principal Diagnosis	1,535	1,854	1,643
Drug Secondary Diagnosis	3,521	2,978	3,491

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	838	825	821
Alcohol Package Carry-out Licenses	469	461	463

EMPLOYMENT	2015	2014	2013
Labor Force	367,147	363,483	330,287
Employed	345,606	338,018	305,538
Unemployed	21,541	25,465	24,749
Unemployment Rate	5.9%	7.0%	7.5%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	615	699	650
Fatal Crashes	13	13	11
Injury Crashes	248	298	251
Property Damage Crashes	388	388	388
Crash Fatalities	13	14	12
Crash Injuries	367	449	362
Drug Involved Crashes	127	166	149
Fatal Crashes	3	5	1
Injury Crashes	67	90	75
Property Damage Crashes	57	71	73
Crash Fatalities	3	5	1
Crash Injuries	104	150	115

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	3,034	3,014	3,435
Liquor Law Arrests	683	684	809
Drug Arrests	3,770	3,670	3,507
Violent Offenses	6,884	6,947	6,979
Property Offenses	36,440	39,082	40,982
Domestic Violence Reports	8,183	7,872	6,986
	2015	2014	2013
Methamphetamine Lab Seizures	8	11	29

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	29,123	28,224	28,682
Drop-outs	907	1,541	1,113
Drop-out Rate	3.1%	5.5%	3.9%
School Discipline Involving Alcohol	46	44	41
School Discipline Involving Drugs	301	288	286
School Discipline Involving Tobacco	2	6	8

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	463	362	408
Juvenile Alcohol Offenses	15	8	0
Juvenile Drug Offenses	94	52	47
School Truancy Status Offense	4	2	7
Absent from Home Status Offense	18	18	6
Beyond Parental Control Status Offense	11	14	32
Injurious Behavior Status Offense	14	18	22
Child Abuse	417	315	323
Child Neglect	787	893	1,035
Child Custody Issues	165	119	239

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	976	1,022	1,176
Parental Alcohol Use Related	14	27	36
Parental Drug Use Related	290	319	413
Parental Alcohol and Drug Use	39	56	48

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	1,109	857	848
Probation/Parole Admissions--Drug	642	735	822
Probation/Parole Admissions--DWI	172	157	177
Prison Admissions--Drug	163	182	224
Prison Admissions--DWI	62	48	76

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

JACKSON COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	819	860	822
CSTAR Adolescent	237	243	267
CSTAR Women and Children	787	775	698
CSTAR General Adult	1,988	2,031	1,430
CSTAR Opioid	142	124	82
Primary Recovery Treatment	441	491	863
Clinical SATOP (CIP, YCIP, SROP)	615	622	620
Other Substance Abuse Treatment	*	8	359


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	2,372	2,449	2,570
- Adolescent Diversion Education Program	9	5	11
- Offender Education Program	789	859	1,000
- Weekend Intervention Program	468	502	538
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	120	171	177
Compulsive Gambling	15	8	10
Recovery Supports	1,300	1,669	1,873
Early Intervention	21	32	32

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	4,686	4,709	4,558	Alcohol	1,793	1,805	1,878
AGE				Marijuana / Hashish	1,150	1,161	1,081
Under 18	228	245	265	Cocaine (total)	337	420	422
18 to 24	586	637	585	- Crack	178	251	313
25 to 29	696	689	689	Stimulant (total)	854	745	674
30 to 34	773	772	714	- Methamphetamine	836	706	647
35 to 39	600	558	532	Heroin	150	156	103
40 to 44	454	510	481	Analgesic except Heroin	225	208	189
45 to 54	919	955	959	- Non-Prescription Methadone	0	*	0
55 and Over	430	343	333	PCP, LSD, other Hallucinogen	140	168	166
GENDER				Tranquilizer	27	25	32
Male	3,144	3,254	3,099	Inhalant	*	0	*
Female	1,542	1,454	1,459	Sedative	*	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	5	19	10
Caucasian	2,804	2,669	2,563	Average Age at First Use of Drug	18.2	18.0	17.8
African American	1,521	1,701	1,671	INJECTION DRUG USE			
Native American / Alaskan	19	16	16	Any Injection Use at Admission	406	408	328
Asian / Pacific Islander	17	11	15	- Daily Injection Use	133	125	95
Hispanic	212	208	191	- Weekly Injection Use	106	112	90
Other Race / Two or More Races	170	170	155	- Less than Weekly Injection Use	167	171	143
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	1,460	1,568	1,522	0	2,836	2,806	2,662
High School Graduate or G.E.D.	2,068	1,972	1,937	1 or 2	1,159	1,224	1,161
Associate Degree or Some College	1,112	1,114	1,054	3 or More	691	679	735
Bachelor or Advanced Degree	46	55	45	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	1,528	1,707	1,750
Employed	1,275	1,129	1,006	School	31	25	29
Unemployed	1,927	1,948	1,893	Mental Health Provider	77	87	85
Not in Labor Force	1,484	1,632	1,658	Health Care Provider	339	233	197
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	1,917	1,885	1,777
Independent Living	3,297	3,274	3,123	Other Referral Source	667	562	435
Dependent Living	583	637	710	TREATMENT ACCOMMODATION			
Homeless	631	612	576	Pregnant when Admitted to any Episode	67	75	66
MARITAL / FAMILY STATUS				Military Veteran	169	180	192
Never Married	2,951	2,986	2,904	Special Education Services Needed	318	293	323
Married / Cohabiting	825	844	785	Co-Occurring Psychological Problem	1,799	1,794	1,767
Previously Married	910	879	869	Co-Occurring Developmental Problem	101	104	135

JACKSON COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 2, 3, 4, 5
CENSUS 2010 674,158
2015 POPULATION ESTIMATE 687,623

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	724	640	748
Anxiety Disorder	5,068	4,150	4,404
Dementia	28	24	27
Developmental Disorder	156	135	156
Impulse Control Disorder	2,241	1,993	2,307
Mood Disorder	7,947	7,051	8,148
Personality Disorder	543	550	552
Psychotic Disorder	2,930	2,810	3,097
Sexual Disorder	24	18	25
Other Diagnosis	1,038	874	1,045
Diagnosis Unknown	1,576	1,770	2,223

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	13,574	12,448	14,911	Less than High School Diploma	2,613	2,188	2,603
AGE				High School Grad or G.E.D.	0	0	15
Under 6	54	102	130	Associate Degree or Some College	0	0	*
6 to 9	706	718	807	Bachelor or Advanced Degree	0	0	0
10 to 13	914	855	1,030	Education Level Unknown	10,961	10,260	12,289
14 to 17	1,046	870	1,021	EMPLOYMENT			
18 to 24	1,060	1,055	1,357	Employed	548	413	606
25 to 29	1,103	1,002	1,269	Unemployed	811	690	869
30 to 34	1,216	1,157	1,421	Not in Labor Force	5,079	4,135	4,834
35 to 39	1,145	1,065	1,258	Employment Status Unknown	7,136	7,210	8,602
40 to 44	1,157	1,090	1,276	HOUSING / LIVING ARRANGEMENT			
45 to 49	1,254	1,189	1,513	Independent Living	3,472	2,654	3,060
50 to 54	1,568	1,411	1,693	Dependent Living	2,446	2,114	2,753
55 to 59	1,250	1,059	1,183	Homeless	415	338	426
60 and Over	1,101	875	953	Other	0	0	*
Age Unknown	0	0	0	Housing Unknown	7,241	7,342	8,671
GENDER				TREATMENT REFERRAL SOURCE			
Male	6,636	6,102	7,339	Self / Family / Friend	5,995	5,822	7,437
Female	6,938	6,346	7,572	School	197	165	170
Gender Unknown	0	0	0	Mental Health Provider	1,250	1,314	1,282
RACE / ETHNICITY				Health Care Provider	2,240	1,914	2,219
Caucasian	6,733	6,316	7,163	Court / Criminal Justice	505	503	688
African American	5,310	4,966	6,219	Other	3,316	2,651	3,027
Native American / Alaskan	44	52	54	Referral Source Unknown	71	79	88
Asian / Pacific Islander	57	45	62	TYPE OF COMMITMENT			
Hispanic	532	390	438	Voluntary	13,350	12,204	14,676
Other Race	898	679	975	Civil	66	49	39
Race/Ethnicity Unknown	0	0	0	Criminal	86	119	112
TREATMENT ACCOMMODATION				Sexual Predatory	9	10	10
Hearing Impaired	330	253	248	Commitment Type Unknown	63	66	74
Past or Current Military Service	295	274	299				

JACKSON COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	29.8	30.5	36.7	37.7	Alcohol	11.1	11.5	14.9	16.3
Chewing Tobacco	6.6	7.1	7.8	6.3	Alcohol (5+ drinks on single occasion past 2 weeks)	3.1	5.1		
Cigarettes	15.6	17.3	21.1	24.7	Chewing Tobacco	2.5	3.5	3.8	3.1
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.4	1.9	2.4	2.1	Cigarettes	5.1	6.7	9.2	12.4
Cocaine	1.4	1.5	2.1	1.8	Inhalants	1.0	1.4	2.0	2.7
Electronic Cigarettes	17.8	12.6			Marijuana	6.8	8.1	10.2	10.5
Hallucinogens	1.9	1.8	3.0	2.5	Over-the-counter medications for non-medical use	2.2	2.2	3.5	4.6
Heroin	0.2	0.5	1.0	0.6	Prescription medications not prescribed for student	9.3	3.9	4.5	6.2
Inhalants	2.6	3.4	5.0	5.8					
Marijuana	17.2	16.6	19.6	19.7	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.5	0.6	1.3	0.9	Alcohol (1 or 2 drinks daily)	68.0	60.3		
Over-the-counter medications for non-medical use	4.7	3.7	5.9	7.3	Alcohol (Binge: 5+ drinks once or twice a week)	78.4	73.1		
Prescription medications not prescribed for student	13.8	8.5	8.0	9.9	Cigarettes (1+ packs per day)	82.7	83.2		
Synthetic drugs (K2, bath salts, Spice, etc)	1.8	3.3	6.4		Marijuana (once or twice a week)	60.3	56.4		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	87.6	88.2	91.8	89.7
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.73	12.99	12.94	12.46	Alcohol	84.6	83.3	79.3	80.4
Cigarettes	12.25	12.76	12.65	12.12	Cigarettes	94.1	93.5	90.6	90.0
Inhalants	10.32	11.00	11.55	11.21	Marijuana	90.5	90.7	91.5	92.0
Marijuana	13.62	13.73	13.61	13.33					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	39.9	40.8	51.5	50.9	Alcohol	73.2	66.5	61.1	62.8
Cigarettes	27.3	30.9	41.0	42.5	Cigarettes	89.8	86.1	81.3	79.3
Marijuana	36.0	35.2	42.9	39.6	Marijuana	77.7	76.0	76.9	78.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.3	13.0	15.1	17.0	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.7	95.0	93.9	93.6
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	19.9	23.7	29.3	29.3	Alcohol	47.5	48.3	56.9	52.7
Cigarettes	6.3	9.7	12.4	13.5	Cigarettes	41.7	44.3	54.4	51.7
Marijuana	16.5	16.0	17.0	15.4	Marijuana	40.0	37.4	43.6	39.4
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.1	15.7	18.7	19.8
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	58.3	57.9	58.0	63.7	Were grouchy, irritable, or in a bad mood	34.8	27.6	25.5	23.4
Were victims of mean rumors or lies spread at school	44.3	48.7	44.7	48.6	Had difficulty concentrating on school work	27.4	24.7	23.3	22.8
Were victims of an embarrassing or hurtful text message or something posted on the Internet	23.6	24.1	18.3	17.2	Were very sad	22.8	20.8	19.9	17.1
					Felt hopeless about the future	14.3	12.2	11.8	11.1
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	13.7	13.3	12.5	11.4	Parents involve student in making family decisions	68.2	68.8	67.0	69.1
Made plan about how they would attempt suicide	10.0	9.6	8.8	8.6	Parents notice and comment on student's good work	80.5	80.8	80.9	82.2
Attempted suicide	6.4	5.9	5.6	6.2	Teachers notice and comment on student's good work	69.4	70.6		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

JASPER COUNTY



DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	9
Adult Psychiatric	9
POPULATION	
Census 2010	117,404
2015 Estimate	118,596

BIRTH RISK	2014	2013	2012
Resident Births	1,672	1,686	1,745
Mother Reported Smoking while Pregnant	333	319	314

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	10	7	6
Hepatitis B Chronic, Acute, Prenatal	5	12	11
Hepatitis C Chronic and Acute	181	123	112
Tuberculosis Infection Cases	66	62	76

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	1,212	1,154	1,108
Suicides	34	23	14
Homicides	5	3	4
Alcohol Induced Deaths	6	4	7
Drug Induced Deaths	22	12	10
Smoking Attributable Deaths	233	241	221
Self-inflicted Injuries	135	130	152
Assault Injuries	330	329	400

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	799	878	881
Mental Illness Secondary Diagnosis	1,558	1,832	2,243
Alcohol Principal Diagnosis	47	92	147
Alcohol Secondary Diagnosis	95	120	173
Drug Principal Diagnosis	67	60	81
Drug Secondary Diagnosis	92	109	128
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	967	807	689
Mental Illness Secondary Diagnosis	2,195	2,157	1,562
Alcohol Principal Diagnosis	258	207	206
Alcohol Secondary Diagnosis	208	240	194
Drug Principal Diagnosis	188	174	123
Drug Secondary Diagnosis	158	119	107
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	938	1,207	1,420
Mental Illness Secondary Diagnosis	11,087	11,246	11,011
Alcohol Principal Diagnosis	449	363	403
Alcohol Secondary Diagnosis	2,154	346	334
Drug Principal Diagnosis	260	251	238
Drug Secondary Diagnosis	910	436	308

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	118	124	114
Alcohol Package Carry-out Licenses	131	136	107

EMPLOYMENT	2015	2014	2013
Labor Force	58,753	57,830	57,039
Employed	56,261	54,779	53,783
Unemployed	2,492	3,051	3,256
Unemployment Rate	4.2%	5.3%	5.7%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	89	110	113
Fatal Crashes	1	3	1
Injury Crashes	34	43	49
Property Damage Crashes	64	64	63
Crash Fatalities	1	4	2
Crash Injuries	52	57	66
Drug Involved Crashes	29	31	42
Fatal Crashes	0	0	0
Injury Crashes	14	12	12
Property Damage Crashes	15	19	30
Crash Fatalities	0	0	0
Crash Injuries	24	14	18

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	1,055	1,018	1,095
Liquor Law Arrests	175	169	252
Drug Arrests	555	417	433
Violent Offenses	517	439	520
Property Offenses	6,154	6,116	6,084
Domestic Violence Reports	1,283	1,535	1,431
	2015	2014	2013
Methamphetamine Lab Seizures	8	35	56

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	5,964	5,803	5,852
Drop-outs	130	139	164
Drop-out Rate	2.2%	2.4%	2.8%
School Discipline Involving Alcohol	1	3	7
School Discipline Involving Drugs	17	52	34
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	89	94	161
Juvenile Alcohol Offenses	11	19	19
Juvenile Drug Offenses	23	50	66
School Truancy Status Offense	41	30	42
Absent from Home Status Offense	33	25	40
Beyond Parental Control Status Offense	66	39	50
Injurious Behavior Status Offense	67	93	78
Child Abuse	15	4	9
Child Neglect	334	559	727
Child Custody Issues	0	0	4

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	310	258	303
Parental Alcohol Use Related	5	5	13
Parental Drug Use Related	130	102	124
Parental Alcohol and Drug Use	9	2	6

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	66	46	35
Probation/Parole Admissions--Drug	201	237	211
Probation/Parole Admissions--DWI	79	84	95
Prison Admissions--Drug	115	106	121
Prison Admissions--DWI	21	16	27

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

JASPER COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	168	166	263
CSTAR Adolescent	65	74	61
CSTAR Women and Children	167	168	176
CSTAR General Adult	593	470	583
CSTAR Opioid	0	*	0
Primary Recovery Treatment	27	25	30
Clinical SATOP (CIP, YCIP, SROP)	125	125	124
Other Substance Abuse Treatment	0	0	*


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	515	589	638
- Adolescent Diversion Education Program	26	29	42
- Offender Education Program	201	198	252
- Weekend Intervention Program	101	109	109
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	24	34	56
Compulsive Gambling	*	*	*
Recovery Supports	62	270	385
Early Intervention	96	97	62

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	967	973	1,141	Alcohol	377	407	479
AGE				Marijuana / Hashish	220	206	223
Under 18	69	76	65	Cocaine (total)	8	17	18
18 to 24	142	129	167	- Crack	5	10	10
25 to 29	150	133	182	Stimulant (total)	278	242	301
30 to 34	164	167	195	- Methamphetamine	270	236	297
35 to 39	126	124	158	Heroin	*	6	7
40 to 44	106	97	125	Analgesic except Heroin	62	76	89
45 to 54	136	181	183	- Non-Prescription Methadone	0	*	*
55 and Over	74	66	66	PCP, LSD, other Hallucinogen	0	*	*
GENDER				Tranquilizer	12	9	12
Male	632	613	738	Inhalant	*	*	*
Female	335	360	403	Sedative	0	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	5
Caucasian	851	868	1,028	Average Age at First Use of Drug	18.3	18.1	18.2
African American	53	55	63	INJECTION DRUG USE			
Native American / Alaskan	7	*	*	Any Injection Use at Admission	153	151	182
Asian / Pacific Islander	*	*	*	- Daily Injection Use	32	30	33
Hispanic	36	32	32	- Weekly Injection Use	47	54	58
Other Race / Two or More Races	28	25	22	- Less than Weekly Injection Use	74	67	91
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	333	334	422	0	466	479	555
High School Graduate or G.E.D.	397	384	425	1 or 2	303	302	369
Associate Degree or Some College	231	246	282	3 or More	198	192	217
Bachelor or Advanced Degree	6	9	12	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	355	339	662
Employed	312	265	340	School	0	*	*
Unemployed	346	386	486	Mental Health Provider	*	6	*
Not in Labor Force	309	322	315	Health Care Provider	115	125	111
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	422	399	263
Independent Living	747	744	868	Other Referral Source	71	100	94
Dependent Living	119	125	131	TREATMENT ACCOMMODATION			
Homeless	77	72	103	Pregnant when Admitted to any Episode	20	15	13
MARITAL / FAMILY STATUS				Military Veteran	54	51	60
Never Married	453	445	504	Special Education Services Needed	142	139	167
Married / Cohabiting	253	252	318	Co-Occurring Psychological Problem	543	542	715
Previously Married	261	276	319	Co-Occurring Developmental Problem	28	40	29

JASPER COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southwest
PSYCHIATRIC SERVICE AREA 9
CENSUS 2010 117,404
2015 POPULATION ESTIMATE 118,596

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	177	149	148
Anxiety Disorder	915	845	947
Dementia	*	*	*
Developmental Disorder	29	32	37
Impulse Control Disorder	430	420	510
Mood Disorder	1,416	1,201	1,502
Personality Disorder	322	340	300
Psychotic Disorder	241	202	223
Sexual Disorder	12	13	16
Other Diagnosis	271	205	188
Diagnosis Unknown	220	416	485

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	2,420	2,332	3,042	Less than High School Diploma	702	587	625
AGE				High School Grad or G.E.D.	0	0	10
Under 6	37	62	60	Associate Degree or Some College	0	0	*
6 to 9	133	157	224	Bachelor or Advanced Degree	0	0	0
10 to 13	174	200	242	Education Level Unknown	1,718	1,745	2,404
14 to 17	194	183	246	EMPLOYMENT			
18 to 24	222	186	285	Employed	222	179	175
25 to 29	215	214	296	Unemployed	120	162	176
30 to 34	248	202	286	Not in Labor Force	1,154	999	1,010
35 to 39	224	214	262	Employment Status Unknown	924	992	1,681
40 to 44	210	209	282	HOUSING / LIVING ARRANGEMENT			
45 to 49	219	225	279	Independent Living	946	741	677
50 to 54	247	229	300	Dependent Living	521	523	524
55 to 59	196	152	165	Homeless	56	35	59
60 and Over	101	99	115	Other	0	0	*
Age Unknown	0	0	0	Housing Unknown	897	1,033	1,781
GENDER				TREATMENT REFERRAL SOURCE			
Male	1,161	1,079	1,382	Self / Family / Friend	1,863	1,928	2,489
Female	1,259	1,253	1,660	School	0	0	*
Gender Unknown	0	0	0	Mental Health Provider	24	28	60
RACE / ETHNICITY				Health Care Provider	209	123	115
Caucasian	2,188	2,104	2,775	Court / Criminal Justice	244	136	159
African American	79	73	92	Other	70	104	201
Native American / Alaskan	10	7	6	Referral Source Unknown	10	13	16
Asian / Pacific Islander	*	*	*	TYPE OF COMMITMENT			
Hispanic	75	96	91	Voluntary	2,165	2,196	2,885
Other Race	67	49	74	Civil	235	114	127
Race/Ethnicity Unknown	0	0	0	Criminal	7	5	8
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	24	32	35	Commitment Type Unknown	11	14	18
Past or Current Military Service	46	38	51				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	34.4	30.0	31.5	39.4	Alcohol	12.0	12.0	12.8	16.9
Chewing Tobacco	12.4	14.3	9.1	12.7	Alcohol (5+ drinks on single occasion past 2 weeks)	4.3	4.8		
Cigarettes	20.3	20.2	22.3	28.4	Chewing Tobacco	6.7	8.7	4.4	6.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.4	1.1	1.6	2.5	Cigarettes	6.3	8.1	10.4	14.9
Cocaine	1.0	0.3	1.6	2.0	Inhalants	0.5	1.3	1.9	3.8
Electronic Cigarettes	25.1	15.9			Marijuana	5.3	3.6	5.6	7.9
Hallucinogens	0.8	0.8	2.8	3.4	Over-the-counter medications for non-medical use	0.9	0.8	3.3	4.9
Heroin	0.0	0.5	0.8	0.5	Prescription medications not prescribed for student	7.4	2.2	3.5	6.5
Inhalants	1.8	2.4	5.2	7.5					
Marijuana	11.8	9.6	13.3	16.8	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.3	0.5	1.2	1.3	Alcohol (1 or 2 drinks daily)	72.6	61.9		
Over-the-counter medications for non-medical use	2.6	2.0	5.7	8.2	Alcohol (Binge: 5+ drinks once or twice a week)	81.0	75.3		
Prescription medications not prescribed for student	10.7	5.5	6.5	11.7	Cigarettes (1+ packs per day)	87.7	86.6		
Synthetic drugs (K2, bath salts, Spice, etc)	0.8	2.4	6.4		Marijuana (once or twice a week)	78.2	76.6		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	94.7	94.3	93.8	93.2
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.85	13.05	12.70	12.62	Alcohol	87.0	83.9	81.7	81.0
Cigarettes	12.19	12.68	12.48	12.42	Cigarettes	94.3	94.3	91.0	88.4
Inhalants	10.30	11.32	12.06	12.44	Marijuana	95.6	94.2	93.8	93.0
Marijuana	14.01	14.41	13.66	13.66					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	37.4	37.1	44.0	51.1	Alcohol	71.2	70.0	68.5	64.4
Cigarettes	27.8	26.8	39.1	44.7	Cigarettes	88.7	86.6	82.9	77.1
Marijuana	28.1	16.6	30.3	35.0	Marijuana	86.7	88.1	83.9	81.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.6	5.4	13.3	17.2	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.0	96.9	95.2	93.9
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	21.3	22.2	22.4	28.4	Alcohol	48.4	45.7	47.4	52.2
Cigarettes	10.2	11.7	12.0	15.7	Cigarettes	41.1	42.3	46.7	55.6
Marijuana	10.0	6.6	10.0	12.7	Marijuana	27.8	22.7	31.3	37.3
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.6	11.2	15.6	19.8
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	58.5	57.3	57.6	61.6	Were grouchy, irritable, or in a bad mood	30.7	20.2	20.8	23.6
Were victims of mean rumors or lies spread at school	47.2	50.7	47.3	50.0	Had difficulty concentrating on school work	23.2	19.4	21.7	22.8
Were victims of an embarrassing or hurtful text message or something posted on the Internet	20.9	24.0	20.7	17.5	Were very sad	24.2	21.6	17.3	20.9
					Felt hopeless about the future	14.4	11.8	10.5	10.5
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	14.7	11.8	9.7	10.3	Parents involve student in making family decisions	70.9	70.5	69.1	71.7
Made plan about how they would attempt suicide	10.5	8.1	7.0	7.7	Parents notice and comment on student's good work	83.0	83.1	82.0	84.5
Attempted suicide	7.0	3.7	4.6	4.7	Teachers notice and comment on student's good work	74.9	69.9		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

JEFFERSON COUNTY



DBH REGION	Eastern
DBH SERVICE AREAS	
Substance Use	22
Adult Psychiatric	22
POPULATION	
Census 2010	218,733
2015 Estimate	224,124

BIRTH RISK	2014	2013	2012
Resident Births	2,529	2,639	2,702
Mother Reported Smoking while Pregnant	497	561	603

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	4	3	4
Hepatitis B Chronic, Acute, Prenatal	9	11	7
Hepatitis C Chronic and Acute	193	145	113
Tuberculosis Infection Cases	45	45	39

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	1,954	1,834	1,839
Suicides	48	35	46
Homicides	3	3	7
Alcohol Induced Deaths	16	15	9
Drug Induced Deaths	73	63	61
Smoking Attributable Deaths	381	354	376
Self-inflicted Injuries	234	208	251
Assault Injuries	442	453	491

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	1,238	1,594	1,691
Mental Illness Secondary Diagnosis	2,042	2,267	1,896
Alcohol Principal Diagnosis	56	44	52
Alcohol Secondary Diagnosis	113	141	103
Drug Principal Diagnosis	98	96	98
Drug Secondary Diagnosis	129	148	108
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	1,445	984	1,134
Mental Illness Secondary Diagnosis	4,952	4,716	5,353
Alcohol Principal Diagnosis	138	103	109
Alcohol Secondary Diagnosis	477	411	405
Drug Principal Diagnosis	143	107	107
Drug Secondary Diagnosis	255	235	272
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	1,113	1,388	1,328
Mental Illness Secondary Diagnosis	9,019	6,371	5,478
Alcohol Principal Diagnosis	247	248	237
Alcohol Secondary Diagnosis	295	225	193
Drug Principal Diagnosis	399	356	367
Drug Secondary Diagnosis	504	370	328

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	176	177	181
Alcohol Package Carry-out Licenses	147	147	146

EMPLOYMENT	2015	2014	2013
Labor Force	118,671	115,975	115,155
Employed	112,917	108,717	107,194
Unemployed	5,754	7,258	7,961
Unemployment Rate	4.8%	6.3%	6.9%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	209	218	236
Fatal Crashes	9	8	6
Injury Crashes	87	95	101
Property Damage Crashes	115	112	129
Crash Fatalities	9	8	7
Crash Injuries	135	148	141
Drug Involved Crashes	46	46	52
Fatal Crashes	8	1	5
Injury Crashes	21	22	22
Property Damage Crashes	17	23	25
Crash Fatalities	9	1	6
Crash Injuries	36	28	31

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	1,096	1,474	1,787
Liquor Law Arrests	472	663	677
Drug Arrests	1,540	1,681	1,614
Violent Offenses	485	454	448
Property Offenses	3,745	4,144	4,390
Domestic Violence Reports	1,308	1,231	1,333
	2015	2014	2013
Methamphetamine Lab Seizures	127	205	223

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	10,624	10,646	10,525
Drop-outs	153	154	195
Drop-out Rate	1.4%	1.4%	1.9%
School Discipline Involving Alcohol	8	9	7
School Discipline Involving Drugs	86	94	106
School Discipline Involving Tobacco	1	0	1

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	402	381	376
Juvenile Alcohol Offenses	47	85	84
Juvenile Drug Offenses	111	117	121
School Truancy Status Offense	194	227	143
Absent from Home Status Offense	55	64	64
Beyond Parental Control Status Offense	50	71	32
Injurious Behavior Status Offense	78	71	59
Child Abuse	234	228	242
Child Neglect	578	495	430
Child Custody Issues	82	164	209

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	370	352	368
Parental Alcohol Use Related	10	18	16
Parental Drug Use Related	170	145	215
Parental Alcohol and Drug Use	8	11	6

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	106	115	105
Probation/Parole Admissions--Drug	471	473	401
Probation/Parole Admissions--DWI	122	127	150
Prison Admissions--Drug	255	245	168
Prison Admissions--DWI	37	41	51

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.

³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

JEFFERSON COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	127	111	124
CSTAR Adolescent	125	154	164
CSTAR Women and Children	77	79	66
CSTAR General Adult	821	726	734
CSTAR Opioid	7	19	13
Primary Recovery Treatment	21	22	73
Clinical SATOP (CIP, YCIP, SROP)	286	312	345
Other Substance Abuse Treatment	9	12	12


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	872	985	1,093
- Adolescent Diversion Education Program	13	12	11
- Offender Education Program	295	330	431
- Weekend Intervention Program	198	213	208
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	13	17
Compulsive Gambling	*	*	*
Recovery Supports	17	38	17
Early Intervention	28	38	55

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	1,334	1,323	1,407	Alcohol	444	490	528
AGE				Marijuana / Hashish	281	274	294
Under 18	127	157	169	Cocaine (total)	16	16	20
18 to 24	192	208	272	- Crack	11	9	8
25 to 29	266	246	257	Stimulant (total)	192	187	166
30 to 34	239	219	219	- Methamphetamine	186	175	155
35 to 39	153	156	133	Heroin	310	269	289
40 to 44	126	114	120	Analgesic except Heroin	59	55	69
45 to 54	166	175	183	- Non-Prescription Methadone	0	0	0
55 and Over	65	48	54	PCP, LSD, other Hallucinogen	6	5	5
GENDER				Tranquilizer	13	11	19
Male	859	883	949	Inhalant	*	0	*
Female	475	440	458	Sedative	*	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	9	16	14
Caucasian	1,278	1,275	1,350	Average Age at First Use of Drug	19.0	18.8	18.5
African American	25	19	24	INJECTION DRUG USE			
Native American / Alaskan	0	*	0	Any Injection Use at Admission	361	339	362
Asian / Pacific Islander	*	*	*	- Daily Injection Use	93	104	108
Hispanic	14	14	8	- Weekly Injection Use	95	81	77
Other Race / Two or More Races	21	18	26	- Less than Weekly Injection Use	173	154	177
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	408	457	468	0	716	687	738
High School Graduate or G.E.D.	585	533	603	1 or 2	419	413	426
Associate Degree or Some College	333	324	328	3 or More	199	223	243
Bachelor or Advanced Degree	8	9	8	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	372	349	386
Employed	423	389	385	School	5	13	*
Unemployed	532	520	633	Mental Health Provider	*	*	*
Not in Labor Force	379	414	389	Health Care Provider	28	42	31
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	754	747	812
Independent Living	1,068	1,023	1,109	Other Referral Source	158	137	145
Dependent Living	150	183	191	TREATMENT ACCOMMODATION			
Homeless	25	37	34	Pregnant when Admitted to any Episode	16	28	22
MARITAL / FAMILY STATUS				Military Veteran	43	56	58
Never Married	842	830	905	Special Education Services Needed	76	72	87
Married / Cohabiting	261	257	269	Co-Occurring Psychological Problem	668	605	569
Previously Married	231	236	233	Co-Occurring Developmental Problem	22	28	46

JEFFERSON COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Eastern
PSYCHIATRIC SERVICE AREA 22
CENSUS 2010 218,733
2015 POPULATION ESTIMATE 224,124

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	35	39	34
Anxiety Disorder	1,277	1,085	1,003
Dementia	12	12	10
Developmental Disorder	61	61	49
Impulse Control Disorder	353	340	335
Mood Disorder	1,697	1,575	1,496
Personality Disorder	341	365	381
Psychotic Disorder	315	312	293
Sexual Disorder	*	*	5
Other Diagnosis	164	174	156
Diagnosis Unknown	82	87	99

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	2,115	1,982	1,916	Less than High School Diploma	390	431	442
AGE				High School Grad or G.E.D.	0	0	*
Under 6	5	6	5	Associate Degree or Some College	0	0	0
6 to 9	23	34	36	Bachelor or Advanced Degree	0	0	0
10 to 13	75	71	70	Education Level Unknown	1,725	1,551	1,473
14 to 17	85	111	106	EMPLOYMENT			
18 to 24	158	164	168	Employed	208	213	191
25 to 29	195	195	182	Unemployed	144	151	121
30 to 34	253	252	223	Not in Labor Force	897	897	864
35 to 39	239	196	178	Employment Status Unknown	866	721	740
40 to 44	209	195	206	HOUSING / LIVING ARRANGEMENT			
45 to 49	234	219	238	Independent Living	958	890	797
50 to 54	270	240	227	Dependent Living	315	370	395
55 to 59	203	164	160	Homeless	16	18	12
60 and Over	166	135	117	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	826	704	712
GENDER				TREATMENT REFERRAL SOURCE			
Male	916	851	816	Self / Family / Friend	980	799	765
Female	1,199	1,131	1,100	School	7	8	6
Gender Unknown	0	0	0	Mental Health Provider	126	130	162
RACE / ETHNICITY				Health Care Provider	437	452	388
Caucasian	2,019	1,897	1,823	Court / Criminal Justice	83	96	108
African American	40	37	44	Other	462	476	460
Native American / Alaskan	*	*	*	Referral Source Unknown	20	21	27
Asian / Pacific Islander	9	8	9	TYPE OF COMMITMENT			
Hispanic	12	12	13	Voluntary	2,083	1,951	1,874
Other Race	34	26	25	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	9	8	10
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	15	14	13	Commitment Type Unknown	18	20	27
Past or Current Military Service	48	40	38				

JEFFERSON COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	37.6	40.0	43.9	49.4	Alcohol	15.3	18.1	20.0	25.1
Chewing Tobacco	7.5	9.8	10.5	11.2	Alcohol (5+ drinks on single occasion past 2 weeks)	5.4	8.5		
Cigarettes	16.8	22.0	25.8	27.6	Chewing Tobacco	3.4	5.1	6.2	5.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.4	2.1	2.6	2.6	Cigarettes	6.6	10.3	13.3	14.2
Cocaine	1.1	1.5	2.1	1.9	Inhalants	1.0	1.3	2.7	3.1
Electronic Cigarettes	31.1	30.9			Marijuana	10.6	11.4	11.1	11.3
Hallucinogens	2.3	3.1	3.6	3.8	Over-the-counter medications for non-medical use	1.5	2.2	4.7	5.4
Heroin	0.1	0.5	1.1	0.7	Prescription medications not prescribed for student	8.7	4.6	5.8	7.9
Inhalants	2.5	3.6	6.1	6.4					
Marijuana	19.3	20.3	20.2	20.1	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.2	0.6	1.2	0.8	Alcohol (1 or 2 drinks daily)	69.3	58.8		
Over-the-counter medications for non-medical use	3.7	3.7	7.2	9.5	Alcohol (Binge: 5+ drinks once or twice a week)	79.4	71.2		
Prescription medications not prescribed for student	12.7	9.4	9.7	13.4	Cigarettes (1+ packs per day)	87.1	87.5		
Synthetic drugs (K2, bath salts, Spice, etc)	1.8	5.4	8.3		Marijuana (once or twice a week)	61.0	57.6		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	92.8	93.3	93.5	94.4
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.06	12.89	12.75	12.69	Alcohol	82.7	79.4	77.1	75.3
Cigarettes	12.69	12.83	12.85	12.44	Cigarettes	95.2	93.6	91.2	89.9
Inhalants	11.07	12.53	12.48	12.20	Marijuana	90.3	90.0	92.8	92.0
Marijuana	13.75	13.79	13.79	13.68					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	46.7	51.8	57.1	64.4	Alcohol	66.9	61.9	59.1	54.6
Cigarettes	30.2	43.8	47.7	51.4	Cigarettes	89.7	84.5	80.6	78.8
Marijuana	41.2	43.3	43.1	44.1	Marijuana	75.1	72.9	77.7	78.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.2	17.4	18.5	21.2	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.7	95.2	95.0	94.9
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	26.0	30.5	34.0	39.0	Alcohol	52.0	58.0	59.6	63.0
Cigarettes	8.2	12.2	13.9	15.8	Cigarettes	45.6	53.6	57.1	61.6
Marijuana	18.4	19.2	15.9	15.6	Marijuana	41.8	44.8	44.5	44.1
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.2	20.7	21.6	21.2
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	59.5	60.6	59.9	67.1	Were grouchy, irritable, or in a bad mood	31.9	28.0	24.2	28.4
Were victims of mean rumors or lies spread at school	48.3	48.8	48.5	50.7	Had difficulty concentrating on school work	31.4	29.7	26.1	23.4
Were victims of an embarrassing or hurtful text message or something posted on the Internet	28.2	28.7	21.8	19.1	Were very sad	23.0	23.9	21.0	20.5
					Felt hopeless about the future	12.5	13.5	11.3	11.0
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	13.7	14.4	12.2	11.5	Parents involve student in making family decisions	67.9	66.1	67.2	67.6
Made plan about how they would attempt suicide	9.1	10.0	8.6	8.1	Parents notice and comment on student's good work	82.4	79.4	81.8	83.1
Attempted suicide	5.6	5.9	5.3	5.2	Teachers notice and comment on student's good work	69.4	67.1		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

JOHNSON COUNTY



DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	7
Adult Psychiatric	7
POPULATION	
Census 2010	52,595
2015 Estimate	53,951

BIRTH RISK	2014	2013	2012
Resident Births	736	714	722
Mother Reported Smoking while Pregnant	111	112	91

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	2	0	2
Hepatitis B Chronic, Acute, Prenatal	0	6	2
Hepatitis C Chronic and Acute	17	11	16
Tuberculosis Infection Cases	103	26	14

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	408	371	375
Suicides	17	8	1
Homicides	2	1	2
Alcohol Induced Deaths	7	2	1
Drug Induced Deaths	3	2	1
Smoking Attributable Deaths	72	69	62
Self-inflicted Injuries	80	70	70
Assault Injuries	117	114	96

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	357	328	375
Mental Illness Secondary Diagnosis	500	551	584
Alcohol Principal Diagnosis	21	26	27
Alcohol Secondary Diagnosis	51	43	41
Drug Principal Diagnosis	8	12	18
Drug Secondary Diagnosis	31	41	25
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	46	51	56
Mental Illness Secondary Diagnosis	704	692	739
Alcohol Principal Diagnosis	30	29	26
Alcohol Secondary Diagnosis	93	68	68
Drug Principal Diagnosis	9	9	14
Drug Secondary Diagnosis	42	39	38
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	324	367	403
Mental Illness Secondary Diagnosis	359	323	310
Alcohol Principal Diagnosis	69	75	61
Alcohol Secondary Diagnosis	88	69	56
Drug Principal Diagnosis	37	35	33
Drug Secondary Diagnosis	50	56	54

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	48	47	48
Alcohol Package Carry-out Licenses	40	41	44

EMPLOYMENT	2015	2014	2013
Labor Force	23,374	23,101	25,887
Employed	22,112	21,639	24,301
Unemployed	1,262	1,462	1,586
Unemployment Rate	5.4%	6.3%	6.1%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	54	60	63
Fatal Crashes	2	7	4
Injury Crashes	11	16	18
Property Damage Crashes	37	37	41
Crash Fatalities	2	9	4
Crash Injuries	14	37	28
Drug Involved Crashes	7	9	8
Fatal Crashes	0	0	0
Injury Crashes	3	4	3
Property Damage Crashes	4	5	5
Crash Fatalities	0	0	0
Crash Injuries	3	4	3

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	193	233	245
Liquor Law Arrests	281	363	326
Drug Arrests	289	366	320
Violent Offenses	93	68	77
Property Offenses	1,281	1,214	1,392
Domestic Violence Reports	233	324	390
	2015	2014	2013
Methamphetamine Lab Seizures	1	0	2

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	2,084	2,090	2,128
Drop-outs	22	24	29
Drop-out Rate	1.1%	1.1%	1.4%
School Discipline Involving Alcohol	3	6	0
School Discipline Involving Drugs	10	16	8
School Discipline Involving Tobacco	1	1	1

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	27	20	27
Juvenile Alcohol Offenses	3	2	0
Juvenile Drug Offenses	17	17	7
School Truancy Status Offense	62	20	4
Absent from Home Status Offense	16	11	20
Beyond Parental Control Status Offense	27	32	47
Injurious Behavior Status Offense	104	89	110
Child Abuse	3	0	4
Child Neglect	193	109	149
Child Custody Issues	16	13	9

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	60	41	31
Parental Alcohol Use Related	1	0	0
Parental Drug Use Related	23	21	6
Parental Alcohol and Drug Use	0	1	0

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	80	95	74
Probation/Parole Admissions--DWI	17	18	23
Prison Admissions--Drug	35	43	33
Prison Admissions--DWI	13	13	13

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.

³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

JOHNSON COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	11	7	12
CSTAR Adolescent	16	22	17
CSTAR Women and Children	8	6	*
CSTAR General Adult	111	131	128
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	11
Clinical SATOP (CIP, YCIP, SROP)	45	31	53
Other Substance Abuse Treatment	*	0	*


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	175	193	206
- Adolescent Diversion Education Program	0	0	*
- Offender Education Program	63	88	83
- Weekend Intervention Program	37	47	44
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	11	*	8
Compulsive Gambling	0	0	0
Recovery Supports	153	112	146
Early Intervention	6	5	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	166	196	217	Alcohol	77	74	100
AGE				Marijuana / Hashish	35	59	55
Under 18	16	21	18	Cocaine (total)	*	5	0
18 to 24	34	35	49	- Crack	0	*	0
25 to 29	28	37	43	Stimulant (total)	39	40	50
30 to 34	26	35	27	- Methamphetamine	38	38	50
35 to 39	21	16	16	Heroin	*	*	*
40 to 44	12	19	16	Analgesic except Heroin	8	13	8
45 to 54	20	27	38	- Non-Prescription Methadone	*	0	*
55 and Over	9	6	10	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	0	0
Male	105	118	154	Inhalant	0	0	0
Female	61	78	63	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	*
Caucasian	146	173	197	Average Age at First Use of Drug	16.5	17.6	17.1
African American	10	17	9	INJECTION DRUG USE			
Native American / Alaskan	*	0	*	Any Injection Use at Admission	12	22	24
Asian / Pacific Islander	*	*	*	- Daily Injection Use	*	*	5
Hispanic	*	*	*	- Weekly Injection Use	*	6	6
Other Race / Two or More Races	6	*	6	- Less than Weekly Injection Use	8	15	13
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	42	53	50	0	83	114	106
High School Graduate or G.E.D.	81	83	88	1 or 2	55	63	69
Associate Degree or Some College	39	58	78	3 or More	28	19	42
Bachelor or Advanced Degree	*	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	72	97	126
Employed	50	59	65	School	0	0	0
Unemployed	61	79	70	Mental Health Provider	*	*	*
Not in Labor Force	55	58	82	Health Care Provider	9	5	5
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	42	39	63
Independent Living	131	147	182	Other Referral Source	38	53	21
Dependent Living	21	23	22	TREATMENT ACCOMMODATION			
Homeless	7	8	*	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	9	11	14
Never Married	97	111	120	Special Education Services Needed	*	6	5
Married / Cohabiting	32	45	51	Co-Occurring Psychological Problem	64	87	72
Previously Married	37	40	46	Co-Occurring Developmental Problem	*	0	*

JOHNSON COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 7
CENSUS 2010 52,595
2015 POPULATION ESTIMATE 53,951

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	24	29	33
Anxiety Disorder	264	250	240
Dementia	0	0	0
Developmental Disorder	11	12	14
Impulse Control Disorder	69	66	82
Mood Disorder	346	341	330
Personality Disorder	22	10	10
Psychotic Disorder	87	69	81
Sexual Disorder	0	0	*
Other Diagnosis	39	29	41
Diagnosis Unknown	24	33	48

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	464	463	491	Less than High School Diploma	136	116	141
AGE				High School Grad or G.E.D.	0	0	*
Under 6	5	6	10	Associate Degree or Some College	0	0	0
6 to 9	23	22	23	Bachelor or Advanced Degree	0	0	0
10 to 13	35	43	45	Education Level Unknown	328	347	347
14 to 17	32	42	51	EMPLOYMENT			
18 to 24	49	35	50	Employed	18	13	25
25 to 29	38	40	30	Unemployed	21	19	32
30 to 34	44	41	51	Not in Labor Force	239	193	239
35 to 39	45	49	52	Employment Status Unknown	186	238	195
40 to 44	54	50	46	HOUSING / LIVING ARRANGEMENT			
45 to 49	39	38	37	Independent Living	164	114	150
50 to 54	49	53	45	Dependent Living	105	103	139
55 to 59	24	21	25	Homeless	13	7	5
60 and Over	27	23	26	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	182	239	197
GENDER				TREATMENT REFERRAL SOURCE			
Male	208	203	229	Self / Family / Friend	369	378	397
Female	256	260	262	School	*	0	*
Gender Unknown	0	0	0	Mental Health Provider	11	10	10
RACE / ETHNICITY				Health Care Provider	34	32	33
Caucasian	427	428	448	Court / Criminal Justice	11	10	7
African American	19	16	19	Other	37	31	41
Native American / Alaskan	*	0	*	Referral Source Unknown	*	*	*
Asian / Pacific Islander	*	*	*	TYPE OF COMMITMENT			
Hispanic	*	7	6	Voluntary	458	459	485
Other Race	12	10	14	Civil	0	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	5	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	17	16	16	Commitment Type Unknown	*	*	*
Past or Current Military Service	18	16	17				

MISSOURI STUDENT SURVEY

	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	38.6	39.3	38.3	45.4	Alcohol	15.7	20.1	17.1	20.1
Chewing Tobacco	11.8	16.3	10.9	11.9	Alcohol (5+ drinks on single occasion past 2 weeks)	6.5	8.6		
Cigarettes	19.7	24.6	23.0	29.1	Chewing Tobacco	3.1	9.5	6.1	5.9
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.0	3.8	2.2	2.5	Cigarettes	8.3	10.6	11.6	15.3
Cocaine	1.8	2.8	1.2	2.2	Inhalants	1.1	1.2	2.0	3.3
Electronic Cigarettes	20.7	15.8			Marijuana	5.3	9.6	5.9	7.5
Hallucinogens	2.3	4.1	2.8	3.8	Over-the-counter medications for non-medical use	1.5	2.5	2.4	5.1
Heroin	0.8	0.6	0.4	0.4	Prescription medications not prescribed for student	10.5	4.7	4.3	7.9
Inhalants	4.1	4.0	5.4	9.2					
Marijuana	13.1	17.9	14.5	15.3	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.1	0.9	0.6	1.2	Alcohol (1 or 2 drinks daily)	69.7	57.5		
Over-the-counter medications for non-medical use	3.4	4.0	4.8	7.9	Alcohol (Binge: 5+ drinks once or twice a week)	79.5	69.4		
Prescription medications not prescribed for student	15.5	9.9	7.8	12.5	Cigarettes (1+ packs per day)	85.2	84.4		
Synthetic drugs (K2, bath salts, Spice, etc)	2.5	6.7	4.9		Marijuana (once or twice a week)	67.2	64.1		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	93.3	92.0	95.3	92.2
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.23	13.14	13.08	12.72	Alcohol	76.9	76.0	76.9	78.5
Cigarettes	13.32	12.85	12.82	12.60	Cigarettes	93.0	91.1	92.5	91.1
Inhalants	11.22	13.64	12.54	12.62	Marijuana	91.8	94.2	94.6	94.7
Marijuana	14.19	14.24	13.79	13.77					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	44.2	46.9	55.5	61.0	Alcohol	68.5	59.3	60.8	58.4
Cigarettes	28.0	40.5	41.8	51.3	Cigarettes	88.1	80.9	80.5	78.2
Marijuana	27.5	35.7	34.8	38.0	Marijuana	82.2	78.7	81.3	83.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.0	17.6	12.7	18.3	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.2	93.8	95.9	94.2
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	23.4	31.8	30.9	33.9	Alcohol	45.9	54.9	58.4	63.1
Cigarettes	7.4	15.2	13.7	16.3	Cigarettes	43.1	48.5	52.3	62.7
Marijuana	12.0	13.4	13.2	13.1	Marijuana	28.6	36.3	37.3	39.8
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.5	18.0	15.9	21.2
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	62.0	62.0	57.5	68.7	Were grouchy, irritable, or in a bad mood	36.3	28.0	23.6	29.6
Were victims of mean rumors or lies spread at school	51.6	51.3	47.2	53.8	Had difficulty concentrating on school work	27.8	25.5	19.8	23.9
Were victims of an embarrassing or hurtful text message or something posted on the Internet	23.3	25.6	17.4	19.9	Were very sad	23.2	23.3	16.7	24.2
					Felt hopeless about the future	13.0	15.7	10.0	14.1
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	14.1	14.7	10.6	11.7	Parents involve student in making family decisions	71.5	69.2	70.0	70.1
Made plan about how they would attempt suicide	9.0	12.8	8.6	8.8	Parents notice and comment on student's good work	87.1	81.2	85.2	82.8
Attempted suicide	5.9	6.5	4.8	5.1	Teachers notice and comment on student's good work	83.1	69.8		


Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:

<https://seow.dmh.mo.gov/DetailSearch.aspx>

KNOX COUNTY



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	14
Adult Psychiatric	14
POPULATION	
Census 2010	4,131
2015 Estimate	3,910

BIRTH RISK	2014	2013	2012
Resident Births	58	57	51
Mother Reported Smoking while Pregnant	8	7	8

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	0	0	1
Hepatitis B Chronic, Acute, Prenatal	0	1	0
Hepatitis C Chronic and Acute	1	0	1
Tuberculosis Infection Cases	1	0	1

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	47	56	55
Suicides	1	1	1
Homicides	0	2	1
Alcohol Induced Deaths	0	1	0
Drug Induced Deaths	0	0	0
Smoking Attributable Deaths	10	7	10
Self-inflicted Injuries	4	8	2
Assault Injuries	9	5	6

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	27	30	15
Mental Illness Secondary Diagnosis	86	84	112
Alcohol Principal Diagnosis	1	1	0
Alcohol Secondary Diagnosis	5	4	4
Drug Principal Diagnosis	0	0	1
Drug Secondary Diagnosis	0	4	3
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	2	2	3
Mental Illness Secondary Diagnosis	13	22	6
Alcohol Principal Diagnosis	1	1	1
Alcohol Secondary Diagnosis	1	8	2
Drug Principal Diagnosis	0	0	0
Drug Secondary Diagnosis	0	1	1
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	21	15	6
Mental Illness Secondary Diagnosis	39	47	28
Alcohol Principal Diagnosis	3	3	2
Alcohol Secondary Diagnosis	3	1	4
Drug Principal Diagnosis	6	3	2
Drug Secondary Diagnosis	1	3	0

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	3	3	3
Alcohol Package Carry-out Licenses	3	3	3

EMPLOYMENT	2015	2014	2013
Labor Force	2,005	1,994	2,282
Employed	1,926	1,903	2,180
Unemployed	79	91	102
Unemployment Rate	3.9%	4.6%	4.5%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	5	3	6
Fatal Crashes	0	0	1
Injury Crashes	4	2	5
Property Damage Crashes	1	1	0
Crash Fatalities	0	0	1
Crash Injuries	4	2	7
Drug Involved Crashes	2	2	0
Fatal Crashes	0	1	0
Injury Crashes	2	1	0
Property Damage Crashes	0	0	0
Crash Fatalities	0	1	0
Crash Injuries	2	2	0

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	11	16	14
Liquor Law Arrests	0	0	0
Drug Arrests	11	0	0
Violent Offenses	0	0	3
Property Offenses	39	44	43
Domestic Violence Reports	0	0	0

	2015	2014	2013
Methamphetamine Lab Seizures	0	0	4

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	176	171	173
Drop-outs	1	2	2
Drop-out Rate	0.6%	1.2%	1.2%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	0	0	1
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	5	2	2
Juvenile Alcohol Offenses	1	0	2
Juvenile Drug Offenses	0	0	0
School Truancy Status Offense	6	13	3
Absent from Home Status Offense	1	0	0
Beyond Parental Control Status Offense	12	4	5
Injurious Behavior Status Offense	44	30	20
Child Abuse	3	1	2
Child Neglect	22	10	10
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	8	8	4
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	1	3	1
Parental Alcohol and Drug Use	0	3	2

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	4	6	5
Probation/Parole Admissions--DWI	0	0	1
Prison Admissions--Drug	1	1	4
Prison Admissions--DWI	0	0	0

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

KNOX COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	*	*	*
CSTAR Adolescent	0	0	*
CSTAR Women and Children	*	*	0
CSTAR General Adult	22	23	17
CSTAR Opioid	0	0	0
Primary Recovery Treatment	0	0	*
Clinical SATOP (CIP, YCIP, SROP)	6	*	*
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	12	12	10
- Adolescent Diversion Education Program	0	*	*
- Offender Education Program	*	*	*
- Weekend Intervention Program	0	*	0
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	*	0	0
Early Intervention	*	5	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	29	29	20	Alcohol	12	11	7
AGE				Marijuana / Hashish	7	8	6
Under 18	0	0	*	Cocaine (total)	0	0	0
18 to 24	*	8	6	- Crack	0	0	0
25 to 29	7	9	*	Stimulant (total)	5	5	*
30 to 34	5	6	*	- Methamphetamine	5	5	*
35 to 39	5	*	*	Heroin	0	0	0
40 to 44	*	*	*	Analgesic except Heroin	*	*	*
45 to 54	*	*	*	- Non-Prescription Methadone	*	0	0
55 and Over	*	*	*	PCP, LSD, other Hallucinogen	*	0	0
GENDER				Tranquilizer	0	0	0
Male	18	19	14	Inhalant	0	*	0
Female	11	10	6	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	0
Caucasian	26	28	19	Average Age at First Use of Drug	17.1	18.4	18.1
African American	*	*	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	*	*	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	0	0
Hispanic	*	0	0	- Weekly Injection Use	0	0	0
Other Race / Two or More Races	*	0	*	- Less than Weekly Injection Use	*	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	10	9	6	0	12	15	12
High School Graduate or G.E.D.	14	16	12	1 or 2	12	13	8
Associate Degree or Some College	5	*	*	3 or More	5	*	0
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	5	6	*
Employed	8	9	6	School	0	0	0
Unemployed	5	*	*	Mental Health Provider	0	0	0
Not in Labor Force	16	16	12	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	8	5	5
Independent Living	22	27	18	Other Referral Source	*	7	*
Dependent Living	*	*	*	TREATMENT ACCOMMODATION			
Homeless	*	*	0	Pregnant when Admitted to any Episode	0	0	0
MARITAL / FAMILY STATUS				Military Veteran	0	*	0
Never Married	15	18	13	Special Education Services Needed	*	*	*
Married / Cohabiting	6	6	*	Co-Occurring Psychological Problem	14	17	12
Previously Married	8	5	*	Co-Occurring Developmental Problem	*	*	*

KNOX COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 14
CENSUS 2010 4,131
2015 POPULATION ESTIMATE 3,910

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	*	*	0
Anxiety Disorder	17	13	10
Dementia	0	0	*
Developmental Disorder	*	*	*
Impulse Control Disorder	6	7	*
Mood Disorder	33	31	31
Personality Disorder	*	*	*
Psychotic Disorder	21	27	20
Sexual Disorder	0	0	0
Other Diagnosis	*	5	6
Diagnosis Unknown	7	*	*

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	63	64	58	Less than High School Diploma	21	21	21
AGE				High School Grad or G.E.D.	0	0	0
Under 6	0	0	0	Associate Degree or Some College	0	0	*
6 to 9	*	*	0	Bachelor or Advanced Degree	0	0	0
10 to 13	*	*	*	Education Level Unknown	42	43	36
14 to 17	*	*	5	EMPLOYMENT			
18 to 24	*	*	*	Employed	*	0	*
25 to 29	6	*	5	Unemployed	0	0	*
30 to 34	6	6	*	Not in Labor Force	53	55	45
35 to 39	5	8	8	Employment Status Unknown	8	9	7
40 to 44	10	9	5	HOUSING / LIVING ARRANGEMENT			
45 to 49	8	11	9	Independent Living	15	17	18
50 to 54	9	8	8	Dependent Living	39	37	31
55 to 59	*	*	*	Homeless	*	0	*
60 and Over	6	6	6	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	8	10	8
GENDER				TREATMENT REFERRAL SOURCE			
Male	30	31	24	Self / Family / Friend	15	19	18
Female	33	33	34	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	8	7	8
RACE / ETHNICITY				Health Care Provider	22	21	18
Caucasian	51	52	46	Court / Criminal Justice	0	*	0
African American	8	10	9	Other	18	16	14
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	0	0	Voluntary	63	63	58
Other Race	*	*	*	Civil	0	*	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	0	0	0	Commitment Type Unknown	0	0	0
Past or Current Military Service	0	0	0				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol		31.4			Alcohol		10.0		
Chewing Tobacco		5.9			Alcohol (5+ drinks on single occasion past 2 weeks)		3.9		
Cigarettes		13.7			Chewing Tobacco		3.9		
Club drugs (Ecstasy, GHB, roofie, Special K, etc)		0.0			Cigarettes		5.9		
Cocaine		0.0			Inhalants		0.0		
Electronic Cigarettes		2.0			Marijuana		0.0		
Hallucinogens		0.0			Over-the-counter medications for non-medical use		2.0		
Heroin		0.0			Prescription medications not prescribed for student		2.0		
Inhalants		2.0							
Marijuana		3.8			<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine		2.0			Alcohol (1 or 2 drinks daily)		62.0		
Over-the-counter medications for non-medical use		2.0			Alcohol (Binge: 5+ drinks once or twice a week)		72.0		
Prescription medications not prescribed for student		3.9			Cigarettes (1+ packs per day)		86.0		
Synthetic drugs (K2, bath salts, Spice, etc)		0.0			Marijuana (once or twice a week)		85.7		
					Other: Cocaine, LSD, Meth, Club Drug (any use)		96.0		
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol		12.46			Alcohol		74.5		
Cigarettes		14.22			Cigarettes		90.4		
Inhalants					Marijuana		96.0		
Marijuana		14.98							
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol		40.4			Alcohol		68.6		
Cigarettes		21.6			Cigarettes		90.2		
Marijuana		9.8			Marijuana		94.1		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		2.0			Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		100.0		
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol		25.0			Alcohol		49.0		
Cigarettes		5.9			Cigarettes		43.1		
Marijuana		0.0			Marijuana		15.7		
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		7.8		
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others		70.6			Were grouchy, irritable, or in a bad mood		27.5		
Were victims of mean rumors or lies spread at school		58.8			Had difficulty concentrating on school work		25.0		
Were victims of an embarrassing or hurtful text message or something posted on the Internet		24.0			Were very sad		14.0		
					Felt hopeless about the future		7.8		
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide		13.7			Parents involve student in making family decisions		60.8		
Made plan about how they would attempt suicide		7.8			Parents notice and comment on student's good work		82.4		
Attempted suicide		2.0			Teachers notice and comment on student's good work		68.6		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

LACLEDE COUNTY



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	11
Adult Psychiatric	11
POPULATION	
Census 2010	35,571
2015 Estimate	35,473

BIRTH RISK	2014	2013	2012
Resident Births	500	441	445
Mother Reported Smoking while Pregnant	130	138	120

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	0	1	1
Hepatitis B Chronic, Acute, Prenatal	0	1	1
Hepatitis C Chronic and Acute	39	33	38
Tuberculosis Infection Cases	5	2	2

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	394	380	399
Suicides	5	7	5
Homicides	2	0	1
Alcohol Induced Deaths	2	1	1
Drug Induced Deaths	2	2	4
Smoking Attributable Deaths	74	72	77
Self-inflicted Injuries	68	50	47
Assault Injuries	114	122	143

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	360	368	343
Mental Illness Secondary Diagnosis	575	503	435
Alcohol Principal Diagnosis	18	22	18
Alcohol Secondary Diagnosis	27	24	25
Drug Principal Diagnosis	22	23	38
Drug Secondary Diagnosis	28	24	25
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	70	67	73
Mental Illness Secondary Diagnosis	663	586	588
Alcohol Principal Diagnosis	23	23	29
Alcohol Secondary Diagnosis	41	54	51
Drug Principal Diagnosis	13	19	8
Drug Secondary Diagnosis	33	37	49
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	400	414	429
Mental Illness Secondary Diagnosis	5,229	2,960	707
Alcohol Principal Diagnosis	101	112	96
Alcohol Secondary Diagnosis	87	101	75
Drug Principal Diagnosis	61	54	90
Drug Secondary Diagnosis	71	92	88

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	28	25	23
Alcohol Package Carry-out Licenses	43	41	43

EMPLOYMENT	2015	2014	2013
Labor Force	16,153	15,786	16,400
Employed	15,125	14,511	14,974
Unemployed	1,028	1,275	1,426
Unemployment Rate	6.4%	8.1%	8.7%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	33	40	35
Fatal Crashes	2	1	2
Injury Crashes	8	22	14
Property Damage Crashes	17	17	19
Crash Fatalities	2	1	2
Crash Injuries	14	34	28
Drug Involved Crashes	12	5	3
Fatal Crashes	2	0	0
Injury Crashes	5	1	0
Property Damage Crashes	5	4	3
Crash Fatalities	2	0	0
Crash Injuries	7	1	0

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	132	135	184
Liquor Law Arrests	17	99	99
Drug Arrests	234	224	130
Violent Offenses	91	123	155
Property Offenses	864	1,040	994
Domestic Violence Reports	385	214	189

	2015	2014	2013
Methamphetamine Lab Seizures	2	15	13

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	1,715	1,734	1,682
Drop-outs	19	24	49
Drop-out Rate	1.1%	1.4%	2.9%
School Discipline Involving Alcohol	8	11	9
School Discipline Involving Drugs	13	11	11
School Discipline Involving Tobacco	0	0	1

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	15	20	43
Juvenile Alcohol Offenses	2	13	10
Juvenile Drug Offenses	0	8	7
School Truancy Status Offense	24	29	54
Absent from Home Status Offense	15	21	15
Beyond Parental Control Status Offense	5	11	12
Injurious Behavior Status Offense	24	25	39
Child Abuse	5	6	27
Child Neglect	55	47	118
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	60	68	76
Parental Alcohol Use Related	0	0	3
Parental Drug Use Related	21	12	24
Parental Alcohol and Drug Use	8	6	3

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	210	194	193
Probation/Parole Admissions--DWI	18	24	29
Prison Admissions--Drug	119	90	117
Prison Admissions--DWI	12	14	16

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

LACLEDE COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	21	25	15
CSTAR Adolescent	12	10	17
CSTAR Women and Children	17	14	18
CSTAR General Adult	102	95	83
CSTAR Opioid	0	0	0
Primary Recovery Treatment	6	7	17
Clinical SATOP (CIP, YCIP, SROP)	19	25	32
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	96	106	133
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	43	26	47
- Weekend Intervention Program	12	27	25
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	6	0	*
Compulsive Gambling	0	0	0
Recovery Supports	*	*	*
Early Intervention	*	0	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	164	154	181	Alcohol	54	55	76
AGE				Marijuana / Hashish	28	29	25
Under 18	10	13	18	Cocaine (total)	0	0	*
18 to 24	35	35	43	- Crack	0	0	*
25 to 29	27	23	25	Stimulant (total)	51	46	35
30 to 34	28	32	30	- Methamphetamine	50	45	35
35 to 39	24	14	22	Heroin	5	6	10
40 to 44	13	15	18	Analgesic except Heroin	21	16	22
45 to 54	18	19	19	- Non-Prescription Methadone	0	0	0
55 and Over	9	*	6	PCP, LSD, other Hallucinogen	0	0	*
GENDER				Tranquilizer	*	0	*
Male	94	98	103	Inhalant	0	0	*
Female	70	56	78	Sedative	*	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	6
Caucasian	157	147	170	Average Age at First Use of Drug	18.2	17.8	18.0
African American	*	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	*	Any Injection Use at Admission	36	42	39
Asian / Pacific Islander	0	0	0	- Daily Injection Use	11	7	11
Hispanic	*	*	6	- Weekly Injection Use	11	17	7
Other Race / Two or More Races	*	*	0	- Less than Weekly Injection Use	14	18	21
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	61	60	81	0	97	92	93
High School Graduate or G.E.D.	77	66	65	1 or 2	49	45	65
Associate Degree or Some College	25	27	35	3 or More	18	17	23
Bachelor or Advanced Degree	*	*	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	72	59	76
Employed	31	26	35	School	0	*	0
Unemployed	66	72	69	Mental Health Provider	0	*	*
Not in Labor Force	67	56	77	Health Care Provider	11	6	7
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	34	39	61
Independent Living	124	120	143	Other Referral Source	47	43	32
Dependent Living	28	23	26	TREATMENT ACCOMMODATION			
Homeless	*	*	5	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	*	7	*
Never Married	84	86	90	Special Education Services Needed	*	5	17
Married / Cohabiting	45	29	50	Co-Occurring Psychological Problem	85	74	67
Previously Married	35	39	41	Co-Occurring Developmental Problem	*	*	12

LACLEDE COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 11
CENSUS 2010 35,571
2015 POPULATION ESTIMATE 35,473

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	11	16	13
Anxiety Disorder	323	285	238
Dementia	0	0	0
Developmental Disorder	6	*	*
Impulse Control Disorder	88	76	82
Mood Disorder	378	348	343
Personality Disorder	41	20	20
Psychotic Disorder	93	73	69
Sexual Disorder	*	*	*
Other Diagnosis	46	48	39
Diagnosis Unknown	17	31	21

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	498	485	445	Less than High School Diploma	237	228	222
AGE				High School Grad or G.E.D.	0	0	0
Under 6	*	8	*	Associate Degree or Some College	0	0	0
6 to 9	34	32	23	Bachelor or Advanced Degree	0	0	0
10 to 13	43	50	41	Education Level Unknown	261	257	223
14 to 17	47	54	59	EMPLOYMENT			
18 to 24	40	42	43	Employed	17	32	33
25 to 29	34	31	34	Unemployed	33	21	56
30 to 34	41	44	42	Not in Labor Force	357	340	291
35 to 39	52	43	31	Employment Status Unknown	91	92	65
40 to 44	39	41	39	HOUSING / LIVING ARRANGEMENT			
45 to 49	49	42	41	Independent Living	202	212	206
50 to 54	51	46	41	Dependent Living	192	185	179
55 to 59	36	24	24	Homeless	5	*	5
60 and Over	29	28	23	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	99	84	55
GENDER				TREATMENT REFERRAL SOURCE			
Male	222	218	209	Self / Family / Friend	252	200	175
Female	276	267	236	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	16	18	25
RACE / ETHNICITY				Health Care Provider	73	80	82
Caucasian	465	455	414	Court / Criminal Justice	44	71	58
African American	8	6	6	Other	110	112	103
Native American / Alaskan	*	*	*	Referral Source Unknown	0	*	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	8	10	6	Voluntary	492	479	439
Other Race	14	12	15	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	5	*
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	13	14	15	Commitment Type Unknown	0	0	0
Past or Current Military Service	11	8	11				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	33.6	27.1	22.4	41.9	Alcohol	13.4	10.9	16.2	20.3
Chewing Tobacco	14.0	15.3	6.4	20.7	Alcohol (5+ drinks on single occasion past 2 weeks)	4.5	0.0		
Cigarettes	16.9	35.6	4.3	30.9	Chewing Tobacco	4.8	1.6	2.8	13.1
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.0	0.0	0.0	3.0	Cigarettes	5.3	11.6	1.6	17.1
Cocaine	0.5	0.0	0.0	1.7	Inhalants	0.3	0.0	0.8	4.5
Electronic Cigarettes	23.2	1.6			Marijuana	5.0	0.5	0.2	7.3
Hallucinogens	2.1	0.0	0.0	4.6	Over-the-counter medications for non-medical use	2.1	0.5	0.2	6.6
Heroin	0.0	0.0	0.0	1.7	Prescription medications not prescribed for student	9.6	0.5	0.7	9.0
Inhalants	1.7	0.5	1.8	9.3	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	11.9	1.0	0.2	13.0	Alcohol (1 or 2 drinks daily)	62.8	63.4		
Methamphetamine	0.3	0.0	0.0	0.9	Alcohol (Binge: 5+ drinks once or twice a week)	76.8	72.5		
Over-the-counter medications for non-medical use	3.6	0.5	0.7	9.2	Cigarettes (1+ packs per day)	81.0	92.4		
Prescription medications not prescribed for student	12.5	0.5	0.7	14.8	Marijuana (once or twice a week)	72.4	87.8		
Synthetic drugs (K2, bath salts, Spice, etc)	1.4	0.0	0.0		Other: Cocaine, LSD, Meth, Club Drug (any use)	91.9	92.3	93.9	90.6
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.01	10.16	12.09	11.93	Alcohol	87.8	77.5	80.2	81.5
Cigarettes	11.34	9.05	11.33	11.60	Cigarettes	95.2	100.0	98.5	90.7
Inhalants	12.11	9.38	11.11	12.15	Marijuana	94.1	100.0	99.3	94.5
Marijuana	13.32	10.36		12.59	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	70.5	72.8	62.1	61.6
Alcohol	40.5	16.3	39.6	58.1	Cigarettes	90.0	98.4	80.2	75.9
Cigarettes	30.3	15.3	28.3	50.3	Marijuana	84.2	98.4	97.7	82.2
Marijuana	26.0	0.5	4.1	34.5	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.1	99.5	98.8	93.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.6	0.5	2.1	23.4	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	41.5	18.8	40.9	47.6
Alcohol	22.8	11.5	34.5	36.3	Cigarettes	41.1	31.3	42.3	50.8
Cigarettes	7.8	1.0	15.9	17.6	Marijuana	28.6	0.5	5.6	27.6
Marijuana	11.6	0.5	15.6	12.4	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.1	2.1	3.8	18.1
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	60.3	52.1	34.4	68.7	Were grouchy, irritable, or in a bad mood	29.1	19.3	21.7	23.6
Were victims of mean rumors or lies spread at school	52.8	42.7	31.3	56.1	Had difficulty concentrating on school work	28.8	11.4	20.7	19.5
Were victims of an embarrassing or hurtful text message or something posted on the Internet	28.1	20.7	3.8	18.0	Were very sad	28.3	14.8	3.6	17.7
					Felt hopeless about the future	15.3	4.9	3.1	8.6
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	11.7	14.2	17.2	12.5	Parents involve student in making family decisions	71.4	74.9	67.5	72.8
Made plan about how they would attempt suicide	7.5	3.4	2.5	11.5	Parents notice and comment on student's good work	79.3	92.7	78.8	83.4
Attempted suicide	4.9	10.4	0.7	6.4	Teachers notice and comment on student's good work	72.6	82.1		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

LAFAYETTE COUNTY



DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	7
Adult Psychiatric	7
POPULATION	
Census 2010	33,381
2015 Estimate	32,701

BIRTH RISK	2014	2013	2012
Resident Births	396	361	386
Mother Reported Smoking while Pregnant	95	92	93

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	1	0	0
Hepatitis B Chronic, Acute, Prenatal	1	2	1
Hepatitis C Chronic and Acute	16	15	12
Tuberculosis Infection Cases	3	6	5

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	386	376	351
Suicides	6	5	5
Homicides	0	0	4
Alcohol Induced Deaths	2	3	0
Drug Induced Deaths	3	2	5
Smoking Attributable Deaths	70	69	66
Self-inflicted Injuries	43	46	45
Assault Injuries	94	71	116

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	254	315	324
Mental Illness Secondary Diagnosis	673	735	586
Alcohol Principal Diagnosis	15	13	16
Alcohol Secondary Diagnosis	37	37	32
Drug Principal Diagnosis	11	15	9
Drug Secondary Diagnosis	40	26	44
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	30	38	45
Mental Illness Secondary Diagnosis	518	520	453
Alcohol Principal Diagnosis	13	12	22
Alcohol Secondary Diagnosis	51	57	62
Drug Principal Diagnosis	9	6	13
Drug Secondary Diagnosis	39	33	68
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	300	273	307
Mental Illness Secondary Diagnosis	418	347	325
Alcohol Principal Diagnosis	67	57	52
Alcohol Secondary Diagnosis	52	39	64
Drug Principal Diagnosis	31	50	46
Drug Secondary Diagnosis	65	60	61

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	38	43	47
Alcohol Package Carry-out Licenses	39	39	40

EMPLOYMENT	2015	2014	2013
Labor Force	17,474	17,445	16,047
Employed	16,636	16,428	14,991
Unemployed	838	1,017	1,056
Unemployment Rate	4.8%	5.8%	6.6%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	32	31	26
Fatal Crashes	0	1	2
Injury Crashes	10	14	10
Property Damage Crashes	16	16	14
Crash Fatalities	0	1	2
Crash Injuries	13	15	12
Drug Involved Crashes	4	6	8
Fatal Crashes	0	0	0
Injury Crashes	2	1	5
Property Damage Crashes	2	5	3
Crash Fatalities	0	0	0
Crash Injuries	3	1	6

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	178	188	225
Liquor Law Arrests	54	50	59
Drug Arrests	356	322	314
Violent Offenses	35	29	33
Property Offenses	408	522	675
Domestic Violence Reports	31	55	64

	2015	2014	2013
Methamphetamine Lab Seizures	0	1	1

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	1,628	1,572	1,574
Drop-outs	7	13	27
Drop-out Rate	0.4%	0.8%	1.7%
School Discipline Involving Alcohol	1	1	2
School Discipline Involving Drugs	5	4	4
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	53	47	58
Juvenile Alcohol Offenses	8	11	11
Juvenile Drug Offenses	13	10	9
School Truancy Status Offense	5	22	15
Absent from Home Status Offense	18	16	17
Beyond Parental Control Status Offense	15	26	32
Injurious Behavior Status Offense	12	9	22
Child Abuse	5	1	3
Child Neglect	18	7	2
Child Custody Issues	16	17	29

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	34	22	21
Parental Alcohol Use Related	3	0	0
Parental Drug Use Related	15	3	4
Parental Alcohol and Drug Use	1	0	0

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	29	49	60
Probation/Parole Admissions--Drug	146	135	141
Probation/Parole Admissions--DWI	24	22	29
Prison Admissions--Drug	105	110	96
Prison Admissions--DWI	22	24	25

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

LAFAYETTE COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	*	5	9
CSTAR Adolescent	11	9	*
CSTAR Women and Children	5	8	9
CSTAR General Adult	66	103	115
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	*
Clinical SATOP (CIP, YCIP, SROP)	29	32	36
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	116	143	135
- Adolescent Diversion Education Program	*	0	*
- Offender Education Program	35	55	48
- Weekend Intervention Program	29	27	25
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	6	*	0
Compulsive Gambling	0	0	0
Recovery Supports	11	17	60
Early Intervention	0	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	114	157	173	Alcohol	54	64	66
AGE				Marijuana / Hashish	22	33	42
Under 18	11	9	6	Cocaine (total)	0	*	*
18 to 24	18	37	44	- Crack	0	0	0
25 to 29	17	30	24	Stimulant (total)	27	41	44
30 to 34	15	22	32	- Methamphetamine	27	38	42
35 to 39	8	15	19	Heroin	*	*	*
40 to 44	10	15	14	Analgesic except Heroin	6	6	14
45 to 54	22	22	25	- Non-Prescription Methadone	0	0	0
55 and Over	13	7	9	PCP, LSD, other Hallucinogen	0	*	*
GENDER				Tranquilizer	*	*	0
Male	74	111	121	Inhalant	0	0	*
Female	40	46	52	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	*
Caucasian	100	148	162	Average Age at First Use of Drug	16.7	18.0	17.6
African American	8	*	*	INJECTION DRUG USE			
Native American / Alaskan	*	0	*	Any Injection Use at Admission	10	22	23
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	*
Hispanic	*	5	7	- Weekly Injection Use	*	9	11
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	*	10	11
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	27	46	41	0	59	80	96
High School Graduate or G.E.D.	68	83	95	1 or 2	38	52	56
Associate Degree or Some College	19	27	36	3 or More	17	25	21
Bachelor or Advanced Degree	0	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	39	51	64
Employed	35	53	61	School	0	0	0
Unemployed	31	44	55	Mental Health Provider	0	*	*
Not in Labor Force	48	60	57	Health Care Provider	5	8	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	45	55	86
Independent Living	92	128	150	Other Referral Source	24	37	15
Dependent Living	14	16	9	TREATMENT ACCOMMODATION			
Homeless	5	*	5	Pregnant when Admitted to any Episode	0	*	*
MARITAL / FAMILY STATUS				Military Veteran	*	*	6
Never Married	63	92	87	Special Education Services Needed	*	*	5
Married / Cohabiting	29	31	52	Co-Occurring Psychological Problem	44	57	65
Previously Married	22	34	34	Co-Occurring Developmental Problem	*	*	*

LAFAYETTE COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 7
CENSUS 2010 33,381
2015 POPULATION ESTIMATE 32,701

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	44	45	35
Anxiety Disorder	176	171	171
Dementia	0	0	0
Developmental Disorder	*	*	0
Impulse Control Disorder	71	69	64
Mood Disorder	220	221	236
Personality Disorder	13	13	11
Psychotic Disorder	36	42	38
Sexual Disorder	*	*	0
Other Diagnosis	43	30	23
Diagnosis Unknown	11	31	42

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	295	330	361	Less than High School Diploma	123	112	118
AGE				High School Grad or G.E.D.	0	0	*
Under 6	7	6	6	Associate Degree or Some College	0	0	0
6 to 9	23	25	26	Bachelor or Advanced Degree	0	0	0
10 to 13	34	32	31	Education Level Unknown	172	218	242
14 to 17	37	41	35	EMPLOYMENT			
18 to 24	24	27	36	Employed	11	11	16
25 to 29	13	19	33	Unemployed	*	8	18
30 to 34	17	20	34	Not in Labor Force	205	169	189
35 to 39	16	25	19	Employment Status Unknown	75	142	138
40 to 44	19	26	31	HOUSING / LIVING ARRANGEMENT			
45 to 49	26	34	29	Independent Living	108	93	109
50 to 54	38	34	44	Dependent Living	110	94	105
55 to 59	25	28	21	Homeless	*	0	*
60 and Over	16	13	16	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	74	143	146
GENDER				TREATMENT REFERRAL SOURCE			
Male	112	138	141	Self / Family / Friend	234	253	269
Female	183	192	220	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	5	6	*
RACE / ETHNICITY				Health Care Provider	19	17	18
Caucasian	271	309	326	Court / Criminal Justice	9	22	25
African American	14	9	15	Other	26	30	43
Native American / Alaskan	0	0	*	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	*	TYPE OF COMMITMENT			
Hispanic	*	*	7	Voluntary	291	327	358
Other Race	8	8	11	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	*	0	0
Hearing Impaired	5	9	10	Commitment Type Unknown	*	*	*
Past or Current Military Service	9	14	12				

LAFAYETTE COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	16.1	33.8	39.9	45.1	Alcohol	6.3	11.6	17.3	22.8
Chewing Tobacco	7.1	13.2	16.4	16.6	Alcohol (5+ drinks on single occasion past 2 weeks)	3.1	6.0		
Cigarettes	9.2	19.2	25.8	27.5	Chewing Tobacco	0.7	7.0	9.5	10.3
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.3	1.2	1.2	1.5	Cigarettes	4.4	7.5	13.0	14.5
Cocaine	1.0	0.2	1.2	1.4	Inhalants	2.0	1.2	2.4	3.8
Electronic Cigarettes	8.6	9.0			Marijuana	1.0	5.5	8.1	5.2
Hallucinogens	0.3	0.7	1.4	2.2	Over-the-counter medications for non-medical use	1.0	0.7	3.9	4.0
Heroin	0.0	0.3	0.3	0.6	Prescription medications not prescribed for student	7.9	2.5	5.6	6.3
Inhalants	2.8	4.0	5.7	6.7	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	4.0	12.9	14.2	13.1	Alcohol (1 or 2 drinks daily)	29.0	61.1		
Methamphetamine	0.3	0.3	0.9	0.7	Alcohol (Binge: 5+ drinks once or twice a week)	29.3	69.5		
Over-the-counter medications for non-medical use	2.0	1.5	6.9	6.9	Cigarettes (1+ packs per day)	90.4	85.7		
Prescription medications not prescribed for student	9.1	4.5	9.1	11.4	Marijuana (once or twice a week)	86.0	68.4		
Synthetic drugs (K2, bath salts, Spice, etc)	1.2	4.0	5.4		Other: Cocaine, LSD, Meth, Club Drug (any use)	93.7	92.2	92.7	92.9
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	10.42	13.12	12.37	12.46	Alcohol	90.3	81.5	80.0	78.0
Cigarettes	11.37	13.98	12.22	12.01	Cigarettes	97.5	91.6	92.8	90.6
Inhalants	9.82	10.39	11.59	12.39	Marijuana	98.5	94.8	95.5	95.1
Marijuana	12.20	14.75	13.33	13.17	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	87.9	68.4	64.0	58.3
Alcohol	14.7	43.2	53.8	61.0	Cigarettes	93.2	87.3	83.4	78.8
Cigarettes	12.4	33.7	47.6	49.2	Marijuana	93.5	82.4	85.5	87.0
Marijuana	9.6	29.2	31.4	28.5	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.8	97.8	95.9	95.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	2.1	8.2	11.7	13.6	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	74.6	49.3	51.3	58.9
Alcohol	8.7	25.6	29.2	38.1	Cigarettes	71.0	45.8	50.3	55.1
Cigarettes	5.6	9.9	13.1	16.2	Marijuana	10.1	27.5	27.2	27.4
Marijuana	3.3	10.7	11.2	9.4	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	3.6	9.6	10.5	15.0
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	84.2	62.5	60.9	67.4	Were grouchy, irritable, or in a bad mood	15.0	24.9	23.4	30.6
Were victims of mean rumors or lies spread at school	83.4	51.1	49.4	58.5	Had difficulty concentrating on school work	17.6	22.8	19.9	26.0
Were victims of an embarrassing or hurtful text message or something posted on the Internet	13.0	22.9	19.8	19.8	Were very sad	10.7	19.6	20.5	26.7
					Felt hopeless about the future	7.6	10.4	10.2	12.6
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	4.8	7.2	12.4	11.6	Parents involve student in making family decisions	29.3	68.5	68.4	71.1
Made plan about how they would attempt suicide	5.0	5.5	9.7	8.6	Parents notice and comment on student's good work	92.6	85.3	82.5	83.8
Attempted suicide	3.1	2.2	6.1	6.0	Teachers notice and comment on student's good work	36.1	74.3		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

LAWRENCE COUNTY



DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	9
Adult Psychiatric	8A
POPULATION	
Census 2010	38,634
2015 Estimate	38,180

BIRTH RISK	2014	2013	2012
Resident Births	491	498	484
Mother Reported Smoking while Pregnant	93	100	111

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	3	1	0
Hepatitis B Chronic, Acute, Prenatal	4	1	6
Hepatitis C Chronic and Acute	46	25	37
Tuberculosis Infection Cases	8	6	7

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	444	461	420
Suicides	8	6	3
Homicides	0	1	2
Alcohol Induced Deaths	2	5	1
Drug Induced Deaths	6	6	5
Smoking Attributable Deaths	81	84	77
Self-inflicted Injuries	51	63	58
Assault Injuries	112	88	124

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	226	182	205
Mental Illness Secondary Diagnosis	374	342	381
Alcohol Principal Diagnosis	16	14	7
Alcohol Secondary Diagnosis	27	25	21
Drug Principal Diagnosis	14	21	18
Drug Secondary Diagnosis	25	23	29
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	134	125	126
Mental Illness Secondary Diagnosis	656	639	571
Alcohol Principal Diagnosis	44	27	45
Alcohol Secondary Diagnosis	55	66	68
Drug Principal Diagnosis	28	32	45
Drug Secondary Diagnosis	46	34	31
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	312	257	334
Mental Illness Secondary Diagnosis	926	896	1,061
Alcohol Principal Diagnosis	79	55	65
Alcohol Secondary Diagnosis	86	51	94
Drug Principal Diagnosis	82	76	70
Drug Secondary Diagnosis	95	103	140

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	19	17	19
Alcohol Package Carry-out Licenses	42	42	36

EMPLOYMENT	2015	2014	2013
Labor Force	18,131	17,416	19,294
Employed	17,245	16,388	18,190
Unemployed	886	1,028	1,104
Unemployment Rate	4.9%	5.9%	5.7%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	34	40	45
Fatal Crashes	1	1	3
Injury Crashes	18	18	22
Property Damage Crashes	21	21	20
Crash Fatalities	1	1	3
Crash Injuries	22	23	33
Drug Involved Crashes	8	12	5
Fatal Crashes	0	0	0
Injury Crashes	5	8	2
Property Damage Crashes	3	4	3
Crash Fatalities	0	0	0
Crash Injuries	7	10	3

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	153	206	198
Liquor Law Arrests	29	50	38
Drug Arrests	172	207	146
Violent Offenses	165	128	172
Property Offenses	951	1,196	1,248
Domestic Violence Reports	186	140	208
	2015	2014	2013
Methamphetamine Lab Seizures	4	16	14

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	1,787	1,714	1,808
Drop-outs	27	24	34
Drop-out Rate	1.5%	1.4%	1.9%
School Discipline Involving Alcohol	3	5	0
School Discipline Involving Drugs	21	13	11
School Discipline Involving Tobacco	1	0	1

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	28	13	26
Juvenile Alcohol Offenses	1	0	2
Juvenile Drug Offenses	7	5	3
School Truancy Status Offense	3	3	2
Absent from Home Status Offense	3	13	5
Beyond Parental Control Status Offense	14	4	12
Injurious Behavior Status Offense	16	14	8
Child Abuse	21	12	12
Child Neglect	75	39	66
Child Custody Issues	100	79	83

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	115	81	75
Parental Alcohol Use Related	6	0	1
Parental Drug Use Related	31	16	28
Parental Alcohol and Drug Use	2	2	2

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	66	51	41
Probation/Parole Admissions--Drug	92	67	64
Probation/Parole Admissions--DWI	24	17	15
Prison Admissions--Drug	35	42	37
Prison Admissions--DWI	9	9	5

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.

³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

LAWRENCE COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	43	24	35
CSTAR Adolescent	10	5	*
CSTAR Women and Children	26	24	12
CSTAR General Adult	176	160	140
CSTAR Opioid	0	0	0
Primary Recovery Treatment	37	21	29
Clinical SATOP (CIP, YCIP, SROP)	38	31	26
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	140	141	144
- Adolescent Diversion Education Program	*	*	*
- Offender Education Program	41	50	57
- Weekend Intervention Program	28	22	20
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	5	7	9
Compulsive Gambling	0	0	0
Recovery Supports	*	12	14
Early Intervention	0	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	284	248	207	Alcohol	104	91	96
AGE				Marijuana / Hashish	51	53	22
Under 18	10	6	*	Cocaine (total)	0	0	0
18 to 24	45	41	37	- Crack	0	0	0
25 to 29	49	46	32	Stimulant (total)	102	73	52
30 to 34	51	45	39	- Methamphetamine	97	67	50
35 to 39	38	36	28	Heroin	*	*	*
40 to 44	36	25	17	Analgesic except Heroin	20	24	31
45 to 54	39	35	34	- Non-Prescription Methadone	0	0	0
55 and Over	16	14	16	PCP, LSD, other Hallucinogen	0	0	*
GENDER				Tranquilizer	*	*	*
Male	174	156	135	Inhalant	0	0	0
Female	110	92	72	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	*
Caucasian	271	238	194	Average Age at First Use of Drug	17.9	17.2	17.7
African American	0	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	*	*	Any Injection Use at Admission	65	46	42
Asian / Pacific Islander	0	*	*	- Daily Injection Use	9	7	7
Hispanic	11	10	*	- Weekly Injection Use	27	6	8
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	29	33	27
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	108	83	71	0	143	128	89
High School Graduate or G.E.D.	126	128	99	1 or 2	91	78	75
Associate Degree or Some College	49	37	36	3 or More	50	42	43
Bachelor or Advanced Degree	*	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	67	54	73
Employed	98	80	62	School	0	0	*
Unemployed	96	86	78	Mental Health Provider	6	*	0
Not in Labor Force	90	82	67	Health Care Provider	19	16	17
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	160	146	55
Independent Living	256	225	187	Other Referral Source	32	25	61
Dependent Living	21	19	11	TREATMENT ACCOMMODATION			
Homeless	5	*	*	Pregnant when Admitted to any Episode	*	*	5
MARITAL / FAMILY STATUS				Military Veteran	7	12	14
Never Married	139	115	93	Special Education Services Needed	44	36	33
Married / Cohabiting	74	61	49	Co-Occurring Psychological Problem	121	84	79
Previously Married	71	72	65	Co-Occurring Developmental Problem	11	8	11

LAWRENCE COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southwest
PSYCHIATRIC SERVICE AREA 8A
CENSUS 2010 38,634
2015 POPULATION ESTIMATE 38,180

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	33	27	29
Anxiety Disorder	214	181	175
Dementia	*	*	*
Developmental Disorder	11	9	6
Impulse Control Disorder	99	92	82
Mood Disorder	308	253	248
Personality Disorder	65	51	59
Psychotic Disorder	56	52	44
Sexual Disorder	0	0	*
Other Diagnosis	54	45	36
Diagnosis Unknown	158	205	173

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	616	582	544	Less than High School Diploma	245	167	114
AGE				High School Grad or G.E.D.	0	0	0
Under 6	8	5	9	Associate Degree or Some College	0	0	0
6 to 9	42	34	28	Bachelor or Advanced Degree	0	0	0
10 to 13	55	52	48	Education Level Unknown	371	415	430
14 to 17	81	51	52	EMPLOYMENT			
18 to 24	43	47	40	Employed	30	21	*
25 to 29	41	47	52	Unemployed	31	20	9
30 to 34	54	59	47	Not in Labor Force	392	283	174
35 to 39	38	52	52	Employment Status Unknown	163	258	358
40 to 44	54	60	53	HOUSING / LIVING ARRANGEMENT			
45 to 49	58	43	41	Independent Living	236	160	80
50 to 54	60	62	64	Dependent Living	175	129	98
55 to 59	46	35	31	Homeless	*	*	*
60 and Over	36	35	27	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	201	291	364
GENDER				TREATMENT REFERRAL SOURCE			
Male	279	280	254	Self / Family / Friend	300	351	335
Female	337	302	290	School	35	25	19
Gender Unknown	0	0	0	Mental Health Provider	20	22	23
RACE / ETHNICITY				Health Care Provider	88	63	56
Caucasian	579	554	521	Court / Criminal Justice	30	21	12
African American	*	*	*	Other	142	98	97
Native American / Alaskan	0	*	0	Referral Source Unknown	*	*	*
Asian / Pacific Islander	*	*	*	TYPE OF COMMITMENT			
Hispanic	21	15	14	Voluntary	606	575	540
Other Race	11	8	7	Civil	5	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	27	28	22	Commitment Type Unknown	*	*	*
Past or Current Military Service	8	11	5				

LAWRENCE COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	31.8	35.4	27.3	38.3	Alcohol	13.8	15.2	9.2	14.4
Chewing Tobacco	12.1	13.6	12.1	17.7	Alcohol (5+ drinks on single occasion past 2 weeks)	6.5	9.9		
Cigarettes	22.8	18.9	18.8	27.2	Chewing Tobacco	4.8	6.3	7.1	9.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.8	1.1	1.9	2.0	Cigarettes	9.0	7.4	9.6	13.5
Cocaine	0.9	0.0	1.1	0.7	Inhalants	0.6	0.2	1.3	2.7
Electronic Cigarettes	24.3	10.7			Marijuana	5.9	3.2	5.8	4.7
Hallucinogens	1.4	2.1	3.4	1.8	Over-the-counter medications for non-medical use	1.4	2.9	2.7	4.7
Heroin	0.2	0.2	1.0	0.8	Prescription medications not prescribed for student	7.6	3.8	3.2	6.8
Inhalants	2.0	0.2	3.8	7.4					
Marijuana	14.1	10.4	10.2	11.4	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.3	1.1	1.6	1.0	Alcohol (1 or 2 drinks daily)	67.8	55.1		
Over-the-counter medications for non-medical use	4.2	2.9	5.2	8.4	Alcohol (Binge: 5+ drinks once or twice a week)	76.0	63.7		
Prescription medications not prescribed for student	11.4	6.7	6.8	10.9	Cigarettes (1+ packs per day)	82.7	81.7		
Synthetic drugs (K2, bath salts, Spice, etc)	2.0	2.1	9.0		Marijuana (once or twice a week)	67.7	66.8		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	91.5	88.4	94.3	92.0
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.06	13.45	11.93	12.24	Alcohol	85.9	82.0	87.5	82.6
Cigarettes	12.71	12.91	11.58	11.74	Cigarettes	94.1	91.0	94.4	91.3
Inhalants	10.42	12.85	12.12	12.15	Marijuana	93.9	93.4	96.0	94.3
Marijuana	14.02	14.50	12.84	13.39					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	42.2	44.3	40.7	52.7	Alcohol	74.8	70.0	72.7	63.9
Cigarettes	33.1	31.5	29.3	41.6	Cigarettes	86.8	85.4	87.7	80.2
Marijuana	30.2	22.9	16.8	30.2	Marijuana	85.9	86.3	88.5	86.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.0	8.8	9.2	16.8	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.0	96.6	97.2	95.4
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	21.7	25.9	19.0	29.2	Alcohol	49.8	52.5	43.5	49.1
Cigarettes	10.5	10.7	9.8	15.2	Cigarettes	47.0	50.8	40.1	50.8
Marijuana	10.4	7.1	8.6	8.8	Marijuana	32.0	27.8	21.7	29.4
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.7	14.6	13.6	17.8
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	57.5	55.4	61.4	72.3	Were grouchy, irritable, or in a bad mood	30.4	20.0	19.5	20.2
Were victims of mean rumors or lies spread at school	46.7	44.4	49.4	57.9	Had difficulty concentrating on school work	24.1	23.1	15.8	19.2
Were victims of an embarrassing or hurtful text message or something posted on the Internet	23.3	18.8	15.2	20.3	Were very sad	22.5	18.9	19.2	15.6
					Felt hopeless about the future	12.4	14.5	10.5	10.2
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	9.1	11.1	9.8	12.9	Parents involve student in making family decisions	73.3	74.0	74.8	70.8
Made plan about how they would attempt suicide	7.6	8.4	7.4	9.9	Parents notice and comment on student's good work	85.3	86.0	86.4	84.6
Attempted suicide	5.0	5.0	5.5	6.2	Teachers notice and comment on student's good work	78.8	79.5		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

LEWIS COUNTY



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	14
Adult Psychiatric	14
POPULATION	
Census 2010	10,211
2015 Estimate	10,207

BIRTH RISK	2014	2013	2012
Resident Births	114	117	108
Mother Reported Smoking while Pregnant	20	24	21

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	2
Hepatitis C Chronic and Acute	3	2	5
Tuberculosis Infection Cases	0	1	1

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	101	91	128
Suicides	4	1	0
Homicides	0	0	0
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	0	2	0
Smoking Attributable Deaths	20	19	28
Self-inflicted Injuries	3	1	1
Assault Injuries	3	2	2

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	22	14	13
Mental Illness Secondary Diagnosis	66	76	74
Alcohol Principal Diagnosis	0	0	2
Alcohol Secondary Diagnosis	3	8	3
Drug Principal Diagnosis	1	1	0
Drug Secondary Diagnosis	0	2	5
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	7	7	1
Mental Illness Secondary Diagnosis	44	47	55
Alcohol Principal Diagnosis	1	0	1
Alcohol Secondary Diagnosis	5	5	3
Drug Principal Diagnosis	1	1	1
Drug Secondary Diagnosis	1	3	2
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	21	19	14
Mental Illness Secondary Diagnosis	36	28	23
Alcohol Principal Diagnosis	2	1	2
Alcohol Secondary Diagnosis	0	3	2
Drug Principal Diagnosis	0	4	2
Drug Secondary Diagnosis	1	3	2

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	12	12	13
Alcohol Package Carry-out Licenses	11	10	11

EMPLOYMENT	2015	2014	2013
Labor Force	5,274	5,141	5,470
Employed	5,016	4,873	5,154
Unemployed	258	268	316
Unemployment Rate	4.9%	5.2%	5.8%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	6	5	10
Fatal Crashes	0	0	1
Injury Crashes	4	3	4
Property Damage Crashes	2	2	5
Crash Fatalities	0	0	1
Crash Injuries	6	4	5
Drug Involved Crashes	4	2	2
Fatal Crashes	0	0	0
Injury Crashes	2	2	1
Property Damage Crashes	2	0	1
Crash Fatalities	0	0	0
Crash Injuries	3	2	2

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	44	69	69
Liquor Law Arrests	17	12	23
Drug Arrests	34	31	34
Violent Offenses	13	12	6
Property Offenses	73	158	151
Domestic Violence Reports	54	52	65

	2015	2014	2013
Methamphetamine Lab Seizures	3	7	1

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	484	513	466
Drop-outs	2	4	12
Drop-out Rate	0.4%	0.8%	2.6%
School Discipline Involving Alcohol	5	0	2
School Discipline Involving Drugs	6	0	6
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	10	14	7
Juvenile Alcohol Offenses	1	2	4
Juvenile Drug Offenses	5	3	8
School Truancy Status Offense	21	14	18
Absent from Home Status Offense	2	4	1
Beyond Parental Control Status Offense	11	12	7
Injurious Behavior Status Offense	56	52	69
Child Abuse	2	4	6
Child Neglect	17	45	48
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	12	17	15
Parental Alcohol Use Related	0	1	0
Parental Drug Use Related	3	8	5
Parental Alcohol and Drug Use	0	0	1

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	17	12	20
Probation/Parole Admissions--Drug	23	26	30
Probation/Parole Admissions--DWI	2	6	6
Prison Admissions--Drug	9	11	9
Prison Admissions--DWI	0	1	0

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

LEWIS COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	9	0	6
CSTAR Adolescent	5	*	*
CSTAR Women and Children	5	*	*
CSTAR General Adult	37	39	10
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	24
Clinical SATOP (CIP, YCIP, SROP)	6	6	6
Other Substance Abuse Treatment	0	*	*


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	33	49	51
- Adolescent Diversion Education Program	*	6	5
- Offender Education Program	9	12	18
- Weekend Intervention Program	*	8	9
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	0
Compulsive Gambling	0	0	0
Recovery Supports	0	0	0
Early Intervention	*	0	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	50	48	42	Alcohol	22	31	21
AGE				Marijuana / Hashish	13	12	10
Under 18	*	*	*	Cocaine (total)	0	0	*
18 to 24	10	6	5	- Crack	0	0	*
25 to 29	9	*	7	Stimulant (total)	7	*	6
30 to 34	9	10	11	- Methamphetamine	7	*	6
35 to 39	*	5	*	Heroin	0	0	*
40 to 44	6	*	7	Analgesic except Heroin	*	*	*
45 to 54	5	12	*	- Non-Prescription Methadone	*	*	0
55 and Over	*	*	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	0	*
Male	40	36	31	Inhalant	0	0	0
Female	10	12	11	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	5	0	*
Caucasian	45	41	37	Average Age at First Use of Drug	17.6	17.0	17.5
African American	*	5	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	*	0	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	0	0
Hispanic	0	0	*	- Weekly Injection Use	0	0	*
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	*	0	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	15	13	15	0	31	19	23
High School Graduate or G.E.D.	29	27	20	1 or 2	13	19	15
Associate Degree or Some College	5	8	7	3 or More	6	10	*
Bachelor or Advanced Degree	*	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	8	*	7
Employed	21	20	13	School	0	0	0
Unemployed	19	16	16	Mental Health Provider	0	*	*
Not in Labor Force	10	12	13	Health Care Provider	0	0	0
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	23	36	23
Independent Living	41	42	32	Other Referral Source	10	5	5
Dependent Living	9	6	8	TREATMENT ACCOMMODATION			
Homeless	0	0	0	Pregnant when Admitted to any Episode	0	0	0
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	29	21	21	Special Education Services Needed	*	5	*
Married / Cohabiting	15	9	11	Co-Occurring Psychological Problem	15	13	19
Previously Married	6	18	10	Co-Occurring Developmental Problem	*	*	*

LEWIS COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 14
CENSUS 2010 10,211
2015 POPULATION ESTIMATE 10,207

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	*	*	5
Anxiety Disorder	31	27	17
Dementia	*	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	27	27	18
Mood Disorder	61	52	43
Personality Disorder	7	*	*
Psychotic Disorder	7	*	6
Sexual Disorder	0	0	0
Other Diagnosis	18	11	5
Diagnosis Unknown	*	*	*

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	79	68	62	Less than High School Diploma	38	29	28
AGE				High School Grad or G.E.D.	0	0	0
Under 6	0	0	*	Associate Degree or Some College	0	0	0
6 to 9	9	9	*	Bachelor or Advanced Degree	0	0	0
10 to 13	8	5	*	Education Level Unknown	41	39	34
14 to 17	11	7	*	EMPLOYMENT			
18 to 24	*	6	5	Employed	*	6	7
25 to 29	*	*	6	Unemployed	*	6	*
30 to 34	7	6	9	Not in Labor Force	63	45	42
35 to 39	10	6	*	Employment Status Unknown	14	11	11
40 to 44	*	5	5	HOUSING / LIVING ARRANGEMENT			
45 to 49	*	5	6	Independent Living	31	36	35
50 to 54	14	8	9	Dependent Living	32	14	11
55 to 59	6	5	*	Homeless	0	0	*
60 and Over	*	*	*	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	16	18	15
GENDER				TREATMENT REFERRAL SOURCE			
Male	33	29	23	Self / Family / Friend	14	9	13
Female	46	39	37	School	*	*	*
Gender Unknown	0	0	*	Mental Health Provider	*	*	0
RACE / ETHNICITY				Health Care Provider	6	7	6
Caucasian	73	61	59	Court / Criminal Justice	0	0	*
African American	*	*	*	Other	56	49	39
Native American / Alaskan	0	0	0	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	0	*	*	Voluntary	78	67	61
Other Race	*	*	0	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	0	0	0	Commitment Type Unknown	*	*	*
Past or Current Military Service	0	0	*				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol		39.3	38.3	44.0	Alcohol	13.0	13.8	17.4	
Chewing Tobacco		11.3	11.4	8.6	Alcohol (5+ drinks on single occasion past 2 weeks)	7.4			
Cigarettes		17.1	18.6	25.2	Chewing Tobacco	4.8	5.4	3.9	
Club drugs (Ecstasy, GHB, roofie, Special K, etc)		0.8	0.6	3.1	Cigarettes	9.8	8.3	17.8	
Cocaine		0.8	1.2	3.5	Inhalants	0.8	1.8	3.5	
Electronic Cigarettes		9.8			Marijuana	3.2	3.0	6.0	
Hallucinogens		0.8	1.8	3.0	Over-the-counter medications for non-medical use	1.6	1.8	7.4	
Heroin		0.0	1.8	0.0	Prescription medications not prescribed for student	2.4	2.4	8.2	
Inhalants		3.3	3.6	6.1					
Marijuana		5.6	7.2	13.8	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine		0.0	0.6	1.3	Alcohol (1 or 2 drinks daily)	54.8			
Over-the-counter medications for non-medical use		1.6	6.0	9.1	Alcohol (Binge: 5+ drinks once or twice a week)	64.5			
Prescription medications not prescribed for student		4.0	6.0	12.5	Cigarettes (1+ packs per day)	87.0			
Synthetic drugs (K2, bath salts, Spice, etc)		1.6	4.2		Marijuana (once or twice a week)	74.0			
					Other: Cocaine, LSD, Meth, Club Drug (any use)	95.9	92.7	92.6	
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.36	13.12	12.52		Alcohol	83.1	79.1	75.2	
Cigarettes	12.65	13.58	12.06		Cigarettes	96.0	93.3	87.9	
Inhalants	11.43	10.98	10.86		Marijuana	97.6	96.4	94.8	
Marijuana	12.29	13.99	13.67						
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	47.2	49.7	50.4		Alcohol	60.2	60.0	52.0	
Cigarettes	35.5	40.4	42.0		Cigarettes	86.2	84.2	79.6	
Marijuana	18.5	26.3	25.5		Marijuana	87.9	88.6	85.2	
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.2	13.9	12.1		Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.4	96.4	94.3	
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	35.0	33.5	37.0		Alcohol	54.0	54.2	57.4	
Cigarettes	11.3	12.0	17.4		Cigarettes	48.4	50.0	53.0	
Marijuana	6.5	8.4	12.6		Marijuana	22.1	25.6	29.6	
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.5	15.1	16.8	
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	58.9	60.5	75.8		Were grouchy, irritable, or in a bad mood	20.2	20.4	13.4	
Were victims of mean rumors or lies spread at school	45.6	52.7	59.8		Had difficulty concentrating on school work	16.3	20.5	15.2	
Were victims of an embarrassing or hurtful text message or something posted on the Internet	21.8	22.9	25.4		Were very sad	16.9	15.1	10.4	
					Felt hopeless about the future	8.9	7.8	6.6	
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	8.8	10.8	8.6		Parents involve student in making family decisions	70.2	68.5	69.3	
Made plan about how they would attempt suicide	7.3	8.4	7.4		Parents notice and comment on student's good work	82.4	83.1	83.0	
Attempted suicide	4.0	6.5	4.8		Teachers notice and comment on student's good work	77.4			

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

LINCOLN COUNTY



DBH REGION	Eastern
DBH SERVICE AREAS	
Substance Use	16
Adult Psychiatric	16
POPULATION	
Census 2010	52,566
2015 Estimate	54,696

BIRTH RISK	2014	2013	2012
Resident Births	698	736	707
Mother Reported Smoking while Pregnant	145	212	165

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	0	2	0
Hepatitis B Chronic, Acute, Prenatal	1	1	0
Hepatitis C Chronic and Acute	52	36	44
Tuberculosis Infection Cases	10	18	5

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	429	420	404
Suicides	10	7	8
Homicides	0	0	1
Alcohol Induced Deaths	2	1	0
Drug Induced Deaths	11	9	12
Smoking Attributable Deaths	86	73	75
Self-inflicted Injuries	74	67	91
Assault Injuries	153	187	197

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	508	581	429
Mental Illness Secondary Diagnosis	864	995	830
Alcohol Principal Diagnosis	19	24	19
Alcohol Secondary Diagnosis	65	60	54
Drug Principal Diagnosis	37	34	43
Drug Secondary Diagnosis	47	56	37
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	471	352	526
Mental Illness Secondary Diagnosis	921	876	910
Alcohol Principal Diagnosis	25	15	29
Alcohol Secondary Diagnosis	105	95	104
Drug Principal Diagnosis	19	14	25
Drug Secondary Diagnosis	58	65	62
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	547	492	584
Mental Illness Secondary Diagnosis	1,153	1,490	2,540
Alcohol Principal Diagnosis	78	89	213
Alcohol Secondary Diagnosis	130	166	202
Drug Principal Diagnosis	118	81	146
Drug Secondary Diagnosis	221	218	307

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	43	44	46
Alcohol Package Carry-out Licenses	40	37	37

EMPLOYMENT	2015	2014	2013
Labor Force	27,136	26,446	26,568
Employed	25,738	24,727	24,613
Unemployed	1,398	1,719	1,955
Unemployment Rate	5.2%	6.5%	7.4%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	51	52	48
Fatal Crashes	4	1	2
Injury Crashes	21	29	29
Property Damage Crashes	22	22	17
Crash Fatalities	6	1	2
Crash Injuries	35	36	51
Drug Involved Crashes	9	13	10
Fatal Crashes	0	0	1
Injury Crashes	1	7	5
Property Damage Crashes	8	6	4
Crash Fatalities	0	0	2
Crash Injuries	1	9	11

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	218	292	389
Liquor Law Arrests	23	32	40
Drug Arrests	230	331	265
Violent Offenses	119	93	91
Property Offenses	619	697	778
Domestic Violence Reports	256	268	296

	2015	2014	2013
Methamphetamine Lab Seizures	1	4	4

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	2,776	2,800	2,710
Drop-outs	53	25	46
Drop-out Rate	1.9%	0.9%	1.7%
School Discipline Involving Alcohol	4	2	4
School Discipline Involving Drugs	12	30	41
School Discipline Involving Tobacco	3	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	54	41	60
Juvenile Alcohol Offenses	7	6	8
Juvenile Drug Offenses	16	19	28
School Truancy Status Offense	144	237	113
Absent from Home Status Offense	19	22	36
Beyond Parental Control Status Offense	5	1	6
Injurious Behavior Status Offense	59	59	38
Child Abuse	4	13	20
Child Neglect	244	205	168
Child Custody Issues	6	12	15

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	32	43	70
Parental Alcohol Use Related	0	1	0
Parental Drug Use Related	9	15	13
Parental Alcohol and Drug Use	0	0	2

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	121	60	84
Probation/Parole Admissions--Drug	107	126	113
Probation/Parole Admissions--DWI	21	29	27
Prison Admissions--Drug	75	66	62
Prison Admissions--DWI	12	8	8

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

LINCOLN COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	26	26	32
CSTAR Adolescent	31	27	40
CSTAR Women and Children	40	29	43
CSTAR General Adult	263	229	186
CSTAR Opioid	*	*	7
Primary Recovery Treatment	5	7	29
Clinical SATOP (CIP, YCIP, SROP)	67	86	101
Other Substance Abuse Treatment	0	*	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	203	250	255
- Adolescent Diversion Education Program	*	7	5
- Offender Education Program	62	80	70
- Weekend Intervention Program	32	41	40
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	6	*	*
Compulsive Gambling	*	*	0
Recovery Supports	*	*	*
Early Intervention	5	5	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	384	366	375	Alcohol	140	150	161
AGE				Marijuana / Hashish	98	85	87
Under 18	31	27	43	Cocaine (total)	*	6	5
18 to 24	68	78	72	- Crack	*	*	*
25 to 29	76	54	59	Stimulant (total)	42	43	36
30 to 34	59	66	62	- Methamphetamine	41	40	33
35 to 39	45	37	37	Heroin	77	65	64
40 to 44	30	33	34	Analgesic except Heroin	18	12	12
45 to 54	48	62	55	- Non-Prescription Methadone	0	0	0
55 and Over	27	9	13	PCP, LSD, other Hallucinogen	*	0	*
GENDER				Tranquilizer	*	*	*
Male	253	244	246	Inhalant	0	*	*
Female	131	122	129	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	5
Caucasian	358	343	344	Average Age at First Use of Drug	18.1	17.4	17.8
African American	17	15	17	INJECTION DRUG USE			
Native American / Alaskan	*	0	0	Any Injection Use at Admission	78	82	80
Asian / Pacific Islander	0	*	0	- Daily Injection Use	19	12	14
Hispanic	*	*	5	- Weekly Injection Use	17	18	23
Other Race / Two or More Races	7	6	10	- Less than Weekly Injection Use	42	52	43
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	127	139	136	0	238	193	186
High School Graduate or G.E.D.	189	159	179	1 or 2	91	118	118
Associate Degree or Some College	65	65	60	3 or More	55	55	71
Bachelor or Advanced Degree	*	*	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	62	67	58
Employed	146	132	110	School	15	8	16
Unemployed	140	157	148	Mental Health Provider	*	5	5
Not in Labor Force	98	77	117	Health Care Provider	*	8	12
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	258	231	225
Independent Living	331	309	312	Other Referral Source	23	36	54
Dependent Living	37	40	56	TREATMENT ACCOMMODATION			
Homeless	9	11	5	Pregnant when Admitted to any Episode	9	*	8
MARITAL / FAMILY STATUS				Military Veteran	19	9	18
Never Married	211	198	204	Special Education Services Needed	34	27	37
Married / Cohabiting	95	93	102	Co-Occurring Psychological Problem	101	97	128
Previously Married	78	75	69	Co-Occurring Developmental Problem	9	8	12

LINCOLN COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Eastern
PSYCHIATRIC SERVICE AREA 16
CENSUS 2010 52,566
2015 POPULATION ESTIMATE 54,696

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	16	8	8
Anxiety Disorder	561	495	409
Dementia	*	*	*
Developmental Disorder	40	36	31
Impulse Control Disorder	230	191	173
Mood Disorder	769	697	619
Personality Disorder	76	78	73
Psychotic Disorder	153	164	155
Sexual Disorder	*	*	*
Other Diagnosis	50	48	47
Diagnosis Unknown	61	57	64

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	1,052	982	904	Less than High School Diploma	354	351	312
AGE				High School Grad or G.E.D.	0	*	16
Under 6	*	5	5	Associate Degree or Some College	0	*	5
6 to 9	81	73	61	Bachelor or Advanced Degree	0	0	*
10 to 13	110	79	76	Education Level Unknown	698	628	569
14 to 17	113	100	84	EMPLOYMENT			
18 to 24	99	85	74	Employed	70	67	49
25 to 29	79	73	71	Unemployed	80	68	63
30 to 34	76	93	85	Not in Labor Force	540	553	489
35 to 39	71	79	70	Employment Status Unknown	362	294	303
40 to 44	91	84	87	HOUSING / LIVING ARRANGEMENT			
45 to 49	78	75	77	Independent Living	465	465	431
50 to 54	106	107	99	Dependent Living	198	205	166
55 to 59	69	61	53	Homeless	10	10	*
60 and Over	76	68	62	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	379	302	303
GENDER				TREATMENT REFERRAL SOURCE			
Male	493	467	425	Self / Family / Friend	399	333	266
Female	559	515	479	School	171	137	104
Gender Unknown	0	0	0	Mental Health Provider	52	58	67
RACE / ETHNICITY				Health Care Provider	129	111	98
Caucasian	949	883	816	Court / Criminal Justice	24	36	41
African American	45	50	42	Other	273	303	324
Native American / Alaskan	*	*	*	Referral Source Unknown	*	*	*
Asian / Pacific Islander	*	*	0	TYPE OF COMMITMENT			
Hispanic	15	15	14	Voluntary	1,039	970	890
Other Race	39	29	28	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	5	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	39	33	18	Commitment Type Unknown	6	6	8
Past or Current Military Service	26	22	18				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	42.9		51.2	45.6	Alcohol	27.0		22.7	22.4
Chewing Tobacco	20.0		14.8	12.7	Alcohol (5+ drinks on single occasion past 2 weeks)	16.0			
Cigarettes	22.0		29.2	27.6	Chewing Tobacco	11.3		8.3	7.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0		1.9	1.4	Cigarettes	9.9		10.4	15.4
Cocaine	1.4		1.4	1.5	Inhalants	0.0		1.2	2.9
Electronic Cigarettes	16.9	1.8			Marijuana	2.7		6.7	6.7
Hallucinogens	0.0		2.6	3.3	Over-the-counter medications for non-medical use	0.0		3.3	4.0
Heroin	0.0		0.4	0.6	Prescription medications not prescribed for student	4.3		3.8	5.1
Inhalants	0.6		3.7	6.4					
Marijuana	7.8		17.2	13.7	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.7		1.2	0.6	Alcohol (1 or 2 drinks daily)	49.6			
Over-the-counter medications for non-medical use	0.3		7.2	6.3	Alcohol (Binge: 5+ drinks once or twice a week)	62.6			
Prescription medications not prescribed for student	8.5		8.8	8.7	Cigarettes (1+ packs per day)	78.8			
Synthetic drugs (K2, bath salts, Spice, etc)	0.7		6.8		Marijuana (once or twice a week)	74.8			
					Other: Cocaine, LSD, Meth, Club Drug (any use)	88.0		93.6	91.4
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.35		12.64	12.56	Alcohol	81.9		70.1	73.7
Cigarettes	13.42		12.44	12.16	Cigarettes	94.2		88.9	87.5
Inhalants			12.72	11.18	Marijuana	96.4		93.3	92.6
Marijuana	14.63		13.86	13.57					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	44.6		63.4	65.4	Alcohol	54.3		53.1	56.6
Cigarettes	28.8		44.7	54.2	Cigarettes	82.9		79.8	77.7
Marijuana	15.7		40.4	35.7	Marijuana	88.6		78.9	83.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	4.3		15.3	17.3	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.4		96.1	94.6
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	34.2		39.9	37.1	Alcohol	46.4		64.4	61.7
Cigarettes	14.3		12.7	16.0	Cigarettes	34.3		60.2	60.7
Marijuana	9.4		14.4	10.0	Marijuana	12.8		37.7	37.1
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	3.4		14.1	19.9
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	54.4		57.2	68.8	Were grouchy, irritable, or in a bad mood	25.9		25.1	21.7
Were victims of mean rumors or lies spread at school	46.0		48.3	52.1	Had difficulty concentrating on school work	17.3		22.0	19.1
Were victims of an embarrassing or hurtful text message or something posted on the Internet	17.4		22.0	16.9	Were very sad	12.3		20.0	15.2
					Felt hopeless about the future	5.2		14.6	9.1
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	6.9		10.4	9.6	Parents involve student in making family decisions	77.1		64.9	70.7
Made plan about how they would attempt suicide	1.5		6.0	7.4	Parents notice and comment on student's good work	91.4		80.0	83.1
Attempted suicide	5.6		4.6	4.4	Teachers notice and comment on student's good work	85.6			

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

LINN COUNTY



DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	13
Adult Psychiatric	13
POPULATION	
Census 2010	12,761
2015 Estimate	12,308

BIRTH RISK	2014	2013	2012
Resident Births	163	144	133
Mother Reported Smoking while Pregnant	39	38	32

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	2	4
Hepatitis C Chronic and Acute	5	2	2
Tuberculosis Infection Cases	0	0	3

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	177	182	157
Suicides	2	1	4
Homicides	0	0	1
Alcohol Induced Deaths	2	0	1
Drug Induced Deaths	2	1	1
Smoking Attributable Deaths	38	38	30
Self-inflicted Injuries	29	33	23
Assault Injuries	29	28	23

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	74	83	89
Mental Illness Secondary Diagnosis	364	418	463
Alcohol Principal Diagnosis	6	4	5
Alcohol Secondary Diagnosis	22	50	33
Drug Principal Diagnosis	5	7	8
Drug Secondary Diagnosis	36	32	33
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	34	40	33
Mental Illness Secondary Diagnosis	68	71	50
Alcohol Principal Diagnosis	7	4	4
Alcohol Secondary Diagnosis	17	8	20
Drug Principal Diagnosis	3	3	8
Drug Secondary Diagnosis	7	7	4
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	164	137	142
Mental Illness Secondary Diagnosis	650	505	520
Alcohol Principal Diagnosis	18	6	17
Alcohol Secondary Diagnosis	47	29	33
Drug Principal Diagnosis	26	28	21
Drug Secondary Diagnosis	44	24	18

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	17	21	22
Alcohol Package Carry-out Licenses	17	17	18

EMPLOYMENT	2015	2014	2013
Labor Force	5,341	5,191	6,106
Employed	4,970	4,773	5,661
Unemployed	371	418	445
Unemployment Rate	6.9%	8.1%	7.3%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	14	12	5
Fatal Crashes	0	0	0
Injury Crashes	9	5	3
Property Damage Crashes	7	7	2
Crash Fatalities	0	0	0
Crash Injuries	11	6	3
Drug Involved Crashes	6	3	4
Fatal Crashes	0	0	0
Injury Crashes	2	1	4
Property Damage Crashes	4	2	0
Crash Fatalities	0	0	0
Crash Injuries	2	1	4

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	52	51	58
Liquor Law Arrests	8	4	9
Drug Arrests	39	24	34
Violent Offenses	50	48	31
Property Offenses	237	303	261
Domestic Violence Reports	124	146	127
	2015	2014	2013
Methamphetamine Lab Seizures	0	0	1

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	702	734	698
Drop-outs	8	8	13
Drop-out Rate	1.1%	1.1%	1.9%
School Discipline Involving Alcohol	0	1	0
School Discipline Involving Drugs	3	1	3
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	7	4	2
Juvenile Alcohol Offenses	2	2	5
Juvenile Drug Offenses	2	4	7
School Truancy Status Offense	76	114	56
Absent from Home Status Offense	0	0	0
Beyond Parental Control Status Offense	4	10	8
Injurious Behavior Status Offense	32	12	11
Child Abuse	0	2	2
Child Neglect	47	30	26
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	29	23	28
Parental Alcohol Use Related	3	0	1
Parental Drug Use Related	7	3	10
Parental Alcohol and Drug Use	0	4	0

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	22	24	38
Probation/Parole Admissions--Drug	27	23	18
Probation/Parole Admissions--DWI	4	2	0
Prison Admissions--Drug	26	20	13
Prison Admissions--DWI	1	1	0

- ¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- ² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- ³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

LINN COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	9	12	8
CSTAR Adolescent	12	*	11
CSTAR Women and Children	*	*	5
CSTAR General Adult	80	101	97
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	9
Clinical SATOP (CIP, YCIP, SROP)	13	15	11
Other Substance Abuse Treatment	0	0	*


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	39	52	53
- Adolescent Diversion Education Program	*	*	0
- Offender Education Program	14	8	25
- Weekend Intervention Program	*	7	13
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	0
Compulsive Gambling	0	0	0
Recovery Supports	*	*	*
Early Intervention	5	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	100	124	135	Alcohol	26	44	36
AGE				Marijuana / Hashish	35	29	49
Under 18	12	*	11	Cocaine (total)	*	0	*
18 to 24	15	23	31	- Crack	*	0	*
25 to 29	15	26	25	Stimulant (total)	23	27	20
30 to 34	18	29	23	- Methamphetamine	20	27	20
35 to 39	14	13	10	Heroin	0	*	*
40 to 44	10	13	13	Analgesic except Heroin	10	18	21
45 to 54	14	10	11	- Non-Prescription Methadone	0	0	0
55 and Over	*	7	11	PCP, LSD, other Hallucinogen	*	*	0
GENDER				Tranquilizer	0	0	*
Male	62	74	82	Inhalant	0	0	0
Female	38	50	53	Sedative	*	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	*
Caucasian	95	119	127	Average Age at First Use of Drug	17.7	19.0	18.6
African American	*	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	16	24	19
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	8	*
Hispanic	*	*	*	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	*	*	5	- Less than Weekly Injection Use	10	12	14
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	34	35	48	0	67	72	87
High School Graduate or G.E.D.	47	73	72	1 or 2	26	41	36
Associate Degree or Some College	16	13	13	3 or More	7	11	12
Bachelor or Advanced Degree	*	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	24	25	25
Employed	39	35	38	School	*	0	0
Unemployed	32	49	49	Mental Health Provider	0	*	0
Not in Labor Force	29	40	48	Health Care Provider	*	*	5
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	43	48	64
Independent Living	78	109	110	Other Referral Source	24	44	32
Dependent Living	18	5	14	TREATMENT ACCOMMODATION			
Homeless	*	7	*	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	5	*	*
Never Married	53	58	77	Special Education Services Needed	13	12	22
Married / Cohabiting	25	33	33	Co-Occurring Psychological Problem	49	70	80
Previously Married	22	33	25	Co-Occurring Developmental Problem	*	*	*

LINN COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 13
CENSUS 2010 12,761
2015 POPULATION ESTIMATE 12,308

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	9	5	7
Anxiety Disorder	151	122	102
Dementia	0	0	0
Developmental Disorder	11	16	11
Impulse Control Disorder	80	62	54
Mood Disorder	207	161	148
Personality Disorder	24	23	21
Psychotic Disorder	12	14	17
Sexual Disorder	*	*	*
Other Diagnosis	48	37	29
Diagnosis Unknown	*	8	6

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	288	235	211	Less than High School Diploma	133	103	90
AGE				High School Grad or G.E.D.	0	*	*
Under 6	*	*	*	Associate Degree or Some College	0	0	0
6 to 9	24	23	17	Bachelor or Advanced Degree	0	0	0
10 to 13	36	33	35	Education Level Unknown	155	131	119
14 to 17	38	26	19	EMPLOYMENT			
18 to 24	23	14	20	Employed	29	20	14
25 to 29	15	13	8	Unemployed	18	21	30
30 to 34	28	30	22	Not in Labor Force	215	174	132
35 to 39	18	14	14	Employment Status Unknown	26	20	35
40 to 44	21	21	21	HOUSING / LIVING ARRANGEMENT			
45 to 49	22	12	13	Independent Living	151	123	101
50 to 54	25	19	14	Dependent Living	109	87	73
55 to 59	16	10	9	Homeless	*	*	*
60 and Over	21	17	16	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	25	23	36
GENDER				TREATMENT REFERRAL SOURCE			
Male	133	126	100	Self / Family / Friend	174	117	101
Female	155	109	111	School	7	6	6
Gender Unknown	0	0	0	Mental Health Provider	17	15	18
RACE / ETHNICITY				Health Care Provider	38	39	35
Caucasian	272	225	200	Court / Criminal Justice	14	22	22
African American	*	6	*	Other	38	36	29
Native American / Alaskan	*	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	8	*	*	Voluntary	288	234	209
Other Race	*	0	5	Civil	0	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	*
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	8	8	9	Commitment Type Unknown	0	0	0
Past or Current Military Service	8	7	*				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	51.5	46.2	51.5	50.0	Alcohol	21.8	21.4	25.1	22.8
Chewing Tobacco	18.7	20.5	18.6	21.7	Alcohol (5+ drinks on single occasion past 2 weeks)	10.2	11.0		
Cigarettes	27.6	31.7	38.2	29.3	Chewing Tobacco	7.2	11.6	11.3	12.3
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.5	1.4	1.5	0.7	Cigarettes	12.8	13.9	19.7	15.6
Cocaine	2.0	0.0	1.5	0.4	Inhalants	0.5	2.1	1.5	2.2
Electronic Cigarettes	22.6	15.6			Marijuana	4.1	8.9	7.9	4.3
Hallucinogens	1.6	2.1	2.0	1.5	Over-the-counter medications for non-medical use	2.0	4.1	4.4	3.2
Heroin	0.5	0.0	1.0	0.4	Prescription medications not prescribed for student	8.1	3.5	5.4	3.3
Inhalants	2.0	4.1	4.4	4.7	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	12.8	15.2	15.3	9.4	Alcohol (1 or 2 drinks daily)	55.6	47.9		
Methamphetamine	0.5	1.4	1.0	0.7	Alcohol (Binge: 5+ drinks once or twice a week)	69.4	64.6		
Over-the-counter medications for non-medical use	3.0	5.6	6.9	6.1	Cigarettes (1+ packs per day)	83.2	81.3		
Prescription medications not prescribed for student	11.8	9.0	9.8	7.7	Marijuana (once or twice a week)	73.5	67.6		
Synthetic drugs (K2, bath salts, Spice, etc)	3.0	4.8	6.9		Other: Cocaine, LSD, Meth, Club Drug (any use)	97.9	92.5	95.0	93.5
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.31	12.25	12.64	12.37	Alcohol	71.4	71.5	71.8	75.1
Cigarettes	12.56	12.74	12.81	12.64	Cigarettes	90.9	90.4	90.6	90.3
Inhalants		11.81	12.19	12.54	Marijuana	94.4	93.1	94.0	98.2
Marijuana	13.88	13.26	13.74	13.83	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	59.2	51.4	52.5	54.3
Alcohol	61.7	56.2	58.9	63.7	Cigarettes	83.7	75.3	72.4	75.8
Cigarettes	43.9	48.6	54.2	51.1	Marijuana	84.7	82.1	85.6	89.9
Marijuana	32.1	30.1	32.7	24.5	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.5	97.9	97.0	97.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	16.8	10.3	11.9	14.4	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	67.9	63.4	63.9	62.9
Alcohol	30.2	41.4	39.2	40.7	Cigarettes	59.7	54.5	63.7	58.1
Cigarettes	15.3	20.7	23.5	19.9	Marijuana	34.7	34.2	41.4	25.2
Marijuana	9.7	13.1	10.3	6.2	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	16.3	16.7	20.9	14.8
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	65.8	70.3	65.8	71.7	Were grouchy, irritable, or in a bad mood	29.9	24.8	23.2	26.4
Were victims of mean rumors or lies spread at school	57.4	58.2	55.0	59.4	Had difficulty concentrating on school work	23.5	23.1	19.6	27.4
Were victims of an embarrassing or hurtful text message or something posted on the Internet	27.4	30.3	22.3	18.9	Were very sad	25.9	20.4	20.2	21.7
					Felt hopeless about the future	11.3	11.6	10.3	13.0
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	10.8	12.3	13.2	11.1	Parents involve student in making family decisions	73.5	67.8	71.1	70.7
Made plan about how they would attempt suicide	8.2	11.0	10.3	7.9	Parents notice and comment on student's good work	88.8	79.5	80.3	85.5
Attempted suicide	3.0	4.1	5.9	5.0	Teachers notice and comment on student's good work	76.1	68.7		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

LIVINGSTON COUNTY



DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	13
Adult Psychiatric	13
POPULATION	
Census 2010	15,195
2015 Estimate	15,028

BIRTH RISK	2014	2013	2012
Resident Births	153	165	179
Mother Reported Smoking while Pregnant	36	35	42

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	0	1	0
Hepatitis B Chronic, Acute, Prenatal	0	2	4
Hepatitis C Chronic and Acute	25	6	11
Tuberculosis Infection Cases	5	2	1

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	212	167	185
Suicides	3	4	1
Homicides	0	0	0
Alcohol Induced Deaths	2	0	1
Drug Induced Deaths	5	4	1
Smoking Attributable Deaths	34	31	34
Self-inflicted Injuries	22	14	33
Assault Injuries	42	45	60

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	144	111	142
Mental Illness Secondary Diagnosis	300	278	274
Alcohol Principal Diagnosis	5	4	4
Alcohol Secondary Diagnosis	16	19	17
Drug Principal Diagnosis	4	0	3
Drug Secondary Diagnosis	16	12	31
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	29	25	27
Mental Illness Secondary Diagnosis	264	251	276
Alcohol Principal Diagnosis	11	1	12
Alcohol Secondary Diagnosis	22	24	17
Drug Principal Diagnosis	5	3	4
Drug Secondary Diagnosis	22	8	15
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	179	188	203
Mental Illness Secondary Diagnosis	477	731	784
Alcohol Principal Diagnosis	12	11	26
Alcohol Secondary Diagnosis	37	30	33
Drug Principal Diagnosis	21	13	20
Drug Secondary Diagnosis	25	27	31

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	20	21	26
Alcohol Package Carry-out Licenses	15	15	17

EMPLOYMENT	2015	2014	2013
Labor Force	7,364	7,274	7,462
Employed	7,048	6,909	7,052
Unemployed	316	365	410
Unemployment Rate	4.3%	5.0%	5.5%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	5	18	18
Fatal Crashes	0	1	0
Injury Crashes	3	6	11
Property Damage Crashes	11	11	7
Crash Fatalities	0	2	0
Crash Injuries	6	9	15
Drug Involved Crashes	3	7	3
Fatal Crashes	0	0	0
Injury Crashes	2	3	2
Property Damage Crashes	1	4	1
Crash Fatalities	0	0	0
Crash Injuries	4	5	4

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	59	85	70
Liquor Law Arrests	24	28	37
Drug Arrests	150	127	90
Violent Offenses	25	29	20
Property Offenses	206	324	358
Domestic Violence Reports	49	50	57

	2015	2014	2013
Methamphetamine Lab Seizures	1	0	3

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	628	620	654
Drop-outs	7	7	17
Drop-out Rate	1.1%	1.1%	2.6%
School Discipline Involving Alcohol	3	0	11
School Discipline Involving Drugs	4	4	1
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	9	11	21
Juvenile Alcohol Offenses	0	0	0
Juvenile Drug Offenses	3	1	5
School Truancy Status Offense	15	9	21
Absent from Home Status Offense	1	1	3
Beyond Parental Control Status Offense	9	16	22
Injurious Behavior Status Offense	17	25	11
Child Abuse	1	0	8
Child Neglect	27	3	11
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	22	2	9
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	18	1	3
Parental Alcohol and Drug Use	1	0	0

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	124	88	69
Probation/Parole Admissions--DWI	8	11	10
Prison Admissions--Drug	76	72	49
Prison Admissions--DWI	7	10	9

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

LIVINGSTON COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	*	12	5
CSTAR Adolescent	5	5	9
CSTAR Women and Children	*	*	*
CSTAR General Adult	80	120	127
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	6
Clinical SATOP (CIP, YCIP, SROP)	9	11	*
Other Substance Abuse Treatment	0	0	*


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	47	41	36
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	19	17	15
- Weekend Intervention Program	12	5	6
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	0	*
Compulsive Gambling	0	0	0
Recovery Supports	*	*	*
Early Intervention	*	*	5

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	97	139	153	Alcohol	23	49	48
AGE				Marijuana / Hashish	29	31	47
Under 18	5	6	13	Cocaine (total)	*	*	*
18 to 24	23	27	26	- Crack	0	*	0
25 to 29	17	21	30	Stimulant (total)	34	36	36
30 to 34	17	24	34	- Methamphetamine	34	36	36
35 to 39	15	25	16	Heroin	0	*	*
40 to 44	6	13	15	Analgesic except Heroin	7	16	12
45 to 54	11	19	16	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	*	PCP, LSD, other Hallucinogen	0	0	*
GENDER				Tranquilizer	*	*	*
Male	54	76	100	Inhalant	0	*	*
Female	43	63	53	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	0	*
Caucasian	89	130	141	Average Age at First Use of Drug	18.8	18.9	16.7
African American	7	*	5	INJECTION DRUG USE			
Native American / Alaskan	0	*	0	Any Injection Use at Admission	12	24	21
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	0	*
Hispanic	0	*	*	- Weekly Injection Use	*	5	*
Other Race / Two or More Races	*	*	5	- Less than Weekly Injection Use	11	19	15
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	38	50	55	0	73	80	94
High School Graduate or G.E.D.	50	71	79	1 or 2	15	42	37
Associate Degree or Some College	8	18	19	3 or More	9	17	22
Bachelor or Advanced Degree	*	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	43	33	29
Employed	32	37	37	School	0	0	0
Unemployed	35	78	87	Mental Health Provider	*	*	*
Not in Labor Force	30	24	29	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	22	60	26
Independent Living	78	112	121	Other Referral Source	25	33	88
Dependent Living	12	15	24	TREATMENT ACCOMMODATION			
Homeless	*	*	5	Pregnant when Admitted to any Episode	0	0	0
MARITAL / FAMILY STATUS				Military Veteran	9	8	10
Never Married	55	69	89	Special Education Services Needed	6	11	10
Married / Cohabiting	30	27	40	Co-Occurring Psychological Problem	38	62	77
Previously Married	12	43	24	Co-Occurring Developmental Problem	*	*	5

LIVINGSTON COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 13
CENSUS 2010 15,195
2015 POPULATION ESTIMATE 15,028

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	13	11	7
Anxiety Disorder	273	197	194
Dementia	5	*	*
Developmental Disorder	5	5	5
Impulse Control Disorder	80	60	52
Mood Disorder	353	289	253
Personality Disorder	58	52	42
Psychotic Disorder	66	60	57
Sexual Disorder	*	*	*
Other Diagnosis	38	34	31
Diagnosis Unknown	18	18	20

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	501	403	373	Less than High School Diploma	180	134	118
AGE				High School Grad or G.E.D.	0	*	14
Under 6	*	*	*	Associate Degree or Some College	0	0	*
6 to 9	25	17	13	Bachelor or Advanced Degree	0	0	0
10 to 13	33	25	27	Education Level Unknown	321	267	239
14 to 17	41	37	37	EMPLOYMENT			
18 to 24	63	52	39	Employed	74	48	42
25 to 29	38	27	24	Unemployed	33	45	56
30 to 34	40	29	28	Not in Labor Force	348	260	238
35 to 39	41	38	27	Employment Status Unknown	46	50	37
40 to 44	39	34	31	HOUSING / LIVING ARRANGEMENT			
45 to 49	41	25	32	Independent Living	244	196	184
50 to 54	35	34	32	Dependent Living	191	154	140
55 to 59	49	39	41	Homeless	18	6	9
60 and Over	53	44	40	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	48	47	40
GENDER				TREATMENT REFERRAL SOURCE			
Male	218	167	159	Self / Family / Friend	277	211	181
Female	283	236	214	School	11	9	12
Gender Unknown	0	0	0	Mental Health Provider	21	32	35
RACE / ETHNICITY				Health Care Provider	95	62	61
Caucasian	471	378	357	Court / Criminal Justice	37	42	34
African American	12	9	5	Other	59	45	48
Native American / Alaskan	*	*	0	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	6	7	6	Voluntary	498	401	371
Other Race	11	8	5	Civil	*	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	*	0	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	14	6	9	Commitment Type Unknown	*	*	*
Past or Current Military Service	8	7	7				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	44.1	41.5	46.7	54.2	Alcohol	24.8	13.0	24.4	26.2
Chewing Tobacco	16.3	17.4	13.7	21.4	Alcohol (5+ drinks on single occasion past 2 weeks)	13.3	9.7		
Cigarettes	24.0	25.7	32.1	39.8	Chewing Tobacco	8.4	11.5	7.5	11.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.5	1.4	0.9	0.8	Cigarettes	11.3	10.7	17.5	22.7
Cocaine	1.5	1.4	1.4	0.4	Inhalants	1.5	2.0	3.3	1.5
Electronic Cigarettes	19.7	9.5			Marijuana	5.4	2.7	8.0	6.1
Hallucinogens	1.0	0.0	2.4	0.8	Over-the-counter medications for non-medical use	2.5	0.0	3.8	3.5
Heroin	0.5	1.4	1.0	0.0	Prescription medications not prescribed for student	7.9	2.7	5.2	6.6
Inhalants	4.0	5.4	5.7	5.0					
Marijuana	12.9	6.8	15.1	14.9	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	1.0	0.0	1.4	0.0	Alcohol (1 or 2 drinks daily)	63.1	49.7		
Over-the-counter medications for non-medical use	5.9	1.4	6.6	8.5	Alcohol (Binge: 5+ drinks once or twice a week)	71.8	61.5		
Prescription medications not prescribed for student	12.3	3.4	8.0	11.3	Cigarettes (1+ packs per day)	84.7	87.2		
Synthetic drugs (K2, bath salts, Spice, etc)	2.0	1.4	8.0		Marijuana (once or twice a week)	75.2	80.3		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	92.1	93.8	91.4	97.3
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.97	12.43	12.24	12.87	Alcohol	80.5	72.8	79.5	73.6
Cigarettes	13.00	13.41	12.60	12.74	Cigarettes	93.5	90.3	90.6	86.2
Inhalants		12.42	12.36	12.39	Marijuana	95.0	95.1	96.2	98.1
Marijuana	14.06	15.24	13.81	14.38					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	51.2	45.6	65.4	65.5	Alcohol	61.3	64.4	56.6	51.3
Cigarettes	34.2	27.5	58.0	66.0	Cigarettes	85.6	82.8	76.8	65.9
Marijuana	29.2	10.2	42.6	31.0	Marijuana	84.0	93.8	85.8	83.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.5	4.1	18.4	13.5	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.0	95.8	96.2	98.1
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	37.1	34.7	36.3	44.4	Alcohol	50.7	51.0	67.0	64.0
Cigarettes	11.9	12.8	18.0	25.2	Cigarettes	43.1	39.9	59.7	61.3
Marijuana	11.9	3.4	12.3	8.9	Marijuana	26.0	16.4	33.5	30.7
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.6	9.5	16.2	16.1
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	61.9	61.2	67.6	73.3	Were grouchy, irritable, or in a bad mood	29.4	17.4	25.4	30.2
Were victims of mean rumors or lies spread at school	53.2	52.4	57.8	64.9	Had difficulty concentrating on school work	25.1	18.8	23.8	18.3
Were victims of an embarrassing or hurtful text message or something posted on the Internet	21.8	17.7	27.1	25.6	Were very sad	21.6	16.1	20.8	31.0
					Felt hopeless about the future	11.5	8.1	11.8	17.2
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	13.3	9.5	11.8	12.2	Parents involve student in making family decisions	71.6	70.3	67.8	64.6
Made plan about how they would attempt suicide	10.9	6.8	8.1	6.9	Parents notice and comment on student's good work	85.1	79.3	83.5	83.9
Attempted suicide	6.4	4.7	5.2	6.5	Teachers notice and comment on student's good work	74.9	80.5		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

MC DONALD COUNTY



DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	9
Adult Psychiatric	9
POPULATION	
Census 2010	23,083
2015 Estimate	22,643

BIRTH RISK	2014	2013	2012
Resident Births	284	315	320
Mother Reported Smoking while Pregnant	53	62	65

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	9	8	3
Hepatitis C Chronic and Acute	20	28	16
Tuberculosis Infection Cases	20	17	19

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	238	227	205
Suicides	5	6	4
Homicides	2	1	2
Alcohol Induced Deaths	2	3	2
Drug Induced Deaths	2	2	0
Smoking Attributable Deaths	57	48	37
Self-inflicted Injuries	14	25	10
Assault Injuries	37	35	31

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	130	136	150
Mental Illness Secondary Diagnosis	328	360	448
Alcohol Principal Diagnosis	10	19	14
Alcohol Secondary Diagnosis	37	47	41
Drug Principal Diagnosis	12	9	9
Drug Secondary Diagnosis	31	14	34
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	100	78	75
Mental Illness Secondary Diagnosis	237	190	112
Alcohol Principal Diagnosis	19	14	14
Alcohol Secondary Diagnosis	27	19	13
Drug Principal Diagnosis	14	9	8
Drug Secondary Diagnosis	12	13	8
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	75	96	114
Mental Illness Secondary Diagnosis	794	765	629
Alcohol Principal Diagnosis	22	28	25
Alcohol Secondary Diagnosis	81	32	37
Drug Principal Diagnosis	26	12	19
Drug Secondary Diagnosis	40	27	35

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	15	17	24
Alcohol Package Carry-out Licenses	41	39	32

EMPLOYMENT	2015	2014	2013
Labor Force	10,808	10,364	10,756
Employed	10,314	9,770	10,077
Unemployed	494	594	679
Unemployment Rate	4.6%	5.7%	6.3%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	48	53	45
Fatal Crashes	3	4	0
Injury Crashes	27	24	23
Property Damage Crashes	25	25	22
Crash Fatalities	3	4	0
Crash Injuries	40	37	30
Drug Involved Crashes	4	4	4
Fatal Crashes	0	1	0
Injury Crashes	2	1	2
Property Damage Crashes	2	2	2
Crash Fatalities	0	1	0
Crash Injuries	3	1	2

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	221	213	199
Liquor Law Arrests	12	29	26
Drug Arrests	158	112	100
Violent Offenses	141	174	152
Property Offenses	437	616	410
Domestic Violence Reports	475	442	217
	2015	2014	2013
Methamphetamine Lab Seizures	5	15	34

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	1,146	1,099	1,080
Drop-outs	17	16	30
Drop-out Rate	1.5%	1.5%	2.8%
School Discipline Involving Alcohol	3	3	10
School Discipline Involving Drugs	8	13	17
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	27	5	44
Juvenile Alcohol Offenses	7	2	8
Juvenile Drug Offenses	10	1	11
School Truancy Status Offense	0	3	2
Absent from Home Status Offense	6	5	11
Beyond Parental Control Status Offense	4	8	14
Injurious Behavior Status Offense	19	7	14
Child Abuse	13	12	12
Child Neglect	75	62	39
Child Custody Issues	1	2	2

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	72	53	31
Parental Alcohol Use Related	2	0	2
Parental Drug Use Related	20	22	6
Parental Alcohol and Drug Use	1	0	3

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	46	55	36
Probation/Parole Admissions--Drug	30	40	29
Probation/Parole Admissions--DWI	21	33	39
Prison Admissions--Drug	17	11	13
Prison Admissions--DWI	15	21	18

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

MC DONALD COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	15	11	18
CSTAR Adolescent	8	7	13
CSTAR Women and Children	12	24	18
CSTAR General Adult	88	64	30
CSTAR Opioid	0	0	0
Primary Recovery Treatment	5	*	*
Clinical SATOP (CIP, YCIP, SROP)	22	21	22
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	76	68	82
- Adolescent Diversion Education Program	0	*	0
- Offender Education Program	27	17	26
- Weekend Intervention Program	19	12	24
<i>(See also Clinical SATOP at left)</i>			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	13
Compulsive Gambling	0	0	0
Recovery Supports	*	25	57
Early Intervention	9	6	6

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	134	140	146	Alcohol	49	56	73
AGE				Marijuana / Hashish	32	38	27
Under 18	8	7	15	Cocaine (total)	*	0	*
18 to 24	17	24	16	- Crack	*	0	*
25 to 29	20	25	25	Stimulant (total)	42	40	21
30 to 34	24	17	19	- Methamphetamine	42	39	19
35 to 39	23	20	21	Heroin	0	0	0
40 to 44	13	9	15	Analgesic except Heroin	9	5	15
45 to 54	24	28	29	- Non-Prescription Methadone	0	0	0
55 and Over	5	10	6	PCP, LSD, other Hallucinogen	0	0	*
GENDER				Tranquilizer	0	*	*
Male	91	103	108	Inhalant	*	0	*
Female	43	37	38	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	*
Caucasian	119	125	125	Average Age at First Use of Drug	16.8	17.0	18.4
African American	0	0	*	INJECTION DRUG USE			
Native American / Alaskan	*	*	*	Any Injection Use at Admission	24	25	14
Asian / Pacific Islander	*	*	*	- Daily Injection Use	*	*	0
Hispanic	6	8	13	- Weekly Injection Use	*	5	*
Other Race / Two or More Races	6	5	*	- Less than Weekly Injection Use	18	17	13
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	61	58	65	0	72	74	63
High School Graduate or G.E.D.	42	58	58	1 or 2	41	34	46
Associate Degree or Some College	31	24	23	3 or More	21	32	37
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	27	37	37
Employed	55	54	55	School	0	0	0
Unemployed	53	55	50	Mental Health Provider	0	0	0
Not in Labor Force	26	31	41	Health Care Provider	8	*	15
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	87	81	74
Independent Living	118	126	125	Other Referral Source	11	18	19
Dependent Living	9	10	18	TREATMENT ACCOMMODATION			
Homeless	*	0	*	Pregnant when Admitted to any Episode	0	*	0
MARITAL / FAMILY STATUS				Military Veteran	7	8	12
Never Married	51	58	59	Special Education Services Needed	24	14	21
Married / Cohabiting	46	48	47	Co-Occurring Psychological Problem	75	62	77
Previously Married	37	34	40	Co-Occurring Developmental Problem	*	*	6

MC DONALD COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southwest
PSYCHIATRIC SERVICE AREA 9
CENSUS 2010 23,083
2015 POPULATION ESTIMATE 22,643

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	51	26	17
Anxiety Disorder	96	81	94
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	77	73	63
Mood Disorder	145	110	139
Personality Disorder	22	24	22
Psychotic Disorder	20	16	20
Sexual Disorder	*	*	*
Other Diagnosis	41	29	19
Diagnosis Unknown	17	33	25

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	314	254	281	Less than High School Diploma	137	91	71
AGE				High School Grad or G.E.D.	0	0	*
Under 6	*	10	6	Associate Degree or Some College	0	0	*
6 to 9	33	32	24	Bachelor or Advanced Degree	0	0	0
10 to 13	60	39	35	Education Level Unknown	177	163	208
14 to 17	52	46	38	EMPLOYMENT			
18 to 24	25	17	21	Employed	10	*	5
25 to 29	18	18	25	Unemployed	8	9	11
30 to 34	19	14	21	Not in Labor Force	189	126	111
35 to 39	17	11	15	Employment Status Unknown	107	115	154
40 to 44	20	15	19	HOUSING / LIVING ARRANGEMENT			
45 to 49	18	15	24	Independent Living	75	41	58
50 to 54	27	24	26	Dependent Living	121	99	58
55 to 59	12	7	16	Homeless	*	0	*
60 and Over	9	6	11	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	115	114	164
GENDER				TREATMENT REFERRAL SOURCE			
Male	171	137	136	Self / Family / Friend	244	216	227
Female	143	117	145	School	*	0	0
Gender Unknown	0	0	0	Mental Health Provider	*	*	5
RACE / ETHNICITY				Health Care Provider	15	8	10
Caucasian	290	230	269	Court / Criminal Justice	44	13	18
African American	0	*	0	Other	8	16	20
Native American / Alaskan	*	0	0	Referral Source Unknown	0	0	*
Asian / Pacific Islander	*	0	0	TYPE OF COMMITMENT			
Hispanic	18	20	9	Voluntary	272	243	266
Other Race	*	*	*	Civil	42	11	14
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	0	0	*
Past or Current Military Service	*	*	*				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol					Alcohol				
Chewing Tobacco					Alcohol (5+ drinks on single occasion past 2 weeks)				
Cigarettes					Chewing Tobacco				
Club drugs (Ecstasy, GHB, roofie, Special K, etc)					Cigarettes				
Cocaine					Inhalants				
Electronic Cigarettes					Marijuana				
Hallucinogens					Over-the-counter medications for non-medical use				
Heroin					Prescription medications not prescribed for student				
Inhalants									
Marijuana					<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine					Alcohol (1 or 2 drinks daily)				
Over-the-counter medications for non-medical use					Alcohol (Binge: 5+ drinks once or twice a week)				
Prescription medications not prescribed for student					Cigarettes (1+ packs per day)				
Synthetic drugs (K2, bath salts, Spice, etc)					Marijuana (once or twice a week)				
					Other: Cocaine, LSD, Meth, Club Drug (any use)				
<i>Among students who have ever used, average age of first use of:</i>									
Alcohol					<i>Percent whose parents would disapprove if they use:</i>				
Cigarettes					Alcohol				
Inhalants					Cigarettes				
Marijuana					Marijuana				
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol					Alcohol				
Cigarettes					Cigarettes				
Marijuana					Marijuana				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)				
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol					Alcohol				
Cigarettes					Cigarettes				
Marijuana					Marijuana				
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)				
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others					Were grouchy, irritable, or in a bad mood				
Were victims of mean rumors or lies spread at school					Had difficulty concentrating on school work				
Were victims of an embarrassing or hurtful text message or something posted on the Internet					Were very sad				
					Felt hopeless about the future				
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide					Parents involve student in making family decisions				
Made plan about how they would attempt suicide					Parents notice and comment on student's good work				
Attempted suicide					Teachers notice and comment on student's good work				

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

MACON COUNTY



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	14
Adult Psychiatric	14
POPULATION	
Census 2010	15,566
2015 Estimate	15,335

BIRTH RISK	2014	2013	2012
Resident Births	163	198	162
Mother Reported Smoking while Pregnant	35	51	41

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	0	0	2
Hepatitis B Chronic, Acute, Prenatal	0	0	0
Hepatitis C Chronic and Acute	4	5	3
Tuberculosis Infection Cases	2	1	1

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	208	188	208
Suicides	2	9	8
Homicides	0	0	0
Alcohol Induced Deaths	1	2	0
Drug Induced Deaths	0	1	4
Smoking Attributable Deaths	41	30	26
Self-inflicted Injuries	14	26	23
Assault Injuries	16	17	31

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	75	71	83
Mental Illness Secondary Diagnosis	363	330	409
Alcohol Principal Diagnosis	5	6	8
Alcohol Secondary Diagnosis	26	25	16
Drug Principal Diagnosis	4	3	3
Drug Secondary Diagnosis	17	9	9
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	46	45	52
Mental Illness Secondary Diagnosis	183	184	129
Alcohol Principal Diagnosis	4	10	7
Alcohol Secondary Diagnosis	10	11	10
Drug Principal Diagnosis	7	5	8
Drug Secondary Diagnosis	9	6	7
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	91	90	83
Mental Illness Secondary Diagnosis	177	110	76
Alcohol Principal Diagnosis	17	22	24
Alcohol Secondary Diagnosis	7	6	6
Drug Principal Diagnosis	18	12	10
Drug Secondary Diagnosis	10	6	5

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	23	25	26
Alcohol Package Carry-out Licenses	21	21	20

EMPLOYMENT	2015	2014	2013
Labor Force	7,624	7,446	8,221
Employed	7,216	6,988	7,759
Unemployed	408	458	462
Unemployment Rate	5.4%	6.2%	5.6%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	12	9	13
Fatal Crashes	0	0	0
Injury Crashes	7	6	8
Property Damage Crashes	3	3	5
Crash Fatalities	0	0	0
Crash Injuries	8	7	11
Drug Involved Crashes	2	3	1
Fatal Crashes	0	0	0
Injury Crashes	2	1	0
Property Damage Crashes	0	2	1
Crash Fatalities	0	0	0
Crash Injuries	3	2	0

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	61	60	73
Liquor Law Arrests	16	22	25
Drug Arrests	104	102	92
Violent Offenses	42	32	41
Property Offenses	249	282	365
Domestic Violence Reports	112	80	96

	2015	2014	2013
Methamphetamine Lab Seizures	2	1	5

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	716	718	720
Drop-outs	10	13	15
Drop-out Rate	1.4%	1.8%	2.1%
School Discipline Involving Alcohol	0	1	0
School Discipline Involving Drugs	7	2	3
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	13	36	31
Juvenile Alcohol Offenses	5	3	8
Juvenile Drug Offenses	3	14	4
School Truancy Status Offense	16	19	11
Absent from Home Status Offense	0	6	7
Beyond Parental Control Status Offense	28	53	57
Injurious Behavior Status Offense	23	40	38
Child Abuse	27	33	34
Child Neglect	83	79	67
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	21	32	12
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	13	20	6
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	19	21	17
Probation/Parole Admissions--Drug	40	38	49
Probation/Parole Admissions--DWI	14	5	9
Prison Admissions--Drug	17	17	16
Prison Admissions--DWI	0	4	4

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.

³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

MACON COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	11	15	6
CSTAR Adolescent	14	13	17
CSTAR Women and Children	10	10	*
CSTAR General Adult	108	112	45
CSTAR Opioid	0	0	0
Primary Recovery Treatment	15	14	53
Clinical SATOP (CIP, YCIP, SROP)	5	14	16
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	40	49	59
- Adolescent Diversion Education Program	*	5	6
- Offender Education Program	13	15	13
- Weekend Intervention Program	7	7	16
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	0	*
Compulsive Gambling	0	0	0
Recovery Supports	*	0	*
Early Intervention	5	5	9

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	142	147	128	Alcohol	43	51	48
AGE				Marijuana / Hashish	45	44	48
Under 18	15	12	16	Cocaine (total)	*	*	*
18 to 24	28	43	25	- Crack	0	0	*
25 to 29	22	32	20	Stimulant (total)	37	34	25
30 to 34	22	23	22	- Methamphetamine	37	33	22
35 to 39	23	11	10	Heroin	*	*	*
40 to 44	12	8	8	Analgesic except Heroin	5	6	*
45 to 54	15	11	19	- Non-Prescription Methadone	0	0	0
55 and Over	5	7	8	PCP, LSD, other Hallucinogen	*	*	*
GENDER				Tranquilizer	*	*	*
Male	99	94	83	Inhalant	0	*	0
Female	43	53	45	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	5	*	0
Caucasian	123	121	110	Average Age at First Use of Drug	17.5	17.4	17.1
African American	12	17	13	INJECTION DRUG USE			
Native American / Alaskan	0	*	*	Any Injection Use at Admission	15	13	10
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	0	*
Hispanic	*	*	*	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	*	6	*	- Less than Weekly Injection Use	9	11	5
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	48	48	51	0	90	86	77
High School Graduate or G.E.D.	64	74	62	1 or 2	37	48	30
Associate Degree or Some College	29	24	14	3 or More	15	13	21
Bachelor or Advanced Degree	*	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	44	25	20
Employed	42	54	43	School	0	*	*
Unemployed	46	41	35	Mental Health Provider	0	0	0
Not in Labor Force	54	52	50	Health Care Provider	11	11	7
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	34	50	57
Independent Living	112	121	102	Other Referral Source	28	25	30
Dependent Living	22	18	19	TREATMENT ACCOMMODATION			
Homeless	*	*	5	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	10	7	5
Never Married	81	90	70	Special Education Services Needed	12	11	11
Married / Cohabiting	34	26	30	Co-Occurring Psychological Problem	66	47	42
Previously Married	27	31	28	Co-Occurring Developmental Problem	6	*	0

MACON COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 14
CENSUS 2010 15,566
2015 POPULATION ESTIMATE 15,335

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	7	*	*
Anxiety Disorder	40	33	26
Dementia	*	*	0
Developmental Disorder	6	*	*
Impulse Control Disorder	29	23	20
Mood Disorder	79	81	78
Personality Disorder	19	21	12
Psychotic Disorder	7	8	9
Sexual Disorder	*	*	*
Other Diagnosis	14	14	11
Diagnosis Unknown	*	9	*

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	109	112	108	Less than High School Diploma	47	46	47
AGE				High School Grad or G.E.D.	0	0	*
Under 6	0	0	*	Associate Degree or Some College	0	0	0
6 to 9	6	*	*	Bachelor or Advanced Degree	0	0	0
10 to 13	8	7	8	Education Level Unknown	62	66	57
14 to 17	18	20	17	EMPLOYMENT			
18 to 24	15	12	8	Employed	7	6	7
25 to 29	7	6	7	Unemployed	*	*	10
30 to 34	*	13	13	Not in Labor Force	87	84	78
35 to 39	8	12	11	Employment Status Unknown	11	20	13
40 to 44	*	8	12	HOUSING / LIVING ARRANGEMENT			
45 to 49	15	12	11	Independent Living	59	58	65
50 to 54	9	12	12	Dependent Living	37	32	29
55 to 59	12	5	*	Homeless	0	0	0
60 and Over	*	*	*	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	13	22	14
GENDER				TREATMENT REFERRAL SOURCE			
Male	50	54	53	Self / Family / Friend	24	27	36
Female	59	58	55	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	*	*	*
RACE / ETHNICITY				Health Care Provider	13	17	16
Caucasian	90	92	91	Court / Criminal Justice	*	*	*
African American	15	17	14	Other	66	58	47
Native American / Alaskan	*	0	0	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	*	*	Voluntary	106	107	104
Other Race	*	*	*	Civil	0	*	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	*	*	0	Commitment Type Unknown	*	*	*
Past or Current Military Service	*	0	0				

MACON COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol		36.0	50.8	58.3	Alcohol	13.3	25.0	24.8	
Chewing Tobacco		19.9	17.4	28.6	Alcohol (5+ drinks on single occasion past 2 weeks)	6.4			
Cigarettes		13.2	35.2	36.0	Chewing Tobacco	11.0	9.7	16.7	
Club drugs (Ecstasy, GHB, roofie, Special K, etc)		0.0	1.2	1.0	Cigarettes	1.7	18.8	24.2	
Cocaine		0.0	1.6	2.8	Inhalants	0.0	1.6	5.0	
Electronic Cigarettes		8.4			Marijuana	6.3	6.5	6.2	
Hallucinogens		0.0	1.6	1.0	Over-the-counter medications for non-medical use	3.9	4.5	3.4	
Heroin		0.0	0.4	1.8	Prescription medications not prescribed for student	1.7	5.3	3.2	
Inhalants		2.8	4.9	8.4					
Marijuana	11.4	15.0	12.1		<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.0	1.2	1.9		Alcohol (1 or 2 drinks daily)	49.7			
Over-the-counter medications for non-medical use	5.0	5.7	5.5		Alcohol (Binge: 5+ drinks once or twice a week)	57.1			
Prescription medications not prescribed for student	5.0	10.5	7.9		Cigarettes (1+ packs per day)	85.4			
Synthetic drugs (K2, bath salts, Spice, etc)	6.9	10.9			Marijuana (once or twice a week)	63.8			
					Other: Cocaine, LSD, Meth, Club Drug (any use)	85.3	93.0	95.7	
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.86	12.28	12.21		Alcohol	87.0	69.0	74.7	
Cigarettes	11.07	12.36	12.29		Cigarettes	93.1	86.1	84.7	
Inhalants	11.00	11.18	12.21		Marijuana	98.2	93.4	93.7	
Marijuana	14.33	13.59	14.68						
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	35.8	66.0	60.7		Alcohol	67.0	47.3	40.4	
Cigarettes	28.3	57.6	49.9		Cigarettes	82.4	69.5	71.3	
Marijuana	7.8	34.0	18.4		Marijuana	73.9	84.0	77.4	
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.0	15.4	9.9		Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	93.6	96.7	94.8	
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	22.2	38.2	41.9		Alcohol	52.5	63.0	63.2	
Cigarettes	8.4	22.8	22.6		Cigarettes	53.9	63.0	69.7	
Marijuana	16.2	11.3	14.8		Marijuana	35.5	27.8	18.3	
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.8	16.8	7.2	
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	61.5	64.6	66.8		Were grouchy, irritable, or in a bad mood	30.7	24.8	27.0	
Were victims of mean rumors or lies spread at school	62.8	53.3	50.7		Had difficulty concentrating on school work	44.7	25.4	13.9	
Were victims of an embarrassing or hurtful text message or something posted on the Internet	19.0	25.6	17.2		Were very sad	27.9	19.9	17.5	
					Felt hopeless about the future	20.7	12.2	7.3	
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	6.7	14.8	7.4		Parents involve student in making family decisions	47.8	64.0	64.6	
Made plan about how they would attempt suicide	4.0	11.4	4.2		Parents notice and comment on student's good work	65.6	80.5	82.6	
Attempted suicide	2.8	6.1	2.1		Teachers notice and comment on student's good work	45.0			

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

MADISON COUNTY



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	21
Adult Psychiatric	21
POPULATION	
Census 2010	12,226
2015 Estimate	12,408

BIRTH RISK	2014	2013	2012
Resident Births	135	136	151
Mother Reported Smoking while Pregnant	52	43	45

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	1	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	0
Hepatitis C Chronic and Acute	12	15	11
Tuberculosis Infection Cases	2	0	2

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	157	188	154
Suicides	4	4	1
Homicides	0	0	0
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	1	4	3
Smoking Attributable Deaths	26	41	33
Self-inflicted Injuries	16	24	20
Assault Injuries	47	59	61

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	207	178	147
Mental Illness Secondary Diagnosis	313	347	356
Alcohol Principal Diagnosis	8	4	4
Alcohol Secondary Diagnosis	15	19	14
Drug Principal Diagnosis	14	9	10
Drug Secondary Diagnosis	19	21	20
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	45	16	51
Mental Illness Secondary Diagnosis	124	153	204
Alcohol Principal Diagnosis	1	3	3
Alcohol Secondary Diagnosis	7	12	13
Drug Principal Diagnosis	2	0	4
Drug Secondary Diagnosis	14	5	10
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	206	176	167
Mental Illness Secondary Diagnosis	362	432	462
Alcohol Principal Diagnosis	14	34	17
Alcohol Secondary Diagnosis	23	18	31
Drug Principal Diagnosis	30	40	38
Drug Secondary Diagnosis	54	87	62

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	11	10	11
Alcohol Package Carry-out Licenses	12	12	12

EMPLOYMENT	2015	2014	2013
Labor Force	5,585	5,469	6,558
Employed	5,260	5,099	6,158
Unemployed	325	370	400
Unemployment Rate	5.8%	6.8%	6.1%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	8	7	12
Fatal Crashes	1	0	0
Injury Crashes	4	5	5
Property Damage Crashes	2	2	7
Crash Fatalities	1	0	0
Crash Injuries	5	7	7
Drug Involved Crashes	4	5	1
Fatal Crashes	1	0	1
Injury Crashes	2	2	0
Property Damage Crashes	1	3	0
Crash Fatalities	1	0	1
Crash Injuries	3	4	7

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	39	34	59
Liquor Law Arrests	8	3	25
Drug Arrests	35	31	23
Violent Offenses	53	39	13
Property Offenses	249	305	224
Domestic Violence Reports	149	234	126

	2015	2014	2013
Methamphetamine Lab Seizures	1	0	0

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	614	624	620
Drop-outs	1	1	5
Drop-out Rate	0.2%	0.2%	0.8%
School Discipline Involving Alcohol	1	7	5
School Discipline Involving Drugs	0	0	0
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	33	23	18
Juvenile Alcohol Offenses	1	0	0
Juvenile Drug Offenses	1	3	4
School Truancy Status Offense	15	5	14
Absent from Home Status Offense	1	1	2
Beyond Parental Control Status Offense	5	22	16
Injurious Behavior Status Offense	13	15	15
Child Abuse	0	1	1
Child Neglect	8	21	11
Child Custody Issues	1	5	1

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	8	25	12
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	5	8	1
Parental Alcohol and Drug Use	0	7	1

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	13	15	12
Probation/Parole Admissions--Drug	26	22	33
Probation/Parole Admissions--DWI	5	7	9
Prison Admissions--Drug	16	11	15
Prison Admissions--DWI	3	2	5

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

MADISON COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	9	13	14
CSTAR Adolescent	6	7	5
CSTAR Women and Children	10	*	*
CSTAR General Adult	34	35	28
CSTAR Opioid	0	0	*
Primary Recovery Treatment	15	*	16
Clinical SATOP (CIP, YCIP, SROP)	6	*	14
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	19	28	50
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	11	10	18
- Weekend Intervention Program	*	8	11
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	0	*
Compulsive Gambling	0	0	0
Recovery Supports	*	7	5
Early Intervention	11	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	62	48	62	Alcohol	16	10	18
AGE				Marijuana / Hashish	14	10	10
Under 18	5	*	5	Cocaine (total)	0	0	0
18 to 24	9	9	15	- Crack	0	0	0
25 to 29	14	12	13	Stimulant (total)	22	10	10
30 to 34	8	10	17	- Methamphetamine	20	10	10
35 to 39	6	7	*	Heroin	*	*	12
40 to 44	5	*	*	Analgesic except Heroin	5	13	8
45 to 54	11	*	6	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	0	*
Male	41	28	39	Inhalant	0	0	0
Female	21	20	23	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	0
Caucasian	62	46	60	Average Age at First Use of Drug	17.0	18.8	17.8
African American	0	0	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	16	9	16
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	5	*
Hispanic	0	0	0	- Weekly Injection Use	*	*	7
Other Race / Two or More Races	0	*	0	- Less than Weekly Injection Use	10	*	5
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	22	15	23	0	36	27	34
High School Graduate or G.E.D.	36	25	28	1 or 2	13	14	21
Associate Degree or Some College	*	8	11	3 or More	13	7	7
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	24	19	30
Employed	20	7	20	School	0	0	0
Unemployed	21	29	31	Mental Health Provider	0	0	0
Not in Labor Force	21	12	11	Health Care Provider	5	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	27	19	21
Independent Living	51	40	50	Other Referral Source	6	6	7
Dependent Living	11	6	8	TREATMENT ACCOMMODATION			
Homeless	0	*	*	Pregnant when Admitted to any Episode	0	0	*
MARITAL / FAMILY STATUS				Military Veteran	*	5	*
Never Married	31	22	36	Special Education Services Needed	*	*	*
Married / Cohabiting	17	17	20	Co-Occurring Psychological Problem	35	22	25
Previously Married	14	9	6	Co-Occurring Developmental Problem	*	*	15

MADISON COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 21
CENSUS 2010 12,226
2015 POPULATION ESTIMATE 12,408

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	21	24	22
Anxiety Disorder	78	81	72
Dementia	*	0	0
Developmental Disorder	*	5	6
Impulse Control Disorder	159	208	152
Mood Disorder	389	454	372
Personality Disorder	8	6	9
Psychotic Disorder	57	50	44
Sexual Disorder	0	0	*
Other Diagnosis	26	41	30
Diagnosis Unknown	45	28	29

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	666	772	633	Less than High School Diploma	70	99	115
AGE				High School Grad or G.E.D.	0	0	0
Under 6	*	*	*	Associate Degree or Some College	0	0	0
6 to 9	60	72	52	Bachelor or Advanced Degree	0	0	0
10 to 13	87	102	85	Education Level Unknown	596	673	518
14 to 17	106	118	80	EMPLOYMENT			
18 to 24	43	79	55	Employed	6	11	6
25 to 29	46	59	44	Unemployed	6	5	5
30 to 34	42	46	64	Not in Labor Force	175	187	192
35 to 39	56	55	44	Employment Status Unknown	479	569	430
40 to 44	39	55	40	HOUSING / LIVING ARRANGEMENT			
45 to 49	41	47	54	Independent Living	79	100	93
50 to 54	52	59	52	Dependent Living	108	113	107
55 to 59	53	36	29	Homeless	*	0	*
60 and Over	39	40	31	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	478	559	429
GENDER				TREATMENT REFERRAL SOURCE			
Male	326	375	292	Self / Family / Friend	425	459	394
Female	340	397	341	School	15	9	*
Gender Unknown	0	0	0	Mental Health Provider	28	41	23
RACE / ETHNICITY				Health Care Provider	62	82	85
Caucasian	624	715	587	Court / Criminal Justice	32	12	12
African American	6	7	8	Other	104	169	115
Native American / Alaskan	*	*	*	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	16	26	24	Voluntary	666	771	632
Other Race	19	23	13	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	*	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	*
Hearing Impaired	39	39	39	Commitment Type Unknown	0	0	0
Past or Current Military Service	19	15	13				

MADISON COUNTY

MISSOURI STUDENT SURVEY

	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	57.5	34.0	37.1	48.1	Alcohol	32.2	16.1	15.5	28.7
Chewing Tobacco	45.0	19.6	20.6	21.8	Alcohol (5+ drinks on single occasion past 2 weeks)	13.3	9.9		
Cigarettes	57.1	32.2	29.2	37.8	Chewing Tobacco	21.1	10.4	13.4	14.5
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	6.1	2.8	0.5	1.9	Cigarettes	27.8	11.3	17.4	23.4
Cocaine	0.0	0.7	1.0	1.2	Inhalants	0.0	2.1	1.5	2.3
Electronic Cigarettes	30.0	26.1			Marijuana	5.6	4.2	5.2	9.5
Hallucinogens	11.1	2.1	2.1	2.7	Over-the-counter medications for non-medical use	6.1	1.4	2.6	6.9
Heroin	0.0	0.7	1.0	1.1	Prescription medications not prescribed for student	13.9	2.1	4.6	5.8
Inhalants	12.2	4.2	4.1	6.4	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	33.9	11.1	11.3	14.1	Alcohol (1 or 2 drinks daily)	41.8	52.8		
Methamphetamine	0.6	2.8	2.1	0.4	Alcohol (Binge: 5+ drinks once or twice a week)	66.3	54.6		
Over-the-counter medications for non-medical use	14.1	2.1	4.6	8.1	Cigarettes (1+ packs per day)	78.7	86.7		
Prescription medications not prescribed for student	15.6	4.3	6.7	9.3	Marijuana (once or twice a week)	54.8	66.4		
Synthetic drugs (K2, bath salts, Spice, etc)	12.2	3.5	3.6		Other: Cocaine, LSD, Meth, Club Drug (any use)	91.4	94.4	92.8	93.2
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	11.68	13.06	12.76	12.26	Alcohol	78.5	75.0	79.8	72.1
Cigarettes	12.58	12.96	12.37	12.03	Cigarettes	87.0	92.3	87.6	85.5
Inhalants	11.94	13.13	11.85	12.39	Marijuana	82.2	93.0	95.3	95.8
Marijuana	12.26	13.78	13.49	13.14	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	40.1	53.8	56.5	48.7
Alcohol	56.1	52.8	56.4	74.8	Cigarettes	65.7	76.4	75.8	65.4
Cigarettes	57.2	47.2	55.2	67.2	Marijuana	61.2	82.5	85.9	82.9
Marijuana	47.2	30.7	30.3	38.9	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	94.4	95.7	94.8	94.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	8.9	8.6	12.3	21.8	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	70.6	54.6	52.8	66.4
Alcohol	53.1	34.7	32.5	43.6	Cigarettes	69.4	56.9	58.2	66.9
Cigarettes	33.3	18.2	20.6	24.5	Marijuana	53.9	33.6	32.0	35.0
Marijuana	30.3	9.0	10.3	12.2	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	35.6	18.6	19.4	22.5
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	52.2	45.5	53.9	66.7	Were grouchy, irritable, or in a bad mood	50.3	26.6	24.0	27.5
Were victims of mean rumors or lies spread at school	46.7	41.7	41.5	59.4	Had difficulty concentrating on school work	26.1	22.4	19.9	22.7
Were victims of an embarrassing or hurtful text message or something posted on the Internet	22.1	21.5	16.7	22.0	Were very sad	31.1	17.4	17.9	18.6
					Felt hopeless about the future	19.1	10.6	10.8	16.0
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	11.4	10.5	10.4	12.9	Parents involve student in making family decisions	66.3	63.4	64.1	64.6
Made plan about how they would attempt suicide	12.6	12.0	9.3	12.8	Parents notice and comment on student's good work	66.9	79.0	82.5	80.5
Attempted suicide	8.0	4.9	4.1	6.0	Teachers notice and comment on student's good work	74.4	81.3		


Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:

<https://seow.dmh.mo.gov/DetailSearch.aspx>

MARIES COUNTY



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	17
Adult Psychiatric	17A
POPULATION	
Census 2010	9,176
2015 Estimate	8,963

BIRTH RISK	2014	2013	2012
Resident Births	75	62	95
Mother Reported Smoking while Pregnant	20	14	18

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	0
Hepatitis C Chronic and Acute	8	7	8
Tuberculosis Infection Cases	1	1	0

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	100	107	85
Suicides	3	3	3
Homicides	1	0	0
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	2	0	2
Smoking Attributable Deaths	14	19	15
Self-inflicted Injuries	6	1	12
Assault Injuries	15	20	8

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	42	50	35
Mental Illness Secondary Diagnosis	80	84	97
Alcohol Principal Diagnosis	2	1	2
Alcohol Secondary Diagnosis	6	4	2
Drug Principal Diagnosis	3	3	7
Drug Secondary Diagnosis	5	2	3
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	37	33	49
Mental Illness Secondary Diagnosis	123	132	129
Alcohol Principal Diagnosis	6	2	0
Alcohol Secondary Diagnosis	11	4	12
Drug Principal Diagnosis	6	0	7
Drug Secondary Diagnosis	6	7	3
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	63	75	59
Mental Illness Secondary Diagnosis	412	396	370
Alcohol Principal Diagnosis	10	4	8
Alcohol Secondary Diagnosis	8	11	9
Drug Principal Diagnosis	9	5	11
Drug Secondary Diagnosis	9	8	10

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	6	4	5
Alcohol Package Carry-out Licenses	12	13	12

EMPLOYMENT	2015	2014	2013
Labor Force	4,008	3,982	4,889
Employed	3,798	3,738	4,629
Unemployed	210	244	260
Unemployment Rate	5.2%	6.1%	5.3%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	7	11	11
Fatal Crashes	2	1	0
Injury Crashes	4	5	8
Property Damage Crashes	5	5	3
Crash Fatalities	2	1	0
Crash Injuries	7	7	9
Drug Involved Crashes	0	1	3
Fatal Crashes	0	1	1
Injury Crashes	0	0	2
Property Damage Crashes	0	0	0
Crash Fatalities	0	1	2
Crash Injuries	0	0	2

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	20	48	46
Liquor Law Arrests	7	8	24
Drug Arrests	96	144	141
Violent Offenses	13	21	21
Property Offenses	98	119	131
Domestic Violence Reports	72	62	57
	2015	2014	2013
Methamphetamine Lab Seizures	5	4	13

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	410	424	412
Drop-outs	5	8	13
Drop-out Rate	1.2%	1.9%	3.2%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	0	0	5
School Discipline Involving Tobacco	0	0	1

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	2	4	13
Juvenile Alcohol Offenses	0	0	0
Juvenile Drug Offenses	0	0	2
School Truancy Status Offense	18	14	20
Absent from Home Status Offense	0	0	0
Beyond Parental Control Status Offense	0	6	2
Injurious Behavior Status Offense	7	5	1
Child Abuse	12	15	37
Child Neglect	29	19	70
Child Custody Issues	3	2	0

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	11	1	5
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	8	0	3
Parental Alcohol and Drug Use	1	0	0

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	19	12	20
Probation/Parole Admissions--DWI	2	5	3
Prison Admissions--Drug	8	10	7
Prison Admissions--DWI	1	3	1

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.

³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

MARIES COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	9	*	*
CSTAR Adolescent	*	0	*
CSTAR Women and Children	5	0	*
CSTAR General Adult	31	26	24
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	0	8
Clinical SATOP (CIP, YCIP, SROP)	*	7	7
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	18	29	22
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	8	8	*
- Weekend Intervention Program	*	9	5
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	*
Compulsive Gambling	0	0	0
Recovery Supports	*	*	0
Early Intervention	*	0	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	41	39	35	Alcohol	14	14	16
AGE				Marijuana / Hashish	5	9	9
Under 18	*	*	*	Cocaine (total)	0	0	0
18 to 24	*	9	8	- Crack	0	0	0
25 to 29	6	*	7	Stimulant (total)	13	10	6
30 to 34	12	9	5	- Methamphetamine	12	8	6
35 to 39	*	*	*	Heroin	*	*	*
40 to 44	*	*	*	Analgesic except Heroin	6	*	*
45 to 54	9	6	6	- Non-Prescription Methadone	0	0	0
55 and Over	5	*	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	0	0
Male	25	26	23	Inhalant	0	0	0
Female	16	13	12	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	*	0
Caucasian	38	38	32	Average Age at First Use of Drug	19.0	17.5	16.3
African American	*	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	8	7	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	*
Hispanic	0	0	0	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	*	0	*	- Less than Weekly Injection Use	*	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	14	12	14	0	24	23	14
High School Graduate or G.E.D.	17	17	14	1 or 2	11	8	14
Associate Degree or Some College	9	9	7	3 or More	6	8	7
Bachelor or Advanced Degree	*	*	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	18	6	8
Employed	14	16	8	School	0	0	0
Unemployed	15	13	14	Mental Health Provider	*	0	0
Not in Labor Force	12	10	13	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	9	24	23
Independent Living	35	36	29	Other Referral Source	9	6	*
Dependent Living	*	*	*	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	*	*	0
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	18	19	16	Special Education Services Needed	*	0	*
Married / Cohabiting	11	9	10	Co-Occurring Psychological Problem	22	14	17
Previously Married	12	11	9	Co-Occurring Developmental Problem	0	*	*

MARIES COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 17A
CENSUS 2010 9,176
2015 POPULATION ESTIMATE 8,963

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	*	0	*
Anxiety Disorder	25	34	33
Dementia	0	0	0
Developmental Disorder	0	0	0
Impulse Control Disorder	13	6	6
Mood Disorder	32	45	46
Personality Disorder	6	5	6
Psychotic Disorder	9	11	10
Sexual Disorder	0	0	0
Other Diagnosis	*	*	*
Diagnosis Unknown	*	*	5

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	45	60	64	Less than High School Diploma	15	14	23
AGE				High School Grad or G.E.D.	0	0	*
Under 6	0	0	0	Associate Degree or Some College	0	0	*
6 to 9	*	*	*	Bachelor or Advanced Degree	0	0	0
10 to 13	*	*	5	Education Level Unknown	30	46	38
14 to 17	6	5	8	EMPLOYMENT			
18 to 24	*	*	*	Employed	*	*	*
25 to 29	5	6	7	Unemployed	0	*	13
30 to 34	*	9	11	Not in Labor Force	30	28	29
35 to 39	*	6	*	Employment Status Unknown	14	26	20
40 to 44	*	8	10	HOUSING / LIVING ARRANGEMENT			
45 to 49	5	*	*	Independent Living	12	17	28
50 to 54	*	6	5	Dependent Living	20	18	17
55 to 59	*	*	*	Homeless	0	0	*
60 and Over	*	*	*	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	13	25	17
GENDER				TREATMENT REFERRAL SOURCE			
Male	22	21	27	Self / Family / Friend	33	32	36
Female	23	39	37	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	*	*	*
RACE / ETHNICITY				Health Care Provider	*	6	8
Caucasian	43	56	62	Court / Criminal Justice	0	*	*
African American	*	*	*	Other	6	18	17
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	0	0	Voluntary	45	60	63
Other Race	0	*	0	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	*
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	0	0	0
Past or Current Military Service	*	*	*				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol					Alcohol				
Chewing Tobacco					Alcohol (5+ drinks on single occasion past 2 weeks)				
Cigarettes					Chewing Tobacco				
Club drugs (Ecstasy, GHB, roofie, Special K, etc)					Cigarettes				
Cocaine					Inhalants				
Electronic Cigarettes					Marijuana				
Hallucinogens					Over-the-counter medications for non-medical use				
Heroin					Prescription medications not prescribed for student				
Inhalants									
Marijuana					<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine					Alcohol (1 or 2 drinks daily)				
Over-the-counter medications for non-medical use					Alcohol (Binge: 5+ drinks once or twice a week)				
Prescription medications not prescribed for student					Cigarettes (1+ packs per day)				
Synthetic drugs (K2, bath salts, Spice, etc)					Marijuana (once or twice a week)				
					Other: Cocaine, LSD, Meth, Club Drug (any use)				
<i>Among students who have ever used, average age of first use of:</i>									
Alcohol					<i>Percent whose parents would disapprove if they use:</i>				
Cigarettes					Alcohol				
Inhalants					Cigarettes				
Marijuana					Marijuana				
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol					Alcohol				
Cigarettes					Cigarettes				
Marijuana					Marijuana				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)				
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol					Alcohol				
Cigarettes					Cigarettes				
Marijuana					Marijuana				
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)				
<i>Percent of students who, in past 3 months:</i>									
Were emotionally bullied or made fun of by others					<i>Percent of students who, in past 30 days:</i>				
Were victims of mean rumors or lies spread at school					Were grouchy, irritable, or in a bad mood				
Were victims of an embarrassing or hurtful text message or something posted on the Internet					Had difficulty concentrating on school work				
					Were very sad				
					Felt hopeless about the future				
<i>Percent of students who, in past 12 months:</i>									
Seriously considered attempting suicide					<i>Percent of students who say that:</i>				
Made plan about how they would attempt suicide					Parents involve student in making family decisions				
Attempted suicide					Parents notice and comment on student's good work				
					Teachers notice and comment on student's good work				

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

MARION COUNTY



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	14
Adult Psychiatric	14
POPULATION	
Census 2010	28,781
2015 Estimate	28,880

BIRTH RISK	2014	2013	2012
Resident Births	351	389	350
Mother Reported Smoking while Pregnant	83	104	106

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	3	2	1
Hepatitis B Chronic, Acute, Prenatal	1	0	2
Hepatitis C Chronic and Acute	25	19	26
Tuberculosis Infection Cases	2	3	4

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	338	307	293
Suicides	4	4	1
Homicides	0	1	1
Alcohol Induced Deaths	0	1	0
Drug Induced Deaths	3	6	4
Smoking Attributable Deaths	56	60	54
Self-inflicted Injuries	43	31	53
Assault Injuries	117	107	115

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	260	227	219
Mental Illness Secondary Diagnosis	279	334	332
Alcohol Principal Diagnosis	8	5	5
Alcohol Secondary Diagnosis	22	14	14
Drug Principal Diagnosis	9	7	6
Drug Secondary Diagnosis	13	29	14
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	54	42	46
Mental Illness Secondary Diagnosis	628	693	710
Alcohol Principal Diagnosis	12	11	22
Alcohol Secondary Diagnosis	79	56	73
Drug Principal Diagnosis	15	13	16
Drug Secondary Diagnosis	40	34	35
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	251	328	339
Mental Illness Secondary Diagnosis	528	475	511
Alcohol Principal Diagnosis	64	87	78
Alcohol Secondary Diagnosis	59	55	48
Drug Principal Diagnosis	62	45	35
Drug Secondary Diagnosis	40	20	34

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	44	49	50
Alcohol Package Carry-out Licenses	39	40	36

EMPLOYMENT	2015	2014	2013
Labor Force	14,896	14,535	15,112
Employed	14,234	13,728	14,254
Unemployed	662	807	858
Unemployment Rate	4.4%	5.6%	5.7%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	27	24	37
Fatal Crashes	0	1	1
Injury Crashes	8	7	13
Property Damage Crashes	16	16	23
Crash Fatalities	0	1	1
Crash Injuries	8	10	16
Drug Involved Crashes	14	5	8
Fatal Crashes	0	0	0
Injury Crashes	6	1	1
Property Damage Crashes	8	4	7
Crash Fatalities	0	0	0
Crash Injuries	6	2	2

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	160	151	230
Liquor Law Arrests	101	109	159
Drug Arrests	211	166	248
Violent Offenses	75	87	73
Property Offenses	1,125	1,281	1,388
Domestic Violence Reports	191	183	257

	2015	2014	2013
Methamphetamine Lab Seizures	19	25	44

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	1,462	1,457	1,494
Drop-outs	11	22	18
Drop-out Rate	0.8%	1.5%	1.2%
School Discipline Involving Alcohol	1	1	0
School Discipline Involving Drugs	1	4	3
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	41	16	19
Juvenile Alcohol Offenses	8	11	6
Juvenile Drug Offenses	6	11	9
School Truancy Status Offense	26	21	33
Absent from Home Status Offense	3	0	3
Beyond Parental Control Status Offense	1	2	5
Injurious Behavior Status Offense	97	50	70
Child Abuse	3	15	3
Child Neglect	78	72	70
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	47	74	60
Parental Alcohol Use Related	2	1	0
Parental Drug Use Related	10	34	32
Parental Alcohol and Drug Use	3	5	4

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	29	28	29
Probation/Parole Admissions--Drug	143	128	121
Probation/Parole Admissions--DWI	18	21	30
Prison Admissions--Drug	97	92	92
Prison Admissions--DWI	14	10	8

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

MARION COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	63	54	73
CSTAR Adolescent	28	34	27
CSTAR Women and Children	93	93	93
CSTAR General Adult	187	232	25
CSTAR Opioid	0	*	0
Primary Recovery Treatment	10	31	216
Clinical SATOP (CIP, YCIP, SROP)	13	17	20
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	128	168	174
- Adolescent Diversion Education Program	12	16	20
- Offender Education Program	36	47	50
- Weekend Intervention Program	21	28	31
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	24	23	32
Compulsive Gambling	0	0	0
Recovery Supports	*	*	*
Early Intervention	*	*	13

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	334	381	387	Alcohol	105	123	153
AGE				Marijuana / Hashish	92	132	135
Under 18	30	34	29	Cocaine (total)	7	11	10
18 to 24	72	89	109	- Crack	6	8	*
25 to 29	59	69	81	Stimulant (total)	63	65	49
30 to 34	56	56	50	- Methamphetamine	62	62	49
35 to 39	34	42	31	Heroin	35	27	27
40 to 44	26	28	26	Analgesic except Heroin	7	9	6
45 to 54	41	54	42	- Non-Prescription Methadone	0	0	0
55 and Over	16	9	19	PCP, LSD, other Hallucinogen	*	*	0
GENDER				Tranquilizer	*	*	*
Male	204	264	255	Inhalant	*	*	0
Female	130	117	132	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	20	9	5
Caucasian	287	316	315	Average Age at First Use of Drug	18.5	17.5	16.9
African American	34	46	45	INJECTION DRUG USE			
Native American / Alaskan	*	*	*	Any Injection Use at Admission	58	52	43
Asian / Pacific Islander	*	0	*	- Daily Injection Use	10	9	8
Hispanic	*	*	*	- Weekly Injection Use	13	6	10
Other Race / Two or More Races	9	15	23	- Less than Weekly Injection Use	35	37	25
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	114	122	135	0	217	239	237
High School Graduate or G.E.D.	171	216	205	1 or 2	80	99	99
Associate Degree or Some College	48	42	47	3 or More	37	43	51
Bachelor or Advanced Degree	*	*	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	62	34	53
Employed	100	139	141	School	0	0	*
Unemployed	150	161	157	Mental Health Provider	*	*	0
Not in Labor Force	84	81	89	Health Care Provider	11	8	7
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	142	174	202
Independent Living	238	274	286	Other Referral Source	45	70	68
Dependent Living	84	93	87	TREATMENT ACCOMMODATION			
Homeless	9	9	13	Pregnant when Admitted to any Episode	*	5	*
MARITAL / FAMILY STATUS				Military Veteran	12	16	11
Never Married	208	251	242	Special Education Services Needed	35	29	33
Married / Cohabiting	54	66	79	Co-Occurring Psychological Problem	105	99	87
Previously Married	72	64	66	Co-Occurring Developmental Problem	9	7	10

MARION COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 14
CENSUS 2010 28,781
2015 POPULATION ESTIMATE 28,880

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	28	24	17
Anxiety Disorder	266	243	181
Dementia	*	0	0
Developmental Disorder	38	28	24
Impulse Control Disorder	272	272	207
Mood Disorder	565	552	502
Personality Disorder	51	54	31
Psychotic Disorder	200	199	196
Sexual Disorder	0	0	0
Other Diagnosis	103	96	81
Diagnosis Unknown	45	74	64

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	889	881	841	Less than High School Diploma	393	363	348
AGE				High School Grad or G.E.D.	0	0	9
Under 6	5	5	*	Associate Degree or Some College	0	0	0
6 to 9	56	48	47	Bachelor or Advanced Degree	0	0	0
10 to 13	69	64	63	Education Level Unknown	496	518	484
14 to 17	76	64	61	EMPLOYMENT			
18 to 24	83	107	84	Employed	88	74	78
25 to 29	73	75	75	Unemployed	77	58	62
30 to 34	75	90	90	Not in Labor Force	610	610	593
35 to 39	90	85	79	Employment Status Unknown	114	139	108
40 to 44	83	80	76	HOUSING / LIVING ARRANGEMENT			
45 to 49	63	72	80	Independent Living	371	343	422
50 to 54	90	80	74	Dependent Living	353	335	260
55 to 59	62	45	49	Homeless	7	6	12
60 and Over	64	66	59	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	158	197	147
GENDER				TREATMENT REFERRAL SOURCE			
Male	459	458	442	Self / Family / Friend	216	227	248
Female	430	423	399	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	53	55	63
RACE / ETHNICITY				Health Care Provider	100	85	72
Caucasian	740	726	717	Court / Criminal Justice	19	19	26
African American	102	108	81	Other	487	478	416
Native American / Alaskan	*	*	*	Referral Source Unknown	10	14	14
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	13	16	15	Voluntary	871	858	816
Other Race	33	30	26	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	7	8	11
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	0
Hearing Impaired	15	13	12	Commitment Type Unknown	10	14	14
Past or Current Military Service	27	26	27				

MARION COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	40.6	38.0	34.0	53.9	Alcohol	17.1	9.0	17.1	24.6
Chewing Tobacco	21.2	10.7	8.4	15.7	Alcohol (5+ drinks on single occasion past 2 weeks)	6.9	2.3		
Cigarettes	22.0	14.5	17.8	30.7	Chewing Tobacco	15.6	7.5	4.4	9.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.2	0.9	1.4	1.8	Cigarettes	10.4	9.3	11.4	18.3
Cocaine	0.2	0.9	1.4	0.7	Inhalants	2.9	1.4	1.3	3.4
Electronic Cigarettes	19.6	7.6			Marijuana	0.0	0.9	3.8	4.7
Hallucinogens	0.0	1.8	2.7	1.6	Over-the-counter medications for non-medical use	2.2	0.9	4.9	5.5
Heroin	0.9	0.0	0.0	0.5	Prescription medications not prescribed for student	10.3	2.9	2.4	6.4
Inhalants	3.4	2.3	3.6	6.7					
Marijuana	3.6	4.6	7.3	11.9	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.2	0.9	0.7	1.3	Alcohol (1 or 2 drinks daily)	61.8	58.0		
Over-the-counter medications for non-medical use	4.5	1.7	6.0	9.8	Alcohol (Binge: 5+ drinks once or twice a week)	73.2	72.5		
Prescription medications not prescribed for student	13.8	5.3	6.0	11.6	Cigarettes (1+ packs per day)	83.5	83.8		
Synthetic drugs (K2, bath salts, Spice, etc)	1.3	3.2	3.3		Marijuana (once or twice a week)	79.7	77.0		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	91.3	91.3	93.0	94.8
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.33	11.78	11.97	12.11	Alcohol	78.9	85.4	84.2	71.3
Cigarettes	13.39	11.80	12.07	11.77	Cigarettes	91.3	94.8	91.5	90.2
Inhalants	11.07	14.48	11.61	11.77	Marijuana	96.2	96.7	96.6	94.6
Marijuana	13.18	12.40	12.81	12.75					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	40.8	52.0	45.9	69.1	Alcohol	62.6	63.8	66.4	49.0
Cigarettes	32.2	37.1	37.5	54.9	Cigarettes	88.0	87.6	82.3	73.4
Marijuana	11.8	18.0	21.1	35.9	Marijuana	94.6	92.2	88.2	83.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	3.2	11.9	10.0	18.2	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.9	98.2	96.2	94.0
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	27.1	18.6	26.0	43.0	Alcohol	52.4	56.6	52.3	65.4
Cigarettes	11.7	8.4	12.4	18.8	Cigarettes	43.6	47.2	44.0	60.5
Marijuana	3.6	5.5	6.5	10.7	Marijuana	17.5	18.8	18.7	31.6
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	6.5	14.7	8.0	17.5
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	69.9	62.1	63.2	75.0	Were grouchy, irritable, or in a bad mood	32.2	33.5	24.9	24.0
Were victims of mean rumors or lies spread at school	58.9	43.7	49.9	63.0	Had difficulty concentrating on school work	20.0	22.9	25.3	25.6
Were victims of an embarrassing or hurtful text message or something posted on the Internet	22.6	29.4	21.7	23.8	Were very sad	20.4	24.8	22.9	14.7
					Felt hopeless about the future	10.2	12.5	13.6	11.7
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	11.9	14.2	15.1	15.3	Parents involve student in making family decisions	71.3	68.0	61.9	63.2
Made plan about how they would attempt suicide	10.8	6.4	13.8	11.3	Parents notice and comment on student's good work	85.1	80.1	78.4	79.1
Attempted suicide	7.4	7.0	7.6	6.1	Teachers notice and comment on student's good work	83.9	68.4		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

MERCER COUNTY



DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	13
Adult Psychiatric	13
POPULATION	
Census 2010	3,785
2015 Estimate	3,694

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	3	1	2
Fatal Crashes	0	0	0
Injury Crashes	3	1	1
Property Damage Crashes	0	0	1
Crash Fatalities	0	0	0
Crash Injuries	4	1	1
Drug Involved Crashes	0	0	0
Fatal Crashes	0	0	0
Injury Crashes	0	0	0
Property Damage Crashes	0	0	0
Crash Fatalities	0	0	0
Crash Injuries	0	0	0

BIRTH RISK	2014	2013	2012
Resident Births	44	34	45
Mother Reported Smoking while Pregnant	7	9	13

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	0
Hepatitis C Chronic and Acute	1	3	1
Tuberculosis Infection Cases	0	0	0

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	47	28	48
Suicides	1	0	0
Homicides	1	0	0
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	0	0	0
Smoking Attributable Deaths	11	9	9
Self-inflicted Injuries	2	9	5
Assault Injuries	3	2	3

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	18	17	23
Mental Illness Secondary Diagnosis	69	50	76
Alcohol Principal Diagnosis	1	0	1
Alcohol Secondary Diagnosis	6	6	3
Drug Principal Diagnosis	0	4	0
Drug Secondary Diagnosis	4	2	5
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	8	7	5
Mental Illness Secondary Diagnosis	26	21	35
Alcohol Principal Diagnosis	1	0	0
Alcohol Secondary Diagnosis	7	0	4
Drug Principal Diagnosis	0	0	1
Drug Secondary Diagnosis	3	2	1
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	16	17	19
Mental Illness Secondary Diagnosis	33	27	42
Alcohol Principal Diagnosis	10	1	3
Alcohol Secondary Diagnosis	5	0	5
Drug Principal Diagnosis	2	1	2
Drug Secondary Diagnosis	4	3	3

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	4	4	4
Alcohol Package Carry-out Licenses	6	7	6

EMPLOYMENT	2015	2014	2013
Labor Force	1,919	1,857	1,901
Employed	1,834	1,763	1,807
Unemployed	85	94	94
Unemployment Rate	4.4%	5.1%	4.9%

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	15	13	14
Liquor Law Arrests	4	4	1
Drug Arrests	7	15	10
Violent Offenses	3	6	1
Property Offenses	21	32	19
Domestic Violence Reports	6	0	6

	2015	2014	2013
Methamphetamine Lab Seizures	0	0	0

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	188	194	182
Drop-outs	0	0	0
Drop-out Rate	0.0%	0.0%	0.0%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	0	0	0
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	9	5	5
Juvenile Alcohol Offenses	4	0	1
Juvenile Drug Offenses	0	0	0
School Truancy Status Offense	1	1	0
Absent from Home Status Offense	0	0	1
Beyond Parental Control Status Offense	0	1	1
Injurious Behavior Status Offense	1	4	1
Child Abuse	1	8	6
Child Neglect	17	12	7
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	4	1	5
Parental Alcohol Use Related	4	0	0
Parental Drug Use Related	0	0	0
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	12	5	4
Probation/Parole Admissions--Drug	6	5	1
Probation/Parole Admissions--DWI	1	2	4
Prison Admissions--Drug	3	0	0
Prison Admissions--DWI	0	1	3

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

MERCER COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	*	0	0
CSTAR Adolescent	0	*	0
CSTAR Women and Children	0	0	0
CSTAR General Adult	20	8	12
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	0
Clinical SATOP (CIP, YCIP, SROP)	*	*	5
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	6	8	13
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	*	*	*
- Weekend Intervention Program	0	*	5
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	0	0	0
Early Intervention	*	*	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	19	14	16	Alcohol	7	7	13
AGE				Marijuana / Hashish	5	*	*
Under 18	0	*	0	Cocaine (total)	0	0	0
18 to 24	5	0	*	- Crack	0	0	0
25 to 29	*	*	0	Stimulant (total)	5	*	*
30 to 34	*	*	*	- Methamphetamine	5	*	*
35 to 39	*	*	*	Heroin	0	0	0
40 to 44	*	5	*	Analgesic except Heroin	*	*	0
45 to 54	*	*	6	- Non-Prescription Methadone	0	0	0
55 and Over	*	0	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	0	0
Male	12	9	11	Inhalant	0	*	0
Female	7	5	5	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	19	14	16	Average Age at First Use of Drug	16.4	18.4	18.4
African American	0	0	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	*	*	0
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	0	0
Hispanic	0	0	0	- Weekly Injection Use	*	*	0
Other Race / Two or More Races	0	0	0	- Less than Weekly Injection Use	*	*	0
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	6	6	5	0	13	7	6
High School Graduate or G.E.D.	11	8	8	1 or 2	*	*	6
Associate Degree or Some College	*	0	*	3 or More	*	*	*
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	9	*	*
Employed	8	*	8	School	0	0	0
Unemployed	8	8	8	Mental Health Provider	0	*	0
Not in Labor Force	*	*	0	Health Care Provider	0	0	0
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	*	6	5
Independent Living	18	13	16	Other Referral Source	6	*	7
Dependent Living	0	*	0	TREATMENT ACCOMMODATION			
Homeless	0	0	0	Pregnant when Admitted to any Episode	0	0	0
MARITAL / FAMILY STATUS				Military Veteran	0	0	0
Never Married	10	6	7	Special Education Services Needed	*	*	0
Married / Cohabiting	5	6	*	Co-Occurring Psychological Problem	*	7	6
Previously Married	*	*	6	Co-Occurring Developmental Problem	*	0	0

MERCER COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 13
CENSUS 2010 3,785
2015 POPULATION ESTIMATE 3,694

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	*	*	*
Anxiety Disorder	15	16	20
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	19	11	7
Mood Disorder	27	25	30
Personality Disorder	*	5	6
Psychotic Disorder	*	*	*
Sexual Disorder	0	0	0
Other Diagnosis	15	10	5
Diagnosis Unknown	0	*	0

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	45	37	38	Less than High School Diploma	26	19	15
AGE				High School Grad or G.E.D.	0	0	*
Under 6	0	0	0	Associate Degree or Some College	0	0	0
6 to 9	7	*	*	Bachelor or Advanced Degree	0	0	0
10 to 13	9	7	5	Education Level Unknown	19	18	21
14 to 17	6	5	7	EMPLOYMENT			
18 to 24	5	*	0	Employed	*	*	*
25 to 29	*	*	*	Unemployed	*	*	*
30 to 34	*	*	*	Not in Labor Force	37	31	27
35 to 39	*	*	0	Employment Status Unknown	*	*	6
40 to 44	*	*	*	HOUSING / LIVING ARRANGEMENT			
45 to 49	*	*	*	Independent Living	16	13	16
50 to 54	*	*	6	Dependent Living	25	18	17
55 to 59	*	*	6	Homeless	0	0	0
60 and Over	*	*	*	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	*	6	5
GENDER				TREATMENT REFERRAL SOURCE			
Male	27	15	12	Self / Family / Friend	23	18	15
Female	18	22	26	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	*	5	6
RACE / ETHNICITY				Health Care Provider	9	6	11
Caucasian	42	34	37	Court / Criminal Justice	*	0	0
African American	0	0	0	Other	10	8	6
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	*	*	Voluntary	45	37	38
Other Race	*	*	0	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	*	0	*	Commitment Type Unknown	0	0	0
Past or Current Military Service	0	0	*				

MERCER COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol		32.5	43.3		Alcohol	15.0	19.1		
Chewing Tobacco		20.0	20.6		Alcohol (5+ drinks on single occasion past 2 weeks)	5.0			
Cigarettes		14.6	31.3		Chewing Tobacco	10.0	14.7		
Club drugs (Ecstasy, GHB, roofie, Special K, etc)		0.0	0.0		Cigarettes	9.8	13.4		
Cocaine		0.0	1.5		Inhalants	0.0	3.0		
Electronic Cigarettes		4.9			Marijuana	0.0	1.5		
Hallucinogens		0.0	1.5		Over-the-counter medications for non-medical use	0.0	2.9		
Heroin		0.0	1.5		Prescription medications not prescribed for student	2.5	1.5		
Inhalants		2.5	6.0						
Marijuana		0.0	7.4		<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine		0.0	1.5		Alcohol (1 or 2 drinks daily)	47.5			
Over-the-counter medications for non-medical use		2.5	5.9		Alcohol (Binge: 5+ drinks once or twice a week)	65.0			
Prescription medications not prescribed for student		4.9	7.4		Cigarettes (1+ packs per day)	82.5			
Synthetic drugs (K2, bath salts, Spice, etc)		0.0	0.0		Marijuana (once or twice a week)	82.1			
					Other: Cocaine, LSD, Meth, Club Drug (any use)	92.3	88.2		
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.84	12.71			Alcohol	82.5	81.5		
Cigarettes	12.57	13.69			Cigarettes	95.0	90.9		
Inhalants					Marijuana	97.4	98.5		
Marijuana			14.06						
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	58.5	45.6			Alcohol	68.3	56.7		
Cigarettes	41.5	35.8			Cigarettes	90.0	75.8		
Marijuana	15.0	14.9			Marijuana	92.3	89.6		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.5	4.5			Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.5	94.1		
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	22.0	28.4			Alcohol	47.5	52.2		
Cigarettes	10.0	19.1			Cigarettes	41.5	52.2		
Marijuana	5.1	6.1			Marijuana	12.5	11.9		
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.5	9.0		
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	65.9	63.2			Were grouchy, irritable, or in a bad mood	20.0	28.4		
Were victims of mean rumors or lies spread at school	48.8	53.7			Had difficulty concentrating on school work	14.6	19.4		
Were victims of an embarrassing or hurtful text message or something posted on the Internet	31.7	25.0			Were very sad	12.5	23.9		
					Felt hopeless about the future	12.5	9.0		
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	9.8	10.4			Parents involve student in making family decisions	68.3	70.1		
Made plan about how they would attempt suicide	9.8	4.5			Parents notice and comment on student's good work	85.0	87.9		
Attempted suicide	2.5	4.4			Teachers notice and comment on student's good work	70.7			

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

MILLER COUNTY



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	11
Adult Psychiatric	11
POPULATION	
Census 2010	24,748
2015 Estimate	25,113

BIRTH RISK	2014	2013	2012
Resident Births	296	303	302
Mother Reported Smoking while Pregnant	79	70	93

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	3	1	3
Hepatitis C Chronic and Acute	11	17	13
Tuberculosis Infection Cases	0	4	0

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	261	294	273
Suicides	7	2	4
Homicides	0	1	0
Alcohol Induced Deaths	0	2	0
Drug Induced Deaths	3	1	0
Smoking Attributable Deaths	46	62	49
Self-inflicted Injuries	21	26	23
Assault Injuries	67	65	65

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	104	117	92
Mental Illness Secondary Diagnosis	222	252	247
Alcohol Principal Diagnosis	5	6	2
Alcohol Secondary Diagnosis	22	19	14
Drug Principal Diagnosis	4	4	3
Drug Secondary Diagnosis	19	15	18
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	120	112	112
Mental Illness Secondary Diagnosis	412	385	411
Alcohol Principal Diagnosis	20	20	46
Alcohol Secondary Diagnosis	64	53	52
Drug Principal Diagnosis	9	15	12
Drug Secondary Diagnosis	28	24	26
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	180	169	175
Mental Illness Secondary Diagnosis	863	650	536
Alcohol Principal Diagnosis	30	32	27
Alcohol Secondary Diagnosis	47	33	37
Drug Principal Diagnosis	36	36	40
Drug Secondary Diagnosis	55	30	37

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	54	57	59
Alcohol Package Carry-out Licenses	33	35	38

EMPLOYMENT	2015	2014	2013
Labor Force	11,808	11,611	12,231
Employed	11,102	10,718	11,269
Unemployed	706	893	962
Unemployment Rate	6.0%	7.7%	7.9%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	39	44	48
Fatal Crashes	3	8	2
Injury Crashes	16	18	24
Property Damage Crashes	18	18	22
Crash Fatalities	3	10	2
Crash Injuries	27	26	31
Drug Involved Crashes	7	9	8
Fatal Crashes	1	0	0
Injury Crashes	3	5	4
Property Damage Crashes	3	4	4
Crash Fatalities	1	0	0
Crash Injuries	6	7	5

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	169	194	246
Liquor Law Arrests	38	30	38
Drug Arrests	142	134	147
Violent Offenses	85	47	39
Property Offenses	560	571	618
Domestic Violence Reports	331	278	547

	2015	2014	2013
Methamphetamine Lab Seizures	0	2	2

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	1,492	1,480	1,452
Drop-outs	13	12	15
Drop-out Rate	0.9%	0.8%	1.0%
School Discipline Involving Alcohol	3	11	0
School Discipline Involving Drugs	13	16	10
School Discipline Involving Tobacco	0	0	2

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	18	10	15
Juvenile Alcohol Offenses	2	4	6
Juvenile Drug Offenses	9	7	9
School Truancy Status Offense	51	42	31
Absent from Home Status Offense	9	7	18
Beyond Parental Control Status Offense	8	2	6
Injurious Behavior Status Offense	11	11	24
Child Abuse	0	3	5
Child Neglect	30	41	30
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	20	43	19
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	7	16	2
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	105	92	96
Probation/Parole Admissions--DWI	15	12	21
Prison Admissions--Drug	55	52	45
Prison Admissions--DWI	1	5	8

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

MILLER COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	10	6	9
CSTAR Adolescent	10	11	10
CSTAR Women and Children	11	11	10
CSTAR General Adult	101	82	91
CSTAR Opioid	0	0	0
Primary Recovery Treatment	9	8	12
Clinical SATOP (CIP, YCIP, SROP)	25	27	20
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	86	144	136
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	44	61	54
- Weekend Intervention Program	19	26	33
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	10	*	*
Compulsive Gambling	0	0	0
Recovery Supports	*	*	*
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	157	137	136	Alcohol	53	51	55
AGE				Marijuana / Hashish	31	25	25
Under 18	11	12	10	Cocaine (total)	0	0	0
18 to 24	33	29	28	- Crack	0	0	0
25 to 29	25	29	20	Stimulant (total)	51	42	27
30 to 34	28	19	21	- Methamphetamine	51	41	22
35 to 39	19	11	7	Heroin	*	*	*
40 to 44	11	9	11	Analgesic except Heroin	12	13	17
45 to 54	21	22	28	- Non-Prescription Methadone	0	0	*
55 and Over	9	6	11	PCP, LSD, other Hallucinogen	*	0	0
GENDER				Tranquilizer	*	0	*
Male	109	96	81	Inhalant	0	0	0
Female	48	41	55	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	10
Caucasian	153	133	131	Average Age at First Use of Drug	17.4	17.2	17.8
African American	0	0	*	INJECTION DRUG USE			
Native American / Alaskan	*	*	0	Any Injection Use at Admission	28	29	16
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	7	*
Hispanic	*	0	*	- Weekly Injection Use	9	9	*
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	15	13	11
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	52	54	52	0	92	75	68
High School Graduate or G.E.D.	78	54	58	1 or 2	37	49	46
Associate Degree or Some College	26	29	23	3 or More	28	13	22
Bachelor or Advanced Degree	*	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	43	47	57
Employed	35	36	33	School	*	*	0
Unemployed	60	55	47	Mental Health Provider	0	*	*
Not in Labor Force	62	46	56	Health Care Provider	8	6	6
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	62	54	56
Independent Living	117	107	113	Other Referral Source	40	26	14
Dependent Living	19	22	17	TREATMENT ACCOMMODATION			
Homeless	5	5	*	Pregnant when Admitted to any Episode	0	0	*
MARITAL / FAMILY STATUS				Military Veteran	8	7	7
Never Married	97	67	69	Special Education Services Needed	7	*	7
Married / Cohabiting	30	39	35	Co-Occurring Psychological Problem	79	60	41
Previously Married	30	31	32	Co-Occurring Developmental Problem	*	*	*

MILLER COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 11
CENSUS 2010 24,748
2015 POPULATION ESTIMATE 25,113

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	18	20	24
Anxiety Disorder	195	160	161
Dementia	0	0	0
Developmental Disorder	*	*	0
Impulse Control Disorder	39	34	43
Mood Disorder	232	246	233
Personality Disorder	23	14	15
Psychotic Disorder	51	51	41
Sexual Disorder	0	*	0
Other Diagnosis	22	26	27
Diagnosis Unknown	7	25	15

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	357	369	332	Less than High School Diploma	162	149	157
AGE				High School Grad or G.E.D.	0	0	0
Under 6	5	7	7	Associate Degree or Some College	0	0	0
6 to 9	24	20	16	Bachelor or Advanced Degree	0	0	0
10 to 13	27	35	31	Education Level Unknown	195	220	175
14 to 17	35	33	37	EMPLOYMENT			
18 to 24	22	31	35	Employed	17	14	18
25 to 29	21	28	24	Unemployed	20	39	44
30 to 34	42	44	31	Not in Labor Force	271	243	229
35 to 39	30	37	35	Employment Status Unknown	49	73	41
40 to 44	44	31	26	HOUSING / LIVING ARRANGEMENT			
45 to 49	27	32	35	Independent Living	208	207	184
50 to 54	39	35	23	Dependent Living	103	94	109
55 to 59	19	21	17	Homeless	*	*	*
60 and Over	22	15	15	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	44	66	38
GENDER				TREATMENT REFERRAL SOURCE			
Male	170	193	155	Self / Family / Friend	252	244	216
Female	187	176	177	School	0	0	*
Gender Unknown	0	0	0	Mental Health Provider	6	5	*
RACE / ETHNICITY				Health Care Provider	30	28	35
Caucasian	344	360	321	Court / Criminal Justice	21	34	24
African American	*	*	*	Other	48	58	52
Native American / Alaskan	*	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	*	*	Voluntary	356	365	330
Other Race	8	5	8	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	0	*	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	*
Hearing Impaired	*	*	*	Commitment Type Unknown	0	0	0
Past or Current Military Service	7	*	*				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	33.5	34.7	34.6	44.6	Alcohol	13.4	14.1	12.1	19.7
Chewing Tobacco	14.5	16.6	13.3	19.6	Alcohol (5+ drinks on single occasion past 2 weeks)	6.3	7.3		
Cigarettes	23.6	21.7	21.4	29.5	Chewing Tobacco	6.3	6.9	6.4	11.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.1	0.7	1.7	2.1	Cigarettes	9.0	9.4	8.9	14.5
Cocaine	0.3	0.7	1.5	1.5	Inhalants	0.5	1.1	2.0	2.4
Electronic Cigarettes	21.9	17.0			Marijuana	4.1	3.2	3.7	4.1
Hallucinogens	0.8	1.1	2.7	2.1	Over-the-counter medications for non-medical use	1.4	1.8	2.9	3.8
Heroin	0.3	0.4	1.0	0.6	Prescription medications not prescribed for student	8.7	3.2	4.2	5.4
Inhalants	3.6	3.3	4.9	5.0					
Marijuana	11.2	8.6	9.6	12.2	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.6	0.7	1.0	0.4	Alcohol (1 or 2 drinks daily)	62.9	56.7		
Over-the-counter medications for non-medical use	4.7	2.5	4.4	6.9	Alcohol (Binge: 5+ drinks once or twice a week)	72.5	68.2		
Prescription medications not prescribed for student	12.6	6.5	7.6	10.0	Cigarettes (1+ packs per day)	85.2	84.1		
Synthetic drugs (K2, bath salts, Spice, etc)	2.5	3.6	5.4		Marijuana (once or twice a week)	76.2	74.0		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	91.5	92.4	92.3	94.1
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.35	12.67	12.54	12.17	Alcohol	82.0	81.2	81.3	80.2
Cigarettes	11.73	12.29	12.17	12.22	Cigarettes	91.7	91.7	93.3	91.6
Inhalants	10.93	12.36	12.55	12.51	Marijuana	93.3	95.3	94.8	94.5
Marijuana	13.83	13.59	12.97	13.19					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	41.1	44.1	51.4	59.0	Alcohol	71.4	69.4	68.5	63.0
Cigarettes	28.8	33.9	42.4	47.3	Cigarettes	84.9	85.1	84.7	80.3
Marijuana	20.9	19.6	27.2	28.1	Marijuana	86.7	90.5	89.1	86.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	4.1	8.2	13.6	15.3	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.4	97.5	95.8	96.3
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	20.9	23.8	24.1	32.2	Alcohol	52.1	55.2	53.2	58.6
Cigarettes	8.2	10.8	11.1	15.1	Cigarettes	46.4	53.2	50.1	57.5
Marijuana	9.1	6.8	7.4	7.2	Marijuana	25.1	24.9	29.7	30.2
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.8	13.4	15.4	16.8
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	57.1	56.8	59.9	67.3	Were grouchy, irritable, or in a bad mood	32.8	28.0	23.2	32.7
Were victims of mean rumors or lies spread at school	44.7	47.0	49.6	53.7	Had difficulty concentrating on school work	27.5	23.7	23.9	28.9
Were victims of an embarrassing or hurtful text message or something posted on the Internet	20.8	22.6	17.4	18.2	Were very sad	18.9	20.1	19.2	24.0
					Felt hopeless about the future	12.3	12.6	9.4	14.2
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	12.7	11.1	10.1	10.4	Parents involve student in making family decisions	72.9	73.3	68.7	70.7
Made plan about how they would attempt suicide	8.5	7.6	8.1	7.3	Parents notice and comment on student's good work	84.9	83.1	83.3	83.1
Attempted suicide	6.3	4.7	5.7	3.5	Teachers notice and comment on student's good work	80.9	77.1		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

MISSISSIPPI COUNTY



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	20
Adult Psychiatric	20
POPULATION	
Census 2010	14,358
2015 Estimate	14,036

BIRTH RISK	2014	2013	2012
Resident Births	148	159	180
Mother Reported Smoking while Pregnant	47	52	55

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	2	0
Hepatitis C Chronic and Acute	34	34	13
Tuberculosis Infection Cases	1	0	2

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	149	168	193
Suicides	2	2	1
Homicides	3	0	1
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	0	0	0
Smoking Attributable Deaths	32	33	41
Self-inflicted Injuries	21	12	19
Assault Injuries	58	70	70

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	141	123	128
Mental Illness Secondary Diagnosis	180	273	188
Alcohol Principal Diagnosis	1	1	4
Alcohol Secondary Diagnosis	15	23	28
Drug Principal Diagnosis	13	5	11
Drug Secondary Diagnosis	17	19	18
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	10	19	24
Mental Illness Secondary Diagnosis	307	193	244
Alcohol Principal Diagnosis	8	4	9
Alcohol Secondary Diagnosis	30	24	22
Drug Principal Diagnosis	4	1	5
Drug Secondary Diagnosis	41	23	20
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	117	92	112
Mental Illness Secondary Diagnosis	159	113	201
Alcohol Principal Diagnosis	11	19	17
Alcohol Secondary Diagnosis	13	11	26
Drug Principal Diagnosis	30	16	24
Drug Secondary Diagnosis	39	35	27

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	7	8	11
Alcohol Package Carry-out Licenses	15	15	15

EMPLOYMENT	2015	2014	2013
Labor Force	6,375	6,212	6,229
Employed	6,001	5,750	5,719
Unemployed	374	462	510
Unemployment Rate	5.9%	7.4%	8.2%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	8	13	7
Fatal Crashes	0	1	0
Injury Crashes	3	5	4
Property Damage Crashes	7	7	3
Crash Fatalities	0	1	0
Crash Injuries	10	7	5
Drug Involved Crashes	1	2	2
Fatal Crashes	0	0	0
Injury Crashes	1	0	0
Property Damage Crashes	0	2	2
Crash Fatalities	0	0	0
Crash Injuries	2	0	0

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	58	66	76
Liquor Law Arrests	3	7	17
Drug Arrests	65	97	70
Violent Offenses	75	45	99
Property Offenses	331	329	402
Domestic Violence Reports	188	175	258

	2015	2014	2013
Methamphetamine Lab Seizures	1	1	6

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	564	576	578
Drop-outs	3	4	3
Drop-out Rate	0.5%	0.7%	0.5%
School Discipline Involving Alcohol	4	0	1
School Discipline Involving Drugs	4	5	6
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	30	35	80
Juvenile Alcohol Offenses	2	5	6
Juvenile Drug Offenses	7	6	6
School Truancy Status Offense	47	16	26
Absent from Home Status Offense	0	0	1
Beyond Parental Control Status Offense	9	5	2
Injurious Behavior Status Offense	26	37	28
Child Abuse	1	0	1
Child Neglect	37	40	13
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	31	34	22
Parental Alcohol Use Related	0	3	1
Parental Drug Use Related	18	15	7
Parental Alcohol and Drug Use	1	0	0

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	21	16	18
Probation/Parole Admissions--Drug	45	49	63
Probation/Parole Admissions--DWI	1	8	6
Prison Admissions--Drug	30	26	34
Prison Admissions--DWI	1	3	2

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

MISSISSIPPI COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	25	28	33
CSTAR Adolescent	11	7	7
CSTAR Women and Children	11	16	13
CSTAR General Adult	71	116	65
CSTAR Opioid	0	0	*
Primary Recovery Treatment	8	0	73
Clinical SATOP (CIP, YCIP, SROP)	14	14	11
Other Substance Abuse Treatment	0	*	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	39	51	53
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	7	17	25
- Weekend Intervention Program	10	13	10
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	0	0	0
Recovery Supports	29	39	32
Early Intervention	0	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	118	168	176	Alcohol	28	45	51
AGE				Marijuana / Hashish	39	54	58
Under 18	11	7	8	Cocaine (total)	*	8	9
18 to 24	16	24	38	- Crack	*	5	5
25 to 29	23	28	30	Stimulant (total)	24	36	33
30 to 34	19	30	28	- Methamphetamine	24	34	33
35 to 39	17	18	19	Heroin	9	9	5
40 to 44	17	28	12	Analgesic except Heroin	10	15	15
45 to 54	9	22	32	- Non-Prescription Methadone	0	0	0
55 and Over	6	11	9	PCP, LSD, other Hallucinogen	0	0	*
GENDER				Tranquilizer	*	*	*
Male	64	114	128	Inhalant	0	0	0
Female	54	54	48	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	97	115	128	Average Age at First Use of Drug	18.1	18.9	18.0
African American	20	49	46	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	20	19	18
Asian / Pacific Islander	0	0	0	- Daily Injection Use	6	7	*
Hispanic	*	*	*	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	0	*	*	- Less than Weekly Injection Use	10	9	10
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	52	64	80	0	64	99	113
High School Graduate or G.E.D.	50	84	82	1 or 2	45	39	47
Associate Degree or Some College	16	20	14	3 or More	9	30	16
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	27	24	27
Employed	24	46	53	School	0	0	0
Unemployed	45	72	69	Mental Health Provider	*	0	*
Not in Labor Force	49	50	54	Health Care Provider	7	6	9
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	56	114	117
Independent Living	93	144	153	Other Referral Source	23	20	19
Dependent Living	13	12	16	TREATMENT ACCOMMODATION			
Homeless	8	*	0	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	*	5	6
Never Married	62	81	91	Special Education Services Needed	7	7	7
Married / Cohabiting	34	42	53	Co-Occurring Psychological Problem	53	27	25
Previously Married	22	45	32	Co-Occurring Developmental Problem	5	5	*

MISSISSIPPI COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 20
CENSUS 2010 14,358
2015 POPULATION ESTIMATE 14,036

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	*	11	13
Anxiety Disorder	88	102	101
Dementia	0	0	0
Developmental Disorder	0	*	*
Impulse Control Disorder	63	56	68
Mood Disorder	255	243	247
Personality Disorder	20	27	31
Psychotic Disorder	58	54	51
Sexual Disorder	0	0	0
Other Diagnosis	22	35	35
Diagnosis Unknown	28	22	30

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	404	391	398	Less than High School Diploma	202	186	204
AGE				High School Grad or G.E.D.	0	0	0
Under 6	*	*	*	Associate Degree or Some College	0	0	0
6 to 9	18	16	26	Bachelor or Advanced Degree	0	0	0
10 to 13	52	46	31	Education Level Unknown	202	205	194
14 to 17	58	52	59	EMPLOYMENT			
18 to 24	33	28	37	Employed	21	24	18
25 to 29	26	37	37	Unemployed	28	34	34
30 to 34	36	37	33	Not in Labor Force	257	222	241
35 to 39	33	24	24	Employment Status Unknown	98	111	105
40 to 44	28	36	34	HOUSING / LIVING ARRANGEMENT			
45 to 49	29	38	35	Independent Living	217	201	198
50 to 54	42	32	28	Dependent Living	138	125	130
55 to 59	22	25	28	Homeless	*	*	*
60 and Over	25	19	23	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	47	63	69
GENDER				TREATMENT REFERRAL SOURCE			
Male	171	163	174	Self / Family / Friend	177	162	147
Female	233	228	224	School	10	8	7
Gender Unknown	0	0	0	Mental Health Provider	35	33	37
RACE / ETHNICITY				Health Care Provider	49	54	47
Caucasian	311	303	322	Court / Criminal Justice	58	47	58
African American	75	76	64	Other	75	87	102
Native American / Alaskan	*	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	5	*	7	Voluntary	402	390	397
Other Race	12	9	5	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	5	8	8	Commitment Type Unknown	0	0	0
Past or Current Military Service	6	*	*				

MISSISSIPPI COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	11.0	46.7	39.3	43.3	Alcohol	0.4	17.1	10.7	21.4
Chewing Tobacco	1.6	20.4	19.3	23.2	Alcohol (5+ drinks on single occasion past 2 weeks)	0.0	10.6		
Cigarettes	52.5	32.9	41.8	33.4	Chewing Tobacco	0.0	11.8	10.7	13.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	2.0	0.5	3.5	Cigarettes	2.0	15.1	25.0	18.3
Cocaine	0.0	0.7	4.1	4.2	Inhalants	0.0	2.6	5.1	3.1
Electronic Cigarettes	1.6	17.2			Marijuana	0.4	10.7	18.4	7.9
Hallucinogens	0.0	2.0	0.0	4.6	Over-the-counter medications for non-medical use	0.0	2.0	5.1	4.5
Heroin	0.0	2.0	0.0	1.4	Prescription medications not prescribed for student	6.3	3.9	11.7	7.3
Inhalants	0.4	3.3	9.6	9.9	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	44.9	23.3	27.0	17.9	Alcohol (1 or 2 drinks daily)	90.2	62.5		
Methamphetamine	0.0	2.0	0.0	1.4	Alcohol (Binge: 5+ drinks once or twice a week)	93.3	72.4		
Over-the-counter medications for non-medical use	0.0	2.6	5.1	4.9	Cigarettes (1+ packs per day)	94.1	86.7		
Prescription medications not prescribed for student	4.9	7.2	17.9	12.1	Marijuana (once or twice a week)	93.2	55.3		
Synthetic drugs (K2, bath salts, Spice, etc)	0.0	2.6	2.6		Other: Cocaine, LSD, Meth, Club Drug (any use)	95.7	89.4	86.2	83.4
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	10.31	13.20	12.02	12.57	Alcohol	94.1	79.6	76.5	74.7
Cigarettes	8.27	12.87	10.90	11.91	Cigarettes	95.3	89.3	84.1	84.9
Inhalants		13.03	11.05	11.86	Marijuana	96.9	90.7	88.7	86.6
Marijuana	11.99	13.72	14.31	13.60	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	52.2	61.3	56.6	55.1
Alcohol	53.3	58.6	48.0	56.1	Cigarettes	53.3	79.9	71.9	68.5
Cigarettes	50.4	55.3	54.6	51.4	Marijuana	51.8	70.2	76.5	75.5
Marijuana	7.1	47.0	37.1	40.3	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	53.7	95.4	94.8	89.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	0.0	9.9	8.2	15.2	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	11.8	57.6	43.1	60.5
Alcohol	3.5	33.1	33.0	41.1	Cigarettes	55.7	58.3	49.7	66.1
Cigarettes	44.5	18.3	24.9	19.7	Marijuana	54.5	50.3	35.2	52.7
Marijuana	46.5	21.3	24.1	13.0	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	4.7	20.5	13.8	29.5
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	76.1	64.9	68.0	62.2	Were grouchy, irritable, or in a bad mood	30.6	25.8	36.0	41.6
Were victims of mean rumors or lies spread at school	71.4	60.5	54.8	58.1	Had difficulty concentrating on school work	55.7	22.9	20.4	38.0
Were victims of an embarrassing or hurtful text message or something posted on the Internet	8.2	26.8	12.6	20.2	Were very sad	9.4	18.4	18.4	31.6
					Felt hopeless about the future	48.6	15.2	8.7	21.2
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	4.3	15.8	19.4	13.9	Parents involve student in making family decisions	50.8	72.8	74.0	64.9
Made plan about how they would attempt suicide	4.7	11.8	21.5	9.5	Parents notice and comment on student's good work	95.7	86.8	85.7	75.9
Attempted suicide	2.4	7.9	12.2	9.5	Teachers notice and comment on student's good work	96.5	79.5		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

MONITEAU COUNTY



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	11
Adult Psychiatric	12
POPULATION	
Census 2010	15,607
2015 Estimate	15,963

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	6	20	16
Fatal Crashes	2	1	1
Injury Crashes	3	7	5
Property Damage Crashes	12	12	10
Crash Fatalities	2	1	1
Crash Injuries	4	8	7
Drug Involved Crashes	5	2	1
Fatal Crashes	1	0	0
Injury Crashes	0	1	0
Property Damage Crashes	4	1	1
Crash Fatalities	1	0	0
Crash Injuries	0	1	0

BIRTH RISK	2014	2013	2012
Resident Births	194	220	216
Mother Reported Smoking while Pregnant	30	45	38

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	1	2
Hepatitis C Chronic and Acute	10	7	2
Tuberculosis Infection Cases	2	2	2

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	150	149	145
Suicides	2	2	2
Homicides	2	0	0
Alcohol Induced Deaths	2	1	0
Drug Induced Deaths	0	0	0
Smoking Attributable Deaths	28	32	26
Self-inflicted Injuries	3	17	14
Assault Injuries	38	28	28

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	45	46	27
Mental Illness Secondary Diagnosis	118	150	143
Alcohol Principal Diagnosis	5	6	0
Alcohol Secondary Diagnosis	6	20	7
Drug Principal Diagnosis	3	2	2
Drug Secondary Diagnosis	7	4	5
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	54	49	49
Mental Illness Secondary Diagnosis	203	183	202
Alcohol Principal Diagnosis	13	21	15
Alcohol Secondary Diagnosis	18	20	15
Drug Principal Diagnosis	4	3	7
Drug Secondary Diagnosis	9	8	10
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	97	97	81
Mental Illness Secondary Diagnosis	318	305	213
Alcohol Principal Diagnosis	14	12	8
Alcohol Secondary Diagnosis	13	17	17
Drug Principal Diagnosis	13	21	10
Drug Secondary Diagnosis	29	22	13

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	11	9	9
Alcohol Package Carry-out Licenses	17	15	17

EMPLOYMENT	2015	2014	2013
Labor Force	7,463	7,369	7,347
Employed	7,098	6,930	6,899
Unemployed	365	439	448
Unemployment Rate	4.9%	6.0%	6.1%

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	46	66	68
Liquor Law Arrests	5	4	5
Drug Arrests	25	39	25
Violent Offenses	28	24	24
Property Offenses	105	206	209
Domestic Violence Reports	87	47	43
	2015	2014	2013
Methamphetamine Lab Seizures	0	2	1
SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	724	720	678
Drop-outs	7	12	7
Drop-out Rate	1.0%	1.7%	1.0%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	4	0	1
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	4	3	4
Juvenile Alcohol Offenses	0	0	3
Juvenile Drug Offenses	1	3	5
School Truancy Status Offense	4	5	6
Absent from Home Status Offense	1	1	1
Beyond Parental Control Status Offense	1	5	3
Injurious Behavior Status Offense	9	3	8
Child Abuse	6	5	4
Child Neglect	6	7	19
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	3	5	2
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	2	0	0
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	32	36	26
Probation/Parole Admissions--DWI	1	7	8
Prison Admissions--Drug	16	17	12
Prison Admissions--DWI	2	2	6

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

MONITEAU COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	*	*	*
CSTAR Adolescent	*	5	*
CSTAR Women and Children	8	7	9
CSTAR General Adult	38	54	80
CSTAR Opioid	0	0	0
Primary Recovery Treatment	6	5	*
Clinical SATOP (CIP, YCIP, SROP)	13	15	5
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	39	60	43
- Adolescent Diversion Education Program	0	*	5
- Offender Education Program	13	20	19
- Weekend Intervention Program	7	13	14
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	0
Compulsive Gambling	0	0	*
Recovery Supports	*	*	*
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	64	82	98	Alcohol	25	37	39
AGE				Marijuana / Hashish	12	13	24
Under 18	*	5	*	Cocaine (total)	0	0	0
18 to 24	7	11	14	- Crack	0	0	0
25 to 29	13	13	22	Stimulant (total)	22	22	27
30 to 34	13	8	18	- Methamphetamine	22	21	18
35 to 39	12	14	13	Heroin	0	*	*
40 to 44	6	8	6	Analgesic except Heroin	*	*	6
45 to 54	7	17	17	- Non-Prescription Methadone	0	0	0
55 and Over	*	6	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	*	0
Male	40	60	64	Inhalant	0	0	0
Female	24	22	34	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	5	*
Caucasian	60	73	90	Average Age at First Use of Drug	16.8	18.3	17.7
African American	*	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	*	Any Injection Use at Admission	*	6	15
Asian / Pacific Islander	0	0	*	- Daily Injection Use	0	0	*
Hispanic	*	5	*	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	0	*	*	- Less than Weekly Injection Use	*	5	10
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	17	22	25	0	40	41	54
High School Graduate or G.E.D.	32	41	51	1 or 2	19	23	28
Associate Degree or Some College	14	19	22	3 or More	5	18	16
Bachelor or Advanced Degree	*	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	17	15	22
Employed	17	22	31	School	0	0	0
Unemployed	23	30	33	Mental Health Provider	*	*	*
Not in Labor Force	24	30	34	Health Care Provider	*	*	0
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	30	52	62
Independent Living	50	70	87	Other Referral Source	14	11	11
Dependent Living	6	8	5	TREATMENT ACCOMMODATION			
Homeless	*	0	0	Pregnant when Admitted to any Episode	0	0	*
MARITAL / FAMILY STATUS				Military Veteran	*	6	7
Never Married	36	35	49	Special Education Services Needed	*	*	*
Married / Cohabiting	13	34	22	Co-Occurring Psychological Problem	26	33	32
Previously Married	15	13	27	Co-Occurring Developmental Problem	0	*	*

MONITEAU COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 12
CENSUS 2010 15,607
2015 POPULATION ESTIMATE 15,963

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	*	*	*
Anxiety Disorder	40	39	48
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	13	8	14
Mood Disorder	58	67	70
Personality Disorder	6	9	7
Psychotic Disorder	15	14	14
Sexual Disorder	0	0	0
Other Diagnosis	6	5	8
Diagnosis Unknown	*	*	*

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	82	85	88	Less than High School Diploma	24	17	27
AGE				High School Grad or G.E.D.	0	0	0
Under 6	0	0	*	Associate Degree or Some College	0	0	0
6 to 9	*	*	*	Bachelor or Advanced Degree	0	0	0
10 to 13	5	*	5	Education Level Unknown	58	68	61
14 to 17	8	5	*	EMPLOYMENT			
18 to 24	*	*	*	Employed	*	*	*
25 to 29	7	5	5	Unemployed	*	*	*
30 to 34	*	7	8	Not in Labor Force	51	47	65
35 to 39	*	*	*	Employment Status Unknown	26	31	15
40 to 44	8	11	11	HOUSING / LIVING ARRANGEMENT			
45 to 49	6	12	9	Independent Living	42	45	59
50 to 54	13	12	16	Dependent Living	16	11	16
55 to 59	6	7	9	Homeless	*	0	*
60 and Over	16	15	14	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	22	29	12
GENDER				TREATMENT REFERRAL SOURCE			
Male	24	28	27	Self / Family / Friend	46	46	42
Female	58	57	61	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	*	5	5
RACE / ETHNICITY				Health Care Provider	14	16	24
Caucasian	78	82	86	Court / Criminal Justice	*	*	0
African American	*	*	*	Other	16	17	17
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	0	*	Voluntary	82	84	88
Other Race	*	*	0	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	*	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	0	0	0
Past or Current Military Service	*	*	*				

MONITEAU COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	44.5	43.9	47.7	51.7	Alcohol	22.3	20.2	20.3	21.9
Chewing Tobacco	18.7	17.6	19.2	24.7	Alcohol (5+ drinks on single occasion past 2 weeks)	10.9	9.1		
Cigarettes	22.3	28.8	19.2	24.6	Chewing Tobacco	10.2	11.7	5.6	15.1
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.7	0.0	1.5	0.3	Cigarettes	8.4	15.2	8.6	11.1
Cocaine	1.1	4.3	1.1	1.0	Inhalants	0.7	0.5	2.6	1.6
Electronic Cigarettes	27.5	17.6			Marijuana	7.4	13.3	4.9	6.6
Hallucinogens	1.8	2.7	0.4	1.6	Over-the-counter medications for non-medical use	0.7	1.6	3.0	1.6
Heroin	0.4	0.0	0.4	0.9	Prescription medications not prescribed for student	8.0	2.7	2.3	2.6
Inhalants	2.2	2.1	4.5	3.8					
Marijuana	14.0	17.6	11.3	10.4	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.4	1.6	1.2	1.3	Alcohol (1 or 2 drinks daily)	63.4	55.1		
Over-the-counter medications for non-medical use	2.9	2.1	4.9	3.5	Alcohol (Binge: 5+ drinks once or twice a week)	75.2	69.1		
Prescription medications not prescribed for student	13.3	3.7	6.4	5.1	Cigarettes (1+ packs per day)	86.1	80.7		
Synthetic drugs (K2, bath salts, Spice, etc)	0.4	3.2	3.4		Marijuana (once or twice a week)	73.3	72.9		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	90.9	94.6	92.8	95.2
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.97	13.15	12.19	12.06	Alcohol	82.1	74.5	73.2	72.8
Cigarettes	12.96	13.20	11.63	12.64	Cigarettes	94.5	89.9	95.1	93.2
Inhalants		14.23	11.08	10.26	Marijuana	95.6	91.8	97.7	97.5
Marijuana	14.20	14.03	13.25	13.83					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	47.6	45.5	63.2	69.6	Alcohol	66.7	62.2	56.0	53.6
Cigarettes	34.2	31.9	32.5	42.6	Cigarettes	87.9	83.9	86.4	85.7
Marijuana	32.4	30.9	27.5	29.1	Marijuana	83.6	79.0	84.5	90.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.4	14.6	9.0	18.1	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.4	98.4	96.6	98.7
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	31.9	34.2	38.0	43.2	Alcohol	54.4	55.0	60.8	65.3
Cigarettes	10.8	21.3	9.0	13.2	Cigarettes	53.3	51.9	44.0	51.4
Marijuana	11.5	14.4	13.2	10.1	Marijuana	33.9	29.3	31.2	28.5
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.9	17.4	14.8	15.6
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	63.7	56.4	63.5	77.6	Were grouchy, irritable, or in a bad mood	26.4	16.6	16.5	29.2
Were victims of mean rumors or lies spread at school	51.5	52.7	47.7	60.4	Had difficulty concentrating on school work	23.2	16.0	17.7	31.1
Were victims of an embarrassing or hurtful text message or something posted on the Internet	23.1	18.1	24.0	19.2	Were very sad	16.4	14.4	15.4	16.5
					Felt hopeless about the future	11.7	8.5	7.5	12.1
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	9.7	9.0	12.8	9.8	Parents involve student in making family decisions	68.6	71.3	69.3	74.2
Made plan about how they would attempt suicide	7.4	7.0	8.6	5.7	Parents notice and comment on student's good work	85.3	79.8	80.5	82.5
Attempted suicide	3.7	4.3	6.7	3.5	Teachers notice and comment on student's good work	73.6	75.5		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

MONROE COUNTY



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	15
Adult Psychiatric	15
POPULATION	
Census 2010	8,840
2015 Estimate	8,583

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	8	4	9
Fatal Crashes	0	0	0
Injury Crashes	4	3	7
Property Damage Crashes	1	1	2
Crash Fatalities	0	0	0
Crash Injuries	4	3	12
Drug Involved Crashes	4	0	1
Fatal Crashes	0	0	0
Injury Crashes	0	0	1
Property Damage Crashes	4	0	0
Crash Fatalities	0	0	0
Crash Injuries	0	0	1

BIRTH RISK	2014	2013	2012
Resident Births	87	91	85
Mother Reported Smoking while Pregnant	16	22	19

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	0	0	1
Hepatitis B Chronic, Acute, Prenatal	0	0	0
Hepatitis C Chronic and Acute	3	2	3
Tuberculosis Infection Cases	1	1	0

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	97	89	74
Suicides	1	1	1
Homicides	0	0	0
Alcohol Induced Deaths	2	0	1
Drug Induced Deaths	1	0	1
Smoking Attributable Deaths	14	20	16
Self-inflicted Injuries	3	10	12
Assault Injuries	9	21	17

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	38	63	54
Mental Illness Secondary Diagnosis	125	144	176
Alcohol Principal Diagnosis	2	3	0
Alcohol Secondary Diagnosis	9	9	5
Drug Principal Diagnosis	1	1	2
Drug Secondary Diagnosis	5	2	6
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	28	21	18
Mental Illness Secondary Diagnosis	137	115	112
Alcohol Principal Diagnosis	7	10	1
Alcohol Secondary Diagnosis	19	15	21
Drug Principal Diagnosis	7	7	1
Drug Secondary Diagnosis	3	3	12
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	45	42	45
Mental Illness Secondary Diagnosis	145	114	118
Alcohol Principal Diagnosis	2	8	3
Alcohol Secondary Diagnosis	7	11	12
Drug Principal Diagnosis	6	6	6
Drug Secondary Diagnosis	7	7	11

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	12	11	10
Alcohol Package Carry-out Licenses	11	12	12

EMPLOYMENT	2015	2014	2013
Labor Force	4,281	4,161	4,059
Employed	4,056	3,886	3,761
Unemployed	225	275	298
Unemployment Rate	5.3%	6.6%	7.3%

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	24	32	49
Liquor Law Arrests	2	3	8
Drug Arrests	68	68	35
Violent Offenses	3	12	10
Property Offenses	81	92	99
Domestic Violence Reports	18	29	14

	2015	2014	2013
Methamphetamine Lab Seizures	2	4	5

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	485	450	470
Drop-outs	7	8	5
Drop-out Rate	1.4%	1.8%	1.1%
School Discipline Involving Alcohol	1	0	0
School Discipline Involving Drugs	1	4	1
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	4	11	5
Juvenile Alcohol Offenses	1	1	3
Juvenile Drug Offenses	2	0	2
School Truancy Status Offense	3	6	6
Absent from Home Status Offense	0	0	2
Beyond Parental Control Status Offense	0	0	0
Injurious Behavior Status Offense	24	34	28
Child Abuse	2	2	2
Child Neglect	23	11	12
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	11	7	13
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	9	0	1
Parental Alcohol and Drug Use	0	1	0

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	23	9	19
Probation/Parole Admissions--DWI	1	4	4
Prison Admissions--Drug	9	6	7
Prison Admissions--DWI	0	1	1

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

MONROE COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	*	*	6
CSTAR Adolescent	*	6	8
CSTAR Women and Children	11	*	10
CSTAR General Adult	25	18	7
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	18
Clinical SATOP (CIP, YCIP, SROP)	5	9	8
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	33	33	27
- Adolescent Diversion Education Program	*	*	*
- Offender Education Program	13	14	8
- Weekend Intervention Program	8	*	6
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	*
Compulsive Gambling	0	0	0
Recovery Supports	0	*	0
Early Intervention	*	*	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	43	42	45	Alcohol	15	16	17
AGE				Marijuana / Hashish	17	11	19
Under 18	*	6	8	Cocaine (total)	*	*	0
18 to 24	9	11	9	- Crack	*	*	0
25 to 29	10	*	7	Stimulant (total)	9	9	5
30 to 34	8	8	7	- Methamphetamine	9	9	5
35 to 39	*	*	*	Heroin	*	0	*
40 to 44	*	*	6	Analgesic except Heroin	0	*	*
45 to 54	6	6	*	- Non-Prescription Methadone	0	0	0
55 and Over	*	5	*	PCP, LSD, other Hallucinogen	0	*	0
GENDER				Tranquilizer	0	0	*
Male	25	31	26	Inhalant	0	0	0
Female	18	11	19	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	*	0
Caucasian	36	38	42	Average Age at First Use of Drug	18.4	17.6	16.1
African American	*	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	*	*	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	0	0
Hispanic	*	0	0	- Weekly Injection Use	0	*	0
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	*	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	10	12	14	0	26	22	27
High School Graduate or G.E.D.	23	25	22	1 or 2	13	12	14
Associate Degree or Some College	10	*	8	3 or More	*	8	*
Bachelor or Advanced Degree	0	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	8	11	6
Employed	19	15	13	School	0	0	0
Unemployed	17	16	15	Mental Health Provider	*	0	0
Not in Labor Force	7	11	17	Health Care Provider	*	0	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	15	21	21
Independent Living	34	32	28	Other Referral Source	6	6	12
Dependent Living	6	8	17	TREATMENT ACCOMMODATION			
Homeless	*	*	0	Pregnant when Admitted to any Episode	0	0	0
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	23	26	29	Special Education Services Needed	8	*	*
Married / Cohabiting	14	8	8	Co-Occurring Psychological Problem	14	12	14
Previously Married	6	8	8	Co-Occurring Developmental Problem	*	*	*

MONROE COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 15
CENSUS 2010 8,840
2015 POPULATION ESTIMATE 8,583

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	6	9	9
Anxiety Disorder	42	49	41
Dementia	*	*	0
Developmental Disorder	*	*	*
Impulse Control Disorder	35	42	41
Mood Disorder	56	74	58
Personality Disorder	*	6	6
Psychotic Disorder	10	13	11
Sexual Disorder	*	*	*
Other Diagnosis	18	18	9
Diagnosis Unknown	*	*	*

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	87	105	101	Less than High School Diploma	40	44	47
AGE				High School Grad or G.E.D.	0	0	0
Under 6	0	0	0	Associate Degree or Some College	0	0	0
6 to 9	10	5	7	Bachelor or Advanced Degree	0	0	0
10 to 13	11	14	16	Education Level Unknown	47	61	54
14 to 17	15	26	22	EMPLOYMENT			
18 to 24	8	6	8	Employed	9	5	8
25 to 29	*	*	5	Unemployed	7	*	*
30 to 34	5	8	7	Not in Labor Force	54	70	73
35 to 39	5	6	6	Employment Status Unknown	17	27	17
40 to 44	8	9	8	HOUSING / LIVING ARRANGEMENT			
45 to 49	*	8	6	Independent Living	31	27	32
50 to 54	9	7	6	Dependent Living	39	47	45
55 to 59	7	7	7	Homeless	0	*	*
60 and Over	*	5	*	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	17	30	23
GENDER				TREATMENT REFERRAL SOURCE			
Male	43	54	51	Self / Family / Friend	25	44	47
Female	44	51	50	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	6	9	10
RACE / ETHNICITY				Health Care Provider	6	5	6
Caucasian	78	96	90	Court / Criminal Justice	*	5	6
African American	6	6	7	Other	46	39	30
Native American / Alaskan	0	0	0	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	0	0	0	Voluntary	85	103	99
Other Race	*	*	*	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	*	*	*	Commitment Type Unknown	*	*	*
Past or Current Military Service	*	*	*				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	32.6	37.9	52.2	40.1	Alcohol	14.4	19.6	22.2	16.8
Chewing Tobacco	11.5	19.4	15.6	15.3	Alcohol (5+ drinks on single occasion past 2 weeks)	1.4	6.9		
Cigarettes	12.1	27.5	35.3	29.2	Chewing Tobacco	7.1	11.7	9.6	9.5
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	1.0	0.7	1.6	Cigarettes	5.0	6.9	13.2	17.2
Cocaine	0.0	1.0	0.7	0.5	Inhalants	0.0	1.0	2.2	2.1
Electronic Cigarettes	5.0	13.7			Marijuana	0.7	2.9	5.1	4.7
Hallucinogens	0.0	1.0	0.7	1.1	Over-the-counter medications for non-medical use	0.7	1.0	3.7	2.1
Heroin	0.0	0.0	0.0	0.0	Prescription medications not prescribed for student	7.1	4.9	3.0	3.7
Inhalants	0.0	2.9	3.7	3.7	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	5.0	6.8	14.1	9.5	Alcohol (1 or 2 drinks daily)	56.4	51.5		
Methamphetamine	0.0	1.0	0.8	0.5	Alcohol (Binge: 5+ drinks once or twice a week)	62.1	69.6		
Over-the-counter medications for non-medical use	2.8	1.9	5.2	5.3	Cigarettes (1+ packs per day)	79.9	76.5		
Prescription medications not prescribed for student	9.2	10.8	7.4	9.5	Marijuana (once or twice a week)	75.5	76.7		
Synthetic drugs (K2, bath salts, Spice, etc)	0.0	2.9	4.4		Other: Cocaine, LSD, Meth, Club Drug (any use)	91.2	94.1	93.3	92.7
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.11	13.43	12.55	11.67	Alcohol	77.9	72.5	69.6	81.3
Cigarettes	14.13	13.72	12.59	11.49	Cigarettes	95.0	85.3	88.1	91.5
Inhalants		11.51	10.47	11.31	Marijuana	97.2	94.1	94.8	96.8
Marijuana		13.80	13.29	12.95	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	73.0	57.4	51.9	60.4
Alcohol	31.9	43.1	61.0	56.3	Cigarettes	92.2	81.2	74.1	77.5
Cigarettes	23.4	30.4	54.1	50.5	Marijuana	94.3	92.2	85.3	87.6
Marijuana	9.3	13.7	29.6	28.6	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.6	98.0	95.6	96.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	0.7	6.9	11.2	11.9	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	46.4	53.5	58.2	51.3
Alcohol	27.0	35.0	40.4	28.8	Cigarettes	33.3	57.3	55.2	55.5
Cigarettes	5.8	10.7	20.0	17.6	Marijuana	8.5	21.0	31.3	27.7
Marijuana	3.5	4.9	8.9	7.8	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	4.3	9.7	14.3	13.0
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	63.4	58.3	65.7	78.9	Were grouchy, irritable, or in a bad mood	34.8	16.5	26.7	33.0
Were victims of mean rumors or lies spread at school	51.1	47.6	55.6	71.9	Had difficulty concentrating on school work	16.3	15.7	21.8	32.8
Were victims of an embarrassing or hurtful text message or something posted on the Internet	21.6	18.4	20.9	27.0	Were very sad	18.6	12.6	19.1	25.4
					Felt hopeless about the future	7.1	7.8	11.8	17.9
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	5.0	5.9	11.2	11.9	Parents involve student in making family decisions	75.2	70.3	65.2	70.4
Made plan about how they would attempt suicide	2.2	4.9	9.0	8.8	Parents notice and comment on student's good work	89.3	81.4	80.0	86.8
Attempted suicide	0.0	3.9	5.1	7.3	Teachers notice and comment on student's good work	79.4	68.6		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

MONTGOMERY COUNTY



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	15
Adult Psychiatric	15
POPULATION	
Census 2010	12,236
2015 Estimate	11,703

BIRTH RISK	2014	2013	2012
Resident Births	131	128	146
Mother Reported Smoking while Pregnant	29	42	51

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	0
Hepatitis C Chronic and Acute	4	2	5
Tuberculosis Infection Cases	1	3	2

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	170	152	135
Suicides	5	2	2
Homicides	1	0	0
Alcohol Induced Deaths	0	1	0
Drug Induced Deaths	4	2	0
Smoking Attributable Deaths	37	23	25
Self-inflicted Injuries	19	12	18
Assault Injuries	34	33	42

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	79	81	67
Mental Illness Secondary Diagnosis	157	175	216
Alcohol Principal Diagnosis	6	5	1
Alcohol Secondary Diagnosis	13	13	17
Drug Principal Diagnosis	0	7	5
Drug Secondary Diagnosis	6	10	8
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	80	70	82
Mental Illness Secondary Diagnosis	238	210	226
Alcohol Principal Diagnosis	4	4	6
Alcohol Secondary Diagnosis	25	19	21
Drug Principal Diagnosis	4	5	6
Drug Secondary Diagnosis	15	12	16
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	87	83	83
Mental Illness Secondary Diagnosis	164	212	266
Alcohol Principal Diagnosis	5	10	13
Alcohol Secondary Diagnosis	19	18	16
Drug Principal Diagnosis	13	9	11
Drug Secondary Diagnosis	35	23	22

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	19	19	22
Alcohol Package Carry-out Licenses	21	20	20

EMPLOYMENT	2015	2014	2013
Labor Force	5,784	5,696	5,733
Employed	5,496	5,354	5,331
Unemployed	288	342	402
Unemployment Rate	5.0%	6.0%	7.0%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	13	15	17
Fatal Crashes	0	2	1
Injury Crashes	8	5	9
Property Damage Crashes	8	8	7
Crash Fatalities	0	2	1
Crash Injuries	10	10	12
Drug Involved Crashes	2	6	1
Fatal Crashes	1	0	0
Injury Crashes	1	1	0
Property Damage Crashes	0	5	1
Crash Fatalities	1	0	0
Crash Injuries	1	1	0

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	53	59	47
Liquor Law Arrests	20	1	4
Drug Arrests	48	37	48
Violent Offenses	22	10	18
Property Offenses	155	167	189
Domestic Violence Reports	52	49	51

	2015	2014	2013
Methamphetamine Lab Seizures	1	6	16

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	434	454	461
Drop-outs	5	6	15
Drop-out Rate	1.2%	1.3%	3.3%
School Discipline Involving Alcohol	0	2	1
School Discipline Involving Drugs	2	0	11
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	7	18	11
Juvenile Alcohol Offenses	4	2	2
Juvenile Drug Offenses	2	2	5
School Truancy Status Offense	3	2	6
Absent from Home Status Offense	6	3	2
Beyond Parental Control Status Offense	1	2	0
Injurious Behavior Status Offense	6	7	7
Child Abuse	8	11	9
Child Neglect	23	16	17
Child Custody Issues	1	0	0

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	21	12	20
Parental Alcohol Use Related	1	0	3
Parental Drug Use Related	5	2	5
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	9	4	6
Probation/Parole Admissions--Drug	77	51	46
Probation/Parole Admissions--DWI	4	8	8
Prison Admissions--Drug	23	19	26
Prison Admissions--DWI	1	3	9

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

MONTGOMERY COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	6	*	9
CSTAR Adolescent	6	6	7
CSTAR Women and Children	9	*	6
CSTAR General Adult	76	78	46
CSTAR Opioid	0	0	0
Primary Recovery Treatment	6	7	23
Clinical SATOP (CIP, YCIP, SROP)	8	17	9
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	44	43	32
- Adolescent Diversion Education Program	*	*	0
- Offender Education Program	19	8	7
- Weekend Intervention Program	7	8	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	0	0	0
Recovery Supports	0	*	0
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	102	107	82	Alcohol	28	40	31
AGE				Marijuana / Hashish	29	34	25
Under 18	6	6	6	Cocaine (total)	0	*	0
18 to 24	14	20	15	- Crack	0	*	0
25 to 29	20	20	16	Stimulant (total)	31	22	15
30 to 34	22	14	9	- Methamphetamine	31	21	15
35 to 39	11	10	10	Heroin	8	*	*
40 to 44	5	6	7	Analgesic except Heroin	5	*	*
45 to 54	17	24	14	- Non-Prescription Methadone	0	0	*
55 and Over	7	7	5	PCP, LSD, other Hallucinogen	0	0	*
GENDER				Tranquilizer	*	*	0
Male	62	74	53	Inhalant	0	0	0
Female	40	33	29	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	*
Caucasian	94	102	75	Average Age at First Use of Drug	18.8	18.2	17.9
African American	*	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	20	9	12
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	*	*
Hispanic	*	0	*	- Weekly Injection Use	8	0	*
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	12	6	8
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	37	35	38	0	68	61	47
High School Graduate or G.E.D.	53	60	33	1 or 2	20	26	23
Associate Degree or Some College	12	12	10	3 or More	14	20	12
Bachelor or Advanced Degree	0	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	23	56	13
Employed	27	49	20	School	0	0	*
Unemployed	51	30	42	Mental Health Provider	*	0	0
Not in Labor Force	24	28	20	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	58	40	56
Independent Living	85	96	67	Other Referral Source	12	7	8
Dependent Living	7	6	13	TREATMENT ACCOMMODATION			
Homeless	*	*	0	Pregnant when Admitted to any Episode	*	*	0
MARITAL / FAMILY STATUS				Military Veteran	8	7	5
Never Married	52	51	48	Special Education Services Needed	*	19	12
Married / Cohabiting	31	29	20	Co-Occurring Psychological Problem	38	37	23
Previously Married	19	27	14	Co-Occurring Developmental Problem	0	13	0

MONTGOMERY COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 15
CENSUS 2010 12,236
2015 POPULATION ESTIMATE 11,703

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	11	17	16
Anxiety Disorder	79	83	84
Dementia	0	*	0
Developmental Disorder	6	18	16
Impulse Control Disorder	49	58	70
Mood Disorder	106	118	127
Personality Disorder	20	20	21
Psychotic Disorder	20	32	28
Sexual Disorder	0	0	0
Other Diagnosis	17	21	25
Diagnosis Unknown	*	22	10

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	148	198	199	Less than High School Diploma	62	71	79
AGE				High School Grad or G.E.D.	0	0	*
Under 6	0	5	6	Associate Degree or Some College	0	0	0
6 to 9	17	17	23	Bachelor or Advanced Degree	0	0	0
10 to 13	11	18	16	Education Level Unknown	86	127	119
14 to 17	15	21	25	EMPLOYMENT			
18 to 24	14	18	16	Employed	11	13	11
25 to 29	9	11	16	Unemployed	8	20	14
30 to 34	9	16	13	Not in Labor Force	94	110	121
35 to 39	17	23	20	Employment Status Unknown	35	55	53
40 to 44	20	13	14	HOUSING / LIVING ARRANGEMENT			
45 to 49	11	15	18	Independent Living	60	76	67
50 to 54	16	23	17	Dependent Living	45	48	67
55 to 59	5	12	10	Homeless	0	*	*
60 and Over	*	6	5	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	43	73	64
GENDER				TREATMENT REFERRAL SOURCE			
Male	69	99	100	Self / Family / Friend	93	129	126
Female	79	99	99	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	*	8	9
RACE / ETHNICITY				Health Care Provider	23	18	24
Caucasian	140	184	189	Court / Criminal Justice	*	9	7
African American	5	7	5	Other	23	32	31
Native American / Alaskan	*	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	5	*	Voluntary	148	198	199
Other Race	*	*	*	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	0	0	0
Past or Current Military Service	0	*	*				

MONTGOMERY COUNTY

MISSOURI STUDENT SURVEY

	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	38.9	39.6	48.9	68.4	Alcohol	15.0	16.7	19.3	34.6
Chewing Tobacco	13.1	18.1	16.6	19.3	Alcohol (5+ drinks on single occasion past 2 weeks)	8.8	6.3		
Cigarettes	18.2	16.3	28.3	36.2	Chewing Tobacco	6.6	9.0	10.1	12.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	3.3	0.0	2.2	1.8	Cigarettes	6.7	2.8	12.8	19.7
Cocaine	0.5	0.7	1.6	2.6	Inhalants	0.0	0.0	1.6	0.9
Electronic Cigarettes	15.3	15.4			Marijuana	7.1	2.8	5.3	7.5
Hallucinogens	1.6	0.0	3.2	3.1	Over-the-counter medications for non-medical use	2.2	0.0	3.7	4.4
Heroin	0.0	0.0	1.1	0.4	Prescription medications not prescribed for student	11.4	0.7	5.9	7.5
Inhalants	1.6	0.0	3.7	3.5					
Marijuana	14.1	11.9	13.9	18.4	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.0	0.0	1.1	0.9	Alcohol (1 or 2 drinks daily)	69.4	55.9		
Over-the-counter medications for non-medical use	3.8	2.1	6.9	8.0	Alcohol (Binge: 5+ drinks once or twice a week)	75.0	71.5		
Prescription medications not prescribed for student	14.3	3.5	9.0	14.1	Cigarettes (1+ packs per day)	86.7	88.1		
Synthetic drugs (K2, bath salts, Spice, etc)	2.2	1.4	7.4		Marijuana (once or twice a week)	67.6	65.0		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	92.9	92.4	91.9	94.3
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.54	13.05	12.36	12.57	Alcohol	77.6	70.6	70.4	58.6
Cigarettes	12.29	11.60	12.39	12.44	Cigarettes	95.1	90.3	89.8	85.5
Inhalants			11.79	12.54	Marijuana	93.4	91.7	95.1	94.3
Marijuana	14.19	13.88	13.61	13.11					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	44.2	47.9	62.6	83.8	Alcohol	69.4	60.3	54.8	31.9
Cigarettes	21.9	33.8	47.3	59.0	Cigarettes	91.7	89.6	81.2	71.9
Marijuana	30.6	31.7	32.3	38.0	Marijuana	78.8	83.8	83.8	80.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.9	6.3	15.0	16.2	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.8	96.5	94.1	94.7
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	25.6	28.5	36.4	60.9	Alcohol	49.5	54.5	51.9	73.2
Cigarettes	7.7	6.3	12.4	22.4	Cigarettes	39.2	50.0	50.3	66.7
Marijuana	13.0	7.7	7.4	10.5	Marijuana	35.2	30.6	28.6	35.5
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.7	10.6	14.8	15.9
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	55.7	59.9	62.6	69.1	Were grouchy, irritable, or in a bad mood	25.8	31.3	19.8	36.4
Were victims of mean rumors or lies spread at school	44.3	51.4	54.5	58.6	Had difficulty concentrating on school work	27.3	22.9	21.5	30.3
Were victims of an embarrassing or hurtful text message or something posted on the Internet	21.6	22.5	17.8	20.3	Were very sad	17.6	22.5	17.1	21.9
					Felt hopeless about the future	7.7	9.9	8.0	15.7
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	10.0	10.5	8.6	13.0	Parents involve student in making family decisions	70.9	69.2	70.3	74.7
Made plan about how they would attempt suicide	6.2	8.5	3.8	10.0	Parents notice and comment on student's good work	83.8	79.0	85.0	83.4
Attempted suicide	3.3	4.9	3.2	9.6	Teachers notice and comment on student's good work	83.6	77.1		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

MORGAN COUNTY



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	12
Adult Psychiatric	12
POPULATION	
Census 2010	20,565
2015 Estimate	20,171

BIRTH RISK	2014	2013	2012
Resident Births	264	236	264
Mother Reported Smoking while Pregnant	61	68	65

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	1	0
Hepatitis C Chronic and Acute	19	25	14
Tuberculosis Infection Cases	1	1	1

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	287	266	296
Suicides	2	1	4
Homicides	0	2	3
Alcohol Induced Deaths	0	3	3
Drug Induced Deaths	5	2	2
Smoking Attributable Deaths	60	54	62
Self-inflicted Injuries	21	18	21
Assault Injuries	47	55	40

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	95	93	86
Mental Illness Secondary Diagnosis	251	308	288
Alcohol Principal Diagnosis	6	4	4
Alcohol Secondary Diagnosis	30	38	22
Drug Principal Diagnosis	3	3	3
Drug Secondary Diagnosis	23	9	7
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	90	78	96
Mental Illness Secondary Diagnosis	400	395	459
Alcohol Principal Diagnosis	15	12	23
Alcohol Secondary Diagnosis	48	47	68
Drug Principal Diagnosis	20	8	13
Drug Secondary Diagnosis	19	24	20
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	137	132	145
Mental Illness Secondary Diagnosis	882	696	552
Alcohol Principal Diagnosis	16	24	18
Alcohol Secondary Diagnosis	43	40	41
Drug Principal Diagnosis	23	16	28
Drug Secondary Diagnosis	35	34	30

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	40	37	39
Alcohol Package Carry-out Licenses	36	36	37

EMPLOYMENT	2015	2014	2013
Labor Force	8,203	7,972	9,053
Employed	7,654	7,291	8,360
Unemployed	549	681	693
Unemployment Rate	6.7%	8.5%	7.7%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	28	32	31
Fatal Crashes	0	0	1
Injury Crashes	9	16	16
Property Damage Crashes	16	16	14
Crash Fatalities	0	0	1
Crash Injuries	9	18	20
Drug Involved Crashes	0	2	4
Fatal Crashes	0	0	1
Injury Crashes	0	0	2
Property Damage Crashes	0	2	1
Crash Fatalities	0	0	1
Crash Injuries	0	0	3

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	76	100	106
Liquor Law Arrests	10	12	19
Drug Arrests	150	79	137
Violent Offenses	39	71	108
Property Offenses	431	438	436
Domestic Violence Reports	245	223	249
	2015	2014	2013
Methamphetamine Lab Seizures	3	3	2

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	574	616	604
Drop-outs	3	2	1
Drop-out Rate	0.5%	0.3%	0.2%
School Discipline Involving Alcohol	0	0	1
School Discipline Involving Drugs	3	10	4
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	18	21	25
Juvenile Alcohol Offenses	5	8	1
Juvenile Drug Offenses	3	11	4
School Truancy Status Offense	7	12	14
Absent from Home Status Offense	9	1	4
Beyond Parental Control Status Offense	2	3	5
Injurious Behavior Status Offense	10	21	13
Child Abuse	14	9	3
Child Neglect	13	26	22
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	17	16	12
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	2	4	1
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	82	70	61
Probation/Parole Admissions--DWI	8	13	11
Prison Admissions--Drug	50	37	31
Prison Admissions--DWI	8	3	6

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.

³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

MORGAN COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	*	*	*
CSTAR Adolescent	*	*	*
CSTAR Women and Children	9	10	*
CSTAR General Adult	56	42	58
CSTAR Opioid	0	0	0
Primary Recovery Treatment	6	*	*
Clinical SATOP (CIP, YCIP, SROP)	17	15	21
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	63	81	74
- Adolescent Diversion Education Program	*	*	0
- Offender Education Program	17	33	30
- Weekend Intervention Program	12	12	14
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	0
Compulsive Gambling	0	0	0
Recovery Supports	5	*	6
Early Intervention	*	0	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	82	71	89	Alcohol	34	33	42
AGE				Marijuana / Hashish	13	9	15
Under 18	*	*	*	Cocaine (total)	0	*	*
18 to 24	10	9	14	- Crack	0	*	0
25 to 29	18	8	16	Stimulant (total)	21	20	24
30 to 34	12	14	10	- Methamphetamine	21	20	22
35 to 39	10	8	11	Heroin	*	*	*
40 to 44	9	*	9	Analgesic except Heroin	8	*	5
45 to 54	13	17	17	- Non-Prescription Methadone	0	0	0
55 and Over	7	8	10	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	0	*
Male	50	41	57	Inhalant	0	0	0
Female	32	30	32	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	0
Caucasian	79	68	87	Average Age at First Use of Drug	17.2	19.2	18.8
African American	*	*	0	INJECTION DRUG USE			
Native American / Alaskan	0	*	0	Any Injection Use at Admission	13	9	12
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	*
Hispanic	0	*	*	- Weekly Injection Use	5	*	*
Other Race / Two or More Races	*	0	*	- Less than Weekly Injection Use	5	6	5
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	26	26	30	0	38	31	34
High School Graduate or G.E.D.	35	31	36	1 or 2	26	26	30
Associate Degree or Some College	21	13	22	3 or More	18	14	25
Bachelor or Advanced Degree	0	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	25	22	35
Employed	25	24	28	School	0	0	0
Unemployed	25	20	21	Mental Health Provider	*	0	*
Not in Labor Force	32	27	40	Health Care Provider	6	0	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	28	31	38
Independent Living	61	55	77	Other Referral Source	21	18	10
Dependent Living	9	6	*	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	*	0	0
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	39	31	37	Special Education Services Needed	*	*	*
Married / Cohabiting	23	14	29	Co-Occurring Psychological Problem	38	35	22
Previously Married	20	26	23	Co-Occurring Developmental Problem	0	0	*

MORGAN COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 12
CENSUS 2010 20,565
2015 POPULATION ESTIMATE 20,171

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	*	5	6
Anxiety Disorder	118	129	128
Dementia	*	*	0
Developmental Disorder	7	11	8
Impulse Control Disorder	34	36	37
Mood Disorder	166	180	174
Personality Disorder	19	17	21
Psychotic Disorder	42	38	34
Sexual Disorder	*	*	*
Other Diagnosis	16	15	14
Diagnosis Unknown	6	7	5

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	217	229	223	Less than High School Diploma	69	60	79
AGE				High School Grad or G.E.D.	0	0	0
Under 6	*	*	0	Associate Degree or Some College	0	0	0
6 to 9	6	6	8	Bachelor or Advanced Degree	0	0	0
10 to 13	8	13	13	Education Level Unknown	148	169	144
14 to 17	9	13	15	EMPLOYMENT			
18 to 24	16	24	25	Employed	12	11	7
25 to 29	16	18	15	Unemployed	*	11	11
30 to 34	14	21	20	Not in Labor Force	156	126	156
35 to 39	17	22	20	Employment Status Unknown	45	81	49
40 to 44	30	24	23	HOUSING / LIVING ARRANGEMENT			
45 to 49	25	27	30	Independent Living	150	116	138
50 to 54	32	27	21	Dependent Living	24	35	41
55 to 59	22	15	17	Homeless	6	*	*
60 and Over	21	17	16	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	37	74	43
GENDER				TREATMENT REFERRAL SOURCE			
Male	90	102	102	Self / Family / Friend	114	124	113
Female	127	127	121	School	*	*	5
Gender Unknown	0	0	0	Mental Health Provider	11	13	17
RACE / ETHNICITY				Health Care Provider	36	42	45
Caucasian	207	218	217	Court / Criminal Justice	9	9	9
African American	*	*	*	Other	44	38	34
Native American / Alaskan	0	0	0	Referral Source Unknown	*	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	*	*	Voluntary	213	227	223
Other Race	6	6	*	Civil	*	*	0
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	*	6	*	Commitment Type Unknown	0	0	0
Past or Current Military Service	5	*	5				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	33.8	42.4	51.6	47.4	Alcohol	11.9	16.8	25.3	23.4
Chewing Tobacco	17.0	19.7	21.8	20.8	Alcohol (5+ drinks on single occasion past 2 weeks)	4.0	9.7		
Cigarettes	21.5	31.0	33.7	33.3	Chewing Tobacco	7.8	11.6	13.5	13.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.4	3.6	1.9	2.1	Cigarettes	8.5	13.7	17.0	18.4
Cocaine	1.9	1.5	2.3	1.0	Inhalants	1.1	1.0	3.5	3.3
Electronic Cigarettes	18.8	15.6			Marijuana	4.1	9.7	11.9	9.5
Hallucinogens	1.1	3.6	5.5	2.9	Over-the-counter medications for non-medical use	0.7	3.6	6.7	3.8
Heroin	0.4	1.0	1.0	0.5	Prescription medications not prescribed for student	10.0	4.1	6.1	6.5
Inhalants	4.1	2.0	6.7	7.9	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	14.0	16.2	22.4	18.9	Alcohol (1 or 2 drinks daily)	67.7	53.0		
Methamphetamine	1.1	2.6	2.0	1.4	Alcohol (Binge: 5+ drinks once or twice a week)	78.4	63.3		
Over-the-counter medications for non-medical use	4.1	6.1	9.3	7.5	Cigarettes (1+ packs per day)	87.9	81.6		
Prescription medications not prescribed for student	16.4	11.2	10.6	10.8	Marijuana (once or twice a week)	70.6	59.9		
Synthetic drugs (K2, bath salts, Spice, etc)	1.5	7.3	7.7		Other: Cocaine, LSD, Meth, Club Drug (any use)	91.1	92.3	89.1	94.3
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.10	12.98	12.41	12.50	Alcohol	81.9	74.7	74.9	73.4
Cigarettes	12.42	12.94	11.62	12.10	Cigarettes	91.8	87.9	91.0	84.9
Inhalants	12.03	11.46	11.73	13.21	Marijuana	92.8	90.8	91.8	94.0
Marijuana	13.77	13.32	12.87	13.76	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	74.1	63.5	48.2	56.5
Alcohol	37.9	57.9	66.0	62.6	Cigarettes	88.2	80.3	70.5	73.3
Cigarettes	31.6	47.2	57.7	53.1	Marijuana	85.8	77.4	71.9	81.4
Marijuana	29.7	34.5	48.7	39.7	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.7	93.9	93.3	94.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.4	15.7	18.4	18.5	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	44.8	55.3	65.7	56.6
Alcohol	23.2	31.2	42.6	37.9	Cigarettes	45.4	55.8	62.2	54.8
Cigarettes	9.3	14.6	20.6	19.9	Marijuana	29.5	38.5	42.9	36.1
Marijuana	10.0	14.8	17.6	13.9	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	16.7	16.9	21.0	19.3
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	66.5	69.5	69.1	69.7	Were grouchy, irritable, or in a bad mood	32.8	35.0	34.2	30.1
Were victims of mean rumors or lies spread at school	56.6	56.1	56.6	54.5	Had difficulty concentrating on school work	27.7	32.1	26.9	28.9
Were victims of an embarrassing or hurtful text message or something posted on the Internet	19.8	25.1	23.4	19.4	Were very sad	21.0	24.1	19.9	21.1
					Felt hopeless about the future	11.1	11.7	14.9	16.9
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	12.3	13.1	15.4	12.8	Parents involve student in making family decisions	70.5	61.9	62.6	72.0
Made plan about how they would attempt suicide	11.2	8.6	14.1	8.5	Parents notice and comment on student's good work	82.5	83.3	81.7	85.9
Attempted suicide	6.4	5.6	4.2	5.4	Teachers notice and comment on student's good work	74.9	64.8		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

NEW MADRID COUNTY



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	20
Adult Psychiatric	20
POPULATION	
Census 2010	18,956
2015 Estimate	18,208

BIRTH RISK	2014	2013	2012
Resident Births	231	274	216
Mother Reported Smoking while Pregnant	64	88	55

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	3	0	0
Hepatitis B Chronic, Acute, Prenatal	1	0	0
Hepatitis C Chronic and Acute	15	14	12
Tuberculosis Infection Cases	1	2	3

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	244	237	255
Suicides	1	1	2
Homicides	1	0	4
Alcohol Induced Deaths	0	1	2
Drug Induced Deaths	1	6	1
Smoking Attributable Deaths	51	47	54
Self-inflicted Injuries	29	20	14
Assault Injuries	58	69	75

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	225	242	266
Mental Illness Secondary Diagnosis	292	374	292
Alcohol Principal Diagnosis	6	5	9
Alcohol Secondary Diagnosis	21	34	28
Drug Principal Diagnosis	19	7	8
Drug Secondary Diagnosis	21	21	22
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	24	35	26
Mental Illness Secondary Diagnosis	411	328	374
Alcohol Principal Diagnosis	7	11	12
Alcohol Secondary Diagnosis	35	29	29
Drug Principal Diagnosis	4	5	6
Drug Secondary Diagnosis	22	16	19
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	155	184	133
Mental Illness Secondary Diagnosis	219	152	218
Alcohol Principal Diagnosis	19	29	18
Alcohol Secondary Diagnosis	30	27	38
Drug Principal Diagnosis	24	19	16
Drug Secondary Diagnosis	42	24	33

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	14	15	16
Alcohol Package Carry-out Licenses	22	23	23

EMPLOYMENT	2015	2014	2013
Labor Force	8,694	8,380	8,799
Employed	8,156	7,760	8,185
Unemployed	538	620	614
Unemployment Rate	6.2%	7.4%	7.0%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	22	29	17
Fatal Crashes	3	2	0
Injury Crashes	11	12	8
Property Damage Crashes	15	15	9
Crash Fatalities	3	2	0
Crash Injuries	18	17	10
Drug Involved Crashes	7	8	6
Fatal Crashes	1	0	0
Injury Crashes	5	3	2
Property Damage Crashes	1	5	4
Crash Fatalities	1	0	0
Crash Injuries	8	3	3

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	94	144	150
Liquor Law Arrests	3	0	4
Drug Arrests	121	143	145
Violent Offenses	26	25	41
Property Offenses	170	197	181
Domestic Violence Reports	80	57	62

	2015	2014	2013
Methamphetamine Lab Seizures	0	2	9

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	771	806	812
Drop-outs	4	5	1
Drop-out Rate	0.5%	0.6%	0.1%
School Discipline Involving Alcohol	5	0	0
School Discipline Involving Drugs	3	6	1
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	25	13	15
Juvenile Alcohol Offenses	1	15	2
Juvenile Drug Offenses	12	19	11
School Truancy Status Offense	11	26	11
Absent from Home Status Offense	11	8	9
Beyond Parental Control Status Offense	28	60	15
Injurious Behavior Status Offense	32	73	41
Child Abuse	14	18	9
Child Neglect	18	65	41
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	26	54	35
Parental Alcohol Use Related	0	1	0
Parental Drug Use Related	19	31	18
Parental Alcohol and Drug Use	1	2	0

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	10	8	8
Probation/Parole Admissions--Drug	97	86	91
Probation/Parole Admissions--DWI	27	12	24
Prison Admissions--Drug	43	45	53
Prison Admissions--DWI	9	10	5

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

NEW MADRID COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	35	45	44
CSTAR Adolescent	11	12	20
CSTAR Women and Children	6	14	17
CSTAR General Adult	93	88	73
CSTAR Opioid	0	0	0
Primary Recovery Treatment	33	71	103
Clinical SATOP (CIP, YCIP, SROP)	15	14	20
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	54	56	79
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	20	16	31
- Weekend Intervention Program	12	20	12
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	0	0	0
Recovery Supports	12	32	38
Early Intervention	0	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	165	217	228	Alcohol	51	59	69
AGE				Marijuana / Hashish	47	67	83
Under 18	11	16	23	Cocaine (total)	*	11	11
18 to 24	20	33	37	- Crack	*	*	8
25 to 29	33	35	38	Stimulant (total)	44	59	39
30 to 34	26	38	44	- Methamphetamine	43	59	39
35 to 39	24	34	24	Heroin	*	0	*
40 to 44	18	14	22	Analgesic except Heroin	10	9	18
45 to 54	26	37	28	- Non-Prescription Methadone	0	0	0
55 and Over	7	10	12	PCP, LSD, other Hallucinogen	0	0	*
GENDER				Tranquilizer	5	9	*
Male	107	145	158	Inhalant	0	*	0
Female	58	72	70	Sedative	0	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	134	168	180	Average Age at First Use of Drug	18.3	18.5	17.8
African American	28	44	42	INJECTION DRUG USE			
Native American / Alaskan	0	*	0	Any Injection Use at Admission	20	23	12
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	*
Hispanic	*	*	*	- Weekly Injection Use	5	*	*
Other Race / Two or More Races	*	*	6	- Less than Weekly Injection Use	11	18	5
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	72	97	106	0	94	143	134
High School Graduate or G.E.D.	76	99	105	1 or 2	47	44	47
Associate Degree or Some College	17	19	16	3 or More	24	30	47
Bachelor or Advanced Degree	0	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	26	34	42
Employed	31	50	47	School	0	0	0
Unemployed	54	52	87	Mental Health Provider	0	*	0
Not in Labor Force	80	115	94	Health Care Provider	10	5	9
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	100	131	138
Independent Living	135	185	186	Other Referral Source	26	41	37
Dependent Living	16	23	34	TREATMENT ACCOMMODATION			
Homeless	8	*	0	Pregnant when Admitted to any Episode	0	*	*
MARITAL / FAMILY STATUS				Military Veteran	7	11	9
Never Married	84	101	104	Special Education Services Needed	11	18	16
Married / Cohabiting	42	63	68	Co-Occurring Psychological Problem	57	63	63
Previously Married	39	53	56	Co-Occurring Developmental Problem	6	*	*

NEW MADRID COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 20
CENSUS 2010 18,956
2015 POPULATION ESTIMATE 18,208

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	11	18	17
Anxiety Disorder	93	92	113
Dementia	*	*	*
Developmental Disorder	*	*	6
Impulse Control Disorder	52	49	54
Mood Disorder	216	224	219
Personality Disorder	14	16	23
Psychotic Disorder	61	59	54
Sexual Disorder	*	*	0
Other Diagnosis	25	38	37
Diagnosis Unknown	23	19	30

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	362	378	385	Less than High School Diploma	159	162	146
AGE				High School Grad or G.E.D.	0	0	0
Under 6	6	7	*	Associate Degree or Some College	0	0	0
6 to 9	16	18	23	Bachelor or Advanced Degree	0	0	0
10 to 13	26	28	31	Education Level Unknown	203	216	239
14 to 17	38	39	31	EMPLOYMENT			
18 to 24	38	32	30	Employed	19	10	25
25 to 29	18	31	32	Unemployed	32	29	32
30 to 34	38	29	38	Not in Labor Force	220	229	193
35 to 39	36	28	31	Employment Status Unknown	91	110	135
40 to 44	29	35	36	HOUSING / LIVING ARRANGEMENT			
45 to 49	36	31	26	Independent Living	201	202	179
50 to 54	35	46	44	Dependent Living	97	95	106
55 to 59	23	25	28	Homeless	*	5	*
60 and Over	23	29	31	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	62	76	98
GENDER				TREATMENT REFERRAL SOURCE			
Male	167	181	169	Self / Family / Friend	164	157	151
Female	195	197	216	School	8	7	9
Gender Unknown	0	0	0	Mental Health Provider	40	45	48
RACE / ETHNICITY				Health Care Provider	68	75	77
Caucasian	279	288	304	Court / Criminal Justice	19	23	18
African American	73	76	64	Other	61	70	80
Native American / Alaskan	*	*	*	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	*	5	Voluntary	356	371	380
Other Race	7	10	11	Civil	0	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	10	9	12	Commitment Type Unknown	*	*	*
Past or Current Military Service	8	6	6				

NEW MADRID COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	38.9	44.0	46.4	42.0	Alcohol	16.7	18.4	22.9	18.6
Chewing Tobacco	14.0	19.1	14.3	12.8	Alcohol (5+ drinks on single occasion past 2 weeks)	7.1	10.6		
Cigarettes	24.5	31.7	33.4	35.7	Chewing Tobacco	4.8	8.7	6.8	5.5
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.0	0.0	0.7	0.5	Cigarettes	9.2	13.0	16.7	10.8
Cocaine	0.0	1.4	1.7	0.8	Inhalants	1.7	2.4	1.0	1.6
Electronic Cigarettes	23.1	18.1			Marijuana	4.1	6.8	8.2	3.6
Hallucinogens	0.3	2.0	1.4	0.5	Over-the-counter medications for non-medical use	1.7	2.4	2.0	2.6
Heroin	0.0	0.5	0.7	0.5	Prescription medications not prescribed for student	11.9	2.9	6.2	6.8
Inhalants	4.1	5.7	6.5	4.9	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	9.5	14.0	17.7	10.1	Alcohol (1 or 2 drinks daily)	59.9	48.1		
Methamphetamine	1.0	1.4	0.7	0.3	Alcohol (Binge: 5+ drinks once or twice a week)	69.7	66.7		
Over-the-counter medications for non-medical use	3.1	4.8	3.1	4.4	Cigarettes (1+ packs per day)	82.1	81.6		
Prescription medications not prescribed for student	15.6	7.2	10.2	10.2	Marijuana (once or twice a week)	74.8	67.1		
Synthetic drugs (K2, bath salts, Spice, etc)	1.0	3.9	5.8		Other: Cocaine, LSD, Meth, Club Drug (any use)	92.9	92.6	95.5	91.7
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.54	12.48	12.52	12.43	Alcohol	83.5	77.0	81.0	82.7
Cigarettes	12.92	12.90	12.19	11.76	Cigarettes	92.5	89.5	90.3	92.3
Inhalants	9.65	11.69	12.36	10.99	Marijuana	95.9	93.8	96.1	96.3
Marijuana	14.53	14.19	13.85	13.35	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	68.9	58.7	60.1	63.7
Alcohol	39.5	51.7	57.8	58.9	Cigarettes	85.7	76.9	75.4	81.0
Cigarettes	31.3	48.8	49.3	52.7	Marijuana	88.4	82.3	83.2	87.9
Marijuana	21.5	34.0	38.0	35.1	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.3	95.7	96.1	96.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.1	13.4	10.7	13.0	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	45.7	53.4	54.3	57.3
Alcohol	26.5	37.2	36.9	31.6	Cigarettes	42.5	55.8	55.7	55.5
Cigarettes	11.3	18.8	18.8	13.3	Marijuana	18.4	31.6	35.9	32.3
Marijuana	6.8	11.2	11.9	5.1	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.5	12.1	20.1	15.5
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	60.9	61.2	60.4	68.4	Were grouchy, irritable, or in a bad mood	32.2	25.5	32.9	27.8
Were victims of mean rumors or lies spread at school	46.1	53.6	49.1	58.6	Had difficulty concentrating on school work	24.8	19.1	23.4	29.4
Were victims of an embarrassing or hurtful text message or something posted on the Internet	30.3	25.1	19.4	22.2	Were very sad	17.0	18.8	20.1	16.8
					Felt hopeless about the future	7.2	11.1	10.0	9.7
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	9.5	15.2	8.2	7.9	Parents involve student in making family decisions	71.8	67.5	69.9	71.1
Made plan about how they would attempt suicide	5.5	8.6	6.2	4.9	Parents notice and comment on student's good work	85.3	81.8	85.0	82.8
Attempted suicide	4.1	6.7	2.7	3.8	Teachers notice and comment on student's good work	78.2	71.9		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

NEWTON COUNTY



DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	9
Adult Psychiatric	9
POPULATION	
Census 2010	58,114
2015 Estimate	58,615

BIRTH RISK	2014	2013	2012
Resident Births	736	708	746
Mother Reported Smoking while Pregnant	137	152	143

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	0	0	1
Hepatitis B Chronic, Acute, Prenatal	3	2	1
Hepatitis C Chronic and Acute	45	33	20
Tuberculosis Infection Cases	17	13	16

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	616	674	619
Suicides	7	9	12
Homicides	2	2	3
Alcohol Induced Deaths	5	3	2
Drug Induced Deaths	5	10	2
Smoking Attributable Deaths	121	121	110
Self-inflicted Injuries	46	46	49
Assault Injuries	107	114	127

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	240	259	276
Mental Illness Secondary Diagnosis	811	868	1,222
Alcohol Principal Diagnosis	13	15	39
Alcohol Secondary Diagnosis	41	52	95
Drug Principal Diagnosis	17	20	30
Drug Secondary Diagnosis	23	31	53
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	238	202	170
Mental Illness Secondary Diagnosis	787	758	448
Alcohol Principal Diagnosis	54	32	49
Alcohol Secondary Diagnosis	77	62	72
Drug Principal Diagnosis	28	38	26
Drug Secondary Diagnosis	35	34	26
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	295	328	411
Mental Illness Secondary Diagnosis	3,446	3,183	2,989
Alcohol Principal Diagnosis	82	87	78
Alcohol Secondary Diagnosis	322	92	98
Drug Principal Diagnosis	61	66	66
Drug Secondary Diagnosis	118	100	100

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	37	36	41
Alcohol Package Carry-out Licenses	59	62	50

EMPLOYMENT	2015	2014	2013
Labor Force	29,018	28,860	29,511
Employed	27,706	27,322	27,848
Unemployed	1,312	1,538	1,663
Unemployment Rate	4.5%	5.3%	5.6%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	61	75	69
Fatal Crashes	4	2	2
Injury Crashes	29	37	31
Property Damage Crashes	36	36	36
Crash Fatalities	4	2	2
Crash Injuries	43	49	42
Drug Involved Crashes	10	16	19
Fatal Crashes	1	1	0
Injury Crashes	3	4	10
Property Damage Crashes	6	11	9
Crash Fatalities	1	1	0
Crash Injuries	10	5	13

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	325	343	350
Liquor Law Arrests	52	60	39
Drug Arrests	234	218	160
Violent Offenses	63	86	114
Property Offenses	1,418	1,534	1,549
Domestic Violence Reports	556	417	424
	2015	2014	2013
Methamphetamine Lab Seizures	8	27	29

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	2,538	2,490	2,450
Drop-outs	49	62	44
Drop-out Rate	1.9%	2.5%	1.8%
School Discipline Involving Alcohol	1	9	5
School Discipline Involving Drugs	8	23	16
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	80	21	68
Juvenile Alcohol Offenses	7	0	16
Juvenile Drug Offenses	17	2	17
School Truancy Status Offense	3	2	11
Absent from Home Status Offense	17	11	29
Beyond Parental Control Status Offense	26	10	30
Injurious Behavior Status Offense	30	8	24
Child Abuse	40	41	39
Child Neglect	255	144	154
Child Custody Issues	349	249	200

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	261	159	185
Parental Alcohol Use Related	16	0	15
Parental Drug Use Related	80	52	52
Parental Alcohol and Drug Use	0	3	1

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	78	87	119
Probation/Parole Admissions--Drug	63	66	61
Probation/Parole Admissions--DWI	42	43	44
Prison Admissions--Drug	17	22	32
Prison Admissions--DWI	11	18	28

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

NEWTON COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	42	36	49
CSTAR Adolescent	15	24	27
CSTAR Women and Children	92	59	60
CSTAR General Adult	207	141	101
CSTAR Opioid	0	0	0
Primary Recovery Treatment	6	5	*
Clinical SATOP (CIP, YCIP, SROP)	56	68	61
Other Substance Abuse Treatment	0	0	*


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	233	226	232
- Adolescent Diversion Education Program	5	14	10
- Offender Education Program	87	79	76
- Weekend Intervention Program	46	41	64
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	23	23	16
Compulsive Gambling	*	0	*
Recovery Supports	12	32	36
Early Intervention	18	11	14

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	367	315	290	Alcohol	137	128	137
AGE				Marijuana / Hashish	86	64	54
Under 18	15	21	25	Cocaine (total)	0	*	*
18 to 24	46	44	43	- Crack	0	0	0
25 to 29	65	49	57	Stimulant (total)	114	90	66
30 to 34	72	55	49	- Methamphetamine	111	86	64
35 to 39	61	40	30	Heroin	*	*	0
40 to 44	41	46	25	Analgesic except Heroin	20	25	23
45 to 54	42	43	51	- Non-Prescription Methadone	0	0	*
55 and Over	25	17	10	PCP, LSD, other Hallucinogen	0	0	*
GENDER				Tranquilizer	8	*	*
Male	207	194	179	Inhalant	0	*	*
Female	160	121	111	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	0	*
Caucasian	345	287	268	Average Age at First Use of Drug	18.3	17.9	17.6
African American	5	6	*	INJECTION DRUG USE			
Native American / Alaskan	*	*	*	Any Injection Use at Admission	53	54	29
Asian / Pacific Islander	*	5	*	- Daily Injection Use	8	8	11
Hispanic	6	14	7	- Weekly Injection Use	15	18	8
Other Race / Two or More Races	11	8	13	- Less than Weekly Injection Use	30	28	10
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	134	119	111	0	192	143	136
High School Graduate or G.E.D.	132	98	111	1 or 2	101	96	95
Associate Degree or Some College	100	95	65	3 or More	74	76	59
Bachelor or Advanced Degree	*	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	102	77	138
Employed	120	95	99	School	0	0	*
Unemployed	130	119	84	Mental Health Provider	0	*	*
Not in Labor Force	117	101	107	Health Care Provider	27	28	23
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	165	173	79
Independent Living	309	261	242	Other Referral Source	69	35	46
Dependent Living	33	32	33	TREATMENT ACCOMMODATION			
Homeless	18	17	8	Pregnant when Admitted to any Episode	6	7	*
MARITAL / FAMILY STATUS				Military Veteran	16	14	16
Never Married	154	132	127	Special Education Services Needed	65	42	35
Married / Cohabiting	109	94	99	Co-Occurring Psychological Problem	227	161	147
Previously Married	104	89	64	Co-Occurring Developmental Problem	10	10	12

NEWTON COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southwest
PSYCHIATRIC SERVICE AREA 9
CENSUS 2010 58,114
2015 POPULATION ESTIMATE 58,615

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	50	42	29
Anxiety Disorder	314	290	257
Dementia	*	*	*
Developmental Disorder	7	7	9
Impulse Control Disorder	150	143	127
Mood Disorder	489	412	411
Personality Disorder	106	105	65
Psychotic Disorder	94	92	92
Sexual Disorder	*	*	*
Other Diagnosis	73	56	50
Diagnosis Unknown	84	135	149

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	841	814	841	Less than High School Diploma	246	190	180
AGE				High School Grad or G.E.D.	0	0	*
Under 6	8	16	21	Associate Degree or Some College	0	0	*
6 to 9	43	55	64	Bachelor or Advanced Degree	0	0	0
10 to 13	57	67	64	Education Level Unknown	595	624	658
14 to 17	88	72	78	EMPLOYMENT			
18 to 24	104	94	73	Employed	75	42	42
25 to 29	74	71	84	Unemployed	43	54	37
30 to 34	83	57	67	Not in Labor Force	389	338	344
35 to 39	58	54	57	Employment Status Unknown	334	380	418
40 to 44	78	81	81	HOUSING / LIVING ARRANGEMENT			
45 to 49	70	72	75	Independent Living	310	227	204
50 to 54	75	75	86	Dependent Living	209	202	181
55 to 59	59	56	55	Homeless	14	22	9
60 and Over	44	44	36	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	308	363	447
GENDER				TREATMENT REFERRAL SOURCE			
Male	389	378	395	Self / Family / Friend	651	652	666
Female	452	436	446	School	0	0	*
Gender Unknown	0	0	0	Mental Health Provider	12	17	23
RACE / ETHNICITY				Health Care Provider	70	53	34
Caucasian	791	747	783	Court / Criminal Justice	82	51	53
African American	10	15	9	Other	23	38	60
Native American / Alaskan	*	8	8	Referral Source Unknown	*	*	*
Asian / Pacific Islander	*	*	*	TYPE OF COMMITMENT			
Hispanic	14	16	13	Voluntary	753	766	795
Other Race	20	25	25	Civil	77	40	42
Race/Ethnicity Unknown	0	0	0	Criminal	8	5	*
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	8	5	7	Commitment Type Unknown	*	*	*
Past or Current Military Service	9	10	9				

NEWTON COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	32.3	31.8	32.3	40.2	Alcohol	11.1	11.0	11.2	19.4
Chewing Tobacco	11.3	13.5	14.5	17.7	Alcohol (5+ drinks on single occasion past 2 weeks)	3.5	4.6		
Cigarettes	22.1	23.8	25.0	30.2	Chewing Tobacco	4.7	5.2	7.8	9.5
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.7	1.6	1.3	1.4	Cigarettes	9.9	8.6	8.4	15.1
Cocaine	1.1	0.9	1.2	1.4	Inhalants	1.7	2.2	2.3	2.3
Electronic Cigarettes	23.8	20.1			Marijuana	6.4	4.7	3.3	5.1
Hallucinogens	2.8	2.2	2.5	2.0	Over-the-counter medications for non-medical use	2.4	1.1	4.4	5.1
Heroin	0.6	0.1	0.5	0.7	Prescription medications not prescribed for student	10.7	3.3	4.3	5.2
Inhalants	4.3	3.9	5.9	7.2					
Marijuana	15.0	12.9	10.9	12.0	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	1.0	0.5	0.9	1.4	Alcohol (1 or 2 drinks daily)	66.8	59.0		
Over-the-counter medications for non-medical use	5.0	2.3	6.3	8.5	Alcohol (Binge: 5+ drinks once or twice a week)	76.7	72.7		
Prescription medications not prescribed for student	15.5	6.8	7.8	9.6	Cigarettes (1+ packs per day)	83.6	86.9		
Synthetic drugs (K2, bath salts, Spice, etc)	2.0	3.3	6.6		Marijuana (once or twice a week)	69.1	67.9		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	89.4	93.8	95.1	93.8
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.59	12.61	12.11	12.33	Alcohol	86.8	82.0	85.3	80.3
Cigarettes	12.20	12.32	11.85	12.03	Cigarettes	93.4	92.8	94.0	92.3
Inhalants	10.65	10.90	12.59	11.92	Marijuana	92.7	93.6	96.8	95.3
Marijuana	13.56	13.72	12.37	13.13					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	39.4	42.1	43.7	54.5	Alcohol	72.8	68.2	69.7	63.5
Cigarettes	36.0	38.7	38.1	47.0	Cigarettes	85.0	84.9	82.0	77.4
Marijuana	32.5	26.6	23.7	30.5	Marijuana	81.5	83.7	87.1	84.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.3	9.0	13.2	16.5	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.5	96.6	94.9	94.7
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	22.0	21.0	21.7	29.9	Alcohol	42.9	49.7	43.8	51.5
Cigarettes	12.8	12.0	12.5	15.8	Cigarettes	45.5	50.8	44.2	53.8
Marijuana	13.4	10.8	8.6	10.6	Marijuana	32.4	29.1	25.7	31.1
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.1	13.5	15.1	15.4
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	61.5	60.1	59.5	66.5	Were grouchy, irritable, or in a bad mood	34.2	25.6	22.2	23.3
Were victims of mean rumors or lies spread at school	51.5	49.9	50.0	56.6	Had difficulty concentrating on school work	32.3	22.5	23.7	25.6
Were victims of an embarrassing or hurtful text message or something posted on the Internet	23.1	24.6	18.8	16.1	Were very sad	26.7	22.6	20.0	19.4
					Felt hopeless about the future	14.1	14.0	11.7	9.7
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	14.5	15.6	11.4	9.5	Parents involve student in making family decisions	67.6	68.3	74.1	71.5
Made plan about how they would attempt suicide	10.4	12.4	7.7	7.0	Parents notice and comment on student's good work	83.0	83.2	84.1	83.6
Attempted suicide	6.2	6.9	4.9	5.2	Teachers notice and comment on student's good work	72.0	69.3		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

NODAWAY COUNTY



DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	1
Adult Psychiatric	1
POPULATION	
Census 2010	23,370
2015 Estimate	22,810

BIRTH RISK	2014	2013	2012
Resident Births	236	235	226
Mother Reported Smoking while Pregnant	33	37	39

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	1	0	0
Hepatitis B Chronic, Acute, Prenatal	2	2	1
Hepatitis C Chronic and Acute	27	13	7
Tuberculosis Infection Cases	5	1	2

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	199	194	188
Suicides	0	3	6
Homicides	1	0	0
Alcohol Induced Deaths	0	1	0
Drug Induced Deaths	1	1	2
Smoking Attributable Deaths	34	30	33
Self-inflicted Injuries	10	15	13
Assault Injuries	14	16	29

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	104	129	159
Mental Illness Secondary Diagnosis	242	240	191
Alcohol Principal Diagnosis	2	6	6
Alcohol Secondary Diagnosis	15	19	6
Drug Principal Diagnosis	3	7	1
Drug Secondary Diagnosis	9	10	10
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	133	62	50
Mental Illness Secondary Diagnosis	215	128	153
Alcohol Principal Diagnosis	8	2	4
Alcohol Secondary Diagnosis	18	5	7
Drug Principal Diagnosis	9	4	0
Drug Secondary Diagnosis	9	8	5
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	184	144	126
Mental Illness Secondary Diagnosis	1,064	926	777
Alcohol Principal Diagnosis	14	12	16
Alcohol Secondary Diagnosis	15	7	15
Drug Principal Diagnosis	16	6	12
Drug Secondary Diagnosis	14	5	8

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	23	27	27
Alcohol Package Carry-out Licenses	19	19	18

EMPLOYMENT	2015	2014	2013
Labor Force	11,143	11,637	12,168
Employed	10,594	10,879	11,450
Unemployed	549	758	718
Unemployment Rate	4.9%	6.5%	5.9%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	14	17	11
Fatal Crashes	1	1	1
Injury Crashes	6	7	4
Property Damage Crashes	9	9	6
Crash Fatalities	1	1	1
Crash Injuries	9	8	5
Drug Involved Crashes	1	2	0
Fatal Crashes	0	0	0
Injury Crashes	1	0	0
Property Damage Crashes	0	2	0
Crash Fatalities	0	0	0
Crash Injuries	1	0	0

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	122	126	145
Liquor Law Arrests	270	255	360
Drug Arrests	96	103	98
Violent Offenses	28	56	28
Property Offenses	284	324	383
Domestic Violence Reports	51	57	76

	2015	2014	2013
Methamphetamine Lab Seizures	0	0	0

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	788	836	818
Drop-outs	6	6	8
Drop-out Rate	0.8%	0.7%	1.0%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	0	0	1
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	5	13	7
Juvenile Alcohol Offenses	2	6	7
Juvenile Drug Offenses	1	3	3
School Truancy Status Offense	6	2	6
Absent from Home Status Offense	1	0	0
Beyond Parental Control Status Offense	47	38	44
Injurious Behavior Status Offense	78	72	35
Child Abuse	7	13	3
Child Neglect	150	144	94
Child Custody Issues	0	1	13

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	31	65	31
Parental Alcohol Use Related	4	6	0
Parental Drug Use Related	5	9	4
Parental Alcohol and Drug Use	0	1	1

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	19	13	14
Probation/Parole Admissions--Drug	35	34	41
Probation/Parole Admissions--DWI	10	12	12
Prison Admissions--Drug	24	15	26
Prison Admissions--DWI	5	4	7

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

NODAWAY COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	0	*	*
CSTAR Adolescent	0	*	0
CSTAR Women and Children	*	*	*
CSTAR General Adult	54	11	9
CSTAR Opioid	*	0	0
Primary Recovery Treatment	5	49	54
Clinical SATOP (CIP, YCIP, SROP)	5	10	11
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	111	123	135
- Adolescent Diversion Education Program	53	50	53
- Offender Education Program	37	36	43
- Weekend Intervention Program	9	9	17
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	0	0
Compulsive Gambling	0	0	0
Recovery Supports	0	*	*
Early Intervention	*	*	10

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	60	68	67	Alcohol	26	29	40
AGE				Marijuana / Hashish	16	23	14
Under 18	0	*	0	Cocaine (total)	0	0	0
18 to 24	13	26	25	- Crack	0	0	0
25 to 29	13	13	11	Stimulant (total)	7	7	9
30 to 34	13	5	9	- Methamphetamine	6	7	9
35 to 39	*	5	6	Heroin	*	*	0
40 to 44	6	5	8	Analgesic except Heroin	8	8	*
45 to 54	8	12	5	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	0	0
Male	41	44	46	Inhalant	*	0	0
Female	19	24	21	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	*
Caucasian	60	67	66	Average Age at First Use of Drug	18.0	17.5	17.7
African American	0	0	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	7	10	7
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	0
Hispanic	*	*	0	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	0	0	*	- Less than Weekly Injection Use	5	7	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	9	8	9	0	34	40	31
High School Graduate or G.E.D.	33	41	37	1 or 2	18	21	22
Associate Degree or Some College	16	18	19	3 or More	8	7	14
Bachelor or Advanced Degree	*	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	14	15	9
Employed	24	31	28	School	0	0	0
Unemployed	*	20	22	Mental Health Provider	*	0	*
Not in Labor Force	33	17	17	Health Care Provider	*	0	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	32	41	48
Independent Living	38	59	64	Other Referral Source	7	12	5
Dependent Living	*	*	0	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	*	0	*
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	32	45	42	Special Education Services Needed	*	0	*
Married / Cohabiting	14	13	9	Co-Occurring Psychological Problem	21	26	25
Previously Married	14	10	16	Co-Occurring Developmental Problem	6	6	*

NODAWAY COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 1
CENSUS 2010 23,370
2015 POPULATION ESTIMATE 22,810

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	*	5	6
Anxiety Disorder	70	65	53
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	34	34	27
Mood Disorder	117	102	88
Personality Disorder	10	10	14
Psychotic Disorder	18	14	17
Sexual Disorder	0	0	*
Other Diagnosis	26	17	14
Diagnosis Unknown	7	9	12

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	164	151	142	Less than High School Diploma	67	56	44
AGE				High School Grad or G.E.D.	0	0	5
Under 6	*	*	*	Associate Degree or Some College	0	0	*
6 to 9	14	18	15	Bachelor or Advanced Degree	0	0	*
10 to 13	14	13	18	Education Level Unknown	97	95	90
14 to 17	17	9	7	EMPLOYMENT			
18 to 24	11	15	15	Employed	15	10	9
25 to 29	16	10	6	Unemployed	23	16	27
30 to 34	20	12	12	Not in Labor Force	107	92	72
35 to 39	8	8	9	Employment Status Unknown	19	33	34
40 to 44	12	14	10	HOUSING / LIVING ARRANGEMENT			
45 to 49	9	12	11	Independent Living	93	84	74
50 to 54	13	17	14	Dependent Living	48	37	46
55 to 59	18	12	13	Homeless	*	0	*
60 and Over	9	7	9	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	21	30	21
GENDER				TREATMENT REFERRAL SOURCE			
Male	83	75	71	Self / Family / Friend	71	43	37
Female	81	76	71	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	29	30	32
RACE / ETHNICITY				Health Care Provider	23	24	22
Caucasian	158	146	137	Court / Criminal Justice	17	18	11
African American	*	*	*	Other	22	32	35
Native American / Alaskan	0	0	0	Referral Source Unknown	0	*	*
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	*	*	Voluntary	164	150	140
Other Race	*	*	*	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	7	8	13	Commitment Type Unknown	0	*	*
Past or Current Military Service	5	*	*				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	38.6	42.4	46.8	38.8	Alcohol	17.8	21.8	20.1	14.2
Chewing Tobacco	10.5	14.3	16.2	14.7	Alcohol (5+ drinks on single occasion past 2 weeks)	8.3	14.7		
Cigarettes	16.8	20.7	23.8	19.3	Chewing Tobacco	5.5	10.0	9.1	7.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.4	3.2	1.5	0.6	Cigarettes	8.1	8.5	10.7	8.3
Cocaine	0.0	2.1	0.6	0.6	Inhalants	0.6	0.6	1.1	1.1
Electronic Cigarettes	16.2	10.0			Marijuana	2.2	4.7	4.5	1.7
Hallucinogens	0.4	2.0	2.8	0.8	Over-the-counter medications for non-medical use	0.8	0.9	3.0	2.5
Heroin	0.4	0.3	0.4	0.0	Prescription medications not prescribed for student	4.9	3.2	3.4	3.6
Inhalants	2.2	2.1	3.0	2.1	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	9.5	12.9	10.0	5.5	Alcohol (1 or 2 drinks daily)	69.2	54.1		
Methamphetamine	0.0	0.3	0.9	0.2	Alcohol (Binge: 5+ drinks once or twice a week)	77.8	64.1		
Over-the-counter medications for non-medical use	2.8	1.8	4.7	3.6	Cigarettes (1+ packs per day)	87.7	86.5		
Prescription medications not prescribed for student	9.5	7.0	7.4	5.3	Marijuana (once or twice a week)	71.5	66.6		
Synthetic drugs (K2, bath salts, Spice, etc)	0.8	2.6	3.4		Other: Cocaine, LSD, Meth, Club Drug (any use)	90.6	92.9	93.6	95.8
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.75	13.64	13.68	12.74	Alcohol	78.8	73.2	71.9	82.0
Cigarettes	13.59	13.34	13.47	12.42	Cigarettes	93.3	87.9	88.1	91.5
Inhalants	10.22	9.60	14.34	11.21	Marijuana	96.4	89.4	95.4	98.3
Marijuana	14.43	14.77	14.62	13.64	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	65.5	53.1	54.5	63.6
Alcohol	51.5	51.3	57.3	58.6	Cigarettes	87.7	79.2	77.8	84.1
Cigarettes	28.2	31.9	35.5	39.6	Marijuana	85.9	76.4	85.2	91.7
Marijuana	29.4	26.8	28.8	17.5	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.6	92.9	96.1	97.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.6	13.4	10.0	6.6	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	60.3	62.6	67.1	62.3
Alcohol	27.4	35.1	37.5	29.1	Cigarettes	48.2	56.9	61.7	52.5
Cigarettes	7.2	12.3	12.6	12.1	Marijuana	36.9	36.1	35.6	22.9
Marijuana	7.9	15.5	9.8	4.6	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.9	13.5	14.4	9.9
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	62.5	57.6	63.5	74.8	Were grouchy, irritable, or in a bad mood	29.1	26.4	23.2	22.7
Were victims of mean rumors or lies spread at school	52.3	44.9	43.8	56.6	Had difficulty concentrating on school work	28.4	22.5	22.4	30.8
Were victims of an embarrassing or hurtful text message or something posted on the Internet	23.5	24.2	20.9	17.7	Were very sad	15.4	17.3	17.0	13.7
					Felt hopeless about the future	10.5	10.9	10.1	12.0
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	8.7	7.9	6.4	11.0	Parents involve student in making family decisions	75.3	74.9	72.0	74.8
Made plan about how they would attempt suicide	5.4	6.7	4.7	6.9	Parents notice and comment on student's good work	84.8	83.9	87.6	87.1
Attempted suicide	3.0	3.8	2.1	3.9	Teachers notice and comment on student's good work	78.8	74.6		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

OREGON COUNTY



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	18
Adult Psychiatric	18
POPULATION	
Census 2010	10,881
2015 Estimate	10,953

BIRTH RISK	2014	2013	2012
Resident Births	145	124	130
Mother Reported Smoking while Pregnant	45	41	32

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	2	1
Hepatitis C Chronic and Acute	13	6	5
Tuberculosis Infection Cases	4	3	3

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	128	151	135
Suicides	0	0	4
Homicides	0	0	1
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	2	1	4
Smoking Attributable Deaths	23	26	21
Self-inflicted Injuries	19	30	23
Assault Injuries	23	18	31

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	123	124	149
Mental Illness Secondary Diagnosis	232	232	293
Alcohol Principal Diagnosis	17	5	13
Alcohol Secondary Diagnosis	26	22	30
Drug Principal Diagnosis	22	21	19
Drug Secondary Diagnosis	20	23	25
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	2	2	7
Mental Illness Secondary Diagnosis	44	28	20
Alcohol Principal Diagnosis	0	1	1
Alcohol Secondary Diagnosis	4	2	2
Drug Principal Diagnosis	1	1	3
Drug Secondary Diagnosis	1	0	2
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	95	88	92
Mental Illness Secondary Diagnosis	514	605	547
Alcohol Principal Diagnosis	8	10	16
Alcohol Secondary Diagnosis	22	13	17
Drug Principal Diagnosis	7	14	9
Drug Secondary Diagnosis	22	14	19

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	5	4	5
Alcohol Package Carry-out Licenses	10	13	10

EMPLOYMENT	2015	2014	2013
Labor Force	4,235	4,129	4,693
Employed	3,969	3,820	4,383
Unemployed	266	309	310
Unemployment Rate	6.3%	7.5%	6.6%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	15	9	19
Fatal Crashes	1	0	1
Injury Crashes	6	3	9
Property Damage Crashes	6	6	9
Crash Fatalities	1	0	1
Crash Injuries	7	4	12
Drug Involved Crashes	3	4	7
Fatal Crashes	1	0	0
Injury Crashes	2	0	4
Property Damage Crashes	0	4	3
Crash Fatalities	1	0	0
Crash Injuries	3	0	7

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	34	51	75
Liquor Law Arrests	3	2	8
Drug Arrests	26	38	56
Violent Offenses	16	18	40
Property Offenses	84	115	117
Domestic Violence Reports	28	32	29

	2015	2014	2013
Methamphetamine Lab Seizures	0	0	0

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	640	592	652
Drop-outs	1	1	2
Drop-out Rate	0.2%	0.2%	0.3%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	0	4	3
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	0	5	13
Juvenile Alcohol Offenses	1	2	3
Juvenile Drug Offenses	1	0	3
School Truancy Status Offense	10	16	7
Absent from Home Status Offense	3	3	1
Beyond Parental Control Status Offense	7	6	6
Injurious Behavior Status Offense	11	16	14
Child Abuse	1	8	1
Child Neglect	14	30	12
Child Custody Issues	1	0	6

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	15	18	10
Parental Alcohol Use Related	0	1	3
Parental Drug Use Related	8	8	6
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	8	12	19
Probation/Parole Admissions--DWI	3	2	5
Prison Admissions--Drug	3	5	4
Prison Admissions--DWI	1	2	7

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

OREGON COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	11	12	8
CSTAR Adolescent	0	5	*
CSTAR Women and Children	*	*	6
CSTAR General Adult	23	22	16
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	5
Clinical SATOP (CIP, YCIP, SROP)	8	*	10
Other Substance Abuse Treatment	*	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	26	29	28
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	8	13	8
- Weekend Intervention Program	5	7	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	0	0	0
Recovery Supports	*	0	*
Early Intervention	0	0	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	38	38	42	Alcohol	21	13	17
AGE				Marijuana / Hashish	*	11	*
Under 18	0	6	*	Cocaine (total)	0	0	*
18 to 24	*	7	8	- Crack	0	0	*
25 to 29	11	*	7	Stimulant (total)	9	11	14
30 to 34	7	6	9	- Methamphetamine	9	11	14
35 to 39	*	*	7	Heroin	*	0	0
40 to 44	*	*	0	Analgesic except Heroin	*	*	7
45 to 54	8	5	*	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	0	*
Male	23	27	23	Inhalant	0	0	0
Female	15	11	19	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	37	36	40	Average Age at First Use of Drug	16.5	17.9	18.5
African American	0	0	*	INJECTION DRUG USE			
Native American / Alaskan	*	*	*	Any Injection Use at Admission	9	9	12
Asian / Pacific Islander	0	0	0	- Daily Injection Use	6	*	0
Hispanic	0	0	*	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	0	*	0	- Less than Weekly Injection Use	*	*	8
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	10	14	13	0	14	24	17
High School Graduate or G.E.D.	20	16	24	1 or 2	16	13	16
Associate Degree or Some College	8	8	5	3 or More	8	*	9
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	20	12	17
Employed	7	*	5	School	0	0	0
Unemployed	11	9	18	Mental Health Provider	0	0	*
Not in Labor Force	20	25	19	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	9	9	15
Independent Living	36	29	34	Other Referral Source	5	13	8
Dependent Living	*	7	7	TREATMENT ACCOMMODATION			
Homeless	0	*	0	Pregnant when Admitted to any Episode	0	0	*
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	13	13	19	Special Education Services Needed	5	*	*
Married / Cohabiting	14	11	12	Co-Occurring Psychological Problem	19	14	14
Previously Married	11	14	11	Co-Occurring Developmental Problem	*	*	*

OREGON COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 18
CENSUS 2010 10,881
2015 POPULATION ESTIMATE 10,953

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	12	19	18
Anxiety Disorder	85	100	108
Dementia	*	*	*
Developmental Disorder	0	0	0
Impulse Control Disorder	25	41	39
Mood Disorder	111	151	170
Personality Disorder	7	10	9
Psychotic Disorder	10	19	20
Sexual Disorder	0	0	0
Other Diagnosis	11	9	6
Diagnosis Unknown	28	19	11

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	194	237	239	Less than High School Diploma	49	63	57
AGE				High School Grad or G.E.D.	0	0	0
Under 6	0	0	0	Associate Degree or Some College	0	0	0
6 to 9	7	9	*	Bachelor or Advanced Degree	0	0	0
10 to 13	16	14	11	Education Level Unknown	145	174	182
14 to 17	15	12	11	EMPLOYMENT			
18 to 24	22	30	31	Employed	18	20	30
25 to 29	15	24	18	Unemployed	8	37	40
30 to 34	19	23	21	Not in Labor Force	104	106	135
35 to 39	17	21	22	Employment Status Unknown	64	74	34
40 to 44	19	19	24	HOUSING / LIVING ARRANGEMENT			
45 to 49	21	24	32	Independent Living	72	102	151
50 to 54	22	35	30	Dependent Living	43	34	30
55 to 59	12	8	17	Homeless	5	8	6
60 and Over	9	18	18	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	74	93	52
GENDER				TREATMENT REFERRAL SOURCE			
Male	87	118	103	Self / Family / Friend	86	119	161
Female	107	119	136	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	5	*	*
RACE / ETHNICITY				Health Care Provider	71	89	51
Caucasian	191	231	230	Court / Criminal Justice	*	0	*
African American	*	*	*	Other	29	26	22
Native American / Alaskan	0	0	*	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	0	*	*	Voluntary	194	237	239
Other Race	*	*	*	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	5	8	8	Commitment Type Unknown	0	0	0
Past or Current Military Service	*	*	*				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	32.3		37.6	37.2	Alcohol	20.6		12.1	18.5
Chewing Tobacco	18.2		23.1	22.8	Alcohol (5+ drinks on single occasion past 2 weeks)	9.0			
Cigarettes	18.1		31.2	33.6	Chewing Tobacco	9.0		12.1	13.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.6		1.7	2.2	Cigarettes	7.2		14.5	19.4
Cocaine	0.6		1.8	0.4	Inhalants	0.6		2.3	2.2
Electronic Cigarettes	29.9				Marijuana	3.6		5.8	6.8
Hallucinogens	0.6		3.5	2.2	Over-the-counter medications for non-medical use	0.6		5.2	3.9
Heroin	0.6		1.2	0.0	Prescription medications not prescribed for student	9.6		5.7	5.6
Inhalants	2.4		5.8	5.7	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	12.6		12.7	10.3	Alcohol (1 or 2 drinks daily)	60.6			
Methamphetamine	0.6		1.8	0.4	Alcohol (Binge: 5+ drinks once or twice a week)	74.4			
Over-the-counter medications for non-medical use	6.0		8.1	6.5	Cigarettes (1+ packs per day)	85.3			
Prescription medications not prescribed for student	11.5		12.6	8.2	Marijuana (once or twice a week)	66.1			
Synthetic drugs (K2, bath salts, Spice, etc)	0.6		10.3		Other: Cocaine, LSD, Meth, Club Drug (any use)	95.8		93.0	94.5
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.41		12.60	12.47	Alcohol	84.3		83.1	83.2
Cigarettes	13.59		12.71	11.91	Cigarettes	91.0		91.3	90.0
Inhalants			11.79	11.83	Marijuana	93.9		94.7	95.7
Marijuana	14.70		13.51	13.58	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	66.3		70.2	64.2
Alcohol	48.2		45.9	57.0	Cigarettes	82.6		82.1	74.7
Cigarettes	39.2		44.5	51.7	Marijuana	81.9		88.5	84.5
Marijuana	32.9		22.2	30.5	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.2		95.9	94.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.0		11.6	12.4	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	46.7		50.3	52.8
Alcohol	25.8		23.1	29.4	Cigarettes	45.5		52.9	60.3
Cigarettes	9.0		14.5	20.2	Marijuana	25.8		31.6	35.7
Marijuana	13.8		8.1	9.9	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.1		17.5	19.9
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	64.7		65.5	68.2	Were grouchy, irritable, or in a bad mood	26.5		24.3	23.1
Were victims of mean rumors or lies spread at school	52.7		52.6	58.1	Had difficulty concentrating on school work	24.6		23.3	27.2
Were victims of an embarrassing or hurtful text message or something posted on the Internet	24.9		22.9	19.8	Were very sad	22.9		20.2	12.8
					Felt hopeless about the future	12.6		11.0	11.1
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	9.6		12.7	8.1	Parents involve student in making family decisions	75.3		74.3	76.1
Made plan about how they would attempt suicide	11.4		9.9	5.1	Parents notice and comment on student's good work	89.2		85.5	88.5
Attempted suicide	4.8		5.7	2.1	Teachers notice and comment on student's good work	81.4			

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

OSAGE COUNTY



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	11
Adult Psychiatric	11
POPULATION	
Census 2010	13,878
2015 Estimate	13,628

BIRTH RISK	2014	2013	2012
Resident Births	135	150	155
Mother Reported Smoking while Pregnant	22	27	35

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	0	0
Hepatitis C Chronic and Acute	8	10	5
Tuberculosis Infection Cases	2	2	1

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	144	115	138
Suicides	2	3	1
Homicides	0	0	0
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	2	1	3
Smoking Attributable Deaths	21	14	28
Self-inflicted Injuries	5	10	9
Assault Injuries	18	14	21

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	34	37	27
Mental Illness Secondary Diagnosis	106	145	118
Alcohol Principal Diagnosis	0	0	3
Alcohol Secondary Diagnosis	7	5	8
Drug Principal Diagnosis	3	2	4
Drug Secondary Diagnosis	5	6	3
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	61	48	82
Mental Illness Secondary Diagnosis	206	147	236
Alcohol Principal Diagnosis	10	6	4
Alcohol Secondary Diagnosis	20	21	9
Drug Principal Diagnosis	6	7	5
Drug Secondary Diagnosis	9	3	3
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	93	96	87
Mental Illness Secondary Diagnosis	351	258	235
Alcohol Principal Diagnosis	8	10	3
Alcohol Secondary Diagnosis	11	17	9
Drug Principal Diagnosis	7	4	15
Drug Secondary Diagnosis	13	7	14

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	20	22	23
Alcohol Package Carry-out Licenses	15	12	13

EMPLOYMENT	2015	2014	2013
Labor Force	7,311	7,252	7,162
Employed	7,038	6,916	6,814
Unemployed	273	336	348
Unemployment Rate	3.7%	4.6%	4.9%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	12	14	16
Fatal Crashes	1	0	1
Injury Crashes	6	6	4
Property Damage Crashes	8	8	11
Crash Fatalities	1	0	1
Crash Injuries	6	10	8
Drug Involved Crashes	2	1	5
Fatal Crashes	0	0	2
Injury Crashes	2	1	2
Property Damage Crashes	0	0	1
Crash Fatalities	0	0	2
Crash Injuries	2	3	5

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	49	44	74
Liquor Law Arrests	30	7	38
Drug Arrests	94	58	21
Violent Offenses	10	5	9
Property Offenses	104	99	141
Domestic Violence Reports	24	30	36
	2015	2014	2013
Methamphetamine Lab Seizures	6	6	9

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	663	664	706
Drop-outs	3	2	3
Drop-out Rate	0.5%	0.3%	0.4%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	0	3	1
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	2	6	15
Juvenile Alcohol Offenses	1	2	0
Juvenile Drug Offenses	1	4	2
School Truancy Status Offense	13	6	5
Absent from Home Status Offense	1	3	1
Beyond Parental Control Status Offense	3	1	0
Injurious Behavior Status Offense	0	2	14
Child Abuse	0	0	0
Child Neglect	13	5	0
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	11	6	0
Parental Alcohol Use Related	5	0	0
Parental Drug Use Related	3	5	0
Parental Alcohol and Drug Use	1	0	0

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	28	23	14
Probation/Parole Admissions--Drug	26	22	10
Probation/Parole Admissions--DWI	5	6	6
Prison Admissions--Drug	5	9	3
Prison Admissions--DWI	1	2	0

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

OSAGE COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	*	*	*
CSTAR Adolescent	*	*	*
CSTAR Women and Children	7	*	7
CSTAR General Adult	36	24	34
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	*
Clinical SATOP (CIP, YCIP, SROP)	7	10	14
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	49	31	69
- Adolescent Diversion Education Program	5	*	*
- Offender Education Program	22	9	28
- Weekend Intervention Program	8	8	19
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	0	*
Compulsive Gambling	0	0	0
Recovery Supports	0	0	0
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	46	39	62	Alcohol	16	13	27
AGE				Marijuana / Hashish	7	9	12
Under 18	*	*	*	Cocaine (total)	*	*	*
18 to 24	8	8	10	- Crack	*	0	0
25 to 29	8	6	17	Stimulant (total)	15	9	12
30 to 34	6	10	14	- Methamphetamine	15	9	8
35 to 39	8	*	8	Heroin	*	*	*
40 to 44	5	*	*	Analgesic except Heroin	*	*	5
45 to 54	6	5	5	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	0	0
Male	30	31	39	Inhalant	0	0	0
Female	16	8	23	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	*
Caucasian	46	39	61	Average Age at First Use of Drug	19.6	18.5	17.8
African American	0	0	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	*	5	9
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	*	*
Hispanic	0	0	*	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	0	0	0	- Less than Weekly Injection Use	*	*	5
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	8	11	18	0	29	16	30
High School Graduate or G.E.D.	25	20	30	1 or 2	8	15	25
Associate Degree or Some College	13	8	13	3 or More	9	8	7
Bachelor or Advanced Degree	0	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	10	12	14
Employed	17	15	18	School	0	0	0
Unemployed	15	10	22	Mental Health Provider	0	0	0
Not in Labor Force	14	14	22	Health Care Provider	*	0	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	12	26	39
Independent Living	40	36	51	Other Referral Source	21	*	*
Dependent Living	*	*	7	TREATMENT ACCOMMODATION			
Homeless	*	0	*	Pregnant when Admitted to any Episode	0	0	*
MARITAL / FAMILY STATUS				Military Veteran	0	*	0
Never Married	25	22	39	Special Education Services Needed	*	0	*
Married / Cohabiting	15	9	12	Co-Occurring Psychological Problem	26	15	25
Previously Married	6	8	11	Co-Occurring Developmental Problem	0	0	*

OSAGE COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 11
CENSUS 2010 13,878
2015 POPULATION ESTIMATE 13,628

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	*	*	*
Anxiety Disorder	22	23	24
Dementia	0	*	*
Developmental Disorder	0	*	*
Impulse Control Disorder	6	*	*
Mood Disorder	27	25	31
Personality Disorder	*	*	8
Psychotic Disorder	14	13	11
Sexual Disorder	*	0	0
Other Diagnosis	*	*	*
Diagnosis Unknown	0	*	10

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	48	48	61	Less than High School Diploma	19	18	16
AGE				High School Grad or G.E.D.	0	0	0
Under 6	*	*	*	Associate Degree or Some College	0	0	*
6 to 9	*	*	*	Bachelor or Advanced Degree	0	0	0
10 to 13	*	6	*	Education Level Unknown	29	30	44
14 to 17	*	*	*	EMPLOYMENT			
18 to 24	*	*	6	Employed	*	*	*
25 to 29	*	*	*	Unemployed	*	0	*
30 to 34	5	7	8	Not in Labor Force	24	28	38
35 to 39	0	*	*	Employment Status Unknown	20	19	17
40 to 44	5	*	*	HOUSING / LIVING ARRANGEMENT			
45 to 49	*	6	7	Independent Living	12	12	22
50 to 54	8	6	7	Dependent Living	16	19	24
55 to 59	5	6	8	Homeless	*	0	*
60 and Over	6	*	5	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	18	17	13
GENDER				TREATMENT REFERRAL SOURCE			
Male	24	30	32	Self / Family / Friend	24	28	33
Female	24	18	29	School	*	*	0
Gender Unknown	0	0	0	Mental Health Provider	8	8	11
RACE / ETHNICITY				Health Care Provider	7	*	8
Caucasian	45	43	56	Court / Criminal Justice	0	*	*
African American	*	*	*	Other	7	5	7
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	*	*	Voluntary	48	47	60
Other Race	0	0	0	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	0	*	*	Commitment Type Unknown	0	0	0
Past or Current Military Service	*	*	*				

OSAGE COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	41.6	42.5	47.9	64.1	Alcohol	24.7	14.4	24.9	42.9
Chewing Tobacco	5.4	17.6	17.7	11.5	Alcohol (5+ drinks on single occasion past 2 weeks)	6.0	4.6		
Cigarettes	17.2	14.6	22.3	41.3	Chewing Tobacco	4.6	8.8	10.9	7.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	1.7	0.0	1.0	Cigarettes	7.1	5.1	10.1	9.3
Cocaine	0.0	1.7	0.8	0.0	Inhalants	1.3	2.2	2.1	2.8
Electronic Cigarettes	21.3	9.3			Marijuana	0.8	1.7	3.0	2.4
Hallucinogens	0.0	1.7	0.8	0.0	Over-the-counter medications for non-medical use	0.0	1.6	3.4	7.3
Heroin	0.0	0.0	0.0	0.0	Prescription medications not prescribed for student	4.2	4.4	4.6	5.7
Inhalants	3.3	2.8	3.8	3.8					
Marijuana	6.3	6.8	5.5	23.6	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.0	1.7	0.0	2.2	Alcohol (1 or 2 drinks daily)	65.7	63.9		
Over-the-counter medications for non-medical use	1.3	1.6	5.1	10.1	Alcohol (Binge: 5+ drinks once or twice a week)	72.8	76.5		
Prescription medications not prescribed for student	7.5	4.4	9.7	7.8	Cigarettes (1+ packs per day)	88.7	86.7		
Synthetic drugs (K2, bath salts, Spice, etc)	0.0	1.7	5.9		Marijuana (once or twice a week)	84.5	81.5		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	94.5	92.2	91.9	98.3
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.50	12.53	12.81	11.98	Alcohol	72.0	81.5	69.9	62.9
Cigarettes	13.52	13.01	13.12	12.25	Cigarettes	90.7	92.7	89.4	92.9
Inhalants		12.89	12.16	10.00	Marijuana	94.5	97.1	97.0	100.0
Marijuana	14.10	13.68	14.18	14.02					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	45.1	44.8	60.3	57.0	Alcohol	66.1	72.5	54.9	49.8
Cigarettes	29.1	34.3	42.6	51.2	Cigarettes	90.3	89.4	81.4	64.8
Marijuana	17.2	11.5	20.7	34.8	Marijuana	90.6	89.3	92.0	95.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.9	4.4	12.9	6.8	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.7	97.8	97.1	99.0
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	32.8	23.6	35.0	48.3	Alcohol	53.8	49.2	63.0	67.9
Cigarettes	8.5	9.3	13.9	7.5	Cigarettes	35.0	41.8	59.3	53.9
Marijuana	7.3	5.6	5.5	4.2	Marijuana	9.5	21.0	30.6	15.1
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	4.3	10.4	22.3	10.9
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	60.3	59.9	65.1	59.4	Were grouchy, irritable, or in a bad mood	27.4	18.6	22.6	32.1
Were victims of mean rumors or lies spread at school	48.7	53.8	52.3	50.9	Had difficulty concentrating on school work	16.3	26.9	25.6	33.4
Were victims of an embarrassing or hurtful text message or something posted on the Internet	28.1	14.8	21.8	18.3	Were very sad	16.4	25.1	19.6	30.7
					Felt hopeless about the future	9.6	12.5	14.8	21.8
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	10.1	12.1	12.4	12.6	Parents involve student in making family decisions	68.6	68.4	68.4	68.3
Made plan about how they would attempt suicide	6.3	9.8	10.2	6.5	Parents notice and comment on student's good work	83.4	89.1	82.3	79.9
Attempted suicide	0.8	4.5	3.8	6.5	Teachers notice and comment on student's good work	64.9	77.0		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

OZARK COUNTY



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	18
Adult Psychiatric	18
POPULATION	
Census 2010	9,723
2015 Estimate	9,409

BIRTH RISK	2014	2013	2012
Resident Births	94	81	109
Mother Reported Smoking while Pregnant	26	17	24

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	1	1
Hepatitis C Chronic and Acute	12	3	7
Tuberculosis Infection Cases	0	0	0

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	134	126	124
Suicides	2	1	2
Homicides	0	0	1
Alcohol Induced Deaths	0	0	1
Drug Induced Deaths	0	1	3
Smoking Attributable Deaths	25	28	20
Self-inflicted Injuries	5	6	11
Assault Injuries	10	14	17

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	64	52	67
Mental Illness Secondary Diagnosis	165	146	161
Alcohol Principal Diagnosis	4	10	10
Alcohol Secondary Diagnosis	15	13	19
Drug Principal Diagnosis	8	10	6
Drug Secondary Diagnosis	12	12	9
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	12	9	14
Mental Illness Secondary Diagnosis	53	30	43
Alcohol Principal Diagnosis	3	0	3
Alcohol Secondary Diagnosis	10	7	6
Drug Principal Diagnosis	1	0	3
Drug Secondary Diagnosis	2	2	1
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	38	33	38
Mental Illness Secondary Diagnosis	205	230	154
Alcohol Principal Diagnosis	5	8	9
Alcohol Secondary Diagnosis	5	9	14
Drug Principal Diagnosis	5	5	8
Drug Secondary Diagnosis	8	8	11

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	10	11	11
Alcohol Package Carry-out Licenses	17	21	17

EMPLOYMENT	2015	2014	2013
Labor Force	3,716	3,632	4,504
Employed	3,422	3,315	4,163
Unemployed	294	317	341
Unemployment Rate	7.9%	8.7%	7.6%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	17	18	17
Fatal Crashes	1	1	1
Injury Crashes	8	5	6
Property Damage Crashes	12	12	10
Crash Fatalities	1	1	1
Crash Injuries	10	9	10
Drug Involved Crashes	1	1	1
Fatal Crashes	1	0	0
Injury Crashes	0	0	0
Property Damage Crashes	0	1	1
Crash Fatalities	1	0	0
Crash Injuries	2	0	0

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	53	51	55
Liquor Law Arrests	12	20	5
Drug Arrests	86	93	74
Violent Offenses	12	40	30
Property Offenses	98	118	140
Domestic Violence Reports	24	69	35
	2015	2014	2013
Methamphetamine Lab Seizures	0	0	3

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	500	522	527
Drop-outs	1	2	0
Drop-out Rate	0.2%	0.4%	0.0%
School Discipline Involving Alcohol	0	2	0
School Discipline Involving Drugs	8	1	2
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	4	5	3
Juvenile Alcohol Offenses	0	3	0
Juvenile Drug Offenses	0	1	0
School Truancy Status Offense	1	5	0
Absent from Home Status Offense	1	4	0
Beyond Parental Control Status Offense	1	5	5
Injurious Behavior Status Offense	0	0	1
Child Abuse	0	0	0
Child Neglect	13	9	11
Child Custody Issues	1	2	0

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	11	16	10
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	6	12	1
Parental Alcohol and Drug Use	0	1	1

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	15	13	15
Probation/Parole Admissions--Drug	13	15	14
Probation/Parole Admissions--DWI	5	0	1
Prison Admissions--Drug	16	5	5
Prison Admissions--DWI	1	0	1

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

OZARK COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	12	5	9
CSTAR Adolescent	*	*	*
CSTAR Women and Children	*	*	*
CSTAR General Adult	18	7	17
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	9	*
Clinical SATOP (CIP, YCIP, SROP)	12	*	10
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	29	20	37
- Adolescent Diversion Education Program	0	0	*
- Offender Education Program	5	8	17
- Weekend Intervention Program	*	*	12
<i>(See also Clinical SATOP at left)</i>			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	0
Compulsive Gambling	0	0	0
Recovery Supports	*	*	*
Early Intervention	0	0	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	41	27	31	Alcohol	20	11	19
AGE				Marijuana / Hashish	8	*	5
Under 18	*	*	*	Cocaine (total)	0	*	0
18 to 24	7	*	*	- Crack	0	*	0
25 to 29	8	*	8	Stimulant (total)	10	8	5
30 to 34	8	5	*	- Methamphetamine	10	8	5
35 to 39	*	5	*	Heroin	0	0	*
40 to 44	*	*	*	Analgesic except Heroin	*	*	*
45 to 54	9	*	*	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	0	0
Male	27	18	19	Inhalant	0	0	0
Female	14	9	12	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	39	26	31	Average Age at First Use of Drug	17.6	16.7	16.9
African American	0	0	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	7	7	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	0	*
Hispanic	0	0	0	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	*	*	0	- Less than Weekly Injection Use	5	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	13	6	5	0	21	11	10
High School Graduate or G.E.D.	20	17	17	1 or 2	15	11	12
Associate Degree or Some College	8	*	9	3 or More	5	5	9
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	20	12	12
Employed	7	*	5	School	*	0	0
Unemployed	13	13	11	Mental Health Provider	0	*	0
Not in Labor Force	21	12	15	Health Care Provider	0	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	16	9	12
Independent Living	34	19	28	Other Referral Source	*	*	6
Dependent Living	5	*	*	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	0	*	0
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	22	13	12	Special Education Services Needed	*	*	*
Married / Cohabiting	11	5	10	Co-Occurring Psychological Problem	12	13	7
Previously Married	8	9	9	Co-Occurring Developmental Problem	0	0	0

OZARK COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 18
CENSUS 2010 9,723
2015 POPULATION ESTIMATE 9,409

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	5	11	*
Anxiety Disorder	38	51	64
Dementia	0	0	0
Developmental Disorder	0	0	0
Impulse Control Disorder	8	9	14
Mood Disorder	46	71	92
Personality Disorder	*	7	*
Psychotic Disorder	8	11	10
Sexual Disorder	0	0	0
Other Diagnosis	6	5	5
Diagnosis Unknown	9	11	6

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	77	110	125	Less than High School Diploma	19	26	28
AGE				High School Grad or G.E.D.	0	0	0
Under 6	0	0	0	Associate Degree or Some College	0	0	0
6 to 9	*	*	*	Bachelor or Advanced Degree	0	0	0
10 to 13	*	*	*	Education Level Unknown	58	84	97
14 to 17	*	7	7	EMPLOYMENT			
18 to 24	*	7	12	Employed	15	13	16
25 to 29	7	16	15	Unemployed	*	9	18
30 to 34	5	11	15	Not in Labor Force	39	55	67
35 to 39	11	11	12	Employment Status Unknown	19	33	24
40 to 44	15	11	17	HOUSING / LIVING ARRANGEMENT			
45 to 49	12	14	18	Independent Living	42	54	81
50 to 54	6	13	17	Dependent Living	13	15	10
55 to 59	6	10	7	Homeless	0	*	*
60 and Over	*	5	*	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	22	39	32
GENDER				TREATMENT REFERRAL SOURCE			
Male	30	52	57	Self / Family / Friend	42	72	87
Female	47	58	68	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	5	*	5
RACE / ETHNICITY				Health Care Provider	22	27	20
Caucasian	75	108	125	Court / Criminal Justice	0	*	*
African American	0	0	0	Other	8	7	12
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	0	0	0	Voluntary	76	109	124
Other Race	*	*	0	Civil	0	0	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	0	0	0
Past or Current Military Service	*	*	*				

OZARK COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	34.8	36.4	33.8	45.4	Alcohol	13.9	14.1	8.3	17.7
Chewing Tobacco	24.8	17.3	16.5	24.0	Alcohol (5+ drinks on single occasion past 2 weeks)	5.1	7.1		
Cigarettes	25.5	27.8	20.3	33.9	Chewing Tobacco	10.2	8.2	7.6	10.9
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.2	0.0	0.8	3.4	Cigarettes	8.8	11.1	6.0	14.9
Cocaine	2.2	1.0	0.0	1.7	Inhalants	0.7	1.0	1.5	2.9
Electronic Cigarettes	25.5	10.0			Marijuana	5.8	4.1	7.5	6.3
Hallucinogens	1.5	0.0	3.1	3.5	Over-the-counter medications for non-medical use	0.7	0.0	4.5	4.6
Heroin	0.0	0.0	0.0	0.0	Prescription medications not prescribed for student	10.2	3.1	3.0	4.6
Inhalants	2.2	3.1	3.0	6.9					
Marijuana	13.1	14.3	16.5	13.8	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.0	0.0	0.0	1.2	Alcohol (1 or 2 drinks daily)	58.1	57.1		
Over-the-counter medications for non-medical use	3.7	1.1	5.3	8.0	Alcohol (Binge: 5+ drinks once or twice a week)	70.8	66.0		
Prescription medications not prescribed for student	12.5	5.2	4.5	10.4	Cigarettes (1+ packs per day)	80.3	89.5		
Synthetic drugs (K2, bath salts, Spice, etc)	1.5	3.0	6.8		Marijuana (once or twice a week)	66.7	71.1		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	92.5	96.8	92.3	91.9
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.88	13.15	12.34	12.12	Alcohol	83.9	80.4	87.0	85.0
Cigarettes	12.39	13.57	12.16	11.44	Cigarettes	92.0	87.8	94.7	91.9
Inhalants		10.69		13.38	Marijuana	92.7	88.5	94.5	94.7
Marijuana	13.21	14.93	12.61	13.59					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	42.3	38.4	50.4	55.4	Alcohol	70.4	66.0	55.4	58.0
Cigarettes	40.9	39.0	45.5	45.7	Cigarettes	84.7	82.7	78.9	76.9
Marijuana	38.0	27.6	35.3	31.6	Marijuana	83.1	79.4	81.2	83.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.6	5.0	11.3	14.9	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	99.3	96.8	94.7	94.8
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	21.3	25.7	27.3	36.4	Alcohol	39.7	52.6	61.1	57.5
Cigarettes	10.3	12.1	10.4	21.1	Cigarettes	41.6	50.0	57.1	60.1
Marijuana	9.6	8.1	13.0	10.4	Marijuana	30.4	28.4	36.2	35.3
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.1	11.0	15.9	18.6
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	53.3	48.5	60.2	73.7	Were grouchy, irritable, or in a bad mood	33.6	21.0	25.8	27.6
Were victims of mean rumors or lies spread at school	45.3	46.5	52.6	65.3	Had difficulty concentrating on school work	25.5	16.0	20.9	24.9
Were victims of an embarrassing or hurtful text message or something posted on the Internet	17.7	18.4	18.5	17.8	Were very sad	23.5	15.2	20.3	24.1
					Felt hopeless about the future	9.6	9.0	9.0	12.1
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	12.5	12.0	9.0	10.9	Parents involve student in making family decisions	66.4	73.7	64.7	69.7
Made plan about how they would attempt suicide	13.1	7.0	6.1	7.4	Parents notice and comment on student's good work	87.0	80.8	78.8	78.7
Attempted suicide	7.4	4.0	3.1	4.0	Teachers notice and comment on student's good work	85.4	74.3		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

PEMISCOT COUNTY



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	20
Adult Psychiatric	19
POPULATION	
Census 2010	18,296
2015 Estimate	17,482

BIRTH RISK	2014	2013	2012
Resident Births	266	301	282
Mother Reported Smoking while Pregnant	62	76	68

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	0	1	1
Hepatitis B Chronic, Acute, Prenatal	1	0	1
Hepatitis C Chronic and Acute	23	17	39
Tuberculosis Infection Cases	10	8	22

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	229	269	226
Suicides	4	6	3
Homicides	1	2	0
Alcohol Induced Deaths	1	0	4
Drug Induced Deaths	2	5	5
Smoking Attributable Deaths	47	58	55
Self-inflicted Injuries	27	26	21
Assault Injuries	151	114	157

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	343	316	342
Mental Illness Secondary Diagnosis	499	444	566
Alcohol Principal Diagnosis	11	9	14
Alcohol Secondary Diagnosis	44	30	39
Drug Principal Diagnosis	28	12	7
Drug Secondary Diagnosis	33	26	38
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	33	48	46
Mental Illness Secondary Diagnosis	341	345	427
Alcohol Principal Diagnosis	9	3	7
Alcohol Secondary Diagnosis	20	26	31
Drug Principal Diagnosis	4	8	9
Drug Secondary Diagnosis	20	20	24
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	237	180	174
Mental Illness Secondary Diagnosis	227	188	92
Alcohol Principal Diagnosis	52	52	36
Alcohol Secondary Diagnosis	33	23	29
Drug Principal Diagnosis	43	32	30
Drug Secondary Diagnosis	42	40	40

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	17	16	17
Alcohol Package Carry-out Licenses	31	28	28

EMPLOYMENT	2015	2014	2013
Labor Force	7,157	7,019	8,247
Employed	6,508	6,377	7,567
Unemployed	649	642	680
Unemployment Rate	9.1%	9.1%	8.2%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	22	25	29
Fatal Crashes	2	1	1
Injury Crashes	9	9	15
Property Damage Crashes	15	15	13
Crash Fatalities	4	1	1
Crash Injuries	11	12	23
Drug Involved Crashes	8	9	8
Fatal Crashes	0	0	0
Injury Crashes	5	2	4
Property Damage Crashes	3	7	4
Crash Fatalities	0	0	0
Crash Injuries	7	3	4

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	96	106	178
Liquor Law Arrests	3	6	18
Drug Arrests	124	151	242
Violent Offenses	145	161	179
Property Offenses	713	769	688
Domestic Violence Reports	196	238	248

	2015	2014	2013
Methamphetamine Lab Seizures	0	0	1

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	1,040	1,045	1,037
Drop-outs	12	17	20
Drop-out Rate	1.2%	1.6%	1.9%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	3	1	1
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	9	5	33
Juvenile Alcohol Offenses	0	0	0
Juvenile Drug Offenses	2	1	6
School Truancy Status Offense	19	0	8
Absent from Home Status Offense	4	0	9
Beyond Parental Control Status Offense	11	3	22
Injurious Behavior Status Offense	21	0	17
Child Abuse	6	3	21
Child Neglect	51	28	48
Child Custody Issues	10	6	6

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	50	57	52
Parental Alcohol Use Related	1	4	8
Parental Drug Use Related	23	29	7
Parental Alcohol and Drug Use	4	0	0

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	85	101	113
Probation/Parole Admissions--DWI	12	14	22
Prison Admissions--Drug	49	56	65
Prison Admissions--DWI	10	10	10

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

PEMISCOT COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	53	68	60
CSTAR Adolescent	22	20	17
CSTAR Women and Children	14	18	19
CSTAR General Adult	130	116	117
CSTAR Opioid	0	0	0
Primary Recovery Treatment	25	31	135
Clinical SATOP (CIP, YCIP, SROP)	9	18	18
Other Substance Abuse Treatment	0	*	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	54	69	76
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	19	18	20
- Weekend Intervention Program	*	16	15
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	5	5
Compulsive Gambling	0	0	0
Recovery Supports	*	13	5
Early Intervention	0	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	197	220	279	Alcohol	51	64	84
AGE				Marijuana / Hashish	68	66	106
Under 18	22	19	19	Cocaine (total)	13	11	23
18 to 24	36	38	63	- Crack	6	6	10
25 to 29	38	40	54	Stimulant (total)	38	51	48
30 to 34	35	36	36	- Methamphetamine	36	50	44
35 to 39	21	24	29	Heroin	*	*	*
40 to 44	9	19	16	Analgesic except Heroin	10	16	10
45 to 54	21	33	42	- Non-Prescription Methadone	*	0	0
55 and Over	15	11	20	PCP, LSD, other Hallucinogen	*	*	*
GENDER				Tranquilizer	14	10	5
Male	119	149	193	Inhalant	*	0	0
Female	78	71	86	Sedative	0	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	127	137	160	Average Age at First Use of Drug	17.8	18.0	18.1
African American	63	76	116	INJECTION DRUG USE			
Native American / Alaskan	0	*	0	Any Injection Use at Admission	14	7	8
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	*
Hispanic	*	*	0	- Weekly Injection Use	7	*	0
Other Race / Two or More Races	5	*	*	- Less than Weekly Injection Use	*	*	6
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	104	94	120	0	161	175	216
High School Graduate or G.E.D.	72	104	139	1 or 2	23	38	39
Associate Degree or Some College	20	22	20	3 or More	13	7	24
Bachelor or Advanced Degree	*	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	31	42	25
Employed	31	39	63	School	0	0	0
Unemployed	61	47	73	Mental Health Provider	*	*	*
Not in Labor Force	105	134	143	Health Care Provider	21	11	12
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	98	122	193
Independent Living	161	178	243	Other Referral Source	45	43	46
Dependent Living	26	29	28	TREATMENT ACCOMMODATION			
Homeless	7	5	*	Pregnant when Admitted to any Episode	*	8	8
MARITAL / FAMILY STATUS				Military Veteran	7	10	13
Never Married	116	127	161	Special Education Services Needed	30	26	28
Married / Cohabiting	58	51	77	Co-Occurring Psychological Problem	52	40	52
Previously Married	23	42	41	Co-Occurring Developmental Problem	*	*	6

PEMISCOT COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 19
CENSUS 2010 18,296
2015 POPULATION ESTIMATE 17,482

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	19	19	*
Anxiety Disorder	30	25	14
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	39	40	24
Mood Disorder	123	129	110
Personality Disorder	0	*	*
Psychotic Disorder	41	44	42
Sexual Disorder	*	*	*
Other Diagnosis	14	16	9
Diagnosis Unknown	21	47	31

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	271	310	226	Less than High School Diploma	138	116	73
AGE				High School Grad or G.E.D.	0	0	0
Under 6	5	6	*	Associate Degree or Some College	0	0	0
6 to 9	33	33	18	Bachelor or Advanced Degree	0	0	0
10 to 13	36	37	26	Education Level Unknown	133	194	153
14 to 17	25	36	15	EMPLOYMENT			
18 to 24	21	26	21	Employed	10	*	7
25 to 29	14	23	18	Unemployed	28	23	18
30 to 34	20	27	24	Not in Labor Force	176	159	102
35 to 39	22	31	26	Employment Status Unknown	57	124	99
40 to 44	25	21	18	HOUSING / LIVING ARRANGEMENT			
45 to 49	25	23	15	Independent Living	101	100	92
50 to 54	25	22	22	Dependent Living	100	77	31
55 to 59	8	12	10	Homeless	*	*	*
60 and Over	12	13	9	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	67	131	102
GENDER				TREATMENT REFERRAL SOURCE			
Male	137	163	114	Self / Family / Friend	83	75	47
Female	134	147	112	School	12	16	6
Gender Unknown	0	0	0	Mental Health Provider	22	25	20
RACE / ETHNICITY				Health Care Provider	54	52	52
Caucasian	163	194	145	Court / Criminal Justice	43	69	61
African American	94	101	75	Other	55	71	38
Native American / Alaskan	0	0	0	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	*	*	Voluntary	261	305	219
Other Race	11	11	5	Civil	*	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	6	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	*	*	*	Commitment Type Unknown	*	*	*
Past or Current Military Service	8	9	10				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	36.6	27.6	44.1	49.0	Alcohol	12.8	11.8	17.8	25.4
Chewing Tobacco	11.9	10.9	11.7	16.7	Alcohol (5+ drinks on single occasion past 2 weeks)	6.2	5.4		
Cigarettes	23.8	20.8	30.8	37.9	Chewing Tobacco	5.0	7.4	5.4	10.1
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.3	0.4	1.0	2.7	Cigarettes	10.1	10.5	12.4	22.2
Cocaine	0.3	0.4	1.3	2.2	Inhalants	0.9	1.3	1.6	4.9
Electronic Cigarettes	22.3	15.4			Marijuana	5.6	5.3	5.7	9.9
Hallucinogens	1.0	1.3	1.0	1.8	Over-the-counter medications for non-medical use	2.5	1.7	3.5	7.2
Heroin	0.0	0.4	1.0	1.3	Prescription medications not prescribed for student	15.1	4.8	8.6	14.3
Inhalants	2.2	3.5	5.7	10.2	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	13.8	11.5	15.3	20.1	Alcohol (1 or 2 drinks daily)	61.3	49.6		
Methamphetamine	0.6	0.0	1.3	0.7	Alcohol (Binge: 5+ drinks once or twice a week)	73.9	62.5		
Over-the-counter medications for non-medical use	6.3	3.5	8.0	10.9	Cigarettes (1+ packs per day)	79.9	70.9		
Prescription medications not prescribed for student	22.9	9.2	14.6	21.0	Marijuana (once or twice a week)	68.9	59.1		
Synthetic drugs (K2, bath salts, Spice, etc)	2.8	2.2	8.3		Other: Cocaine, LSD, Meth, Club Drug (any use)	92.0	79.7	92.3	91.9
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.88	12.90	12.85	12.77	Alcohol	86.8	89.4	85.0	82.3
Cigarettes	12.31	11.93	12.02	12.42	Cigarettes	94.3	94.2	90.7	88.7
Inhalants		10.77	12.62	12.62	Marijuana	92.7	95.5	95.8	94.5
Marijuana	14.30	13.34	14.02	14.02	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	75.2	69.3	66.7	60.3
Alcohol	43.0	37.8	57.6	60.1	Cigarettes	88.4	82.6	80.5	73.9
Cigarettes	36.7	31.2	52.2	56.6	Marijuana	86.8	81.7	84.3	81.1
Marijuana	30.6	21.5	36.5	36.2	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.9	92.6	95.8	95.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	6.9	5.2	11.8	13.0	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	44.5	45.7	59.6	58.5
Alcohol	23.7	26.8	29.3	37.5	Cigarettes	43.8	46.8	60.3	62.3
Cigarettes	7.8	12.6	10.5	21.2	Marijuana	34.3	34.8	46.9	41.9
Marijuana	8.5	10.1	9.2	14.1	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.0	21.0	25.0	24.1
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	67.4	64.8	61.0	72.0	Were grouchy, irritable, or in a bad mood	36.3	28.2	32.8	20.8
Were victims of mean rumors or lies spread at school	56.3	57.9	58.3	63.4	Had difficulty concentrating on school work	25.5	19.7	23.9	19.3
Were victims of an embarrassing or hurtful text message or something posted on the Internet	16.9	27.9	22.8	21.5	Were very sad	19.1	23.1	19.1	15.7
					Felt hopeless about the future	9.7	15.5	8.6	10.1
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	9.7	12.5	13.0	13.0	Parents involve student in making family decisions	75.1	73.3	67.7	73.7
Made plan about how they would attempt suicide	8.5	10.8	11.3	10.9	Parents notice and comment on student's good work	86.2	84.6	83.2	82.4
Attempted suicide	4.4	7.4	7.3	8.0	Teachers notice and comment on student's good work	77.3	79.1		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

PERRY COUNTY



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	21
Adult Psychiatric	21
POPULATION	
Census 2010	18,971
2015 Estimate	19,183

BIRTH RISK	2014	2013	2012
Resident Births	192	231	223
Mother Reported Smoking while Pregnant	48	56	43

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	0
Hepatitis C Chronic and Acute	6	7	4
Tuberculosis Infection Cases	4	2	4

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	194	189	193
Suicides	2	2	2
Homicides	0	1	0
Alcohol Induced Deaths	2	1	1
Drug Induced Deaths	3	3	1
Smoking Attributable Deaths	29	37	34
Self-inflicted Injuries	25	28	15
Assault Injuries	50	55	61

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	122	136	140
Mental Illness Secondary Diagnosis	484	419	543
Alcohol Principal Diagnosis	7	5	9
Alcohol Secondary Diagnosis	19	17	22
Drug Principal Diagnosis	9	6	10
Drug Secondary Diagnosis	9	10	13
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	19	14	26
Mental Illness Secondary Diagnosis	325	266	141
Alcohol Principal Diagnosis	8	8	2
Alcohol Secondary Diagnosis	28	14	27
Drug Principal Diagnosis	0	1	4
Drug Secondary Diagnosis	6	5	8
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	182	182	192
Mental Illness Secondary Diagnosis	577	732	308
Alcohol Principal Diagnosis	18	27	25
Alcohol Secondary Diagnosis	35	41	47
Drug Principal Diagnosis	23	26	30
Drug Secondary Diagnosis	68	42	72

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	34	32	34
Alcohol Package Carry-out Licenses	22	22	22

EMPLOYMENT	2015	2014	2013
Labor Force	10,402	10,224	11,349
Employed	9,969	9,667	10,825
Unemployed	433	557	524
Unemployment Rate	4.2%	5.4%	4.6%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	10	20	25
Fatal Crashes	0	1	0
Injury Crashes	4	8	14
Property Damage Crashes	11	11	11
Crash Fatalities	0	1	0
Crash Injuries	4	11	15
Drug Involved Crashes	4	5	1
Fatal Crashes	0	0	0
Injury Crashes	0	2	1
Property Damage Crashes	4	3	0
Crash Fatalities	0	0	0
Crash Injuries	0	2	1

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	60	114	115
Liquor Law Arrests	25	25	26
Drug Arrests	97	124	93
Violent Offenses	45	32	28
Property Offenses	222	232	271
Domestic Violence Reports	101	95	78

	2015	2014	2013
Methamphetamine Lab Seizures	0	3	1

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	752	731	742
Drop-outs	16	22	17
Drop-out Rate	2.1%	3.0%	2.3%
School Discipline Involving Alcohol	0	1	2
School Discipline Involving Drugs	3	19	7
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	14	16	19
Juvenile Alcohol Offenses	1	7	3
Juvenile Drug Offenses	16	9	8
School Truancy Status Offense	4	4	3
Absent from Home Status Offense	6	7	10
Beyond Parental Control Status Offense	17	23	21
Injurious Behavior Status Offense	23	16	19
Child Abuse	14	15	18
Child Neglect	74	59	59
Child Custody Issues	4	1	5

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	16	11	6
Parental Alcohol Use Related	0	2	0
Parental Drug Use Related	6	3	2
Parental Alcohol and Drug Use	1	0	0

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	51	50	72
Probation/Parole Admissions--DWI	9	7	8
Prison Admissions--Drug	22	19	22
Prison Admissions--DWI	1	0	2

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.

³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

PERRY COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	17	19	21
CSTAR Adolescent	7	12	7
CSTAR Women and Children	8	5	9
CSTAR General Adult	97	75	86
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	0	7
Clinical SATOP (CIP, YCIP, SROP)	14	17	10
Other Substance Abuse Treatment	0	0	*


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	79	96	100
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	44	45	47
- Weekend Intervention Program	19	24	28
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	*
Compulsive Gambling	*	*	0
Recovery Supports	21	47	29
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	133	142	113	Alcohol	50	54	36
AGE				Marijuana / Hashish	37	45	41
Under 18	9	11	8	Cocaine (total)	0	*	*
18 to 24	15	41	38	- Crack	0	0	*
25 to 29	28	31	21	Stimulant (total)	18	9	12
30 to 34	27	16	12	- Methamphetamine	15	8	11
35 to 39	14	16	11	Heroin	20	12	12
40 to 44	13	9	8	Analgesic except Heroin	6	11	6
45 to 54	20	12	15	- Non-Prescription Methadone	0	0	0
55 and Over	7	6	0	PCP, LSD, other Hallucinogen	0	*	0
GENDER				Tranquilizer	*	*	*
Male	91	98	72	Inhalant	0	0	*
Female	42	44	41	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	*	0
Caucasian	125	134	105	Average Age at First Use of Drug	16.5	16.8	16.9
African American	*	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	25	16	21
Asian / Pacific Islander	0	0	0	- Daily Injection Use	5	*	*
Hispanic	*	*	*	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	*	*	5	- Less than Weekly Injection Use	16	10	14
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	47	53	38	0	67	87	59
High School Graduate or G.E.D.	68	63	59	1 or 2	44	36	42
Associate Degree or Some College	17	25	16	3 or More	22	19	12
Bachelor or Advanced Degree	*	*	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	39	18	8
Employed	45	58	46	School	0	0	0
Unemployed	42	47	39	Mental Health Provider	0	*	0
Not in Labor Force	46	37	28	Health Care Provider	*	*	8
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	77	98	80
Independent Living	117	122	91	Other Referral Source	11	15	15
Dependent Living	11	14	16	TREATMENT ACCOMMODATION			
Homeless	*	*	5	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	*	5	*
Never Married	68	84	64	Special Education Services Needed	9	19	9
Married / Cohabiting	36	35	23	Co-Occurring Psychological Problem	52	58	51
Previously Married	29	23	26	Co-Occurring Developmental Problem	10	*	5

PERRY COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 21
CENSUS 2010 18,971
2015 POPULATION ESTIMATE 19,183

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	46	64	56
Anxiety Disorder	61	96	64
Dementia	0	*	0
Developmental Disorder	*	*	*
Impulse Control Disorder	98	109	100
Mood Disorder	287	345	260
Personality Disorder	8	9	9
Psychotic Disorder	28	21	20
Sexual Disorder	0	0	0
Other Diagnosis	13	16	14
Diagnosis Unknown	26	32	52

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	480	595	502	Less than High School Diploma	49	64	78
AGE				High School Grad or G.E.D.	0	0	0
Under 6	*	*	0	Associate Degree or Some College	0	0	0
6 to 9	22	23	28	Bachelor or Advanced Degree	0	0	0
10 to 13	47	42	48	Education Level Unknown	431	531	424
14 to 17	48	69	51	EMPLOYMENT			
18 to 24	38	62	62	Employed	6	5	10
25 to 29	38	60	52	Unemployed	6	*	8
30 to 34	39	55	44	Not in Labor Force	104	119	127
35 to 39	46	55	48	Employment Status Unknown	364	467	357
40 to 44	40	52	38	HOUSING / LIVING ARRANGEMENT			
45 to 49	40	50	42	Independent Living	75	83	83
50 to 54	42	50	38	Dependent Living	48	47	58
55 to 59	41	36	23	Homeless	*	0	*
60 and Over	37	40	28	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	355	465	359
GENDER				TREATMENT REFERRAL SOURCE			
Male	220	253	212	Self / Family / Friend	350	383	342
Female	260	342	290	School	7	8	8
Gender Unknown	0	0	0	Mental Health Provider	14	35	26
RACE / ETHNICITY				Health Care Provider	45	71	54
Caucasian	445	538	445	Court / Criminal Justice	14	21	20
African American	*	6	5	Other	49	76	52
Native American / Alaskan	*	*	*	Referral Source Unknown	*	*	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	16	31	36	Voluntary	477	592	501
Other Race	14	17	15	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	19	22	23	Commitment Type Unknown	*	*	0
Past or Current Military Service	11	14	7				

MISSOURI STUDENT SURVEY

	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	13.4	36.4	44.1	42.8	Alcohol	1.8	18.0	23.1	22.8
Chewing Tobacco	0.0	13.9	17.7	17.0	Alcohol (5+ drinks on single occasion past 2 weeks)	0.0	6.7		
Cigarettes	5.2	20.4	27.8	28.4	Chewing Tobacco	0.0	6.1	8.7	8.3
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	1.3	2.4	0.3	Cigarettes	1.8	4.8	11.7	16.5
Cocaine	0.0	0.0	1.4	1.0	Inhalants	0.0	1.3	2.0	2.0
Electronic Cigarettes	0.0	4.8			Marijuana	0.0	4.4	7.3	3.3
Hallucinogens	0.0	0.0	2.4	1.3	Over-the-counter medications for non-medical use	0.0	1.3	3.7	2.6
Heroin	0.0	0.0	0.7	0.5	Prescription medications not prescribed for student	4.6	4.4	3.3	5.0
Inhalants	0.0	2.6	4.0	5.1					
Marijuana	2.3	9.3	12.7	9.8	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.0	1.3	2.0	0.0	Alcohol (1 or 2 drinks daily)	83.2	63.8		
Over-the-counter medications for non-medical use	1.2	1.3	5.0	3.6	Alcohol (Binge: 5+ drinks once or twice a week)	93.5	69.1		
Prescription medications not prescribed for student	7.5	7.8	5.4	9.4	Cigarettes (1+ packs per day)	98.3	85.2		
Synthetic drugs (K2, bath salts, Spice, etc)	0.0	3.0	5.7		Marijuana (once or twice a week)	93.3	71.7		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	87.4	91.4	89.0	89.7
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	11.13	13.44	12.51	12.24	Alcohol	97.1	75.9	71.6	72.3
Cigarettes		14.52	12.54	12.78	Cigarettes	100.0	90.4	88.9	90.5
Inhalants		8.95	12.61	11.05	Marijuana	100.0	95.5	94.5	95.0
Marijuana		13.94	13.78	13.60					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	4.6	39.3	54.9	59.2	Alcohol	89.6	61.0	54.5	57.3
Cigarettes	0.0	22.2	43.1	44.7	Cigarettes	98.3	88.6	79.7	78.1
Marijuana	0.0	21.9	34.2	30.0	Marijuana	97.7	84.3	84.6	87.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	1.7	9.0	12.0	15.2	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	100.0	92.2	94.9	96.1
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	6.9	25.3	36.1	37.0	Alcohol	15.6	52.6	57.2	59.0
Cigarettes	4.1	6.8	14.3	14.0	Cigarettes	4.6	43.3	50.8	55.6
Marijuana	2.3	7.5	11.0	7.0	Marijuana	0.0	27.8	34.7	25.7
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	0.0	13.2	14.9	16.7
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	55.5	58.8	58.6	68.6	Were grouchy, irritable, or in a bad mood	17.9	23.6	24.7	26.0
Were victims of mean rumors or lies spread at school	31.8	47.6	53.5	55.5	Had difficulty concentrating on school work	20.8	13.7	20.3	27.0
Were victims of an embarrassing or hurtful text message or something posted on the Internet	23.8	23.0	20.9	16.5	Were very sad	12.8	19.7	18.5	17.7
					Felt hopeless about the future	3.0	7.8	12.2	13.9
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	6.9	9.4	12.4	10.9	Parents involve student in making family decisions	76.3	73.4	67.0	68.9
Made plan about how they would attempt suicide	4.0	6.0	7.5	8.0	Parents notice and comment on student's good work	98.3	80.9	76.1	84.3
Attempted suicide	4.1	1.3	6.0	5.4	Teachers notice and comment on student's good work	85.8	68.7		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	12
Adult Psychiatric	12
POPULATION	
Census 2010	42,201
2015 Estimate	42,255

BIRTH RISK	2014	2013	2012
Resident Births	582	559	585
Mother Reported Smoking while Pregnant	113	123	130

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	0	2	1
Hepatitis B Chronic, Acute, Prenatal	6	6	6
Hepatitis C Chronic and Acute	24	32	23
Tuberculosis Infection Cases	7	6	4

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	403	425	401
Suicides	5	8	8
Homicides	1	3	1
Alcohol Induced Deaths	5	1	2
Drug Induced Deaths	3	4	4
Smoking Attributable Deaths	67	80	63
Self-inflicted Injuries	62	73	61
Assault Injuries	206	181	166

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	388	401	438
Mental Illness Secondary Diagnosis	1,483	1,375	1,304
Alcohol Principal Diagnosis	41	50	43
Alcohol Secondary Diagnosis	82	104	113
Drug Principal Diagnosis	19	16	23
Drug Secondary Diagnosis	78	94	67
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	83	89	91
Mental Illness Secondary Diagnosis	166	136	185
Alcohol Principal Diagnosis	20	14	22
Alcohol Secondary Diagnosis	25	23	16
Drug Principal Diagnosis	10	8	13
Drug Secondary Diagnosis	17	12	9
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	443	414	418
Mental Illness Secondary Diagnosis	5,716	4,633	3,932
Alcohol Principal Diagnosis	131	89	74
Alcohol Secondary Diagnosis	163	219	160
Drug Principal Diagnosis	63	42	40
Drug Secondary Diagnosis	232	172	149

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	51	49	53
Alcohol Package Carry-out Licenses	41	42	41

EMPLOYMENT	2015	2014	2013
Labor Force	21,119	20,530	20,844
Employed	20,006	19,266	19,580
Unemployed	1,113	1,264	1,264
Unemployment Rate	5.3%	6.2%	6.1%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	51	50	43
Fatal Crashes	1	3	1
Injury Crashes	18	22	20
Property Damage Crashes	25	25	22
Crash Fatalities	4	4	1
Crash Injuries	24	26	25
Drug Involved Crashes	10	12	5
Fatal Crashes	1	1	0
Injury Crashes	3	4	2
Property Damage Crashes	6	7	3
Crash Fatalities	1	1	0
Crash Injuries	11	5	2

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	162	163	161
Liquor Law Arrests	73	43	44
Drug Arrests	345	327	313
Violent Offenses	160	141	121
Property Offenses	1,654	1,789	1,986
Domestic Violence Reports	488	445	507

	2015	2014	2013
Methamphetamine Lab Seizures	0	0	3

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	1,892	1,865	1,877
Drop-outs	9	7	10
Drop-out Rate	0.5%	0.4%	0.5%
School Discipline Involving Alcohol	1	2	4
School Discipline Involving Drugs	9	7	15
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	113	88	98
Juvenile Alcohol Offenses	7	9	5
Juvenile Drug Offenses	27	34	37
School Truancy Status Offense	28	14	18
Absent from Home Status Offense	36	40	32
Beyond Parental Control Status Offense	22	24	31
Injurious Behavior Status Offense	118	141	96
Child Abuse	0	3	0
Child Neglect	5	2	1
Child Custody Issues	10	4	22

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	77	42	56
Parental Alcohol Use Related	1	0	0
Parental Drug Use Related	33	16	23
Parental Alcohol and Drug Use	1	0	1

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	47	36	17
Probation/Parole Admissions--Drug	153	134	124
Probation/Parole Admissions--DWI	11	13	14
Prison Admissions--Drug	125	100	81
Prison Admissions--DWI	3	8	18

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.


Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	5	7	20
CSTAR Adolescent	27	25	16
CSTAR Women and Children	33	9	8
CSTAR General Adult	200	226	153
CSTAR Opioid	0	0	0
Primary Recovery Treatment	12	9	7
Clinical SATOP (CIP, YCIP, SROP)	33	47	35
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	128	138	140
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	43	33	40
- Weekend Intervention Program	36	29	34
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	10	8	7
Compulsive Gambling	0	0	0
Recovery Supports	73	88	191
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	282	306	253	Alcohol	82	111	89
AGE				Marijuana / Hashish	82	88	75
Under 18	27	25	18	Cocaine (total)	6	6	7
18 to 24	39	52	48	- Crack	*	*	*
25 to 29	58	55	41	Stimulant (total)	80	79	61
30 to 34	46	49	35	- Methamphetamine	80	68	59
35 to 39	42	39	33	Heroin	*	*	*
40 to 44	25	26	20	Analgesic except Heroin	28	15	14
45 to 54	30	45	39	- Non-Prescription Methadone	0	0	0
55 and Over	15	15	19	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	*	*
Male	174	193	157	Inhalant	0	*	0
Female	108	113	96	Sedative	0	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	*
Caucasian	248	263	220	Average Age at First Use of Drug	17.5	17.2	17.5
African American	15	19	24	INJECTION DRUG USE			
Native American / Alaskan	*	*	0	Any Injection Use at Admission	43	34	26
Asian / Pacific Islander	0	*	0	- Daily Injection Use	7	5	10
Hispanic	10	13	5	- Weekly Injection Use	10	8	5
Other Race / Two or More Races	8	10	5	- Less than Weekly Injection Use	26	21	11
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	85	102	64	0	187	176	153
High School Graduate or G.E.D.	152	144	129	1 or 2	73	93	69
Associate Degree or Some College	45	57	57	3 or More	22	37	31
Bachelor or Advanced Degree	0	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	48	84	111
Employed	61	90	41	School	0	0	0
Unemployed	108	115	71	Mental Health Provider	*	*	*
Not in Labor Force	113	101	141	Health Care Provider	8	6	6
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	139	126	103
Independent Living	202	250	202	Other Referral Source	83	84	28
Dependent Living	41	34	28	TREATMENT ACCOMMODATION			
Homeless	7	5	13	Pregnant when Admitted to any Episode	*	0	5
MARITAL / FAMILY STATUS				Military Veteran	*	6	19
Never Married	166	166	137	Special Education Services Needed	*	8	9
Married / Cohabiting	70	70	54	Co-Occurring Psychological Problem	122	98	62
Previously Married	46	70	62	Co-Occurring Developmental Problem	*	*	*



DBH REGION Central
PSYCHIATRIC SERVICE AREA 12
CENSUS 2010 42,201
2015 POPULATION ESTIMATE 42,255

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	8	8	*
Anxiety Disorder	246	266	288
Dementia	*	*	0
Developmental Disorder	*	*	*
Impulse Control Disorder	66	61	63
Mood Disorder	321	332	347
Personality Disorder	44	59	53
Psychotic Disorder	70	64	73
Sexual Disorder	0	0	0
Other Diagnosis	31	28	22
Diagnosis Unknown	33	30	33

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	453	454	478	Less than High School Diploma	150	133	125
AGE				High School Grad or G.E.D.	0	0	12
Under 6	*	0	0	Associate Degree or Some College	0	0	*
6 to 9	16	7	8	Bachelor or Advanced Degree	0	0	*
10 to 13	18	20	18	Education Level Unknown	303	321	337
14 to 17	22	36	36	EMPLOYMENT			
18 to 24	37	38	41	Employed	33	35	33
25 to 29	30	41	45	Unemployed	17	23	67
30 to 34	41	44	57	Not in Labor Force	341	316	271
35 to 39	41	43	47	Employment Status Unknown	62	80	107
40 to 44	48	44	59	HOUSING / LIVING ARRANGEMENT			
45 to 49	54	62	70	Independent Living	287	272	310
50 to 54	67	56	44	Dependent Living	99	104	84
55 to 59	42	39	35	Homeless	6	8	10
60 and Over	35	24	18	Other	0	0	*
Age Unknown	0	0	0	Housing Unknown	61	70	73
GENDER				TREATMENT REFERRAL SOURCE			
Male	187	183	189	Self / Family / Friend	196	199	248
Female	266	271	289	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	72	81	75
RACE / ETHNICITY				Health Care Provider	88	81	73
Caucasian	407	408	432	Court / Criminal Justice	35	37	29
African American	27	29	30	Other	60	53	49
Native American / Alaskan	*	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	7	6	6	Voluntary	448	444	469
Other Race	10	11	10	Civil	0	0	*
Race/Ethnicity Unknown	0	0	0	Criminal	5	10	7
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	12	9	10	Commitment Type Unknown	0	0	0
Past or Current Military Service	14	13	13				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	34.3	36.1	39.6	41.8	Alcohol	17.2	16.5	18.9	21.4
Chewing Tobacco	11.4	12.2	11.6	12.1	Alcohol (5+ drinks on single occasion past 2 weeks)	6.2	6.1		
Cigarettes	14.9	19.1	24.0	29.0	Chewing Tobacco	4.3	5.8	7.2	7.5
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.2	1.6	2.8	3.3	Cigarettes	5.4	9.6	11.7	15.7
Cocaine	1.2	1.8	2.6	3.7	Inhalants	1.3	1.6	3.4	3.2
Electronic Cigarettes	18.0	12.7			Marijuana	6.2	5.4	8.0	9.6
Hallucinogens	1.3	2.0	2.6	3.0	Over-the-counter medications for non-medical use	1.9	3.1	3.0	5.4
Heroin	0.3	0.6	0.7	0.7	Prescription medications not prescribed for student	9.0	5.6	5.0	9.1
Inhalants	2.5	5.1	6.5	6.9	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	12.6	12.0	16.5	17.5	Alcohol (1 or 2 drinks daily)	70.7	62.7		
Methamphetamine	0.7	0.8	1.6	0.7	Alcohol (Binge: 5+ drinks once or twice a week)	79.2	71.0		
Over-the-counter medications for non-medical use	4.5	4.7	6.9	8.8	Cigarettes (1+ packs per day)	87.6	83.9		
Prescription medications not prescribed for student	14.5	10.4	10.9	13.7	Marijuana (once or twice a week)	73.1	65.0		
Synthetic drugs (K2, bath salts, Spice, etc)	3.3	4.5	7.4		Other: Cocaine, LSD, Meth, Club Drug (any use)	98.3	92.2	93.5	92.9
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.85	13.18	12.49	12.87	Alcohol	83.5	80.7	80.2	78.4
Cigarettes	11.94	12.96	12.64	12.53	Cigarettes	95.3	94.0	91.9	88.9
Inhalants	11.93	12.32	11.40	11.72	Marijuana	93.9	95.9	93.2	94.2
Marijuana	13.50	13.26	13.80	13.50	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	71.0	64.5	58.9	59.1
Alcohol	43.7	44.2	49.3	56.8	Cigarettes	90.6	83.9	81.1	79.3
Cigarettes	27.7	33.3	40.8	46.4	Marijuana	85.1	85.0	80.6	82.5
Marijuana	29.3	25.9	34.4	33.9	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.1	96.9	95.5	94.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.9	7.2	15.8	18.5	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	43.2	48.7	52.7	53.7
Alcohol	23.1	28.2	33.6	32.8	Cigarettes	38.7	45.0	49.9	54.1
Cigarettes	5.2	13.0	13.4	18.4	Marijuana	23.9	30.3	35.5	37.5
Marijuana	10.3	9.5	13.1	12.7	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.6	11.5	15.8	20.1
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	58.4	60.0	61.1	66.0	Were grouchy, irritable, or in a bad mood	28.9	23.6	24.8	22.9
Were victims of mean rumors or lies spread at school	46.4	53.9	49.6	57.2	Had difficulty concentrating on school work	26.6	24.4	21.1	21.0
Were victims of an embarrassing or hurtful text message or something posted on the Internet	1.8	26.7	21.8	19.3	Were very sad	21.6	17.1	19.4	17.6
					Felt hopeless about the future	12.2	11.8	12.6	11.3
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	10.8	11.0	11.4	10.3	Parents involve student in making family decisions	70.2	69.5	66.4	70.6
Made plan about how they would attempt suicide	8.7	8.3	8.9	6.6	Parents notice and comment on student's good work	83.5	81.6	84.6	82.5
Attempted suicide	4.8	5.0	4.9	5.2	Teachers notice and comment on student's good work	75.2	70.1		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

PHELPS COUNTY



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	17
Adult Psychiatric	17A
POPULATION	
Census 2010	45,156
2015 Estimate	44,794

BIRTH RISK	2014	2013	2012
Resident Births	503	531	533
Mother Reported Smoking while Pregnant	98	112	102

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	5	0	0
Hepatitis B Chronic, Acute, Prenatal	9	6	5
Hepatitis C Chronic and Acute	55	38	75
Tuberculosis Infection Cases	45	79	42

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	440	419	433
Suicides	10	7	3
Homicides	2	2	2
Alcohol Induced Deaths	2	3	0
Drug Induced Deaths	6	5	11
Smoking Attributable Deaths	84	70	82
Self-inflicted Injuries	43	47	67
Assault Injuries	186	164	186

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	295	287	294
Mental Illness Secondary Diagnosis	608	560	664
Alcohol Principal Diagnosis	10	13	8
Alcohol Secondary Diagnosis	34	42	24
Drug Principal Diagnosis	80	83	84
Drug Secondary Diagnosis	47	45	48
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	281	257	247
Mental Illness Secondary Diagnosis	776	770	773
Alcohol Principal Diagnosis	18	36	52
Alcohol Secondary Diagnosis	63	56	79
Drug Principal Diagnosis	19	46	28
Drug Secondary Diagnosis	48	43	67
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	589	479	520
Mental Illness Secondary Diagnosis	5,614	5,295	5,565
Alcohol Principal Diagnosis	120	123	124
Alcohol Secondary Diagnosis	60	73	83
Drug Principal Diagnosis	100	92	91
Drug Secondary Diagnosis	63	89	80

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	50	51	51
Alcohol Package Carry-out Licenses	38	40	39

EMPLOYMENT	2015	2014	2013
Labor Force	19,842	20,052	22,257
Employed	18,790	18,798	20,941
Unemployed	1,052	1,254	1,316
Unemployment Rate	5.3%	6.3%	5.9%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	47	51	66
Fatal Crashes	0	2	6
Injury Crashes	14	16	28
Property Damage Crashes	33	33	32
Crash Fatalities	0	2	6
Crash Injuries	18	20	36
Drug Involved Crashes	11	17	19
Fatal Crashes	0	0	0
Injury Crashes	2	9	9
Property Damage Crashes	9	8	10
Crash Fatalities	0	0	0
Crash Injuries	2	13	12

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	261	254	281
Liquor Law Arrests	51	23	32
Drug Arrests	316	211	198
Violent Offenses	189	144	119
Property Offenses	1,262	1,149	1,417
Domestic Violence Reports	31	21	119

	2015	2014	2013
Methamphetamine Lab Seizures	8	24	31

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	1,900	1,970	1,936
Drop-outs	47	51	50
Drop-out Rate	2.5%	2.6%	2.6%
School Discipline Involving Alcohol	6	2	3
School Discipline Involving Drugs	7	13	10
School Discipline Involving Tobacco	0	1	1

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	13	33	67
Juvenile Alcohol Offenses	0	0	0
Juvenile Drug Offenses	8	4	6
School Truancy Status Offense	91	48	58
Absent from Home Status Offense	4	8	7
Beyond Parental Control Status Offense	38	21	25
Injurious Behavior Status Offense	50	31	23
Child Abuse	157	177	218
Child Neglect	259	149	423
Child Custody Issues	14	12	9

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	125	67	45
Parental Alcohol Use Related	6	2	0
Parental Drug Use Related	66	35	10
Parental Alcohol and Drug Use	3	4	2

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	30	22	29
Probation/Parole Admissions--Drug	200	138	207
Probation/Parole Admissions--DWI	9	18	24
Prison Admissions--Drug	101	89	67
Prison Admissions--DWI	6	13	8

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.

³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

PHELPS COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	39	45	34
CSTAR Adolescent	38	10	17
CSTAR Women and Children	17	25	17
CSTAR General Adult	191	214	188
CSTAR Opioid	0	*	*
Primary Recovery Treatment	5	9	86
Clinical SATOP (CIP, YCIP, SROP)	32	45	47
Other Substance Abuse Treatment	*	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	168	168	175
- Adolescent Diversion Education Program	*	*	0
- Offender Education Program	60	60	64
- Weekend Intervention Program	35	35	35
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	8	*	*
Compulsive Gambling	0	0	0
Recovery Supports	*	*	*
Early Intervention	37	8	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	281	279	319	Alcohol	82	86	121
AGE				Marijuana / Hashish	68	46	60
Under 18	40	9	16	Cocaine (total)	*	0	*
18 to 24	38	51	54	- Crack	*	0	0
25 to 29	52	68	70	Stimulant (total)	40	59	44
30 to 34	52	54	70	- Methamphetamine	39	57	43
35 to 39	32	33	26	Heroin	47	30	21
40 to 44	24	19	24	Analgesic except Heroin	36	52	60
45 to 54	31	35	49	- Non-Prescription Methadone	*	*	0
55 and Over	12	10	10	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	*	8
Male	144	165	198	Inhalant	0	*	0
Female	137	114	121	Sedative	0	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	*
Caucasian	263	269	304	Average Age at First Use of Drug	19.1	19.1	18.4
African American	10	*	8	INJECTION DRUG USE			
Native American / Alaskan	*	*	*	Any Injection Use at Admission	62	57	44
Asian / Pacific Islander	0	0	0	- Daily Injection Use	17	15	15
Hispanic	0	*	*	- Weekly Injection Use	18	20	12
Other Race / Two or More Races	6	*	5	- Less than Weekly Injection Use	27	22	17
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	101	80	117	0	176	160	164
High School Graduate or G.E.D.	118	114	131	1 or 2	72	85	109
Associate Degree or Some College	60	82	69	3 or More	33	34	46
Bachelor or Advanced Degree	*	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	110	101	107
Employed	54	76	82	School	0	0	*
Unemployed	110	100	120	Mental Health Provider	*	5	5
Not in Labor Force	117	103	117	Health Care Provider	21	23	12
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	97	88	145
Independent Living	223	247	285	Other Referral Source	46	60	46
Dependent Living	46	20	28	TREATMENT ACCOMMODATION			
Homeless	8	10	5	Pregnant when Admitted to any Episode	8	9	*
MARITAL / FAMILY STATUS				Military Veteran	12	17	13
Never Married	159	137	165	Special Education Services Needed	26	19	35
Married / Cohabiting	65	80	81	Co-Occurring Psychological Problem	127	139	129
Previously Married	57	62	73	Co-Occurring Developmental Problem	16	31	17

PHELPS COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 17A
CENSUS 2010 45,156
2015 POPULATION ESTIMATE 44,794

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	32	12	7
Anxiety Disorder	343	342	315
Dementia	*	0	0
Developmental Disorder	13	10	*
Impulse Control Disorder	128	89	68
Mood Disorder	368	384	378
Personality Disorder	29	27	29
Psychotic Disorder	55	59	65
Sexual Disorder	0	0	0
Other Diagnosis	44	41	26
Diagnosis Unknown	12	34	26

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	529	559	534	Less than High School Diploma	216	184	184
AGE				High School Grad or G.E.D.	0	0	51
Under 6	10	*	*	Associate Degree or Some College	0	0	14
6 to 9	39	35	31	Bachelor or Advanced Degree	0	0	*
10 to 13	64	48	33	Education Level Unknown	313	375	281
14 to 17	54	52	41	EMPLOYMENT			
18 to 24	61	57	47	Employed	23	23	23
25 to 29	38	56	63	Unemployed	26	43	124
30 to 34	56	65	51	Not in Labor Force	357	338	263
35 to 39	38	38	36	Employment Status Unknown	123	155	124
40 to 44	31	48	55	HOUSING / LIVING ARRANGEMENT			
45 to 49	39	40	46	Independent Living	208	221	272
50 to 54	52	62	55	Dependent Living	199	158	132
55 to 59	25	26	37	Homeless	7	15	13
60 and Over	22	30	37	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	115	165	117
GENDER				TREATMENT REFERRAL SOURCE			
Male	243	236	217	Self / Family / Friend	413	414	353
Female	286	323	317	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	*	5	7
RACE / ETHNICITY				Health Care Provider	53	46	53
Caucasian	494	535	507	Court / Criminal Justice	11	8	17
African American	21	15	15	Other	46	82	102
Native American / Alaskan	*	*	*	Referral Source Unknown	0	*	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	*	*	Voluntary	527	555	532
Other Race	9	5	7	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	10	11	17	Commitment Type Unknown	0	0	0
Past or Current Military Service	9	10	9				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	37.4	41.7	41.0	41.4	Alcohol	15.4	17.5	20.5	21.6
Chewing Tobacco	12.7	13.8	16.8	21.2	Alcohol (5+ drinks on single occasion past 2 weeks)	5.6	7.3		
Cigarettes	21.6	26.6	24.6	22.8	Chewing Tobacco	6.5	6.5	9.8	12.5
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.2	3.8	1.9	1.6	Cigarettes	7.9	12.1	12.3	13.4
Cocaine	0.8	1.5	1.7	2.0	Inhalants	1.0	2.4	2.1	5.6
Electronic Cigarettes	25.5	25.3			Marijuana	3.9	13.9	8.5	11.0
Hallucinogens	1.8	3.4	2.5	3.3	Over-the-counter medications for non-medical use	1.2	2.9	4.1	7.9
Heroin	0.8	0.2	0.9	1.4	Prescription medications not prescribed for student	7.4	8.0	5.4	7.6
Inhalants	2.7	3.9	4.5	10.4	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	13.7	19.4	15.7	18.9	Alcohol (1 or 2 drinks daily)	67.8	52.9		
Methamphetamine	1.2	0.2	1.0	1.0	Alcohol (Binge: 5+ drinks once or twice a week)	75.2	66.5		
Over-the-counter medications for non-medical use	3.6	4.3	5.9	10.3	Cigarettes (1+ packs per day)	85.3	88.8		
Prescription medications not prescribed for student	12.9	14.1	8.7	15.2	Marijuana (once or twice a week)	68.4	60.1		
Synthetic drugs (K2, bath salts, Spice, etc)	2.0	3.4	6.1		Other: Cocaine, LSD, Meth, Club Drug (any use)	92.6	92.3	94.9	93.9
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.34	13.50	12.88	11.76	Alcohol	80.8	73.5	78.4	76.6
Cigarettes	12.35	13.72	12.55	11.27	Cigarettes	92.0	89.8	91.4	95.1
Inhalants	9.82	12.06	12.58	11.17	Marijuana	92.8	88.5	93.9	97.2
Marijuana	13.72	14.31	13.87	12.98	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	66.2	55.7	58.6	62.3
Alcohol	39.6	48.2	54.5	58.5	Cigarettes	85.9	80.8	80.7	82.1
Cigarettes	29.1	42.7	42.9	43.9	Marijuana	81.8	71.6	80.7	79.6
Marijuana	29.3	45.7	34.2	39.4	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.5	93.7	95.7	93.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	8.2	22.2	14.1	21.9	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	51.1	52.5	56.7	60.1
Alcohol	26.3	32.5	32.2	34.3	Cigarettes	48.2	53.1	51.1	54.1
Cigarettes	10.1	15.2	13.8	16.8	Marijuana	33.0	40.9	32.7	38.8
Marijuana	13.2	20.9	13.2	18.8	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.5	21.8	17.0	25.7
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	60.0	62.4	59.1	68.4	Were grouchy, irritable, or in a bad mood	30.5	23.2	21.8	34.0
Were victims of mean rumors or lies spread at school	48.4	50.7	48.1	58.6	Had difficulty concentrating on school work	25.2	25.1	23.7	32.8
Were victims of an embarrassing or hurtful text message or something posted on the Internet	20.2	24.5	20.8	19.9	Were very sad	24.0	20.6	17.0	29.6
					Felt hopeless about the future	12.8	13.0	10.9	19.4
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	17.6	16.1	11.3	14.4	Parents involve student in making family decisions	70.3	68.5	71.1	73.2
Made plan about how they would attempt suicide	12.3	11.5	8.3	9.2	Parents notice and comment on student's good work	80.5	80.4	84.5	88.0
Attempted suicide	8.5	5.2	3.9	5.4	Teachers notice and comment on student's good work	79.3	69.6		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

PIKE COUNTY



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	15
Adult Psychiatric	15
POPULATION	
Census 2010	18,516
2015 Estimate	18,348

BIRTH RISK	2014	2013	2012
Resident Births	228	196	236
Mother Reported Smoking while Pregnant	67	46	53

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	2	0	2
Hepatitis C Chronic and Acute	24	16	12
Tuberculosis Infection Cases	2	4	2

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	211	202	187
Suicides	0	4	3
Homicides	0	0	0
Alcohol Induced Deaths	1	0	0
Drug Induced Deaths	2	3	0
Smoking Attributable Deaths	48	41	40
Self-inflicted Injuries	26	27	47
Assault Injuries	51	45	54

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	90	95	90
Mental Illness Secondary Diagnosis	314	314	311
Alcohol Principal Diagnosis	0	9	14
Alcohol Secondary Diagnosis	26	25	21
Drug Principal Diagnosis	7	3	6
Drug Secondary Diagnosis	18	19	12
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	44	35	54
Mental Illness Secondary Diagnosis	231	251	262
Alcohol Principal Diagnosis	3	2	4
Alcohol Secondary Diagnosis	19	23	23
Drug Principal Diagnosis	4	2	7
Drug Secondary Diagnosis	13	11	8
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	155	166	148
Mental Illness Secondary Diagnosis	486	403	621
Alcohol Principal Diagnosis	25	30	30
Alcohol Secondary Diagnosis	45	51	28
Drug Principal Diagnosis	24	20	23
Drug Secondary Diagnosis	30	35	34

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	26	27	25
Alcohol Package Carry-out Licenses	21	21	22

EMPLOYMENT	2015	2014	2013
Labor Force	8,227	8,132	9,172
Employed	7,849	7,667	8,629
Unemployed	378	465	543
Unemployment Rate	4.6%	5.7%	5.9%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	21	16	18
Fatal Crashes	0	0	2
Injury Crashes	10	7	10
Property Damage Crashes	9	9	6
Crash Fatalities	0	0	2
Crash Injuries	19	9	11
Drug Involved Crashes	5	7	6
Fatal Crashes	0	0	2
Injury Crashes	2	0	2
Property Damage Crashes	3	7	2
Crash Fatalities	0	0	2
Crash Injuries	2	0	2

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	74	71	63
Liquor Law Arrests	8	28	6
Drug Arrests	61	45	40
Violent Offenses	25	20	15
Property Offenses	200	224	314
Domestic Violence Reports	112	126	94

	2015	2014	2013
Methamphetamine Lab Seizures	1	6	5

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	720	714	794
Drop-outs	12	4	19
Drop-out Rate	1.7%	0.6%	2.4%
School Discipline Involving Alcohol	1	8	2
School Discipline Involving Drugs	4	4	4
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	30	22	27
Juvenile Alcohol Offenses	7	7	6
Juvenile Drug Offenses	6	3	5
School Truancy Status Offense	7	23	18
Absent from Home Status Offense	3	1	1
Beyond Parental Control Status Offense	2	4	8
Injurious Behavior Status Offense	4	11	8
Child Abuse	8	2	2
Child Neglect	46	48	33
Child Custody Issues	8	3	7

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	35	28	27
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	12	1	4
Parental Alcohol and Drug Use	5	4	1

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	9	4	1
Probation/Parole Admissions--Drug	79	79	53
Probation/Parole Admissions--DWI	12	9	9
Prison Admissions--Drug	36	26	22
Prison Admissions--DWI	2	3	3

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

PIKE COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	6	14	10
CSTAR Adolescent	9	10	7
CSTAR Women and Children	11	8	14
CSTAR General Adult	61	89	7
CSTAR Opioid	0	0	*
Primary Recovery Treatment	*	8	86
Clinical SATOP (CIP, YCIP, SROP)	10	11	14
Other Substance Abuse Treatment	0	*	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	70	55	66
- Adolescent Diversion Education Program	*	*	*
- Offender Education Program	12	8	13
- Weekend Intervention Program	13	13	17
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	7
Compulsive Gambling	0	0	0
Recovery Supports	0	*	0
Early Intervention	*	0	5

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	87	119	112	Alcohol	41	51	53
AGE				Marijuana / Hashish	28	37	38
Under 18	9	9	7	Cocaine (total)	0	*	*
18 to 24	18	21	24	- Crack	0	*	0
25 to 29	14	30	23	Stimulant (total)	*	11	5
30 to 34	10	17	19	- Methamphetamine	*	9	5
35 to 39	8	15	10	Heroin	6	6	8
40 to 44	10	7	5	Analgesic except Heroin	5	9	*
45 to 54	11	14	18	- Non-Prescription Methadone	0	0	0
55 and Over	7	6	6	PCP, LSD, other Hallucinogen	0	0	*
GENDER				Tranquilizer	*	0	0
Male	54	80	79	Inhalant	0	0	*
Female	33	39	33	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	*
Caucasian	75	107	97	Average Age at First Use of Drug	16.8	17.8	16.2
African American	8	5	9	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	8	12	9
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	*
Hispanic	*	*	0	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	*	6	6	- Less than Weekly Injection Use	*	8	7
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	32	46	33	0	43	75	74
High School Graduate or G.E.D.	41	58	69	1 or 2	27	31	27
Associate Degree or Some College	14	15	8	3 or More	17	13	11
Bachelor or Advanced Degree	0	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	12	8	6
Employed	32	41	37	School	0	0	0
Unemployed	32	50	50	Mental Health Provider	*	*	0
Not in Labor Force	23	28	25	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	43	68	82
Independent Living	71	99	95	Other Referral Source	16	23	11
Dependent Living	16	19	15	TREATMENT ACCOMMODATION			
Homeless	0	*	0	Pregnant when Admitted to any Episode	*	*	0
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	47	59	60	Special Education Services Needed	14	14	*
Married / Cohabiting	19	34	36	Co-Occurring Psychological Problem	28	28	25
Previously Married	21	26	16	Co-Occurring Developmental Problem	0	*	9

PIKE COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 15
CENSUS 2010 18,516
2015 POPULATION ESTIMATE 18,348

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	11	16	7
Anxiety Disorder	54	70	58
Dementia	0	*	*
Developmental Disorder	11	8	10
Impulse Control Disorder	42	62	65
Mood Disorder	119	151	139
Personality Disorder	10	14	11
Psychotic Disorder	39	44	33
Sexual Disorder	*	*	*
Other Diagnosis	16	22	17
Diagnosis Unknown	13	11	7

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	176	218	196	Less than High School Diploma	68	73	66
AGE				High School Grad or G.E.D.	0	0	*
Under 6	*	*	*	Associate Degree or Some College	0	0	*
6 to 9	12	12	12	Bachelor or Advanced Degree	0	0	0
10 to 13	13	17	14	Education Level Unknown	108	145	128
14 to 17	23	19	14	EMPLOYMENT			
18 to 24	14	27	29	Employed	14	18	22
25 to 29	10	11	16	Unemployed	*	10	14
30 to 34	9	17	12	Not in Labor Force	128	141	119
35 to 39	14	16	12	Employment Status Unknown	31	49	41
40 to 44	17	27	21	HOUSING / LIVING ARRANGEMENT			
45 to 49	17	18	19	Independent Living	79	91	89
50 to 54	16	25	20	Dependent Living	53	62	54
55 to 59	17	15	13	Homeless	*	0	0
60 and Over	11	12	13	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	41	65	53
GENDER				TREATMENT REFERRAL SOURCE			
Male	81	118	106	Self / Family / Friend	91	112	103
Female	95	100	90	School	6	7	7
Gender Unknown	0	0	0	Mental Health Provider	13	11	14
RACE / ETHNICITY				Health Care Provider	18	22	23
Caucasian	159	196	181	Court / Criminal Justice	*	*	5
African American	12	14	11	Other	45	62	44
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	*	*	Voluntary	175	216	194
Other Race	*	*	*	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	7	5	5	Commitment Type Unknown	0	0	0
Past or Current Military Service	7	8	8				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	48.2	45.9	50.0	56.0	Alcohol	19.3	16.4	24.8	31.1
Chewing Tobacco	18.8	10.5	17.8	19.7	Alcohol (5+ drinks on single occasion past 2 weeks)	12.2	7.9		
Cigarettes	21.8	28.4	24.0	31.9	Chewing Tobacco	7.9	5.0	9.1	11.4
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.4	0.9	3.3	1.7	Cigarettes	5.4	11.9	14.0	15.2
Cocaine	2.1	1.8	2.6	1.1	Inhalants	0.4	0.9	2.9	1.7
Electronic Cigarettes	22.2	11.5			Marijuana	8.2	6.5	8.0	6.3
Hallucinogens	0.0	1.8	3.3	2.8	Over-the-counter medications for non-medical use	2.5	1.9	5.1	6.4
Heroin	1.5	0.9	2.2	0.3	Prescription medications not prescribed for student	11.8	3.7	7.7	6.4
Inhalants	0.4	2.8	8.4	4.7					
Marijuana	15.7	18.1	14.5	13.8	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.0	1.9	3.0	1.1	Alcohol (1 or 2 drinks daily)	49.1	52.3		
Over-the-counter medications for non-medical use	5.7	3.8	8.0	8.6	Alcohol (Binge: 5+ drinks once or twice a week)	68.6	60.7		
Prescription medications not prescribed for student	13.9	7.8	9.1	10.5	Cigarettes (1+ packs per day)	77.3	74.3		
Synthetic drugs (K2, bath salts, Spice, etc)	2.1	2.8	8.8		Marijuana (once or twice a week)	61.6	54.6		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	91.8	89.4	88.6	93.1
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.17	12.83	12.12	12.52	Alcohol	76.1	74.5	73.8	64.2
Cigarettes	12.89	13.87	12.00	12.64	Cigarettes	94.2	97.2	90.4	87.2
Inhalants		12.37	11.09	11.06	Marijuana	94.5	93.1	94.1	94.1
Marijuana	14.17	14.54	13.07	14.13					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	59.3	46.8	59.5	66.8	Alcohol	57.9	51.4	52.9	43.4
Cigarettes	39.4	45.2	47.3	50.4	Cigarettes	88.9	77.9	75.2	73.8
Marijuana	38.4	36.7	27.0	32.5	Marijuana	81.1	76.6	84.7	85.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.9	9.7	10.9	14.9	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.0	95.0	92.6	94.8
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	33.9	35.8	36.5	47.5	Alcohol	53.9	50.9	57.5	69.3
Cigarettes	10.1	12.3	15.3	14.8	Cigarettes	53.9	49.5	52.6	64.9
Marijuana	17.3	11.0	9.5	8.3	Marijuana	34.6	25.9	29.7	35.6
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.0	7.0	18.8	16.5
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	61.4	57.1	59.6	67.1	Were grouchy, irritable, or in a bad mood	32.4	25.3	23.7	17.9
Were victims of mean rumors or lies spread at school	53.4	49.1	50.9	53.2	Had difficulty concentrating on school work	18.9	23.1	22.0	25.6
Were victims of an embarrassing or hurtful text message or something posted on the Internet	21.9	24.8	25.3	19.6	Were very sad	18.9	18.7	18.6	9.6
					Felt hopeless about the future	8.0	6.9	11.0	8.0
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	8.8	5.1	10.2	11.0	Parents involve student in making family decisions	68.6	69.4	71.7	67.6
Made plan about how they would attempt suicide	7.7	3.8	8.4	6.6	Parents notice and comment on student's good work	83.3	75.9	83.6	78.6
Attempted suicide	4.8	2.8	6.2	5.5	Teachers notice and comment on student's good work	67.1	64.8		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

PLATTE COUNTY



DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	6
Adult Psychiatric	6
POPULATION	
Census 2010	89,322
2015 Estimate	96,096

BIRTH RISK	2014	2013	2012
Resident Births	1,106	1,142	1,136
Mother Reported Smoking while Pregnant	106	125	130

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	6	4	6
Hepatitis B Chronic, Acute, Prenatal	2	7	3
Hepatitis C Chronic and Acute	10	14	17
Tuberculosis Infection Cases	5	12	13

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	632	617	607
Suicides	14	15	6
Homicides	4	5	2
Alcohol Induced Deaths	7	5	10
Drug Induced Deaths	9	13	14
Smoking Attributable Deaths	114	106	88
Self-inflicted Injuries	98	101	128
Assault Injuries	191	188	231

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	574	445	548
Mental Illness Secondary Diagnosis	924	912	773
Alcohol Principal Diagnosis	48	57	70
Alcohol Secondary Diagnosis	76	60	72
Drug Principal Diagnosis	17	16	31
Drug Secondary Diagnosis	65	65	75
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	89	134	135
Mental Illness Secondary Diagnosis	1,476	1,325	1,241
Alcohol Principal Diagnosis	36	44	32
Alcohol Secondary Diagnosis	141	182	137
Drug Principal Diagnosis	18	20	25
Drug Secondary Diagnosis	87	83	82
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	655	678	722
Mental Illness Secondary Diagnosis	1,423	1,283	1,114
Alcohol Principal Diagnosis	170	172	171
Alcohol Secondary Diagnosis	113	133	143
Drug Principal Diagnosis	79	97	112
Drug Secondary Diagnosis	129	108	153

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	133	135	129
Alcohol Package Carry-out Licenses	64	58	57

EMPLOYMENT	2015	2014	2013
Labor Force	55,678	54,335	51,142
Employed	53,342	51,589	48,145
Unemployed	2,336	2,746	2,997
Unemployment Rate	4.2%	5.1%	5.9%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	74	72	91
Fatal Crashes	2	2	3
Injury Crashes	27	24	28
Property Damage Crashes	46	46	60
Crash Fatalities	2	2	3
Crash Injuries	35	36	40
Drug Involved Crashes	16	14	11
Fatal Crashes	2	2	1
Injury Crashes	6	4	6
Property Damage Crashes	8	8	4
Crash Fatalities	2	2	1
Crash Injuries	7	6	9

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	449	429	484
Liquor Law Arrests	61	147	146
Drug Arrests	288	311	298
Violent Offenses	61	73	94
Property Offenses	798	802	886
Domestic Violence Reports	217	227	206

	2015	2014	2013
Methamphetamine Lab Seizures	1	0	0

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	4,804	4,748	4,647
Drop-outs	45	45	84
Drop-out Rate	0.9%	0.9%	1.8%
School Discipline Involving Alcohol	19	1	8
School Discipline Involving Drugs	47	32	44
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	43	64	56
Juvenile Alcohol Offenses	6	7	6
Juvenile Drug Offenses	30	25	38
School Truancy Status Offense	23	25	31
Absent from Home Status Offense	5	3	1
Beyond Parental Control Status Offense	6	9	14
Injurious Behavior Status Offense	14	4	9
Child Abuse	2	6	5
Child Neglect	16	15	14
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	19	16	17
Parental Alcohol Use Related	0	0	2
Parental Drug Use Related	7	1	4
Parental Alcohol and Drug Use	0	0	1

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	38	38	50
Probation/Parole Admissions--Drug	155	132	89
Probation/Parole Admissions--DWI	41	43	25
Prison Admissions--Drug	56	42	30
Prison Admissions--DWI	10	19	19

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

PLATTE COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	21	22	21
CSTAR Adolescent	15	9	*
CSTAR Women and Children	9	8	11
CSTAR General Adult	164	195	188
CSTAR Opioid	9	*	*
Primary Recovery Treatment	5	5	10
Clinical SATOP (CIP, YCIP, SROP)	86	74	71
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	310	341	284
- Adolescent Diversion Education Program	*	*	5
- Offender Education Program	116	152	105
- Weekend Intervention Program	67	67	73
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	5	5
Compulsive Gambling	0	0	0
Recovery Supports	6	8	10
Early Intervention	11	6	6

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	308	310	302	Alcohol	147	156	138
AGE				Marijuana / Hashish	70	67	86
Under 18	14	9	10	Cocaine (total)	*	8	8
18 to 24	68	70	87	- Crack	*	*	5
25 to 29	69	54	48	Stimulant (total)	53	41	38
30 to 34	47	46	43	- Methamphetamine	52	40	38
35 to 39	29	34	31	Heroin	15	11	7
40 to 44	32	21	30	Analgesic except Heroin	15	23	15
45 to 54	30	50	44	- Non-Prescription Methadone	0	*	0
55 and Over	19	26	9	PCP, LSD, other Hallucinogen	*	0	*
GENDER				Tranquilizer	*	*	*
Male	199	220	211	Inhalant	0	0	0
Female	109	90	90	Sedative	*	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	*	*
Caucasian	264	272	255	Average Age at First Use of Drug	17.4	18.0	17.1
African American	23	15	24	INJECTION DRUG USE			
Native American / Alaskan	*	*	*	Any Injection Use at Admission	31	34	23
Asian / Pacific Islander	5	0	*	- Daily Injection Use	8	6	5
Hispanic	17	14	18	- Weekly Injection Use	9	7	*
Other Race / Two or More Races	*	10	10	- Less than Weekly Injection Use	14	21	14
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	56	44	75	0	144	141	148
High School Graduate or G.E.D.	142	152	133	1 or 2	110	111	92
Associate Degree or Some College	100	107	91	3 or More	54	58	62
Bachelor or Advanced Degree	10	7	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	74	71	60
Employed	152	155	143	School	*	0	*
Unemployed	78	79	97	Mental Health Provider	22	32	25
Not in Labor Force	78	76	62	Health Care Provider	12	11	13
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	128	123	115
Independent Living	272	268	268	Other Referral Source	31	27	28
Dependent Living	16	14	14	TREATMENT ACCOMMODATION			
Homeless	12	8	8	Pregnant when Admitted to any Episode	*	8	*
MARITAL / FAMILY STATUS				Military Veteran	15	24	8
Never Married	183	175	200	Special Education Services Needed	6	5	11
Married / Cohabiting	70	54	49	Co-Occurring Psychological Problem	92	82	93
Previously Married	55	81	53	Co-Occurring Developmental Problem	*	*	*

PLATTE COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 6
CENSUS 2010 89,322
2015 POPULATION ESTIMATE 96,096

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	12	9	10
Anxiety Disorder	148	128	146
Dementia	0	*	0
Developmental Disorder	*	0	0
Impulse Control Disorder	92	93	94
Mood Disorder	453	438	458
Personality Disorder	8	8	10
Psychotic Disorder	97	87	84
Sexual Disorder	*	*	*
Other Diagnosis	6	6	10
Diagnosis Unknown	54	60	77

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	697	688	726	Less than High School Diploma	132	90	107
AGE				High School Grad or G.E.D.	0	0	0
Under 6	*	*	5	Associate Degree or Some College	0	0	0
6 to 9	23	31	34	Bachelor or Advanced Degree	0	0	0
10 to 13	40	43	36	Education Level Unknown	565	598	619
14 to 17	76	69	70	EMPLOYMENT			
18 to 24	71	56	58	Employed	50	47	51
25 to 29	50	61	70	Unemployed	32	42	49
30 to 34	68	67	86	Not in Labor Force	251	209	214
35 to 39	62	73	67	Employment Status Unknown	364	390	412
40 to 44	57	48	63	HOUSING / LIVING ARRANGEMENT			
45 to 49	55	64	69	Independent Living	176	177	210
50 to 54	85	72	75	Dependent Living	157	111	97
55 to 59	58	57	56	Homeless	7	10	12
60 and Over	49	43	37	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	357	390	407
GENDER				TREATMENT REFERRAL SOURCE			
Male	302	295	305	Self / Family / Friend	637	634	666
Female	395	393	421	School	*	0	*
Gender Unknown	0	0	0	Mental Health Provider	9	14	17
RACE / ETHNICITY				Health Care Provider	29	20	18
Caucasian	580	581	609	Court / Criminal Justice	*	*	5
African American	52	48	56	Other	13	12	14
Native American / Alaskan	*	*	*	Referral Source Unknown	*	5	5
Asian / Pacific Islander	9	7	6	TYPE OF COMMITMENT			
Hispanic	28	25	25	Voluntary	689	680	717
Other Race	25	24	28	Civil	*	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	16	18	16	Commitment Type Unknown	*	5	5
Past or Current Military Service	13	11	9				

PLATTE COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	30.8	29.9	37.1	37.7	Alcohol	12.8	12.0	18.0	18.4
Chewing Tobacco	4.4	5.5	7.4	7.5	Alcohol (5+ drinks on single occasion past 2 weeks)	4.3	4.9		
Cigarettes	12.2	13.2	19.3	20.2	Chewing Tobacco	1.8	2.6	4.0	3.3
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.9	1.1	2.5	2.4	Cigarettes	4.4	4.8	8.8	9.9
Cocaine	0.9	0.9	2.0	1.8	Inhalants	0.7	0.9	2.0	1.3
Electronic Cigarettes	16.4	10.0			Marijuana	7.6	6.5	10.2	8.3
Hallucinogens	2.2	1.4	3.6	2.6	Over-the-counter medications for non-medical use	1.6	1.1	4.0	3.7
Heroin	0.2	0.3	0.9	0.4	Prescription medications not prescribed for student	8.4	3.7	4.9	5.6
Inhalants	1.9	2.2	4.3	4.1					
Marijuana	14.8	13.2	17.9	16.2	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.3	0.6	1.3	0.5	Alcohol (1 or 2 drinks daily)	73.9	66.5		
Over-the-counter medications for non-medical use	3.4	2.1	6.5	6.3	Alcohol (Binge: 5+ drinks once or twice a week)	82.9	76.9		
Prescription medications not prescribed for student	11.7	7.0	8.3	9.9	Cigarettes (1+ packs per day)	87.6	89.6		
Synthetic drugs (K2, bath salts, Spice, etc)	1.3	2.3	5.8		Marijuana (once or twice a week)	68.0	64.8		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	85.9	93.0	93.1	93.2
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.40	13.31	13.13	13.16	Alcohol	85.9	83.3	79.7	80.7
Cigarettes	13.29	13.28	13.16	12.94	Cigarettes	95.4	94.7	92.2	90.5
Inhalants	10.93	11.24	11.85	12.32	Marijuana	93.0	93.2	92.9	93.2
Marijuana	14.20	14.13	13.80	13.87					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	38.7	41.1	54.5	55.0	Alcohol	71.9	67.7	60.6	62.7
Cigarettes	22.8	27.2	39.6	41.7	Cigarettes	91.1	88.5	82.4	80.7
Marijuana	33.9	33.2	45.8	39.7	Marijuana	80.3	78.3	77.0	79.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.2	12.7	18.9	19.8	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.4	95.9	93.7	94.0
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	21.2	21.6	30.3	28.9	Alcohol	50.6	53.8	64.1	61.0
Cigarettes	5.5	8.1	11.6	11.4	Cigarettes	40.5	43.1	53.2	53.9
Marijuana	13.7	13.9	15.7	13.4	Marijuana	35.6	34.7	45.4	40.8
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.3	12.5	19.5	19.2
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	49.8	48.2	56.3	64.3	Were grouchy, irritable, or in a bad mood	28.3	22.9	22.7	25.2
Were victims of mean rumors or lies spread at school	38.5	37.6	42.2	47.9	Had difficulty concentrating on school work	26.4	23.6	23.9	26.5
Were victims of an embarrassing or hurtful text message or something posted on the Internet	28.5	19.7	20.7	19.3	Were very sad	19.7	19.0	16.9	18.0
					Felt hopeless about the future	12.1	11.9	11.2	12.8
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	12.3	12.4	11.6	9.5	Parents involve student in making family decisions	73.9	72.6	70.2	72.1
Made plan about how they would attempt suicide	8.8	9.1	9.3	6.4	Parents notice and comment on student's good work	85.9	85.2	82.6	83.7
Attempted suicide	4.9	5.6	5.3	3.9	Teachers notice and comment on student's good work	80.5	75.0		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

POLK COUNTY



DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	10
Adult Psychiatric	10
POPULATION	
Census 2010	31,137
2015 Estimate	31,229

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	19	17	25
Fatal Crashes	0	2	1
Injury Crashes	8	4	16
Property Damage Crashes	11	11	8
Crash Fatalities	0	2	1
Crash Injuries	13	6	18
Drug Involved Crashes	5	4	8
Fatal Crashes	0	0	0
Injury Crashes	1	3	3
Property Damage Crashes	4	1	5
Crash Fatalities	0	0	0
Crash Injuries	1	5	3

BIRTH RISK	2014	2013	2012
Resident Births	380	407	337
Mother Reported Smoking while Pregnant	70	81	79

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	1	1	1
Hepatitis B Chronic, Acute, Prenatal	2	3	8
Hepatitis C Chronic and Acute	40	25	36
Tuberculosis Infection Cases	19	10	5

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	340	349	321
Suicides	3	1	8
Homicides	1	1	1
Alcohol Induced Deaths	0	6	0
Drug Induced Deaths	2	6	5
Smoking Attributable Deaths	57	72	63
Self-inflicted Injuries	33	44	46
Assault Injuries	67	82	98

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	269	283	346
Mental Illness Secondary Diagnosis	318	332	333
Alcohol Principal Diagnosis	9	12	6
Alcohol Secondary Diagnosis	12	15	15
Drug Principal Diagnosis	13	15	16
Drug Secondary Diagnosis	37	22	25
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	132	125	132
Mental Illness Secondary Diagnosis	540	627	583
Alcohol Principal Diagnosis	18	23	16
Alcohol Secondary Diagnosis	56	56	44
Drug Principal Diagnosis	12	22	22
Drug Secondary Diagnosis	39	40	35
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	302	307	380
Mental Illness Secondary Diagnosis	2,750	2,465	2,751
Alcohol Principal Diagnosis	69	57	73
Alcohol Secondary Diagnosis	65	70	78
Drug Principal Diagnosis	41	66	69
Drug Secondary Diagnosis	131	145	101

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	13	12	13
Alcohol Package Carry-out Licenses	23	23	18

EMPLOYMENT	2015	2014	2013
Labor Force	14,499	14,206	13,949
Employed	13,741	13,319	13,045
Unemployed	758	887	904
Unemployment Rate	5.2%	6.2%	6.5%

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	97	86	132
Liquor Law Arrests	31	22	48
Drug Arrests	152	117	125
Violent Offenses	114	115	128
Property Offenses	911	801	771
Domestic Violence Reports	307	250	245
	2015	2014	2013
Methamphetamine Lab Seizures	1	11	11
SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	1,650	1,617	1,583
Drop-outs	20	15	15
Drop-out Rate	1.2%	0.9%	0.9%
School Discipline Involving Alcohol	0	0	7
School Discipline Involving Drugs	4	9	30
School Discipline Involving Tobacco	0	0	1

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	78	42	48
Juvenile Alcohol Offenses	6	2	17
Juvenile Drug Offenses	14	17	7
School Truancy Status Offense	5	9	17
Absent from Home Status Offense	12	8	7
Beyond Parental Control Status Offense	34	13	23
Injurious Behavior Status Offense	12	9	11
Child Abuse	29	29	28
Child Neglect	162	142	90
Child Custody Issues	4	0	0

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	36	31	20
Parental Alcohol Use Related	0	1	1
Parental Drug Use Related	10	9	11
Parental Alcohol and Drug Use	5	3	0

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	0	9	18
Probation/Parole Admissions--Drug	102	97	84
Probation/Parole Admissions--DWI	10	7	15
Prison Admissions--Drug	57	57	45
Prison Admissions--DWI	7	9	4

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

POLK COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	25	19	13
CSTAR Adolescent	8	6	7
CSTAR Women and Children	18	7	12
CSTAR General Adult	137	126	86
CSTAR Opioid	0	0	0
Primary Recovery Treatment	14	15	15
Clinical SATOP (CIP, YCIP, SROP)	11	22	12
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	73	88	91
- Adolescent Diversion Education Program	0	*	*
- Offender Education Program	30	34	36
- Weekend Intervention Program	18	18	19
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	7	*	*
Compulsive Gambling	0	0	0
Recovery Supports	12	12	13
Early Intervention	*	0	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	183	171	139	Alcohol	58	55	44
AGE				Marijuana / Hashish	47	49	30
Under 18	8	6	7	Cocaine (total)	*	0	*
18 to 24	36	30	29	- Crack	0	0	*
25 to 29	39	34	33	Stimulant (total)	57	47	34
30 to 34	25	30	20	- Methamphetamine	57	47	32
35 to 39	21	23	10	Heroin	*	*	*
40 to 44	17	21	13	Analgesic except Heroin	19	15	19
45 to 54	29	22	19	- Non-Prescription Methadone	0	0	0
55 and Over	8	5	8	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	*	5
Male	117	114	91	Inhalant	0	0	0
Female	66	57	48	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	*	*
Caucasian	174	159	137	Average Age at First Use of Drug	17.3	16.5	17.9
African American	0	*	0	INJECTION DRUG USE			
Native American / Alaskan	*	*	0	Any Injection Use at Admission	43	38	39
Asian / Pacific Islander	0	0	0	- Daily Injection Use	6	*	*
Hispanic	5	5	*	- Weekly Injection Use	*	*	9
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	33	31	28
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	57	53	63	0	106	104	83
High School Graduate or G.E.D.	103	90	51	1 or 2	51	50	31
Associate Degree or Some College	23	28	25	3 or More	26	17	25
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	21	18	37
Employed	65	67	34	School	*	0	0
Unemployed	57	57	59	Mental Health Provider	0	0	*
Not in Labor Force	61	47	46	Health Care Provider	*	8	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	139	135	89
Independent Living	161	157	120	Other Referral Source	18	10	7
Dependent Living	16	8	11	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	6	*	5
MARITAL / FAMILY STATUS				Military Veteran	*	5	*
Never Married	86	70	65	Special Education Services Needed	25	23	9
Married / Cohabiting	54	64	38	Co-Occurring Psychological Problem	75	74	44
Previously Married	43	37	36	Co-Occurring Developmental Problem	*	8	*

POLK COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southwest
PSYCHIATRIC SERVICE AREA 10
CENSUS 2010 31,137
2015 POPULATION ESTIMATE 31,229

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	8	11	6
Anxiety Disorder	85	89	81
Dementia	0	*	0
Developmental Disorder	5	8	8
Impulse Control Disorder	27	32	28
Mood Disorder	109	127	125
Personality Disorder	26	32	32
Psychotic Disorder	52	62	69
Sexual Disorder	*	*	*
Other Diagnosis	25	28	17
Diagnosis Unknown	19	19	16

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	197	220	209	Less than High School Diploma	52	60	42
AGE				High School Grad or G.E.D.	0	0	0
Under 6	5	8	7	Associate Degree or Some College	0	0	0
6 to 9	8	10	11	Bachelor or Advanced Degree	0	0	0
10 to 13	9	13	8	Education Level Unknown	145	160	167
14 to 17	19	21	20	EMPLOYMENT			
18 to 24	15	15	21	Employed	7	7	*
25 to 29	16	21	18	Unemployed	*	7	*
30 to 34	22	18	12	Not in Labor Force	114	122	129
35 to 39	15	17	17	Employment Status Unknown	73	84	76
40 to 44	19	18	23	HOUSING / LIVING ARRANGEMENT			
45 to 49	20	25	25	Independent Living	43	55	55
50 to 54	20	17	15	Dependent Living	81	78	69
55 to 59	13	21	15	Homeless	0	*	*
60 and Over	16	16	17	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	73	85	81
GENDER				TREATMENT REFERRAL SOURCE			
Male	105	119	104	Self / Family / Friend	98	102	101
Female	92	101	105	School	0	0	*
Gender Unknown	0	0	0	Mental Health Provider	*	8	9
RACE / ETHNICITY				Health Care Provider	35	40	42
Caucasian	175	198	189	Court / Criminal Justice	29	17	6
African American	*	*	*	Other	26	46	43
Native American / Alaskan	0	0	0	Referral Source Unknown	5	7	7
Asian / Pacific Islander	*	*	*	TYPE OF COMMITMENT			
Hispanic	*	*	*	Voluntary	189	213	200
Other Race	13	15	14	Civil	*	0	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	6	9	5	Commitment Type Unknown	5	6	6
Past or Current Military Service	*	*	*				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	31.0	25.4	36.5	39.0	Alcohol	12.9	7.5	18.0	16.8
Chewing Tobacco	12.3	13.0	18.8	21.7	Alcohol (5+ drinks on single occasion past 2 weeks)	5.8	2.1		
Cigarettes	18.7	17.4	29.0	28.6	Chewing Tobacco	5.8	5.9	11.2	11.1
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.7	0.8	2.2	1.5	Cigarettes	8.5	4.1	12.2	14.6
Cocaine	1.1	0.5	1.0	1.5	Inhalants	0.9	0.8	2.7	3.2
Electronic Cigarettes	21.6	6.7			Marijuana	4.9	3.3	5.3	7.9
Hallucinogens	1.3	0.5	3.0	2.6	Over-the-counter medications for non-medical use	1.3	0.5	4.3	4.7
Heroin	0.4	0.0	0.8	0.6	Prescription medications not prescribed for student	7.3	1.0	6.5	7.9
Inhalants	3.1	3.6	8.7	6.5					
Marijuana	10.3	6.9	10.6	15.4	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.7	0.5	2.2	1.0	Alcohol (1 or 2 drinks daily)	64.3	57.4		
Over-the-counter medications for non-medical use	2.9	0.8	5.8	7.2	Alcohol (Binge: 5+ drinks once or twice a week)	75.5	69.2		
Prescription medications not prescribed for student	11.3	4.1	9.5	11.9	Cigarettes (1+ packs per day)	83.5	84.9		
Synthetic drugs (K2, bath salts, Spice, etc)	1.3	1.3	4.8		Marijuana (once or twice a week)	71.1	71.0		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	92.0	91.2	92.5	93.5
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.36	13.06	12.35	12.56	Alcohol	85.8	87.2	80.8	79.1
Cigarettes	12.95	12.40	12.27	12.29	Cigarettes	93.2	94.4	87.5	88.6
Inhalants	11.23	11.64	11.43	12.45	Marijuana	93.9	96.4	92.6	94.3
Marijuana	14.28	13.37	13.30	13.69					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	38.0	35.5	45.7	58.0	Alcohol	71.0	76.7	67.2	59.9
Cigarettes	31.8	21.4	38.9	50.1	Cigarettes	87.3	86.3	80.5	76.8
Marijuana	26.6	18.5	28.0	32.8	Marijuana	85.1	90.4	84.1	82.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.5	3.9	11.1	16.7	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.9	98.7	95.5	94.1
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	21.1	16.6	31.2	31.7	Alcohol	46.6	43.4	52.6	56.9
Cigarettes	10.4	8.2	13.5	16.6	Cigarettes	47.6	44.5	57.2	59.8
Marijuana	9.5	6.4	10.4	12.0	Marijuana	32.3	21.4	28.6	36.7
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.8	10.4	14.0	19.5
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	59.6	53.5	64.7	71.6	Were grouchy, irritable, or in a bad mood	29.3	17.7	25.8	22.7
Were victims of mean rumors or lies spread at school	51.5	45.4	53.1	57.2	Had difficulty concentrating on school work	29.4	18.6	20.6	18.8
Were victims of an embarrassing or hurtful text message or something posted on the Internet	20.6	18.2	22.4	19.5	Were very sad	22.7	15.5	20.0	23.7
					Felt hopeless about the future	11.9	9.8	12.5	11.2
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	12.0	8.4	10.8	10.4	Parents involve student in making family decisions	73.0	73.7	64.5	69.8
Made plan about how they would attempt suicide	9.7	5.4	9.2	6.7	Parents notice and comment on student's good work	84.6	86.0	80.1	84.6
Attempted suicide	4.7	4.6	7.0	5.4	Teachers notice and comment on student's good work	77.5	74.8		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

PULASKI COUNTY



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	11
Adult Psychiatric	11
POPULATION	
Census 2010	52,274
2015 Estimate	53,221

BIRTH RISK	2014	2013	2012
Resident Births	819	834	842
Mother Reported Smoking while Pregnant	124	154	147

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	4	7	0
Hepatitis B Chronic, Acute, Prenatal	3	7	2
Hepatitis C Chronic and Acute	50	31	28
Tuberculosis Infection Cases	9	11	22

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	319	302	300
Suicides	6	2	10
Homicides	6	7	7
Alcohol Induced Deaths	4	3	3
Drug Induced Deaths	10	9	10
Smoking Attributable Deaths	62	62	56
Self-inflicted Injuries	31	46	30
Assault Injuries	113	101	123

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	317	282	308
Mental Illness Secondary Diagnosis	464	446	384
Alcohol Principal Diagnosis	5	6	5
Alcohol Secondary Diagnosis	29	29	20
Drug Principal Diagnosis	46	48	39
Drug Secondary Diagnosis	42	45	35
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	140	148	131
Mental Illness Secondary Diagnosis	492	509	511
Alcohol Principal Diagnosis	14	15	15
Alcohol Secondary Diagnosis	51	53	31
Drug Principal Diagnosis	22	25	30
Drug Secondary Diagnosis	32	44	35
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	284	240	238
Mental Illness Secondary Diagnosis	2,352	1,634	1,304
Alcohol Principal Diagnosis	72	55	47
Alcohol Secondary Diagnosis	40	51	36
Drug Principal Diagnosis	79	103	62
Drug Secondary Diagnosis	52	56	57

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	52	54	54
Alcohol Package Carry-out Licenses	38	38	37

EMPLOYMENT	2015	2014	2013
Labor Force	15,156	15,185	20,414
Employed	14,274	14,066	18,885
Unemployed	882	1,119	1,529
Unemployment Rate	5.8%	7.4%	7.5%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	43	58	48
Fatal Crashes	1	5	3
Injury Crashes	18	23	23
Property Damage Crashes	30	30	22
Crash Fatalities	1	5	3
Crash Injuries	27	40	38
Drug Involved Crashes	13	9	8
Fatal Crashes	0	0	0
Injury Crashes	7	6	2
Property Damage Crashes	6	3	6
Crash Fatalities	0	0	0
Crash Injuries	9	7	2

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	204	238	292
Liquor Law Arrests	24	64	61
Drug Arrests	415	436	325
Violent Offenses	161	146	213
Property Offenses	906	1,078	1,147
Domestic Violence Reports	201	308	399

	2015	2014	2013
Methamphetamine Lab Seizures	1	3	12

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	2,536	2,461	2,540
Drop-outs	16	26	21
Drop-out Rate	0.6%	1.1%	0.8%
School Discipline Involving Alcohol	1	5	1
School Discipline Involving Drugs	19	37	20
School Discipline Involving Tobacco	4	1	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	90	57	73
Juvenile Alcohol Offenses	1	4	3
Juvenile Drug Offenses	17	18	17
School Truancy Status Offense	54	44	48
Absent from Home Status Offense	20	12	20
Beyond Parental Control Status Offense	13	8	19
Injurious Behavior Status Offense	100	95	199
Child Abuse	356	158	314
Child Neglect	369	251	390
Child Custody Issues	4	9	8

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	95	55	54
Parental Alcohol Use Related	8	2	1
Parental Drug Use Related	32	13	6
Parental Alcohol and Drug Use	2	5	8

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	57	48	31
Probation/Parole Admissions--Drug	133	123	77
Probation/Parole Admissions--DWI	7	8	9
Prison Admissions--Drug	60	60	31
Prison Admissions--DWI	7	5	2

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

PULASKI COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	25	37	23
CSTAR Adolescent	6	8	9
CSTAR Women and Children	16	16	26
CSTAR General Adult	90	106	82
CSTAR Opioid	0	0	0
Primary Recovery Treatment	10	7	15
Clinical SATOP (CIP, YCIP, SROP)	35	38	39
Other Substance Abuse Treatment	*	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	154	170	173
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	58	63	73
- Weekend Intervention Program	26	35	38
<i>(See also Clinical SATOP at left)</i>			
OTHER SERVICES PROVIDED			
Co-Dependency	12	9	8
Compulsive Gambling	0	0	0
Recovery Supports	*	*	*
Early Intervention	7	0	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	160	170	160	Alcohol	54	62	58
AGE				Marijuana / Hashish	19	13	24
Under 18	6	6	9	Cocaine (total)	*	0	*
18 to 24	27	36	28	- Crack	*	0	*
25 to 29	28	30	31	Stimulant (total)	31	16	15
30 to 34	37	27	29	- Methamphetamine	30	15	15
35 to 39	25	26	16	Heroin	38	59	43
40 to 44	12	14	11	Analgesic except Heroin	13	14	14
45 to 54	15	21	25	- Non-Prescription Methadone	0	*	*
55 and Over	10	10	11	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	*	*
Male	93	95	87	Inhalant	0	0	0
Female	67	75	73	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	*
Caucasian	134	144	134	Average Age at First Use of Drug	20.4	19.9	20.2
African American	12	15	11	INJECTION DRUG USE			
Native American / Alaskan	*	*	0	Any Injection Use at Admission	47	56	33
Asian / Pacific Islander	*	0	5	- Daily Injection Use	19	26	14
Hispanic	*	6	5	- Weekly Injection Use	17	17	11
Other Race / Two or More Races	6	*	6	- Less than Weekly Injection Use	11	13	8
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	41	44	45	0	88	97	84
High School Graduate or G.E.D.	70	82	58	1 or 2	49	55	38
Associate Degree or Some College	48	43	56	3 or More	23	18	38
Bachelor or Advanced Degree	*	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	61	68	56
Employed	38	40	42	School	0	0	0
Unemployed	69	74	58	Mental Health Provider	0	*	*
Not in Labor Force	53	56	60	Health Care Provider	6	7	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	47	58	71
Independent Living	128	150	135	Other Referral Source	43	29	21
Dependent Living	12	13	17	TREATMENT ACCOMMODATION			
Homeless	12	*	*	Pregnant when Admitted to any Episode	6	*	5
MARITAL / FAMILY STATUS				Military Veteran	12	14	12
Never Married	87	84	66	Special Education Services Needed	6	5	8
Married / Cohabiting	35	53	58	Co-Occurring Psychological Problem	76	72	54
Previously Married	38	33	36	Co-Occurring Developmental Problem	*	7	7

PULASKI COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 11
CENSUS 2010 52,274
2015 POPULATION ESTIMATE 53,221

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	19	22	15
Anxiety Disorder	248	221	165
Dementia	0	0	0
Developmental Disorder	7	10	5
Impulse Control Disorder	63	67	55
Mood Disorder	275	256	216
Personality Disorder	19	14	7
Psychotic Disorder	39	33	31
Sexual Disorder	*	*	0
Other Diagnosis	36	48	34
Diagnosis Unknown	11	17	14

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	366	371	301	Less than High School Diploma	155	163	127
AGE				High School Grad or G.E.D.	0	0	*
Under 6	*	10	5	Associate Degree or Some College	0	0	*
6 to 9	25	30	24	Bachelor or Advanced Degree	0	0	0
10 to 13	36	34	25	Education Level Unknown	211	208	171
14 to 17	39	47	34	EMPLOYMENT			
18 to 24	28	34	31	Employed	21	17	13
25 to 29	30	27	28	Unemployed	29	24	26
30 to 34	33	33	20	Not in Labor Force	264	252	210
35 to 39	34	28	15	Employment Status Unknown	52	78	52
40 to 44	28	26	30	HOUSING / LIVING ARRANGEMENT			
45 to 49	30	26	18	Independent Living	199	149	154
50 to 54	35	35	27	Dependent Living	110	135	96
55 to 59	25	23	27	Homeless	6	5	*
60 and Over	19	18	17	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	51	82	49
GENDER				TREATMENT REFERRAL SOURCE			
Male	142	159	124	Self / Family / Friend	305	298	220
Female	224	212	177	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	7	6	10
RACE / ETHNICITY				Health Care Provider	35	32	31
Caucasian	297	317	254	Court / Criminal Justice	*	8	9
African American	36	31	23	Other	15	26	30
Native American / Alaskan	*	*	*	Referral Source Unknown	0	0	0
Asian / Pacific Islander	*	*	5	TYPE OF COMMITMENT			
Hispanic	13	7	5	Voluntary	362	368	298
Other Race	16	12	10	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	15	10	6	Commitment Type Unknown	0	0	0
Past or Current Military Service	5	5	6				

PULASKI COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	45.6		55.2	47.4	Alcohol	25.3		25.9	20.0
Chewing Tobacco	19.1		24.7	11.5	Alcohol (5+ drinks on single occasion past 2 weeks)	12.5			
Cigarettes	36.0		36.9	31.4	Chewing Tobacco	7.0		12.5	6.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.9		5.7	3.1	Cigarettes	15.3		18.9	13.0
Cocaine	1.2		4.4	2.4	Inhalants	0.8		3.9	4.6
Electronic Cigarettes	34.4				Marijuana	10.0		12.5	7.2
Hallucinogens	2.1		3.5	2.7	Over-the-counter medications for non-medical use	2.1		10.5	5.7
Heroin	0.6		4.2	0.7	Prescription medications not prescribed for student	10.9		8.5	8.7
Inhalants	3.7		7.7	9.1					
Marijuana	23.6		22.7	14.8	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	1.3		2.0	1.5	Alcohol (1 or 2 drinks daily)	65.2			
Over-the-counter medications for non-medical use	4.7		13.3	9.6	Alcohol (Binge: 5+ drinks once or twice a week)	69.9			
Prescription medications not prescribed for student	16.7		15.2	14.1	Cigarettes (1+ packs per day)	83.9			
Synthetic drugs (K2, bath salts, Spice, etc)	3.1		9.4		Marijuana (once or twice a week)	59.9			
					Other: Cocaine, LSD, Meth, Club Drug (any use)	91.6		91.6	94.2
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.18		12.43	12.18	Alcohol	73.9		70.5	77.6
Cigarettes	12.90		12.47	11.99	Cigarettes	86.8		84.8	89.6
Inhalants	10.94		12.40	12.65	Marijuana	89.9		87.9	95.1
Marijuana	13.92		13.32	13.35					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	62.9		64.5	62.2	Alcohol	56.5		47.9	58.1
Cigarettes	48.0		60.6	48.2	Cigarettes	76.9		69.2	76.0
Marijuana	48.2		44.1	36.9	Marijuana	73.0		72.9	81.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	18.5		23.1	23.7	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.4		89.7	93.3
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	39.2		42.4	35.9	Alcohol	63.3		64.4	62.9
Cigarettes	18.2		23.2	15.0	Cigarettes	65.7		65.9	60.8
Marijuana	21.4		17.5	13.3	Marijuana	49.0		51.0	36.4
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	28.0		29.3	23.6
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	59.4		59.0	69.9	Were grouchy, irritable, or in a bad mood	36.8		30.5	27.3
Were victims of mean rumors or lies spread at school	51.0		54.9	56.0	Had difficulty concentrating on school work	24.7		30.3	28.5
Were victims of an embarrassing or hurtful text message or something posted on the Internet	26.6		24.8	17.0	Were very sad	20.0		23.7	22.5
					Felt hopeless about the future	12.1		12.9	11.5
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	10.1		13.6	17.1	Parents involve student in making family decisions	63.6		65.4	67.1
Made plan about how they would attempt suicide	8.7		10.0	12.7	Parents notice and comment on student's good work	79.5		74.4	83.3
Attempted suicide	6.1		7.2	8.3	Teachers notice and comment on student's good work	69.4			

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

PUTNAM COUNTY



DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	13
Adult Psychiatric	13
POPULATION	
Census 2010	4,979
2015 Estimate	4,858

BIRTH RISK	2014	2013	2012
Resident Births	58	59	47
Mother Reported Smoking while Pregnant	14	17	15

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	1	0
Hepatitis C Chronic and Acute	1	1	0
Tuberculosis Infection Cases	0	4	0

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	64	58	72
Suicides	0	2	1
Homicides	0	0	0
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	0	3	0
Smoking Attributable Deaths	8	13	15
Self-inflicted Injuries	5	10	4
Assault Injuries	10	13	4

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	11	28	20
Mental Illness Secondary Diagnosis	156	116	126
Alcohol Principal Diagnosis	2	0	2
Alcohol Secondary Diagnosis	11	9	10
Drug Principal Diagnosis	2	1	1
Drug Secondary Diagnosis	3	6	4
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	5	11	16
Mental Illness Secondary Diagnosis	27	13	9
Alcohol Principal Diagnosis	2	0	0
Alcohol Secondary Diagnosis	2	2	3
Drug Principal Diagnosis	2	0	2
Drug Secondary Diagnosis	0	2	2
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	39	65	38
Mental Illness Secondary Diagnosis	107	143	151
Alcohol Principal Diagnosis	9	4	9
Alcohol Secondary Diagnosis	12	10	6
Drug Principal Diagnosis	10	7	5
Drug Secondary Diagnosis	8	7	3

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	3	2	2
Alcohol Package Carry-out Licenses	7	6	6

EMPLOYMENT	2015	2014	2013
Labor Force	2,536	2,504	2,412
Employed	2,435	2,379	2,274
Unemployed	101	125	138
Unemployment Rate	4.0%	5.0%	5.7%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	5	3	4
Fatal Crashes	0	0	0
Injury Crashes	4	0	1
Property Damage Crashes	3	3	3
Crash Fatalities	0	0	0
Crash Injuries	9	0	2
Drug Involved Crashes	2	1	1
Fatal Crashes	0	0	0
Injury Crashes	1	0	0
Property Damage Crashes	1	1	1
Crash Fatalities	0	0	0
Crash Injuries	4	0	0

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	24	30	24
Liquor Law Arrests	5	2	7
Drug Arrests	16	15	29
Violent Offenses	0	0	0
Property Offenses	36	39	38
Domestic Violence Reports	21	22	28

	2015	2014	2013
Methamphetamine Lab Seizures	0	0	0

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	214	216	218
Drop-outs	0	2	1
Drop-out Rate	0.0%	0.9%	0.5%
School Discipline Involving Alcohol	0	1	4
School Discipline Involving Drugs	0	0	0
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	3	1	3
Juvenile Alcohol Offenses	1	2	2
Juvenile Drug Offenses	1	1	0
School Truancy Status Offense	0	1	3
Absent from Home Status Offense	0	0	0
Beyond Parental Control Status Offense	0	0	1
Injurious Behavior Status Offense	13	6	7
Child Abuse	15	20	9
Child Neglect	5	21	31
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	5	12	10
Parental Alcohol Use Related	1	0	0
Parental Drug Use Related	0	8	0
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	5	8	12
Probation/Parole Admissions--Drug	12	13	23
Probation/Parole Admissions--DWI	6	1	2
Prison Admissions--Drug	8	5	10
Prison Admissions--DWI	1	1	3

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

PUTNAM COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	*	*	0
CSTAR Adolescent	0	*	*
CSTAR Women and Children	*	*	*
CSTAR General Adult	23	29	38
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	0	*
Clinical SATOP (CIP, YCIP, SROP)	7	5	*
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	20	13	16
- Adolescent Diversion Education Program	*	0	*
- Offender Education Program	*	*	*
- Weekend Intervention Program	5	*	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	0	0	0
Early Intervention	*	5	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	29	39	52	Alcohol	14	15	23
AGE				Marijuana / Hashish	*	11	17
Under 18	0	*	*	Cocaine (total)	0	0	0
18 to 24	9	10	16	- Crack	0	0	0
25 to 29	6	11	9	Stimulant (total)	6	8	7
30 to 34	5	*	*	- Methamphetamine	6	8	7
35 to 39	*	*	6	Heroin	*	0	0
40 to 44	0	5	*	Analgesic except Heroin	*	*	*
45 to 54	6	*	8	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	*	PCP, LSD, other Hallucinogen	0	0	*
GENDER				Tranquilizer	0	0	0
Male	19	27	40	Inhalant	0	0	0
Female	10	12	12	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	*	0
Caucasian	28	38	51	Average Age at First Use of Drug	18.0	16.2	16.4
African American	0	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	5	*	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	0	0
Hispanic	0	0	0	- Weekly Injection Use	*	*	0
Other Race / Two or More Races	*	0	0	- Less than Weekly Injection Use	*	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	10	19	16	0	13	21	32
High School Graduate or G.E.D.	18	18	32	1 or 2	9	12	15
Associate Degree or Some College	*	*	*	3 or More	7	6	5
Bachelor or Advanced Degree	0	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	9	*	7
Employed	9	13	20	School	0	*	0
Unemployed	7	13	20	Mental Health Provider	0	*	0
Not in Labor Force	13	13	12	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	8	11	11
Independent Living	28	35	44	Other Referral Source	5	16	26
Dependent Living	*	*	6	TREATMENT ACCOMMODATION			
Homeless	0	*	*	Pregnant when Admitted to any Episode	0	0	0
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	13	16	31	Special Education Services Needed	*	*	*
Married / Cohabiting	10	17	8	Co-Occurring Psychological Problem	13	12	15
Previously Married	6	6	13	Co-Occurring Developmental Problem	*	*	*

PUTNAM COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 13
CENSUS 2010 4,979
2015 POPULATION ESTIMATE 4,858

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	*	*	*
Anxiety Disorder	24	19	21
Dementia	0	0	*
Developmental Disorder	0	*	*
Impulse Control Disorder	8	6	6
Mood Disorder	29	23	24
Personality Disorder	6	*	8
Psychotic Disorder	7	7	8
Sexual Disorder	0	0	0
Other Diagnosis	*	*	*
Diagnosis Unknown	0	*	0

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	41	34	37	Less than High School Diploma	14	10	12
AGE				High School Grad or G.E.D.	0	0	*
Under 6	0	0	0	Associate Degree or Some College	0	0	0
6 to 9	*	*	*	Bachelor or Advanced Degree	0	0	0
10 to 13	*	*	*	Education Level Unknown	27	24	23
14 to 17	*	*	*	EMPLOYMENT			
18 to 24	7	5	*	Employed	*	6	*
25 to 29	*	*	*	Unemployed	*	*	*
30 to 34	*	5	7	Not in Labor Force	32	21	26
35 to 39	*	0	*	Employment Status Unknown	*	*	7
40 to 44	*	*	*	HOUSING / LIVING ARRANGEMENT			
45 to 49	*	*	*	Independent Living	30	23	25
50 to 54	5	*	*	Dependent Living	8	7	8
55 to 59	*	*	*	Homeless	0	0	0
60 and Over	5	*	6	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	*	*	*
GENDER				TREATMENT REFERRAL SOURCE			
Male	16	17	16	Self / Family / Friend	16	15	15
Female	25	17	21	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	5	*	6
RACE / ETHNICITY				Health Care Provider	10	8	6
Caucasian	40	34	36	Court / Criminal Justice	6	*	6
African American	0	0	*	Other	*	*	*
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	0	0	0	Voluntary	41	34	37
Other Race	*	0	0	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	0	0	*	Commitment Type Unknown	0	0	0
Past or Current Military Service	*	*	0				

PUTNAM COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol			61.4	51.1	Alcohol			24.3	22.6
Chewing Tobacco			22.9	17.0	Alcohol (5+ drinks on single occasion past 2 weeks)				
Cigarettes			38.6	26.6	Chewing Tobacco			22.9	7.5
Club drugs (Ecstasy, GHB, roofie, Special K, etc)			1.5	2.2	Cigarettes			15.9	14.0
Cocaine			1.5	2.2	Inhalants			2.9	4.3
Electronic Cigarettes					Marijuana			4.3	5.3
Hallucinogens			5.9	3.2	Over-the-counter medications for non-medical use			12.9	5.3
Heroin			1.4	1.1	Prescription medications not prescribed for student			14.5	9.9
Inhalants			10.0	8.5					
Marijuana			11.4	10.6	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine			1.4	1.1	Alcohol (1 or 2 drinks daily)				
Over-the-counter medications for non-medical use			14.5	6.5	Alcohol (Binge: 5+ drinks once or twice a week)				
Prescription medications not prescribed for student			24.6	14.1	Cigarettes (1+ packs per day)				
Synthetic drugs (K2, bath salts, Spice, etc)			5.8		Marijuana (once or twice a week)				
					Other: Cocaine, LSD, Meth, Club Drug (any use)			81.2	94.7
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol			11.77	11.78	Alcohol			66.7	73.9
Cigarettes			12.00	11.84	Cigarettes			80.9	89.4
Inhalants			13.05	10.48	Marijuana			91.4	96.7
Marijuana			13.27	13.35					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol			84.3	60.6	Alcohol			37.7	52.7
Cigarettes			78.6	54.3	Cigarettes			62.3	83.9
Marijuana			50.7	31.2	Marijuana			78.3	88.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)			26.1	19.6	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)			87.0	96.7
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol			48.6	41.9	Alcohol			77.9	67.7
Cigarettes			28.6	14.9	Cigarettes			88.2	67.0
Marijuana			15.9	7.4	Marijuana			63.8	33.0
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)			39.7	27.7
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others			60.0	76.6	Were grouchy, irritable, or in a bad mood			33.3	46.2
Were victims of mean rumors or lies spread at school			54.3	65.2	Had difficulty concentrating on school work			32.9	39.8
Were victims of an embarrassing or hurtful text message or something posted on the Internet			36.2	23.9	Were very sad			31.4	31.9
					Felt hopeless about the future			15.9	23.4
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide			17.1	4.3	Parents involve student in making family decisions			51.4	67.0
Made plan about how they would attempt suicide			15.9	3.2	Parents notice and comment on student's good work			78.3	81.7
Attempted suicide			5.8	1.1	Teachers notice and comment on student's good work				

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

RALLS COUNTY



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	15
Adult Psychiatric	15
POPULATION	
Census 2010	10,167
2015 Estimate	10,196

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	10	13	16
Fatal Crashes	0	1	0
Injury Crashes	7	9	11
Property Damage Crashes	3	3	5
Crash Fatalities	0	1	0
Crash Injuries	9	14	14
Drug Involved Crashes	0	0	1
Fatal Crashes	0	0	0
Injury Crashes	0	0	1
Property Damage Crashes	0	0	0
Crash Fatalities	0	0	0
Crash Injuries	0	0	1

BIRTH RISK	2014	2013	2012
Resident Births	98	102	86
Mother Reported Smoking while Pregnant	26	19	16

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	0
Hepatitis C Chronic and Acute	4	6	3
Tuberculosis Infection Cases	0	0	0

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	95	107	89
Suicides	3	0	2
Homicides	1	1	0
Alcohol Induced Deaths	1	0	0
Drug Induced Deaths	0	0	2
Smoking Attributable Deaths	22	24	19
Self-inflicted Injuries	3	1	6
Assault Injuries	12	5	16

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	29	31	34
Mental Illness Secondary Diagnosis	72	74	85
Alcohol Principal Diagnosis	2	1	1
Alcohol Secondary Diagnosis	8	5	1
Drug Principal Diagnosis	1	0	3
Drug Secondary Diagnosis	3	1	3
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	5	12	10
Mental Illness Secondary Diagnosis	94	96	111
Alcohol Principal Diagnosis	5	2	1
Alcohol Secondary Diagnosis	15	12	11
Drug Principal Diagnosis	0	1	2
Drug Secondary Diagnosis	7	2	8
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	38	37	46
Mental Illness Secondary Diagnosis	57	65	68
Alcohol Principal Diagnosis	7	6	3
Alcohol Secondary Diagnosis	7	6	6
Drug Principal Diagnosis	8	6	7
Drug Secondary Diagnosis	1	2	3

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	15	15	15
Alcohol Package Carry-out Licenses	19	19	19

EMPLOYMENT	2015	2014	2013
Labor Force	5,754	5,576	5,982
Employed	5,511	5,279	5,682
Unemployed	243	297	300
Unemployment Rate	4.2%	5.3%	5.0%

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	41	44	41
Liquor Law Arrests	0	2	0
Drug Arrests	20	12	10
Violent Offenses	6	11	7
Property Offenses	94	88	187
Domestic Violence Reports	31	35	50
	2015	2014	2013
Methamphetamine Lab Seizures	10	13	33
SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	244	229	228
Drop-outs	7	9	3
Drop-out Rate	2.9%	3.9%	1.3%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	1	1	2
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	2	5	4
Juvenile Alcohol Offenses	1	0	0
Juvenile Drug Offenses	7	1	3
School Truancy Status Offense	3	4	5
Absent from Home Status Offense	1	2	0
Beyond Parental Control Status Offense	1	0	0
Injurious Behavior Status Offense	21	8	11
Child Abuse	2	0	2
Child Neglect	9	13	23
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	9	2	13
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	2	2	1
Parental Alcohol and Drug Use	0	0	4

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	35	28	19
Probation/Parole Admissions--DWI	4	1	0
Prison Admissions--Drug	22	25	13
Prison Admissions--DWI	1	1	0

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

RALLS COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	*	6	12
CSTAR Adolescent	*	6	*
CSTAR Women and Children	10	8	9
CSTAR General Adult	26	21	5
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	32
Clinical SATOP (CIP, YCIP, SROP)	*	*	*
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	25	28	36
- Adolescent Diversion Education Program	*	*	*
- Offender Education Program	7	8	11
- Weekend Intervention Program	5	8	12
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	0	*
Compulsive Gambling	0	0	0
Recovery Supports	0	0	*
Early Intervention	0	0	5

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	46	46	47	Alcohol	13	21	17
AGE				Marijuana / Hashish	13	14	13
Under 18	*	7	*	Cocaine (total)	*	*	0
18 to 24	11	5	9	- Crack	0	0	0
25 to 29	8	*	9	Stimulant (total)	9	*	9
30 to 34	10	8	10	- Methamphetamine	9	*	8
35 to 39	5	8	6	Heroin	7	*	6
40 to 44	6	6	*	Analgesic except Heroin	*	*	*
45 to 54	*	5	5	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	*	0
Male	32	33	36	Inhalant	0	0	0
Female	14	13	11	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	*
Caucasian	45	44	46	Average Age at First Use of Drug	19.3	17.5	18.1
African American	0	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	10	*	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	0	*
Hispanic	0	0	0	- Weekly Injection Use	*	*	0
Other Race / Two or More Races	*	0	0	- Less than Weekly Injection Use	8	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	10	14	14	0	25	26	23
High School Graduate or G.E.D.	32	30	27	1 or 2	16	12	16
Associate Degree or Some College	*	*	5	3 or More	5	8	8
Bachelor or Advanced Degree	0	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	7	8	8
Employed	23	10	16	School	0	0	0
Unemployed	19	23	21	Mental Health Provider	*	0	0
Not in Labor Force	*	13	10	Health Care Provider	*	*	0
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	20	16	23
Independent Living	35	33	38	Other Referral Source	8	8	9
Dependent Living	10	11	8	TREATMENT ACCOMMODATION			
Homeless	0	*	0	Pregnant when Admitted to any Episode	0	0	0
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	26	26	30	Special Education Services Needed	5	*	5
Married / Cohabiting	9	9	11	Co-Occurring Psychological Problem	14	12	7
Previously Married	11	11	6	Co-Occurring Developmental Problem	*	0	*

RALLS COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 15
CENSUS 2010 10,167
2015 POPULATION ESTIMATE 10,196

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	*	*	*
Anxiety Disorder	23	28	15
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	21	26	19
Mood Disorder	67	65	48
Personality Disorder	*	*	*
Psychotic Disorder	7	7	13
Sexual Disorder	0	0	0
Other Diagnosis	6	10	10
Diagnosis Unknown	7	8	8

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	88	93	78	Less than High School Diploma	35	37	30
AGE				High School Grad or G.E.D.	0	0	0
Under 6	0	*	*	Associate Degree or Some College	0	0	*
6 to 9	5	5	*	Bachelor or Advanced Degree	0	0	0
10 to 13	*	7	7	Education Level Unknown	53	56	47
14 to 17	7	5	5	EMPLOYMENT			
18 to 24	7	7	*	Employed	10	12	7
25 to 29	6	12	6	Unemployed	*	8	7
30 to 34	11	12	5	Not in Labor Force	56	62	54
35 to 39	7	7	8	Employment Status Unknown	19	11	10
40 to 44	10	7	8	HOUSING / LIVING ARRANGEMENT			
45 to 49	12	8	10	Independent Living	39	43	38
50 to 54	8	12	11	Dependent Living	30	32	25
55 to 59	9	6	6	Homeless	*	0	0
60 and Over	*	*	*	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	18	18	15
GENDER				TREATMENT REFERRAL SOURCE			
Male	41	44	37	Self / Family / Friend	28	27	27
Female	47	49	41	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	10	11	12
RACE / ETHNICITY				Health Care Provider	6	7	5
Caucasian	85	88	75	Court / Criminal Justice	*	*	*
African American	*	*	*	Other	41	43	29
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	*	*	Voluntary	87	91	76
Other Race	0	*	0	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	0	0	0
Past or Current Military Service	7	5	5				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol		47.9			Alcohol		22.9		
Chewing Tobacco		17.0			Alcohol (5+ drinks on single occasion past 2 weeks)		11.1		
Cigarettes		22.4			Chewing Tobacco		10.6		
Club drugs (Ecstasy, GHB, roofie, Special K, etc)		2.1			Cigarettes		8.3		
Cocaine		0.0			Inhalants		2.0		
Electronic Cigarettes		12.2			Marijuana		4.2		
Hallucinogens		0.0			Over-the-counter medications for non-medical use		0.0		
Heroin		0.0			Prescription medications not prescribed for student		2.1		
Inhalants		2.0							
Marijuana		8.3			<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine		0.0			Alcohol (1 or 2 drinks daily)		53.1		
Over-the-counter medications for non-medical use		0.0			Alcohol (Binge: 5+ drinks once or twice a week)		62.5		
Prescription medications not prescribed for student		6.3			Cigarettes (1+ packs per day)		76.6		
Synthetic drugs (K2, bath salts, Spice, etc)		6.1			Marijuana (once or twice a week)		70.8		
					Other: Cocaine, LSD, Meth, Club Drug (any use)		89.6		
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol		12.26			Alcohol		79.2		
Cigarettes		14.03			Cigarettes		89.8		
Inhalants		12.66			Marijuana		91.7		
Marijuana		15.33							
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol		53.1			Alcohol		61.2		
Cigarettes		37.5			Cigarettes		77.1		
Marijuana		18.4			Marijuana		83.3		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		6.3			Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		95.9		
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol		36.7			Alcohol		53.2		
Cigarettes		12.2			Cigarettes		49.0		
Marijuana		6.4			Marijuana		26.5		
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		14.6		
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others		53.1			Were grouchy, irritable, or in a bad mood		28.6		
Were victims of mean rumors or lies spread at school		45.8			Had difficulty concentrating on school work		25.0		
Were victims of an embarrassing or hurtful text message or something posted on the Internet		22.4			Were very sad		20.4		
					Felt hopeless about the future		16.3		
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide		8.2			Parents involve student in making family decisions		70.2		
Made plan about how they would attempt suicide		8.2			Parents notice and comment on student's good work		81.3		
Attempted suicide		6.1			Teachers notice and comment on student's good work		68.8		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

RANDOLPH COUNTY



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	12
Adult Psychiatric	12
POPULATION	
Census 2010	25,414
2015 Estimate	25,104

BIRTH RISK	2014	2013	2012
Resident Births	270	290	276
Mother Reported Smoking while Pregnant	61	81	85

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	0	1	0
Hepatitis B Chronic, Acute, Prenatal	5	3	1
Hepatitis C Chronic and Acute	23	8	14
Tuberculosis Infection Cases	1	1	5

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	281	304	273
Suicides	8	5	5
Homicides	1	1	1
Alcohol Induced Deaths	1	1	2
Drug Induced Deaths	6	5	1
Smoking Attributable Deaths	50	46	52
Self-inflicted Injuries	29	51	50
Assault Injuries	98	115	121

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	237	240	234
Mental Illness Secondary Diagnosis	620	810	987
Alcohol Principal Diagnosis	7	33	22
Alcohol Secondary Diagnosis	38	55	58
Drug Principal Diagnosis	7	8	12
Drug Secondary Diagnosis	26	34	31
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	140	110	119
Mental Illness Secondary Diagnosis	265	221	130
Alcohol Principal Diagnosis	13	16	13
Alcohol Secondary Diagnosis	27	35	22
Drug Principal Diagnosis	14	14	17
Drug Secondary Diagnosis	14	19	9
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	263	271	273
Mental Illness Secondary Diagnosis	1,599	1,258	1,137
Alcohol Principal Diagnosis	40	37	43
Alcohol Secondary Diagnosis	52	73	64
Drug Principal Diagnosis	49	30	38
Drug Secondary Diagnosis	60	59	66

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	26	28	27
Alcohol Package Carry-out Licenses	25	24	25

EMPLOYMENT	2015	2014	2013
Labor Force	10,666	10,490	12,851
Employed	10,033	9,774	12,022
Unemployed	633	716	829
Unemployment Rate	5.9%	6.8%	6.5%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	21	22	24
Fatal Crashes	0	2	1
Injury Crashes	5	8	14
Property Damage Crashes	12	12	9
Crash Fatalities	0	2	1
Crash Injuries	9	11	25
Drug Involved Crashes	4	6	4
Fatal Crashes	0	0	0
Injury Crashes	1	3	3
Property Damage Crashes	3	3	1
Crash Fatalities	0	0	0
Crash Injuries	1	3	3

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	192	170	230
Liquor Law Arrests	50	19	49
Drug Arrests	206	200	380
Violent Offenses	31	40	45
Property Offenses	518	682	716
Domestic Violence Reports	89	139	116

	2015	2014	2013
Methamphetamine Lab Seizures	1	1	2

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	1,102	1,178	1,160
Drop-outs	26	19	34
Drop-out Rate	2.4%	1.6%	2.9%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	0	1	2
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	32	45	51
Juvenile Alcohol Offenses	3	2	6
Juvenile Drug Offenses	9	9	14
School Truancy Status Offense	66	53	104
Absent from Home Status Offense	16	26	37
Beyond Parental Control Status Offense	30	20	35
Injurious Behavior Status Offense	93	83	131
Child Abuse	43	40	86
Child Neglect	125	112	152
Child Custody Issues	0	1	1

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	78	53	80
Parental Alcohol Use Related	2	0	4
Parental Drug Use Related	31	24	37
Parental Alcohol and Drug Use	1	0	1

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	25	32	22
Probation/Parole Admissions--Drug	132	155	124
Probation/Parole Admissions--DWI	35	30	32
Prison Admissions--Drug	61	83	86
Prison Admissions--DWI	10	22	14

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.

³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

RANDOLPH COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	13	12	13
CSTAR Adolescent	14	27	29
CSTAR Women and Children	20	15	17
CSTAR General Adult	179	186	113
CSTAR Opioid	0	0	0
Primary Recovery Treatment	22	41	93
Clinical SATOP (CIP, YCIP, SROP)	20	24	23
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	136	125	117
- Adolescent Diversion Education Program	*	*	*
- Offender Education Program	38	39	45
- Weekend Intervention Program	39	31	25
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	7	*	*
Compulsive Gambling	0	0	0
Recovery Supports	*	*	*
Early Intervention	8	13	7

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	238	276	256	Alcohol	77	86	95
AGE				Marijuana / Hashish	83	98	81
Under 18	17	32	28	Cocaine (total)	*	11	10
18 to 24	38	55	39	- Crack	*	8	5
25 to 29	52	51	53	Stimulant (total)	54	62	44
30 to 34	39	41	43	- Methamphetamine	54	62	43
35 to 39	24	28	26	Heroin	*	*	*
40 to 44	21	19	21	Analgesic except Heroin	7	9	14
45 to 54	35	40	40	- Non-Prescription Methadone	0	0	0
55 and Over	12	10	6	PCP, LSD, other Hallucinogen	*	*	0
GENDER				Tranquilizer	*	*	5
Male	160	169	177	Inhalant	0	0	*
Female	78	107	79	Sedative	*	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	6	*	*
Caucasian	207	231	210	Average Age at First Use of Drug	17.6	17.8	17.1
African American	18	36	34	INJECTION DRUG USE			
Native American / Alaskan	*	0	*	Any Injection Use at Admission	22	38	22
Asian / Pacific Islander	*	0	0	- Daily Injection Use	5	*	*
Hispanic	6	8	7	- Weekly Injection Use	*	8	*
Other Race / Two or More Races	8	6	7	- Less than Weekly Injection Use	15	27	18
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	92	108	98	0	120	145	141
High School Graduate or G.E.D.	104	121	125	1 or 2	76	92	80
Associate Degree or Some College	40	42	30	3 or More	42	39	35
Bachelor or Advanced Degree	*	5	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	60	88	68
Employed	88	77	68	School	0	0	0
Unemployed	80	104	121	Mental Health Provider	*	*	0
Not in Labor Force	70	95	67	Health Care Provider	13	8	8
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	69	87	83
Independent Living	197	218	202	Other Referral Source	83	85	85
Dependent Living	33	44	44	TREATMENT ACCOMMODATION			
Homeless	*	8	6	Pregnant when Admitted to any Episode	*	*	5
MARITAL / FAMILY STATUS				Military Veteran	7	10	12
Never Married	123	161	142	Special Education Services Needed	16	23	23
Married / Cohabiting	60	54	59	Co-Occurring Psychological Problem	108	116	109
Previously Married	55	61	55	Co-Occurring Developmental Problem	9	9	10

RANDOLPH COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 12
CENSUS 2010 25,414
2015 POPULATION ESTIMATE 25,104

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	19	15	11
Anxiety Disorder	203	200	171
Dementia	*	*	0
Developmental Disorder	10	11	8
Impulse Control Disorder	56	44	36
Mood Disorder	267	282	249
Personality Disorder	41	41	49
Psychotic Disorder	57	53	58
Sexual Disorder	*	*	*
Other Diagnosis	16	29	14
Diagnosis Unknown	20	16	35

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	369	367	365	Less than High School Diploma	144	136	122
AGE				High School Grad or G.E.D.	0	0	0
Under 6	*	*	0	Associate Degree or Some College	0	0	0
6 to 9	9	7	6	Bachelor or Advanced Degree	0	0	0
10 to 13	19	22	19	Education Level Unknown	225	231	243
14 to 17	24	25	22	EMPLOYMENT			
18 to 24	21	25	36	Employed	32	33	29
25 to 29	33	24	35	Unemployed	34	22	36
30 to 34	32	33	26	Not in Labor Force	269	275	264
35 to 39	39	44	49	Employment Status Unknown	34	37	36
40 to 44	34	37	30	HOUSING / LIVING ARRANGEMENT			
45 to 49	33	40	34	Independent Living	227	218	211
50 to 54	50	38	42	Dependent Living	98	114	106
55 to 59	31	33	29	Homeless	8	*	*
60 and Over	40	37	37	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	36	31	45
GENDER				TREATMENT REFERRAL SOURCE			
Male	149	154	155	Self / Family / Friend	212	210	192
Female	220	213	210	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	23	27	31
RACE / ETHNICITY				Health Care Provider	69	65	78
Caucasian	326	327	322	Court / Criminal Justice	28	34	38
African American	26	29	26	Other	34	28	25
Native American / Alaskan	0	0	*	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	6	*	5	Voluntary	368	365	363
Other Race	11	9	11	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	18	12	14	Commitment Type Unknown	0	0	0
Past or Current Military Service	9	8	10				

RANDOLPH COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	10.8	36.2	37.8	46.6	Alcohol	2.2	18.1	14.0	22.6
Chewing Tobacco	3.5	16.0	7.8	12.8	Alcohol (5+ drinks on single occasion past 2 weeks)	0.0	8.9		
Cigarettes	2.2	25.8	25.2	30.5	Chewing Tobacco	1.2	8.7	4.3	8.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	1.4	2.4	1.2	Cigarettes	1.2	13.6	11.5	15.0
Cocaine	0.0	1.1	1.6	1.4	Inhalants	1.2	2.1	3.2	3.1
Electronic Cigarettes	2.2	17.0			Marijuana	0.0	4.9	7.2	6.4
Hallucinogens	0.0	2.1	2.7	2.1	Over-the-counter medications for non-medical use	2.0	2.4	4.8	6.6
Heroin	1.2	0.4	0.5	0.2	Prescription medications not prescribed for student	2.2	2.1	5.1	5.5
Inhalants	2.2	3.9	8.3	6.8	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	1.2	7.7	13.4	12.3	Alcohol (1 or 2 drinks daily)	91.5	46.9		
Methamphetamine	0.0	1.4	1.6	0.8	Alcohol (Binge: 5+ drinks once or twice a week)	92.0	60.6		
Over-the-counter medications for non-medical use	2.0	2.8	8.0	8.8	Cigarettes (1+ packs per day)	39.1	79.8		
Prescription medications not prescribed for student	4.8	4.2	9.4	9.8	Marijuana (once or twice a week)	96.5	66.8		
Synthetic drugs (K2, bath salts, Spice, etc)	3.0	5.0	5.9		Other: Cocaine, LSD, Meth, Club Drug (any use)	96.5	88.6	89.5	91.7
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	10.33	12.22	11.82	12.15	Alcohol	97.0	77.8	78.7	72.8
Cigarettes		12.32	11.84	11.83	Cigarettes	97.0	88.8	90.5	89.2
Inhalants		12.96	11.21	11.88	Marijuana	98.0	90.7	94.9	94.7
Marijuana		12.72	13.21	13.52	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	92.3	63.1	61.8	57.3
Alcohol	22.1	42.9	51.9	60.9	Cigarettes	96.5	77.9	78.8	78.1
Cigarettes	5.5	45.8	48.9	51.2	Marijuana	98.8	84.3	80.9	85.2
Marijuana	2.2	21.8	35.5	34.1	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	100.0	94.7	92.7	95.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	3.5	10.6	15.9	17.9	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	11.5	50.0	56.9	60.0
Alcohol	7.7	27.1	28.8	36.5	Cigarettes	11.7	49.3	54.8	53.7
Cigarettes	2.3	15.7	14.5	16.4	Marijuana	5.5	26.0	39.0	34.4
Marijuana	2.2	10.8	11.9	10.2	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	3.0	14.3	20.4	20.0
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	28.9	59.2	65.3	66.6	Were grouchy, irritable, or in a bad mood	6.5	26.6	26.8	30.4
Were victims of mean rumors or lies spread at school	21.1	49.0	55.5	55.1	Had difficulty concentrating on school work	61.7	21.0	24.9	27.4
Were victims of an embarrassing or hurtful text message or something posted on the Internet	4.7	22.0	24.8	16.1	Were very sad	5.7	16.3	21.0	28.8
<i>Percent of students who, in past 12 months:</i>					Felt hopeless about the future	4.2	7.5	12.9	17.4
Seriously considered attempting suicide	2.2	8.5	13.7	9.7	<i>Percent of students who say that:</i>				
Made plan about how they would attempt suicide	2.2	6.5	10.9	6.8	Parents involve student in making family decisions	90.0	73.9	65.1	69.8
Attempted suicide	1.2	2.7	9.1	5.8	Parents notice and comment on student's good work	93.3	83.9	80.4	82.4
					Teachers notice and comment on student's good work	93.8	79.0		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

RAY COUNTY



DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	6
Adult Psychiatric	6
POPULATION	
Census 2010	23,494
2015 Estimate	22,810

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	21	30	31
Fatal Crashes	2	0	1
Injury Crashes	8	14	15
Property Damage Crashes	16	16	15
Crash Fatalities	2	0	1
Crash Injuries	11	21	27
Drug Involved Crashes	3	7	17
Fatal Crashes	1	0	1
Injury Crashes	1	2	12
Property Damage Crashes	1	5	4
Crash Fatalities	1	0	1
Crash Injuries	1	2	22

BIRTH RISK	2014	2013	2012
Resident Births	244	248	235
Mother Reported Smoking while Pregnant	69	71	71

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	2
Hepatitis C Chronic and Acute	20	12	6
Tuberculosis Infection Cases	1	1	0

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	244	264	251
Suicides	2	4	8
Homicides	0	0	2
Alcohol Induced Deaths	3	1	1
Drug Induced Deaths	4	1	2
Smoking Attributable Deaths	43	58	43
Self-inflicted Injuries	44	37	40
Assault Injuries	82	59	69

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	135	160	182
Mental Illness Secondary Diagnosis	382	386	394
Alcohol Principal Diagnosis	7	7	10
Alcohol Secondary Diagnosis	28	24	14
Drug Principal Diagnosis	16	5	12
Drug Secondary Diagnosis	26	24	22
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	13	19	36
Mental Illness Secondary Diagnosis	454	522	568
Alcohol Principal Diagnosis	3	8	8
Alcohol Secondary Diagnosis	41	38	44
Drug Principal Diagnosis	6	6	6
Drug Secondary Diagnosis	26	31	28
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	198	203	209
Mental Illness Secondary Diagnosis	767	444	251
Alcohol Principal Diagnosis	33	18	32
Alcohol Secondary Diagnosis	44	48	40
Drug Principal Diagnosis	27	36	18
Drug Secondary Diagnosis	84	116	68

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	17	17	16
Alcohol Package Carry-out Licenses	18	20	19

EMPLOYMENT	2015	2014	2013
Labor Force	11,433	11,413	10,972
Employed	10,810	10,651	10,132
Unemployed	623	762	840
Unemployment Rate	5.4%	6.7%	7.7%

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	100	110	98
Liquor Law Arrests	99	45	52
Drug Arrests	117	69	59
Violent Offenses	59	64	57
Property Offenses	475	546	623
Domestic Violence Reports	259	230	227

	2015	2014	2013
Methamphetamine Lab Seizures	0	0	0

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	1,010	1,096	1,083
Drop-outs	19	21	22
Drop-out Rate	1.9%	1.9%	2.0%
School Discipline Involving Alcohol	1	4	0
School Discipline Involving Drugs	2	5	6
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	45	57	35
Juvenile Alcohol Offenses	12	2	8
Juvenile Drug Offenses	11	10	6
School Truancy Status Offense	3	10	16
Absent from Home Status Offense	10	23	13
Beyond Parental Control Status Offense	12	13	24
Injurious Behavior Status Offense	37	31	32
Child Abuse	20	37	11
Child Neglect	9	2	2
Child Custody Issues	2	0	3

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	6	7	13
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	2	2	3
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	42	37	35
Probation/Parole Admissions--Drug	90	70	67
Probation/Parole Admissions--DWI	10	14	20
Prison Admissions--Drug	42	52	40
Prison Admissions--DWI	11	11	5

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

RAY COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	5	5	5
CSTAR Adolescent	7	10	8
CSTAR Women and Children	*	*	5
CSTAR General Adult	123	129	151
CSTAR Opioid	*	0	0
Primary Recovery Treatment	*	*	*
Clinical SATOP (CIP, YCIP, SROP)	22	14	16
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	94	73	74
- Adolescent Diversion Education Program	*	0	0
- Offender Education Program	28	23	21
- Weekend Intervention Program	20	14	17
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	6	*	*
Compulsive Gambling	0	0	0
Recovery Supports	*	*	6
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	158	168	189	Alcohol	67	49	62
AGE				Marijuana / Hashish	35	43	54
Under 18	6	11	10	Cocaine (total)	0	*	*
18 to 24	36	37	56	- Crack	0	0	*
25 to 29	34	28	23	Stimulant (total)	43	60	56
30 to 34	25	38	31	- Methamphetamine	43	60	55
35 to 39	10	17	18	Heroin	*	*	*
40 to 44	19	11	19	Analgesic except Heroin	11	9	11
45 to 54	21	21	25	- Non-Prescription Methadone	0	0	0
55 and Over	7	5	7	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	*	0
Male	111	108	118	Inhalant	0	0	0
Female	47	60	71	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	*	*
Caucasian	152	159	181	Average Age at First Use of Drug	18.0	17.3	18.0
African American	*	0	*	INJECTION DRUG USE			
Native American / Alaskan	*	*	*	Any Injection Use at Admission	25	27	28
Asian / Pacific Islander	*	*	0	- Daily Injection Use	*	*	*
Hispanic	*	*	*	- Weekly Injection Use	8	5	*
Other Race / Two or More Races	*	5	*	- Less than Weekly Injection Use	16	21	24
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	38	49	61	0	76	94	108
High School Graduate or G.E.D.	95	82	87	1 or 2	57	50	55
Associate Degree or Some College	25	37	39	3 or More	25	24	26
Bachelor or Advanced Degree	0	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	51	52	44
Employed	73	50	64	School	0	*	*
Unemployed	55	69	64	Mental Health Provider	*	*	5
Not in Labor Force	30	49	61	Health Care Provider	6	5	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	56	75	96
Independent Living	145	145	175	Other Referral Source	29	25	22
Dependent Living	8	16	9	TREATMENT ACCOMMODATION			
Homeless	5	*	0	Pregnant when Admitted to any Episode	*	6	*
MARITAL / FAMILY STATUS				Military Veteran	5	*	*
Never Married	86	100	103	Special Education Services Needed	19	12	8
Married / Cohabiting	40	33	45	Co-Occurring Psychological Problem	66	88	85
Previously Married	32	35	41	Co-Occurring Developmental Problem	*	*	*

RAY COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 6
CENSUS 2010 23,494
2015 POPULATION ESTIMATE 22,810

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	5	0	6
Anxiety Disorder	61	70	71
Dementia	0	0	0
Developmental Disorder	5	*	*
Impulse Control Disorder	27	49	36
Mood Disorder	181	189	179
Personality Disorder	*	*	*
Psychotic Disorder	30	32	32
Sexual Disorder	0	0	0
Other Diagnosis	6	7	8
Diagnosis Unknown	25	19	29

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	269	291	299	Less than High School Diploma	46	49	46
AGE				High School Grad or G.E.D.	0	0	0
Under 6	*	*	*	Associate Degree or Some College	0	0	0
6 to 9	10	12	14	Bachelor or Advanced Degree	0	0	0
10 to 13	16	22	22	Education Level Unknown	223	242	253
14 to 17	23	20	22	EMPLOYMENT			
18 to 24	18	19	19	Employed	13	8	17
25 to 29	22	25	27	Unemployed	9	22	11
30 to 34	27	32	35	Not in Labor Force	85	84	105
35 to 39	22	31	27	Employment Status Unknown	162	177	166
40 to 44	26	24	28	HOUSING / LIVING ARRANGEMENT			
45 to 49	37	33	39	Independent Living	67	84	94
50 to 54	26	29	27	Dependent Living	45	31	36
55 to 59	14	17	17	Homeless	*	*	*
60 and Over	25	24	19	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	155	173	168
GENDER				TREATMENT REFERRAL SOURCE			
Male	123	137	136	Self / Family / Friend	251	276	277
Female	146	154	163	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	0	0	*
RACE / ETHNICITY				Health Care Provider	9	8	10
Caucasian	253	280	284	Court / Criminal Justice	*	*	*
African American	*	*	5	Other	6	*	5
Native American / Alaskan	*	*	*	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	5	*	Voluntary	267	289	297
Other Race	7	*	5	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	*
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	0
Hearing Impaired	6	11	12	Commitment Type Unknown	*	*	*
Past or Current Military Service	6	*	*				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	41.6	34.7	41.3	42.4	Alcohol	16.0	8.6	16.2	16.8
Chewing Tobacco	17.0	8.1	17.3	18.9	Alcohol (5+ drinks on single occasion past 2 weeks)	6.1	2.7		
Cigarettes	24.9	27.8	27.1	27.7	Chewing Tobacco	8.8	2.3	9.5	10.1
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.8	0.7	2.9	0.9	Cigarettes	10.9	12.1	14.3	11.7
Cocaine	2.0	0.7	3.6	1.1	Inhalants	1.5	1.7	2.4	3.7
Electronic Cigarettes	23.0	17.8			Marijuana	6.9	1.7	7.1	6.7
Hallucinogens	2.1	0.3	4.3	1.8	Over-the-counter medications for non-medical use	1.8	0.3	5.7	4.8
Heroin	0.3	0.3	1.7	0.6	Prescription medications not prescribed for student	8.9	3.3	6.9	7.7
Inhalants	3.5	3.7	7.4	7.7					
Marijuana	15.0	11.0	15.0	13.2	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.5	0.7	2.4	0.4	Alcohol (1 or 2 drinks daily)	64.2	61.2		
Over-the-counter medications for non-medical use	4.3	0.7	8.6	8.5	Alcohol (Binge: 5+ drinks once or twice a week)	75.0	70.6		
Prescription medications not prescribed for student	13.8	7.3	12.1	14.2	Cigarettes (1+ packs per day)	81.9	87.0		
Synthetic drugs (K2, bath salts, Spice, etc)	2.3	5.3	8.1		Marijuana (once or twice a week)	68.2	75.1		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	90.1	92.6	94.7	94.5
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.75	13.39	12.50	12.13	Alcohol	80.9	83.2	79.1	80.3
Cigarettes	12.18	13.28	12.70	12.25	Cigarettes	92.4	84.5	90.4	91.8
Inhalants	10.35	11.84	12.25	11.93	Marijuana	93.1	96.3	94.2	96.7
Marijuana	13.54	14.04	13.37	13.29					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	49.9	41.9	57.5	56.5	Alcohol	65.7	73.7	60.9	64.1
Cigarettes	34.3	40.2	50.1	45.5	Cigarettes	84.3	83.3	78.2	81.0
Marijuana	33.3	20.3	35.8	32.0	Marijuana	82.1	89.6	84.4	88.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.2	6.0	14.3	14.3	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.9	98.0	94.0	96.5
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	26.9	20.7	31.5	28.8	Alcohol	54.9	44.0	57.9	54.3
Cigarettes	11.7	15.5	16.3	14.1	Cigarettes	50.6	51.5	55.0	53.5
Marijuana	13.5	6.7	11.2	10.3	Marijuana	33.3	26.3	31.9	32.1
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.8	18.1	14.6	14.5
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	62.5	70.1	61.2	68.3	Were grouchy, irritable, or in a bad mood	32.7	28.7	27.1	22.4
Were victims of mean rumors or lies spread at school	51.1	56.0	51.2	57.0	Had difficulty concentrating on school work	28.9	21.3	25.9	18.8
Were victims of an embarrassing or hurtful text message or something posted on the Internet	26.6	28.7	22.7	19.8	Were very sad	21.8	16.7	22.3	21.3
					Felt hopeless about the future	9.9	14.6	14.0	10.8
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	12.2	7.7	14.6	10.9	Parents involve student in making family decisions	70.8	63.6	65.7	69.0
Made plan about how they would attempt suicide	9.5	7.0	11.5	10.4	Parents notice and comment on student's good work	83.5	83.7	77.8	87.2
Attempted suicide	7.1	2.3	4.5	5.1	Teachers notice and comment on student's good work	73.9	76.3		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

REYNOLDS COUNTY



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	19
Adult Psychiatric	19
POPULATION	
Census 2010	6,696
2015 Estimate	6,432

BIRTH RISK	2014	2013	2012
Resident Births	58	61	64
Mother Reported Smoking while Pregnant	19	20	19

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	0	0
Hepatitis C Chronic and Acute	5	3	5
Tuberculosis Infection Cases	0	0	4

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	108	89	66
Suicides	2	1	0
Homicides	0	0	1
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	0	5	0
Smoking Attributable Deaths	27	19	15
Self-inflicted Injuries	8	8	9
Assault Injuries	18	15	15

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	52	69	49
Mental Illness Secondary Diagnosis	128	120	174
Alcohol Principal Diagnosis	5	5	2
Alcohol Secondary Diagnosis	8	18	5
Drug Principal Diagnosis	2	0	6
Drug Secondary Diagnosis	8	8	6
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	10	6	12
Mental Illness Secondary Diagnosis	104	84	72
Alcohol Principal Diagnosis	2	1	0
Alcohol Secondary Diagnosis	5	5	6
Drug Principal Diagnosis	2	2	1
Drug Secondary Diagnosis	5	7	5
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	43	51	84
Mental Illness Secondary Diagnosis	117	163	155
Alcohol Principal Diagnosis	4	9	7
Alcohol Secondary Diagnosis	15	16	28
Drug Principal Diagnosis	5	6	6
Drug Secondary Diagnosis	12	15	19

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	5	6	6
Alcohol Package Carry-out Licenses	11	12	12

EMPLOYMENT	2015	2014	2013
Labor Force	2,760	2,629	2,551
Employed	2,568	2,407	2,322
Unemployed	192	222	229
Unemployment Rate	7.0%	8.4%	9.0%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	9	9	21
Fatal Crashes	2	0	3
Injury Crashes	3	6	9
Property Damage Crashes	3	3	9
Crash Fatalities	2	0	3
Crash Injuries	6	7	15
Drug Involved Crashes	1	1	1
Fatal Crashes	0	0	1
Injury Crashes	1	1	0
Property Damage Crashes	0	0	0
Crash Fatalities	0	0	1
Crash Injuries	1	1	0

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	20	23	40
Liquor Law Arrests	14	44	23
Drug Arrests	36	46	39
Violent Offenses	15	18	25
Property Offenses	65	58	90
Domestic Violence Reports	11	13	8

	2015	2014	2013
Methamphetamine Lab Seizures	2	0	1

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	343	324	330
Drop-outs	0	0	0
Drop-out Rate	0.0%	0.0%	0.0%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	0	0	0
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	1	0	0
Juvenile Alcohol Offenses	0	1	1
Juvenile Drug Offenses	0	0	0
School Truancy Status Offense	0	0	1
Absent from Home Status Offense	0	0	0
Beyond Parental Control Status Offense	15	24	24
Injurious Behavior Status Offense	3	5	9
Child Abuse	13	16	12
Child Neglect	93	90	77
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	26	16	15
Parental Alcohol Use Related	0	0	2
Parental Drug Use Related	13	7	2
Parental Alcohol and Drug Use	0	0	2

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	17	13	19
Probation/Parole Admissions--Drug	21	12	16
Probation/Parole Admissions--DWI	3	1	0
Prison Admissions--Drug	3	7	3
Prison Admissions--DWI	0	1	1

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

REYNOLDS COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	9	*	5
CSTAR Adolescent	*	*	0
CSTAR Women and Children	0	*	*
CSTAR General Adult	23	21	22
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	0	12
Clinical SATOP (CIP, YCIP, SROP)	6	*	7
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	28	19	21
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	15	5	*
- Weekend Intervention Program	*	*	5
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	0	9	5
Early Intervention	0	0	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	34	29	41	Alcohol	12	10	13
AGE				Marijuana / Hashish	12	6	12
Under 18	*	0	0	Cocaine (total)	*	0	0
18 to 24	*	5	7	- Crack	0	0	0
25 to 29	*	*	8	Stimulant (total)	*	6	9
30 to 34	9	7	7	- Methamphetamine	*	5	9
35 to 39	*	8	6	Heroin	*	*	*
40 to 44	5	*	6	Analgesic except Heroin	6	5	6
45 to 54	6	5	*	- Non-Prescription Methadone	0	0	0
55 and Over	*	0	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	0	0
Male	26	19	27	Inhalant	0	0	0
Female	8	10	14	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	34	29	39	Average Age at First Use of Drug	19.1	20.8	18.9
African American	0	0	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	*	*	6
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	*	*
Hispanic	0	0	*	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	0	0	0	- Less than Weekly Injection Use	*	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	12	13	16	0	17	15	23
High School Graduate or G.E.D.	19	12	20	1 or 2	11	11	13
Associate Degree or Some College	*	*	*	3 or More	6	*	5
Bachelor or Advanced Degree	0	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	21	13	12
Employed	10	11	12	School	0	0	0
Unemployed	13	15	19	Mental Health Provider	0	0	0
Not in Labor Force	11	*	10	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	11	13	23
Independent Living	30	29	38	Other Referral Source	*	*	*
Dependent Living	*	0	0	TREATMENT ACCOMMODATION			
Homeless	0	0	*	Pregnant when Admitted to any Episode	*	0	*
MARITAL / FAMILY STATUS				Military Veteran	*	*	0
Never Married	13	11	17	Special Education Services Needed	*	7	*
Married / Cohabiting	12	11	11	Co-Occurring Psychological Problem	14	10	15
Previously Married	9	7	13	Co-Occurring Developmental Problem	0	*	5

REYNOLDS COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 19
CENSUS 2010 6,696
2015 POPULATION ESTIMATE 6,432

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	0	0	*
Anxiety Disorder	10	5	*
Dementia	0	0	0
Developmental Disorder	0	0	*
Impulse Control Disorder	6	*	7
Mood Disorder	30	27	27
Personality Disorder	0	0	*
Psychotic Disorder	9	11	11
Sexual Disorder	*	*	*
Other Diagnosis	0	0	0
Diagnosis Unknown	*	*	*

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	51	45	44	Less than High School Diploma	17	12	17
AGE				High School Grad or G.E.D.	0	0	*
Under 6	0	0	0	Associate Degree or Some College	0	0	0
6 to 9	0	*	*	Bachelor or Advanced Degree	0	0	0
10 to 13	*	*	5	Education Level Unknown	34	33	26
14 to 17	*	0	*	EMPLOYMENT			
18 to 24	0	*	*	Employed	*	*	*
25 to 29	*	5	*	Unemployed	0	*	0
30 to 34	*	*	*	Not in Labor Force	41	31	33
35 to 39	5	*	*	Employment Status Unknown	8	10	10
40 to 44	8	8	5	HOUSING / LIVING ARRANGEMENT			
45 to 49	5	7	10	Independent Living	32	30	25
50 to 54	9	10	8	Dependent Living	9	5	8
55 to 59	5	*	*	Homeless	*	0	0
60 and Over	5	*	*	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	9	10	11
GENDER				TREATMENT REFERRAL SOURCE			
Male	25	18	19	Self / Family / Friend	21	14	12
Female	26	27	25	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	6	5	8
RACE / ETHNICITY				Health Care Provider	16	17	16
Caucasian	48	44	43	Court / Criminal Justice	*	*	*
African American	*	0	0	Other	5	6	5
Native American / Alaskan	*	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	*	0	Voluntary	49	42	41
Other Race	0	0	*	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	5	*	*	Commitment Type Unknown	0	0	0
Past or Current Military Service	*	*	*				

REYNOLDS COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	50.5	33.3	17.0	53.8	Alcohol	16.7	11.6	3.6	24.6
Chewing Tobacco	16.7	17.6	8.0	26.9	Alcohol (5+ drinks on single occasion past 2 weeks)	4.4	7.4		
Cigarettes	30.3	23.5	17.0	42.6	Chewing Tobacco	5.5	11.8	5.4	15.5
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.1	1.5	0.0	3.8	Cigarettes	11.2	10.3	0.0	20.3
Cocaine	1.1	1.5	0.0	2.3	Inhalants	0.0	1.4	1.8	2.3
Electronic Cigarettes	27.5	20.3			Marijuana	4.4	5.8	0.0	8.5
Hallucinogens	2.2	1.5	0.0	3.8	Over-the-counter medications for non-medical use	0.0	1.5	1.8	6.2
Heroin	0.0	0.0	0.0	0.0	Prescription medications not prescribed for student	3.3	2.9	1.8	9.4
Inhalants	4.5	1.5	1.8	5.4	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	8.9	10.3	0.0	19.2	Alcohol (1 or 2 drinks daily)	61.1	54.4		
Methamphetamine	0.0	1.5	0.0	1.6	Alcohol (Binge: 5+ drinks once or twice a week)	62.6	60.3		
Over-the-counter medications for non-medical use	6.7	2.9	1.8	8.5	Cigarettes (1+ packs per day)	78.0	80.9		
Prescription medications not prescribed for student	5.6	7.4	1.8	14.1	Marijuana (once or twice a week)	63.3	67.2		
Synthetic drugs (K2, bath salts, Spice, etc)	1.1	2.9	0.0		Other: Cocaine, LSD, Meth, Club Drug (any use)	91.1	91.2	95.5	90.7
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.23	12.31	13.88	11.96	Alcohol	79.1	79.4	89.7	70.0
Cigarettes	13.86	12.51	12.39	12.19	Cigarettes	95.6	92.8	95.5	89.1
Inhalants		11.63		13.43	Marijuana	94.5	94.1	100.0	97.6
Marijuana		13.58		14.04	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	56.7	67.2	75.9	45.8
Alcohol	54.4	47.1	14.2	72.9	Cigarettes	79.1	82.6	88.4	66.9
Cigarettes	44.4	38.2	12.4	64.1	Marijuana	79.1	86.6	95.6	82.3
Marijuana	33.0	22.1	6.3	40.5	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.7	97.0	100.0	94.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.0	7.5	1.8	17.6	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	55.7	38.8	33.9	65.4
Alcohol	31.9	23.5	14.3	48.5	Cigarettes	61.4	43.3	37.5	67.7
Cigarettes	14.8	13.2	1.8	27.9	Marijuana	35.2	25.4	8.0	41.7
Marijuana	15.6	8.8	0.0	11.5	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.5	10.4	3.7	19.7
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	56.2	58.8	39.3	71.8	Were grouchy, irritable, or in a bad mood	28.6	22.1	8.9	26.7
Were victims of mean rumors or lies spread at school	53.9	50.0	34.5	63.1	Had difficulty concentrating on school work	21.1	17.6	10.7	30.5
Were victims of an embarrassing or hurtful text message or something posted on the Internet	27.0	23.5	9.8	16.9	Were very sad	20.0	15.9	8.0	22.1
					Felt hopeless about the future	3.3	7.5	6.3	11.5
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	8.8	8.8	5.4	9.9	Parents involve student in making family decisions	72.5	75.0	83.9	72.3
Made plan about how they would attempt suicide	7.7	5.8	4.4	5.3	Parents notice and comment on student's good work	93.4	88.4	89.4	86.3
Attempted suicide	4.4	4.4	6.4	4.6	Teachers notice and comment on student's good work	92.2	84.1		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

RIPLEY COUNTY



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	19
Adult Psychiatric	19
POPULATION	
Census 2010	14,100
2015 Estimate	13,802

BIRTH RISK	2014	2013	2012
Resident Births	183	177	182
Mother Reported Smoking while Pregnant	56	41	58

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	1	0	0
Hepatitis B Chronic, Acute, Prenatal	1	1	0
Hepatitis C Chronic and Acute	11	17	20
Tuberculosis Infection Cases	1	1	1

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	169	189	176
Suicides	1	3	1
Homicides	0	1	0
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	2	1	1
Smoking Attributable Deaths	31	44	43
Self-inflicted Injuries	26	38	36
Assault Injuries	81	61	54

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	146	132	152
Mental Illness Secondary Diagnosis	286	315	286
Alcohol Principal Diagnosis	7	6	11
Alcohol Secondary Diagnosis	25	29	33
Drug Principal Diagnosis	17	21	14
Drug Secondary Diagnosis	17	20	20
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	27	28	24
Mental Illness Secondary Diagnosis	260	239	283
Alcohol Principal Diagnosis	1	3	2
Alcohol Secondary Diagnosis	15	14	10
Drug Principal Diagnosis	7	3	6
Drug Secondary Diagnosis	7	16	11
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	188	216	199
Mental Illness Secondary Diagnosis	213	302	197
Alcohol Principal Diagnosis	14	21	22
Alcohol Secondary Diagnosis	24	32	22
Drug Principal Diagnosis	33	44	38
Drug Secondary Diagnosis	37	52	56

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	11	13	14
Alcohol Package Carry-out Licenses	16	17	17

EMPLOYMENT	2015	2014	2013
Labor Force	5,431	5,497	6,843
Employed	5,001	5,053	6,370
Unemployed	430	444	473
Unemployment Rate	7.9%	8.1%	6.9%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	10	18	18
Fatal Crashes	2	1	2
Injury Crashes	5	7	8
Property Damage Crashes	10	10	8
Crash Fatalities	2	2	2
Crash Injuries	10	8	18
Drug Involved Crashes	4	4	8
Fatal Crashes	0	0	0
Injury Crashes	0	3	4
Property Damage Crashes	4	1	4
Crash Fatalities	0	0	0
Crash Injuries	0	4	5

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	51	61	100
Liquor Law Arrests	16	15	23
Drug Arrests	114	135	117
Violent Offenses	41	41	45
Property Offenses	407	499	479
Domestic Violence Reports	109	130	98

	2015	2014	2013
Methamphetamine Lab Seizures	0	0	1

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	520	566	560
Drop-outs	19	13	18
Drop-out Rate	3.7%	2.3%	3.2%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	3	3	5
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	33	25	27
Juvenile Alcohol Offenses	0	1	0
Juvenile Drug Offenses	5	10	5
School Truancy Status Offense	33	19	25
Absent from Home Status Offense	0	6	6
Beyond Parental Control Status Offense	18	8	6
Injurious Behavior Status Offense	0	1	1
Child Abuse	2	1	1
Child Neglect	77	53	80
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	53	22	44
Parental Alcohol Use Related	0	0	2
Parental Drug Use Related	19	13	24
Parental Alcohol and Drug Use	0	2	1

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	10	15	21
Probation/Parole Admissions--Drug	36	34	32
Probation/Parole Admissions--DWI	5	1	4
Prison Admissions--Drug	19	14	15
Prison Admissions--DWI	1	2	1

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

RIPLEY COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	16	14	18
CSTAR Adolescent	6	7	8
CSTAR Women and Children	*	12	11
CSTAR General Adult	89	54	61
CSTAR Opioid	0	0	0
Primary Recovery Treatment	0	*	22
Clinical SATOP (CIP, YCIP, SROP)	8	9	16
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	47	43	41
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	14	13	17
- Weekend Intervention Program	10	11	11
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	0	*
Compulsive Gambling	0	0	0
Recovery Supports	*	24	13
Early Intervention	*	0	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	118	96	111	Alcohol	26	25	34
AGE				Marijuana / Hashish	41	19	25
Under 18	6	7	8	Cocaine (total)	0	0	*
18 to 24	26	13	17	- Crack	0	0	0
25 to 29	25	15	19	Stimulant (total)	28	31	23
30 to 34	19	22	31	- Methamphetamine	27	31	22
35 to 39	13	14	11	Heroin	*	5	*
40 to 44	7	11	7	Analgesic except Heroin	18	16	16
45 to 54	14	11	11	- Non-Prescription Methadone	0	0	0
55 and Over	8	*	7	PCP, LSD, other Hallucinogen	0	0	*
GENDER				Tranquilizer	*	0	7
Male	67	61	67	Inhalant	0	0	0
Female	51	35	44	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	116	93	110	Average Age at First Use of Drug	18.3	20.1	19.4
African American	*	*	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	11	18	20
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	*	*
Hispanic	*	*	*	- Weekly Injection Use	6	9	*
Other Race / Two or More Races	*	0	0	- Less than Weekly Injection Use	5	7	13
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	55	31	49	0	77	60	68
High School Graduate or G.E.D.	47	52	53	1 or 2	31	23	31
Associate Degree or Some College	16	12	7	3 or More	10	13	12
Bachelor or Advanced Degree	0	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	24	22	24
Employed	30	22	21	School	0	*	0
Unemployed	45	44	49	Mental Health Provider	0	0	*
Not in Labor Force	43	30	41	Health Care Provider	10	13	12
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	50	35	49
Independent Living	99	79	88	Other Referral Source	29	17	17
Dependent Living	11	15	21	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	6	*	*
MARITAL / FAMILY STATUS				Military Veteran	5	9	6
Never Married	63	37	42	Special Education Services Needed	13	5	13
Married / Cohabiting	26	29	40	Co-Occurring Psychological Problem	50	42	52
Previously Married	29	30	29	Co-Occurring Developmental Problem	*	7	11

RIPLEY COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 19
CENSUS 2010 14,100
2015 POPULATION ESTIMATE 13,802

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	*	*	*
Anxiety Disorder	25	26	18
Dementia	0	0	0
Developmental Disorder	0	*	0
Impulse Control Disorder	10	10	12
Mood Disorder	95	99	97
Personality Disorder	*	*	*
Psychotic Disorder	18	17	13
Sexual Disorder	*	*	*
Other Diagnosis	0	*	*
Diagnosis Unknown	12	14	8

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	155	163	148	Less than High School Diploma	49	53	34
AGE				High School Grad or G.E.D.	0	0	0
Under 6	0	0	*	Associate Degree or Some College	0	0	0
6 to 9	5	9	9	Bachelor or Advanced Degree	0	0	0
10 to 13	9	13	9	Education Level Unknown	106	110	114
14 to 17	8	10	9	EMPLOYMENT			
18 to 24	11	16	12	Employed	7	7	0
25 to 29	17	14	18	Unemployed	5	10	*
30 to 34	15	17	12	Not in Labor Force	106	97	70
35 to 39	21	13	12	Employment Status Unknown	37	49	76
40 to 44	14	12	11	HOUSING / LIVING ARRANGEMENT			
45 to 49	14	14	17	Independent Living	85	82	47
50 to 54	16	16	18	Dependent Living	31	26	29
55 to 59	11	18	11	Homeless	0	*	0
60 and Over	14	11	9	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	39	51	72
GENDER				TREATMENT REFERRAL SOURCE			
Male	70	70	63	Self / Family / Friend	61	53	51
Female	85	93	85	School	0	*	*
Gender Unknown	0	0	0	Mental Health Provider	14	13	11
RACE / ETHNICITY				Health Care Provider	32	41	42
Caucasian	152	159	145	Court / Criminal Justice	18	18	15
African American	*	*	0	Other	30	36	27
Native American / Alaskan	0	0	*	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	0	*	*	Voluntary	153	161	148
Other Race	*	*	*	Civil	0	*	0
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	9	10	10	Commitment Type Unknown	0	0	0
Past or Current Military Service	*	*	*				

RIPLEY COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	40.5		41.7	46.5	Alcohol	7.0		13.1	21.2
Chewing Tobacco	7.0		17.5	22.2	Alcohol (5+ drinks on single occasion past 2 weeks)	1.4			
Cigarettes	13.0		22.2	36.5	Chewing Tobacco	2.8		10.7	12.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0		2.4	1.4	Cigarettes	3.7		11.9	17.5
Cocaine	0.0		3.2	2.1	Inhalants	0.0		0.0	3.9
Electronic Cigarettes	13.1				Marijuana	4.2		11.5	10.2
Hallucinogens	0.0		2.4	2.1	Over-the-counter medications for non-medical use	0.5		5.6	4.3
Heroin	0.0		0.8	0.7	Prescription medications not prescribed for student	3.7		4.3	8.8
Inhalants	1.4		4.0	9.1	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	8.4		15.5	19.6	Alcohol (1 or 2 drinks daily)	58.6			
Methamphetamine	0.5		1.6	0.7	Alcohol (Binge: 5+ drinks once or twice a week)	90.7			
Over-the-counter medications for non-medical use	1.4		10.7	7.4	Cigarettes (1+ packs per day)	93.0			
Prescription medications not prescribed for student	6.5		11.1	15.1	Marijuana (once or twice a week)	72.6			
Synthetic drugs (K2, bath salts, Spice, etc)	0.5		7.1		Other: Cocaine, LSD, Meth, Club Drug (any use)	98.1		98.8	94.0
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.39		12.96	12.09	Alcohol	80.0		79.8	76.9
Cigarettes	13.53		11.73	11.81	Cigarettes	94.9		92.1	90.5
Inhalants			13.83	12.89	Marijuana	95.3		95.5	93.6
Marijuana	14.22		13.46	12.92	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	70.2		61.1	59.1
Alcohol	73.2		48.4	62.1	Cigarettes	93.0		86.1	76.7
Cigarettes	20.5		42.5	53.0	Marijuana	79.0		87.7	81.9
Marijuana	63.6		35.5	39.0	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	100.0		96.4	95.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	6.5		7.9	17.5	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	67.4		50.2	56.5
Alcohol	26.5		31.0	33.9	Cigarettes	55.6		54.8	62.5
Cigarettes	1.9		11.5	16.9	Marijuana	64.5		42.3	42.8
Marijuana	20.0		12.7	14.0	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	38.1		14.3	17.2
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	30.0		62.6	67.6	Were grouchy, irritable, or in a bad mood	18.6		21.8	18.6
Were victims of mean rumors or lies spread at school	27.7		55.2	58.8	Had difficulty concentrating on school work	17.3		18.7	23.6
Were victims of an embarrassing or hurtful text message or something posted on the Internet	11.2		18.4	15.3	Were very sad	10.3		23.7	12.2
					Felt hopeless about the future	7.5		6.5	10.6
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	5.2		6.4	10.8	Parents involve student in making family decisions	77.2		68.3	68.3
Made plan about how they would attempt suicide	3.8		4.8	10.5	Parents notice and comment on student's good work	92.1		76.6	84.5
Attempted suicide	1.9		1.6	4.9	Teachers notice and comment on student's good work	87.4			

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

SAINT CHARLES COUNTY



DBH REGION	Eastern
DBH SERVICE AREAS	
Substance Use	16
Adult Psychiatric	16
POPULATION	
Census 2010	360,485
2015 Estimate	385,590

BIRTH RISK	2014	2013	2012
Resident Births	4,539	4,548	4,439
Mother Reported Smoking while Pregnant	421	477	496

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	12	13	17
Hepatitis B Chronic, Acute, Prenatal	24	19	24
Hepatitis C Chronic and Acute	140	156	103
Tuberculosis Infection Cases	80	102	104

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	2,621	2,494	2,325
Suicides	46	52	41
Homicides	6	5	6
Alcohol Induced Deaths	21	17	24
Drug Induced Deaths	66	62	44
Smoking Attributable Deaths	446	433	389
Self-inflicted Injuries	338	311	344
Assault Injuries	576	650	856

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	2,315	2,336	1,810
Mental Illness Secondary Diagnosis	3,422	3,889	3,026
Alcohol Principal Diagnosis	212	236	180
Alcohol Secondary Diagnosis	226	256	221
Drug Principal Diagnosis	168	143	128
Drug Secondary Diagnosis	197	205	146
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	1,739	1,483	2,000
Mental Illness Secondary Diagnosis	6,243	5,485	6,223
Alcohol Principal Diagnosis	175	147	174
Alcohol Secondary Diagnosis	662	543	634
Drug Principal Diagnosis	95	91	94
Drug Secondary Diagnosis	305	233	270
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	2,283	2,117	2,148
Mental Illness Secondary Diagnosis	7,508	8,730	8,924
Alcohol Principal Diagnosis	460	495	528
Alcohol Secondary Diagnosis	444	468	580
Drug Principal Diagnosis	466	402	414
Drug Secondary Diagnosis	444	632	739

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	472	464	459
Alcohol Package Carry-out Licenses	229	224	222

EMPLOYMENT	2015	2014	2013
Labor Force	217,394	209,352	200,503
Employed	209,013	199,201	189,201
Unemployed	8,381	10,151	11,302
Unemployment Rate	3.9%	4.8%	5.6%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	303	338	290
Fatal Crashes	7	4	5
Injury Crashes	88	111	106
Property Damage Crashes	223	227	179
Crash Fatalities	7	4	5
Crash Injuries	121	148	169
Drug Involved Crashes	60	54	53
Fatal Crashes	3	1	3
Injury Crashes	18	21	16
Property Damage Crashes	39	32	34
Crash Fatalities	3	1	3
Crash Injuries	26	30	25

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	1,879	1,935	2,175
Liquor Law Arrests	352	336	705
Drug Arrests	1,589	1,574	1,422
Violent Offenses	468	464	516
Property Offenses	5,682	6,264	6,772
Domestic Violence Reports	1,488	1,484	1,262
	2015	2014	2013
Methamphetamine Lab Seizures	27	106	119

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	17,874	17,894	17,688
Drop-outs	264	230	251
Drop-out Rate	1.5%	1.3%	1.4%
School Discipline Involving Alcohol	37	28	14
School Discipline Involving Drugs	153	117	219
School Discipline Involving Tobacco	0	4	5

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	241	292	305
Juvenile Alcohol Offenses	51	58	116
Juvenile Drug Offenses	136	191	209
School Truancy Status Offense	44	65	75
Absent from Home Status Offense	120	160	223
Beyond Parental Control Status Offense	7	3	7
Injurious Behavior Status Offense	55	38	54
Child Abuse	19	20	10
Child Neglect	180	170	182
Child Custody Issues	25	19	20

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	143	146	165
Parental Alcohol Use Related	3	8	5
Parental Drug Use Related	55	49	79
Parental Alcohol and Drug Use	6	8	2

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	277	297	334
Probation/Parole Admissions--Drug	502	488	469
Probation/Parole Admissions--DWI	122	169	159
Prison Admissions--Drug	214	263	236
Prison Admissions--DWI	38	54	59

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.

³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

SAINT CHARLES COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	97	102	103
CSTAR Adolescent	128	133	108
CSTAR Women and Children	101	106	124
CSTAR General Adult	323	233	245
CSTAR Opioid	35	42	61
Primary Recovery Treatment	22	15	60
Clinical SATOP (CIP, YCIP, SROP)	418	528	540
Other Substance Abuse Treatment	*	12	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	1,747	1,917	1,938
- Adolescent Diversion Education Program	186	142	52
- Offender Education Program	672	706	717
- Weekend Intervention Program	319	363	423
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	18	12	26
Compulsive Gambling	27	14	29
Recovery Supports	*	6	5
Early Intervention	*	8	10


The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013
Total Individuals	1,056	1,069	1,130
AGE			
Under 18	132	134	108
18 to 24	155	192	218
25 to 29	175	194	208
30 to 34	188	177	187
35 to 39	118	110	115
40 to 44	91	74	92
45 to 54	145	134	160
55 and Over	52	54	42
GENDER			
Male	690	697	726
Female	366	372	404
RACE / ETHNICITY			
Caucasian	964	972	1,040
African American	56	60	55
Native American / Alaskan	*	*	0
Asian / Pacific Islander	*	*	*
Hispanic	11	16	15
Other Race / Two or More Races	26	19	22
EDUCATION			
Less than High School Diploma	269	274	291
High School Graduate or G.E.D.	442	394	451
Associate Degree or Some College	324	370	369
Bachelor or Advanced Degree	21	30	17
EMPLOYMENT			
Employed	458	473	463
Unemployed	251	251	354
Not in Labor Force	347	345	313
HOUSING / LIVING ARRANGEMENT			
Independent Living	830	838	926
Dependent Living	156	160	132
Homeless	48	35	42
MARITAL / FAMILY STATUS			
Never Married	685	669	732
Married / Cohabiting	192	206	179
Previously Married	179	194	219

PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Alcohol	520	561	626
Marijuana / Hashish	188	213	161
Cocaine (total)	21	12	13
- Crack	14	6	8
Stimulant (total)	34	33	36
- Methamphetamine	32	33	31
Heroin	233	188	230
Analgesic except Heroin	44	41	37
- Non-Prescription Methadone	*	*	*
PCP, LSD, other Hallucinogen	*	*	*
Tranquilizer	9	11	9
Inhalant	0	0	0
Sedative	*	*	*
Other Medication or Illicit Drug	*	8	13
Average Age at First Use of Drug	17.6	17.4	17.7
INJECTION DRUG USE			
Any Injection Use at Admission	215	171	216
- Daily Injection Use	97	78	91
- Weekly Injection Use	50	40	63
- Less than Weekly Injection Use	68	53	62
LIFETIME DUI / DWI ARRESTS			
0	473	400	404
1 or 2	354	437	457
3 or More	229	232	269
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	279	242	277
School	11	24	9
Mental Health Provider	13	15	18
Health Care Provider	49	28	42
Court / Criminal Justice	558	653	678
Other Referral Source	110	88	79
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	28	29	24
Military Veteran	61	65	61
Special Education Services Needed	112	66	59
Co-Occurring Psychological Problem	361	296	368
Co-Occurring Developmental Problem	27	16	42

SAINT CHARLES COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Eastern
PSYCHIATRIC SERVICE AREA 16
CENSUS 2010 360,485
2015 POPULATION ESTIMATE 385,590

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	55	33	32
Anxiety Disorder	1,495	1,223	1,011
Dementia	7	*	6
Developmental Disorder	97	78	75
Impulse Control Disorder	811	654	616
Mood Disorder	2,096	1,887	1,659
Personality Disorder	232	212	186
Psychotic Disorder	379	347	319
Sexual Disorder	5	*	*
Other Diagnosis	174	157	152
Diagnosis Unknown	96	89	121

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	2,892	2,562	2,345	Less than High School Diploma	939	839	805
AGE				High School Grad or G.E.D.	0	*	33
Under 6	11	8	15	Associate Degree or Some College	0	*	7
6 to 9	203	193	193	Bachelor or Advanced Degree	0	*	9
10 to 13	308	244	220	Education Level Unknown	1,953	1,713	1,491
14 to 17	329	252	255	EMPLOYMENT			
18 to 24	250	246	216	Employed	262	238	175
25 to 29	226	194	188	Unemployed	214	208	184
30 to 34	277	236	200	Not in Labor Force	1,583	1,370	1,339
35 to 39	219	198	159	Employment Status Unknown	833	746	647
40 to 44	200	190	173	HOUSING / LIVING ARRANGEMENT			
45 to 49	212	234	227	Independent Living	1,374	1,217	1,097
50 to 54	282	260	228	Dependent Living	617	521	537
55 to 59	209	177	164	Homeless	35	41	37
60 and Over	166	130	107	Other	0	*	0
Age Unknown	0	0	0	Housing Unknown	866	782	674
GENDER				TREATMENT REFERRAL SOURCE			
Male	1,313	1,214	1,140	Self / Family / Friend	1,105	892	648
Female	1,579	1,348	1,205	School	351	315	324
Gender Unknown	0	0	0	Mental Health Provider	144	168	196
RACE / ETHNICITY				Health Care Provider	454	361	276
Caucasian	2,412	2,154	1,987	Court / Criminal Justice	58	62	62
African American	267	218	194	Other	763	749	824
Native American / Alaskan	*	*	*	Referral Source Unknown	17	15	15
Asian / Pacific Islander	12	9	9	TYPE OF COMMITMENT			
Hispanic	64	56	45	Voluntary	2,856	2,524	2,305
Other Race	136	123	109	Civil	*	*	7
Race/Ethnicity Unknown	0	0	0	Criminal	13	15	13
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	77	67	51	Commitment Type Unknown	17	18	19
Past or Current Military Service	52	43	28				

SAINT CHARLES COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	34.7	33.2	32.1	44.0	Alcohol	15.6	15.1	14.5	21.7
Chewing Tobacco	4.5	5.8	3.9	7.6	Alcohol (5+ drinks on single occasion past 2 weeks)	6.1	6.8		
Cigarettes	11.5	15.8	14.6	22.5	Chewing Tobacco	1.7	2.9	2.1	4.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.1	1.9	1.7	2.4	Cigarettes	4.2	7.0	7.1	12.1
Cocaine	0.8	1.3	1.2	1.8	Inhalants	1.0	1.0	2.0	3.4
Electronic Cigarettes	21.0	25.1			Marijuana	7.7	8.4	6.7	9.0
Hallucinogens	1.9	2.6	2.0	3.6	Over-the-counter medications for non-medical use	1.3	1.4	3.6	5.0
Heroin	0.2	0.5	0.6	0.7	Prescription medications not prescribed for student	7.8	4.3	3.8	6.4
Inhalants	2.3	3.2	4.5	6.7	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	14.4	15.4	11.9	16.2	Alcohol (1 or 2 drinks daily)	72.7	64.7		
Methamphetamine	0.2	0.5	0.9	0.6	Alcohol (Binge: 5+ drinks once or twice a week)	82.7	76.1		
Over-the-counter medications for non-medical use	3.5	3.1	5.7	7.9	Cigarettes (1+ packs per day)	89.2	89.5		
Prescription medications not prescribed for student	11.3	8.2	7.0	10.5	Marijuana (once or twice a week)	67.0	64.9		
Synthetic drugs (K2, bath salts, Spice, etc)	1.3	3.9	5.2		Other: Cocaine, LSD, Meth, Club Drug (any use)	93.7	93.3	95.2	93.6
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.44	13.07	12.84	12.42	Alcohol	83.5	80.3	82.6	78.1
Cigarettes	13.44	13.21	12.86	12.53	Cigarettes	96.6	94.3	94.6	91.7
Inhalants	11.08	11.63	11.14	11.66	Marijuana	92.9	91.5	95.5	94.1
Marijuana	14.33	13.80	13.75	13.47	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	68.1	62.2	66.1	56.5
Alcohol	44.3	47.5	47.2	59.0	Cigarettes	92.3	86.4	87.4	80.8
Cigarettes	25.2	33.7	36.9	47.3	Marijuana	79.9	77.6	84.6	81.1
Marijuana	36.1	36.5	34.4	39.4	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.1	95.1	96.5	94.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.7	13.8	16.2	20.5	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	58.1	59.7	57.5	63.4
Alcohol	23.4	25.7	24.5	33.5	Cigarettes	44.4	47.4	46.3	55.2
Cigarettes	5.7	9.4	8.6	13.5	Marijuana	38.1	37.2	33.6	37.5
Marijuana	13.6	14.7	10.1	13.5	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.9	14.3	14.2	17.9
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	60.5	59.1	58.7	70.6	Were grouchy, irritable, or in a bad mood	28.8	25.6	19.9	21.3
Were victims of mean rumors or lies spread at school	44.2	43.8	41.9	52.2	Had difficulty concentrating on school work	28.6	27.9	24.3	25.5
Were victims of an embarrassing or hurtful text message or something posted on the Internet	25.4	26.6	20.6	21.7	Were very sad	19.5	20.5	15.8	14.5
					Felt hopeless about the future	11.1	12.0	10.6	11.0
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	10.9	11.5	9.6	11.1	Parents involve student in making family decisions	70.7	68.8	69.3	69.5
Made plan about how they would attempt suicide	7.3	8.0	7.2	7.7	Parents notice and comment on student's good work	84.0	81.5	84.2	83.1
Attempted suicide	3.9	4.4	4.2	5.0	Teachers notice and comment on student's good work	70.6	68.3		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

SAINT CLAIR COUNTY



DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	8
Adult Psychiatric	8B
POPULATION	
Census 2010	9,805
2015 Estimate	9,440

BIRTH RISK	2014	2013	2012
Resident Births	101	95	85
Mother Reported Smoking while Pregnant	26	27	16

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	2	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	0
Hepatitis C Chronic and Acute	12	14	9
Tuberculosis Infection Cases	0	0	1

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	146	139	140
Suicides	3	1	1
Homicides	0	0	1
Alcohol Induced Deaths	0	1	1
Drug Induced Deaths	0	0	0
Smoking Attributable Deaths	27	29	35
Self-inflicted Injuries	9	14	12
Assault Injuries	21	18	36

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	77	61	69
Mental Illness Secondary Diagnosis	221	200	214
Alcohol Principal Diagnosis	4	1	7
Alcohol Secondary Diagnosis	15	10	10
Drug Principal Diagnosis	2	2	3
Drug Secondary Diagnosis	11	19	15
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	19	8	14
Mental Illness Secondary Diagnosis	127	149	159
Alcohol Principal Diagnosis	10	5	5
Alcohol Secondary Diagnosis	13	25	12
Drug Principal Diagnosis	1	6	4
Drug Secondary Diagnosis	13	17	8
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	86	58	87
Mental Illness Secondary Diagnosis	237	309	235
Alcohol Principal Diagnosis	12	4	14
Alcohol Secondary Diagnosis	23	19	32
Drug Principal Diagnosis	8	10	10
Drug Secondary Diagnosis	27	12	20

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	3	3	4
Alcohol Package Carry-out Licenses	15	14	17

EMPLOYMENT	2015	2014	2013
Labor Force	4,025	3,981	3,956
Employed	3,748	3,674	3,660
Unemployed	277	307	296
Unemployment Rate	6.9%	7.7%	7.5%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	6	10	11
Fatal Crashes	0	1	0
Injury Crashes	5	4	7
Property Damage Crashes	5	5	4
Crash Fatalities	0	3	0
Crash Injuries	8	5	7
Drug Involved Crashes	4	1	0
Fatal Crashes	0	0	0
Injury Crashes	2	0	0
Property Damage Crashes	2	1	0
Crash Fatalities	0	0	0
Crash Injuries	5	0	0

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	20	23	30
Liquor Law Arrests	4	1	1
Drug Arrests	33	23	26
Violent Offenses	39	26	25
Property Offenses	194	128	236
Domestic Violence Reports	67	24	12
	2015	2014	2013
Methamphetamine Lab Seizures	0	0	9

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	409	393	396
Drop-outs	1	12	10
Drop-out Rate	0.2%	3.1%	2.5%
School Discipline Involving Alcohol	2	1	2
School Discipline Involving Drugs	2	0	3
School Discipline Involving Tobacco	0	1	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	3	9	4
Juvenile Alcohol Offenses	1	0	2
Juvenile Drug Offenses	3	1	4
School Truancy Status Offense	6	7	2
Absent from Home Status Offense	5	0	3
Beyond Parental Control Status Offense	5	4	2
Injurious Behavior Status Offense	18	16	11
Child Abuse	0	2	19
Child Neglect	24	28	34
Child Custody Issues	0	1	0

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	17	7	6
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	5	4	0
Parental Alcohol and Drug Use	1	0	0

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	10	5	9
Probation/Parole Admissions--Drug	26	26	17
Probation/Parole Admissions--DWI	0	2	1
Prison Admissions--Drug	7	6	9
Prison Admissions--DWI	2	1	0

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.

³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

SAINT CLAIR COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	*	*	6
CSTAR Adolescent	5	0	*
CSTAR Women and Children	*	*	*
CSTAR General Adult	40	31	37
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	0	*
Clinical SATOP (CIP, YCIP, SROP)	7	5	7
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	23	25	28
- Adolescent Diversion Education Program	0	0	*
- Offender Education Program	7	15	10
- Weekend Intervention Program	*	*	6
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	0	*
Compulsive Gambling	0	0	0
Recovery Supports	9	19	23
Early Intervention	0	0	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	60	54	63	Alcohol	19	14	22
AGE				Marijuana / Hashish	17	18	13
Under 18	*	0	*	Cocaine (total)	*	*	*
18 to 24	8	8	11	- Crack	*	*	*
25 to 29	8	9	*	Stimulant (total)	16	16	23
30 to 34	11	13	12	- Methamphetamine	15	14	23
35 to 39	9	8	14	Heroin	*	0	0
40 to 44	9	7	5	Analgesic except Heroin	*	*	*
45 to 54	9	8	12	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	0	0
Male	40	35	43	Inhalant	0	0	0
Female	20	19	20	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	55	52	60	Average Age at First Use of Drug	18.0	17.0	17.4
African American	*	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	5	5	10
Asian / Pacific Islander	*	*	0	- Daily Injection Use	*	0	*
Hispanic	0	0	0	- Weekly Injection Use	*	*	6
Other Race / Two or More Races	*	0	0	- Less than Weekly Injection Use	*	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	21	14	16	0	36	33	39
High School Graduate or G.E.D.	31	31	32	1 or 2	17	12	12
Associate Degree or Some College	7	9	14	3 or More	7	9	12
Bachelor or Advanced Degree	*	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	15	13	26
Employed	14	18	23	School	0	0	0
Unemployed	13	15	12	Mental Health Provider	*	*	0
Not in Labor Force	33	21	28	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	13	6	13
Independent Living	49	48	50	Other Referral Source	26	32	22
Dependent Living	6	*	*	TREATMENT ACCOMMODATION			
Homeless	0	0	*	Pregnant when Admitted to any Episode	0	*	0
MARITAL / FAMILY STATUS				Military Veteran	*	0	*
Never Married	32	29	26	Special Education Services Needed	*	0	0
Married / Cohabiting	13	14	16	Co-Occurring Psychological Problem	20	12	13
Previously Married	15	11	21	Co-Occurring Developmental Problem	0	0	0

SAINT CLAIR COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southwest
PSYCHIATRIC SERVICE AREA 8B
CENSUS 2010 9,805
2015 POPULATION ESTIMATE 9,440

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	*	*	*
Anxiety Disorder	41	42	52
Dementia	0	0	0
Developmental Disorder	*	0	*
Impulse Control Disorder	12	9	11
Mood Disorder	52	62	80
Personality Disorder	8	5	8
Psychotic Disorder	11	13	16
Sexual Disorder	0	0	0
Other Diagnosis	8	7	11
Diagnosis Unknown	5	10	13

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	78	91	114	Less than High School Diploma	27	34	47
AGE				High School Grad or G.E.D.	0	0	0
Under 6	0	0	0	Associate Degree or Some College	0	0	0
6 to 9	7	6	8	Bachelor or Advanced Degree	0	0	0
10 to 13	7	8	10	Education Level Unknown	51	57	67
14 to 17	6	8	12	EMPLOYMENT			
18 to 24	*	*	5	Employed	5	*	*
25 to 29	*	*	*	Unemployed	*	*	*
30 to 34	11	8	15	Not in Labor Force	49	60	72
35 to 39	6	11	11	Employment Status Unknown	22	24	36
40 to 44	9	11	12	HOUSING / LIVING ARRANGEMENT			
45 to 49	7	8	11	Independent Living	40	37	44
50 to 54	12	12	17	Dependent Living	18	28	35
55 to 59	*	6	8	Homeless	0	*	*
60 and Over	*	5	*	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	20	23	34
GENDER				TREATMENT REFERRAL SOURCE			
Male	32	43	50	Self / Family / Friend	36	50	70
Female	46	48	64	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	0	*	*
RACE / ETHNICITY				Health Care Provider	12	12	13
Caucasian	77	89	112	Court / Criminal Justice	*	*	*
African American	0	0	0	Other	26	22	24
Native American / Alaskan	0	0	0	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	0	0	0	Voluntary	76	86	111
Other Race	*	*	*	Civil	0	*	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	*	*	*
Past or Current Military Service	*	*	0				

SAINT CLAIR COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	13.2		73.8	72.2	Alcohol	0.0		34.9	37.3
Chewing Tobacco	0.0		12.8	30.1	Alcohol (5+ drinks on single occasion past 2 weeks)	0.0			
Cigarettes	20.0		32.9	44.6	Chewing Tobacco	0.0		6.7	11.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0		0.7	4.1	Cigarettes	16.4		20.8	23.9
Cocaine	0.0		0.7	2.9	Inhalants	14.5		0.7	4.0
Electronic Cigarettes	16.4				Marijuana	0.0		6.7	12.6
Hallucinogens	0.0		0.7	1.2	Over-the-counter medications for non-medical use	11.3		3.4	5.2
Heroin	0.0		0.7	2.3	Prescription medications not prescribed for student	0.0		3.4	5.6
Inhalants	16.4		6.0	6.3					
Marijuana	0.0		28.2	32.6	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.0		2.0	4.5	Alcohol (1 or 2 drinks daily)	54.2			
Over-the-counter medications for non-medical use	11.3		3.4	12.8	Alcohol (Binge: 5+ drinks once or twice a week)	100.0			
Prescription medications not prescribed for student	0.0		6.0	10.8	Cigarettes (1+ packs per day)	68.8			
Synthetic drugs (K2, bath salts, Spice, etc)	11.3		21.5		Marijuana (once or twice a week)	81.6			
					Other: Cocaine, LSD, Meth, Club Drug (any use)	81.6		96.0	91.4
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol			12.60	12.26	Alcohol	88.3		79.2	57.4
Cigarettes	9.00		11.51	13.35	Cigarettes	100.0		93.3	80.5
Inhalants			14.06	14.11	Marijuana	85.0		96.0	88.7
Marijuana			13.11	13.73					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	40.7		78.7	84.1	Alcohol	85.4		25.5	42.9
Cigarettes	43.6		71.8	74.6	Cigarettes	100.0		81.9	72.2
Marijuana	29.1		53.7	52.8	Marijuana	100.0		82.6	77.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	4.3		12.1	25.6	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	100.0		96.0	94.9
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	0.0		57.0	55.1	Alcohol	22.9		89.9	68.2
Cigarettes	0.0		13.4	27.8	Cigarettes	39.6		63.1	69.9
Marijuana	0.0		6.7	19.9	Marijuana	18.4		45.0	47.7
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	0.0		18.8	29.4
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	64.5		67.3	76.1	Were grouchy, irritable, or in a bad mood	17.7		19.5	19.3
Were victims of mean rumors or lies spread at school	39.3		28.2	58.4	Had difficulty concentrating on school work	29.0		22.4	23.9
Were victims of an embarrassing or hurtful text message or something posted on the Internet	29.0		12.9	24.2	Were very sad	29.0		15.4	16.5
					Felt hopeless about the future	14.5		1.3	10.3
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	0.0		2.7	11.4	Parents involve student in making family decisions	88.7		83.8	58.3
Made plan about how they would attempt suicide	0.0		2.7	13.6	Parents notice and comment on student's good work	85.5		87.9	79.7
Attempted suicide	0.0		2.7	5.7	Teachers notice and comment on student's good work	82.3			

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

SAINTE GENEVIEVE COUNTY



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	21
Adult Psychiatric	21
POPULATION	
Census 2010	18,145
2015 Estimate	17,919

BIRTH RISK	2014	2013	2012
Resident Births	207	174	156
Mother Reported Smoking while Pregnant	46	34	37

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	1	0
Hepatitis C Chronic and Acute	9	9	16
Tuberculosis Infection Cases	2	0	1

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	199	186	190
Suicides	3	4	2
Homicides	0	0	0
Alcohol Induced Deaths	0	3	1
Drug Induced Deaths	3	0	5
Smoking Attributable Deaths	35	34	40
Self-inflicted Injuries	12	21	20
Assault Injuries	34	31	42

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	124	160	140
Mental Illness Secondary Diagnosis	360	410	395
Alcohol Principal Diagnosis	3	12	4
Alcohol Secondary Diagnosis	21	32	18
Drug Principal Diagnosis	16	7	9
Drug Secondary Diagnosis	14	9	8
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	41	10	27
Mental Illness Secondary Diagnosis	180	119	151
Alcohol Principal Diagnosis	5	4	2
Alcohol Secondary Diagnosis	20	15	19
Drug Principal Diagnosis	2	2	3
Drug Secondary Diagnosis	10	7	7
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	159	168	149
Mental Illness Secondary Diagnosis	285	250	252
Alcohol Principal Diagnosis	20	21	19
Alcohol Secondary Diagnosis	26	19	18
Drug Principal Diagnosis	33	30	28
Drug Secondary Diagnosis	19	28	22

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	41	45	42
Alcohol Package Carry-out Licenses	21	20	19

EMPLOYMENT	2015	2014	2013
Labor Force	9,172	9,025	9,731
Employed	8,686	8,431	9,111
Unemployed	486	594	620
Unemployment Rate	5.3%	6.6%	6.4%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	20	21	17
Fatal Crashes	0	1	2
Injury Crashes	12	8	8
Property Damage Crashes	12	12	7
Crash Fatalities	0	1	2
Crash Injuries	15	11	14
Drug Involved Crashes	4	5	3
Fatal Crashes	1	0	0
Injury Crashes	2	3	1
Property Damage Crashes	1	2	2
Crash Fatalities	1	0	0
Crash Injuries	5	4	1

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	133	112	112
Liquor Law Arrests	15	6	21
Drug Arrests	144	121	81
Violent Offenses	64	45	61
Property Offenses	209	199	233
Domestic Violence Reports	91	118	99
	2015	2014	2013
Methamphetamine Lab Seizures	1	6	2

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	613	632	622
Drop-outs	7	6	11
Drop-out Rate	1.1%	1.0%	1.8%
School Discipline Involving Alcohol	0	0	3
School Discipline Involving Drugs	4	0	0
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	27	25	46
Juvenile Alcohol Offenses	1	4	2
Juvenile Drug Offenses	5	3	5
School Truancy Status Offense	16	33	36
Absent from Home Status Offense	12	1	2
Beyond Parental Control Status Offense	8	13	4
Injurious Behavior Status Offense	7	2	5
Child Abuse	7	3	0
Child Neglect	2	3	6
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	9	4	6
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	4	0	4
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	18	17	15
Probation/Parole Admissions--Drug	58	57	55
Probation/Parole Admissions--DWI	11	10	6
Prison Admissions--Drug	31	21	31
Prison Admissions--DWI	2	2	3

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

SAINTE GENEVIEVE COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	15	9	16
CSTAR Adolescent	14	*	9
CSTAR Women and Children	*	*	*
CSTAR General Adult	66	46	53
CSTAR Opioid	*	0	*
Primary Recovery Treatment	8	5	25
Clinical SATOP (CIP, YCIP, SROP)	16	13	21
Other Substance Abuse Treatment	0	0	*


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	69	62	75
- Adolescent Diversion Education Program	*	0	*
- Offender Education Program	30	23	30
- Weekend Intervention Program	16	18	16
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	7	15	15
Early Intervention	6	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	111	78	102	Alcohol	37	25	46
AGE				Marijuana / Hashish	22	15	23
Under 18	14	*	6	Cocaine (total)	*	*	*
18 to 24	19	19	26	- Crack	0	*	*
25 to 29	12	14	17	Stimulant (total)	15	11	9
30 to 34	19	11	17	- Methamphetamine	15	10	8
35 to 39	14	8	11	Heroin	23	16	11
40 to 44	8	*	9	Analgesic except Heroin	9	6	12
45 to 54	18	17	9	- Non-Prescription Methadone	0	0	0
55 and Over	7	*	7	PCP, LSD, other Hallucinogen	*	0	0
GENDER				Tranquilizer	*	*	0
Male	72	52	66	Inhalant	0	0	0
Female	39	26	36	Sedative	*	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	*	0
Caucasian	104	76	98	Average Age at First Use of Drug	18.0	18.7	18.2
African American	*	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	22	20	16
Asian / Pacific Islander	0	0	0	- Daily Injection Use	5	5	6
Hispanic	0	0	0	- Weekly Injection Use	5	*	*
Other Race / Two or More Races	*	0	*	- Less than Weekly Injection Use	12	12	8
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	40	18	28	0	63	42	50
High School Graduate or G.E.D.	51	47	56	1 or 2	29	24	33
Associate Degree or Some College	20	13	18	3 or More	19	12	19
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	31	17	22
Employed	33	25	39	School	0	0	*
Unemployed	42	35	46	Mental Health Provider	0	0	0
Not in Labor Force	36	18	17	Health Care Provider	5	*	0
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	63	50	67
Independent Living	95	67	93	Other Referral Source	10	7	10
Dependent Living	15	6	7	TREATMENT ACCOMMODATION			
Homeless	0	*	0	Pregnant when Admitted to any Episode	0	*	*
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	63	48	58	Special Education Services Needed	6	*	6
Married / Cohabiting	27	12	23	Co-Occurring Psychological Problem	44	27	32
Previously Married	21	18	21	Co-Occurring Developmental Problem	6	*	7

SAINTE GENEVIEVE COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 21
CENSUS 2010 18,145
2015 POPULATION ESTIMATE 17,919

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	45	54	39
Anxiety Disorder	62	75	51
Dementia	0	0	0
Developmental Disorder	*	0	0
Impulse Control Disorder	60	75	63
Mood Disorder	258	274	190
Personality Disorder	*	6	6
Psychotic Disorder	40	37	33
Sexual Disorder	0	0	0
Other Diagnosis	18	10	13
Diagnosis Unknown	36	40	44

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	454	501	393	Less than High School Diploma	56	47	53
AGE				High School Grad or G.E.D.	0	0	0
Under 6	0	*	0	Associate Degree or Some College	0	0	0
6 to 9	13	14	11	Bachelor or Advanced Degree	0	0	0
10 to 13	28	39	31	Education Level Unknown	398	454	340
14 to 17	49	39	29	EMPLOYMENT			
18 to 24	37	48	36	Employed	9	*	*
25 to 29	30	41	36	Unemployed	*	*	9
30 to 34	40	37	28	Not in Labor Force	110	94	105
35 to 39	45	52	45	Employment Status Unknown	332	400	275
40 to 44	45	38	33	HOUSING / LIVING ARRANGEMENT			
45 to 49	45	43	32	Independent Living	68	47	55
50 to 54	48	60	42	Dependent Living	53	55	63
55 to 59	40	37	33	Homeless	*	0	*
60 and Over	34	50	37	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	332	399	274
GENDER				TREATMENT REFERRAL SOURCE			
Male	199	219	170	Self / Family / Friend	304	275	216
Female	255	282	223	School	8	*	*
Gender Unknown	0	0	0	Mental Health Provider	15	42	25
RACE / ETHNICITY				Health Care Provider	42	79	61
Caucasian	419	455	360	Court / Criminal Justice	18	15	16
African American	18	21	14	Other	66	84	71
Native American / Alaskan	*	*	*	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	6	14	10	Voluntary	450	495	389
Other Race	10	10	8	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	19	25	20	Commitment Type Unknown	0	*	*
Past or Current Military Service	10	12	9				

SAINTE GENEVIEVE COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol		41.8			Alcohol		16.0		
Chewing Tobacco		8.9			Alcohol (5+ drinks on single occasion past 2 weeks)		6.6		
Cigarettes		18.6			Chewing Tobacco		4.7		
Club drugs (Ecstasy, GHB, roofie, Special K, etc)		2.4			Cigarettes		6.6		
Cocaine		0.9			Inhalants		0.9		
Electronic Cigarettes		18.2			Marijuana		7.0		
Hallucinogens		1.9			Over-the-counter medications for non-medical use		0.9		
Heroin		0.5			Prescription medications not prescribed for student		4.2		
Inhalants		3.7			<i>Percent who believe they risk harm if they use:</i>				
Marijuana		15.0			Alcohol (1 or 2 drinks daily)		59.0		
Methamphetamine		0.5			Alcohol (Binge: 5+ drinks once or twice a week)		75.4		
Over-the-counter medications for non-medical use		3.3			Cigarettes (1+ packs per day)		89.5		
Prescription medications not prescribed for student		8.5			Marijuana (once or twice a week)		72.0		
Synthetic drugs (K2, bath salts, Spice, etc)		6.5			Other: Cocaine, LSD, Meth, Club Drug (any use)		92.9		
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol		13.40			Alcohol		76.9		
Cigarettes		12.05			Cigarettes		92.5		
Inhalants		11.17			Marijuana		92.9		
Marijuana		13.78			<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol		65.1		
Alcohol		53.1			Cigarettes		91.0		
Cigarettes		32.7			Marijuana		83.1		
Marijuana		29.2			Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		96.7		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		12.7			<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol		55.9		
Alcohol		30.4			Cigarettes		42.5		
Cigarettes		7.5			Marijuana		32.9		
Marijuana		12.3			Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		13.1		
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others		61.0			Were grouchy, irritable, or in a bad mood		23.2		
Were victims of mean rumors or lies spread at school		49.5			Had difficulty concentrating on school work		23.2		
Were victims of an embarrassing or hurtful text message or something posted on the Internet		25.2			Were very sad		18.9		
<i>Percent of students who, in past 12 months:</i>					Felt hopeless about the future		13.2		
Seriously considered attempting suicide		14.6			<i>Percent of students who say that:</i>				
Made plan about how they would attempt suicide		9.9			Parents involve student in making family decisions		72.3		
Attempted suicide		5.6			Parents notice and comment on student's good work		84.0		
					Teachers notice and comment on student's good work		81.2		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

SAINT FRANCOIS COUNTY



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	17
Adult Psychiatric	17B
POPULATION	
Census 2010	65,359
2015 Estimate	66,520

BIRTH RISK	2014	2013	2012
Resident Births	724	743	751
Mother Reported Smoking while Pregnant	232	232	240

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	2	1	2
Hepatitis B Chronic, Acute, Prenatal	6	10	7
Hepatitis C Chronic and Acute	251	163	115
Tuberculosis Infection Cases	13	34	12

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	778	747	796
Suicides	3	7	16
Homicides	7	4	0
Alcohol Induced Deaths	6	2	8
Drug Induced Deaths	30	23	32
Smoking Attributable Deaths	155	148	169
Self-inflicted Injuries	114	174	172
Assault Injuries	277	292	332

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	1,034	1,013	851
Mental Illness Secondary Diagnosis	1,809	1,795	1,665
Alcohol Principal Diagnosis	46	46	33
Alcohol Secondary Diagnosis	96	131	103
Drug Principal Diagnosis	98	85	74
Drug Secondary Diagnosis	157	124	141
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	245	174	406
Mental Illness Secondary Diagnosis	1,144	1,259	1,749
Alcohol Principal Diagnosis	19	16	44
Alcohol Secondary Diagnosis	87	72	124
Drug Principal Diagnosis	22	20	46
Drug Secondary Diagnosis	87	84	112
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	1,148	952	1,190
Mental Illness Secondary Diagnosis	3,415	5,441	6,157
Alcohol Principal Diagnosis	142	139	129
Alcohol Secondary Diagnosis	119	163	208
Drug Principal Diagnosis	182	228	210
Drug Secondary Diagnosis	258	316	388

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	64	63	66
Alcohol Package Carry-out Licenses	57	53	55

EMPLOYMENT	2015	2014	2013
Labor Force	26,728	26,216	29,730
Employed	25,098	24,221	27,476
Unemployed	1,630	1,995	2,254
Unemployment Rate	6.1%	7.6%	7.6%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	49	54	59
Fatal Crashes	2	4	2
Injury Crashes	23	23	29
Property Damage Crashes	27	27	28
Crash Fatalities	2	4	2
Crash Injuries	36	33	40
Drug Involved Crashes	24	29	18
Fatal Crashes	0	2	0
Injury Crashes	9	10	8
Property Damage Crashes	15	17	10
Crash Fatalities	0	2	0
Crash Injuries	13	15	11

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	298	298	384
Liquor Law Arrests	47	41	68
Drug Arrests	502	442	398
Violent Offenses	187	152	177
Property Offenses	1,878	1,968	1,911
Domestic Violence Reports	295	252	277
	2015	2014	2013
Methamphetamine Lab Seizures	10	18	45

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	3,064	3,004	3,068
Drop-outs	40	52	39
Drop-out Rate	1.3%	1.7%	1.3%
School Discipline Involving Alcohol	0	1	3
School Discipline Involving Drugs	26	31	20
School Discipline Involving Tobacco	0	0	1

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	218	237	234
Juvenile Alcohol Offenses	6	11	6
Juvenile Drug Offenses	9	24	38
School Truancy Status Offense	85	143	132
Absent from Home Status Offense	4	11	5
Beyond Parental Control Status Offense	56	75	86
Injurious Behavior Status Offense	34	25	30
Child Abuse	26	13	11
Child Neglect	52	60	54
Child Custody Issues	1	0	1

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	88	78	63
Parental Alcohol Use Related	4	0	8
Parental Drug Use Related	47	28	25
Parental Alcohol and Drug Use	1	5	0

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	21	18	23
Probation/Parole Admissions--Drug	243	238	219
Probation/Parole Admissions--DWI	33	26	37
Prison Admissions--Drug	155	156	129
Prison Admissions--DWI	18	12	13

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

SAINT FRANCOIS COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	83	87	100
CSTAR Adolescent	18	28	14
CSTAR Women and Children	17	21	25
CSTAR General Adult	291	294	320
CSTAR Opioid	*	*	*
Primary Recovery Treatment	107	127	307
Clinical SATOP (CIP, YCIP, SROP)	40	58	41
Other Substance Abuse Treatment	0	*	*


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	207	277	270
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	93	119	132
- Weekend Intervention Program	54	72	70
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	0	*	*
Recovery Supports	*	17	11
Early Intervention	92	81	57

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	467	529	649	Alcohol	112	159	170
AGE				Marijuana / Hashish	122	102	122
Under 18	19	28	14	Cocaine (total)	7	11	6
18 to 24	57	73	131	- Crack	5	6	*
25 to 29	97	117	121	Stimulant (total)	86	87	119
30 to 34	95	111	131	- Methamphetamine	81	81	116
35 to 39	55	62	74	Heroin	62	76	103
40 to 44	43	46	66	Analgesic except Heroin	63	74	114
45 to 54	76	61	90	- Non-Prescription Methadone	*	*	0
55 and Over	25	31	22	PCP, LSD, other Hallucinogen	*	*	*
GENDER				Tranquilizer	11	7	8
Male	295	321	416	Inhalant	0	*	*
Female	172	208	233	Sedative	*	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	*	10	*
Caucasian	450	506	617	Average Age at First Use of Drug	19.0	18.8	19.1
African American	12	15	27	INJECTION DRUG USE			
Native American / Alaskan	*	*	*	Any Injection Use at Admission	106	113	151
Asian / Pacific Islander	0	0	0	- Daily Injection Use	33	39	41
Hispanic	*	6	9	- Weekly Injection Use	24	26	46
Other Race / Two or More Races	*	6	*	- Less than Weekly Injection Use	49	48	64
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	141	189	209	0	306	333	422
High School Graduate or G.E.D.	224	238	336	1 or 2	102	131	140
Associate Degree or Some College	101	96	99	3 or More	59	65	87
Bachelor or Advanced Degree	*	6	5	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	151	157	186
Employed	115	125	166	School	0	0	0
Unemployed	160	253	352	Mental Health Provider	*	*	6
Not in Labor Force	192	151	131	Health Care Provider	29	23	31
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	232	275	365
Independent Living	379	417	543	Other Referral Source	43	62	54
Dependent Living	56	90	77	TREATMENT ACCOMMODATION			
Homeless	22	19	21	Pregnant when Admitted to any Episode	10	17	14
MARITAL / FAMILY STATUS				Military Veteran	16	21	20
Never Married	235	279	335	Special Education Services Needed	54	44	56
Married / Cohabiting	118	130	173	Co-Occurring Psychological Problem	194	243	253
Previously Married	114	120	141	Co-Occurring Developmental Problem	16	33	85

SAINT FRANCOIS COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 17B
CENSUS 2010 65,359
2015 POPULATION ESTIMATE 66,520

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	10	12	14
Anxiety Disorder	256	250	244
Dementia	17	9	*
Developmental Disorder	20	19	18
Impulse Control Disorder	141	138	116
Mood Disorder	747	789	742
Personality Disorder	90	113	110
Psychotic Disorder	452	444	429
Sexual Disorder	131	132	118
Other Diagnosis	47	46	49
Diagnosis Unknown	239	172	229

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	1,816	1,769	1,740	Less than High School Diploma	381	381	411
AGE				High School Grad or G.E.D.	0	0	*
Under 6	6	12	12	Associate Degree or Some College	0	0	*
6 to 9	65	57	46	Bachelor or Advanced Degree	0	0	*
10 to 13	82	78	75	Education Level Unknown	1,435	1,388	1,324
14 to 17	108	95	83	EMPLOYMENT			
18 to 24	105	113	135	Employed	45	48	63
25 to 29	126	135	138	Unemployed	21	19	48
30 to 34	141	157	163	Not in Labor Force	768	768	784
35 to 39	159	151	153	Employment Status Unknown	982	934	845
40 to 44	184	185	163	HOUSING / LIVING ARRANGEMENT			
45 to 49	180	168	182	Independent Living	276	239	272
50 to 54	213	221	211	Dependent Living	544	589	607
55 to 59	186	168	165	Homeless	8	10	11
60 and Over	261	229	214	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	988	931	850
GENDER				TREATMENT REFERRAL SOURCE			
Male	1,074	1,052	1,025	Self / Family / Friend	488	519	522
Female	742	717	715	School	16	15	13
Gender Unknown	0	0	0	Mental Health Provider	356	311	272
RACE / ETHNICITY				Health Care Provider	365	340	299
Caucasian	1,613	1,578	1,544	Court / Criminal Justice	296	282	306
African American	154	146	153	Other	285	295	319
Native American / Alaskan	*	*	*	Referral Source Unknown	10	7	9
Asian / Pacific Islander	*	*	*	TYPE OF COMMITMENT			
Hispanic	18	15	17	Voluntary	1,535	1,487	1,463
Other Race	28	24	19	Civil	*	*	5
Race/Ethnicity Unknown	0	0	0	Criminal	139	138	146
TREATMENT ACCOMMODATION				Sexual Predatory	137	140	125
Hearing Impaired	94	88	85	Commitment Type Unknown	*	*	*
Past or Current Military Service	98	98	102				

SAINT FRANCOIS COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	38.8	37.3	44.5	46.4	Alcohol	16.1	16.5	21.3	22.3
Chewing Tobacco	16.6	19.7	20.3	16.7	Alcohol (5+ drinks on single occasion past 2 weeks)	7.5	7.2		
Cigarettes	26.0	28.4	30.0	31.9	Chewing Tobacco	7.7	10.3	10.0	9.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.2	2.0	2.6	1.6	Cigarettes	10.4	13.2	15.8	16.9
Cocaine	0.7	0.8	2.3	1.4	Inhalants	0.8	0.3	3.9	3.1
Electronic Cigarettes	31.5	24.6			Marijuana	6.7	10.0	11.7	9.0
Hallucinogens	1.9	1.8	3.8	3.0	Over-the-counter medications for non-medical use	2.3	1.4	5.0	5.5
Heroin	0.4	0.6	1.5	0.8	Prescription medications not prescribed for student	8.7	5.4	7.4	7.3
Inhalants	2.0	2.2	7.7	7.1	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	16.0	19.5	19.0	15.9	Alcohol (1 or 2 drinks daily)	60.5	56.3		
Methamphetamine	0.4	1.1	1.4	1.0	Alcohol (Binge: 5+ drinks once or twice a week)	72.4	67.2		
Over-the-counter medications for non-medical use	5.5	3.2	8.0	8.0	Cigarettes (1+ packs per day)	80.4	82.7		
Prescription medications not prescribed for student	13.6	9.0	11.8	12.7	Marijuana (once or twice a week)	66.9	62.4		
Synthetic drugs (K2, bath salts, Spice, etc)	2.1	3.5	7.4		Other: Cocaine, LSD, Meth, Club Drug (any use)	90.7	93.9	94.2	94.3
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.91	13.23	12.37	12.07	Alcohol	80.2	81.4	74.9	77.5
Cigarettes	12.69	13.11	12.23	11.68	Cigarettes	92.5	90.3	88.0	88.5
Inhalants	10.91	12.68	12.20	12.35	Marijuana	92.7	92.8	92.3	93.8
Marijuana	13.97	14.14	13.49	13.00	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	67.7	64.6	54.0	60.1
Alcohol	48.8	46.8	58.9	63.8	Cigarettes	83.1	81.6	75.0	76.5
Cigarettes	38.3	41.5	50.1	50.9	Marijuana	81.3	80.5	77.7	83.9
Marijuana	33.6	33.1	40.3	36.8	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.3	97.4	94.9	95.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.2	9.3	17.1	17.2	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	49.8	45.7	58.7	57.7
Alcohol	26.3	26.4	35.8	34.7	Cigarettes	51.2	50.4	57.1	59.0
Cigarettes	10.8	14.4	18.4	16.3	Marijuana	34.0	34.5	38.8	34.7
Marijuana	11.4	14.2	16.6	12.0	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.0	11.7	18.1	18.0
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	57.6	50.6	58.3	68.8	Were grouchy, irritable, or in a bad mood	33.5	21.3	30.2	24.5
Were victims of mean rumors or lies spread at school	45.6	44.4	48.8	56.6	Had difficulty concentrating on school work	28.1	19.6	28.2	28.6
Were victims of an embarrassing or hurtful text message or something posted on the Internet	24.7	20.6	21.7	18.8	Were very sad	26.1	18.6	21.9	18.1
					Felt hopeless about the future	13.7	9.1	13.0	12.5
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	15.2	12.4	15.2	11.8	Parents involve student in making family decisions	68.4	72.2	65.0	67.7
Made plan about how they would attempt suicide	11.7	8.5	11.9	8.9	Parents notice and comment on student's good work	80.8	85.0	79.1	82.6
Attempted suicide	6.7	5.4	7.3	5.1	Teachers notice and comment on student's good work	73.1	79.0		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

SAINT LOUIS COUNTY



DBH REGION	Eastern
DBH SERVICE AREAS	
Substance Use	23-25 (SL)
Adult Psychiatric	23
POPULATION	
Census 2010	998,954
2015 Estimate	1,003,362

BIRTH RISK	2014	2013	2012
Resident Births	11,706	11,510	11,534
Mother Reported Smoking while Pregnant	970	978	1,046

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	120	108	136
Hepatitis B Chronic, Acute, Prenatal	126	111	109
Hepatitis C Chronic and Acute	776	573	506
Tuberculosis Infection Cases	553	565	407

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	9,584	9,452	9,364
Suicides	150	133	134
Homicides	90	77	82
Alcohol Induced Deaths	58	53	65
Drug Induced Deaths	190	172	149
Smoking Attributable Deaths	1,474	1,439	1,465
Self-inflicted Injuries	816	818	929
Assault Injuries	2,913	3,347	3,886

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	4,510	5,138	3,942
Mental Illness Secondary Diagnosis	10,101	11,358	8,692
Alcohol Principal Diagnosis	331	421	323
Alcohol Secondary Diagnosis	712	943	479
Drug Principal Diagnosis	386	472	437
Drug Secondary Diagnosis	861	1,002	584
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	6,785	5,774	7,070
Mental Illness Secondary Diagnosis	21,920	20,100	24,273
Alcohol Principal Diagnosis	703	589	737
Alcohol Secondary Diagnosis	2,198	2,038	2,436
Drug Principal Diagnosis	396	380	429
Drug Secondary Diagnosis	1,528	1,292	1,687
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	7,090	7,697	7,678
Mental Illness Secondary Diagnosis	24,370	25,209	24,388
Alcohol Principal Diagnosis	1,638	1,740	1,767
Alcohol Secondary Diagnosis	1,548	1,595	1,770
Drug Principal Diagnosis	1,211	1,242	1,294
Drug Secondary Diagnosis	2,037	1,896	1,892

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	1,210	1,243	1,230
Alcohol Package Carry-out Licenses	650	648	644

EMPLOYMENT	2015	2014	2013
Labor Force	540,807	530,449	513,847
Employed	515,854	499,383	480,389
Unemployed	24,953	31,066	33,458
Unemployment Rate	4.6%	5.9%	6.5%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	683	701	774
Fatal Crashes	9	11	9
Injury Crashes	222	239	270
Property Damage Crashes	451	446	495
Crash Fatalities	9	16	10
Crash Injuries	303	322	369
Drug Involved Crashes	153	149	136
Fatal Crashes	2	3	1
Injury Crashes	67	57	62
Property Damage Crashes	84	89	73
Crash Fatalities	2	5	1
Crash Injuries	103	73	84

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	3,642	4,635	5,247
Liquor Law Arrests	977	1,140	1,493
Drug Arrests	6,312	7,509	8,312
Violent Offenses	3,069	2,821	3,020
Property Offenses	23,187	24,754	26,824
Domestic Violence Reports	3,788	3,898	4,336

	2015	2014	2013
Methamphetamine Lab Seizures	73	102	74

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	44,478	44,895	45,928
Drop-outs	861	979	1,060
Drop-out Rate	1.9%	2.2%	2.3%
School Discipline Involving Alcohol	37	62	74
School Discipline Involving Drugs	263	322	340
School Discipline Involving Tobacco	6	8	8

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	1,118	1,305	1,395
Juvenile Alcohol Offenses	127	124	173
Juvenile Drug Offenses	329	354	412
School Truancy Status Offense	367	368	362
Absent from Home Status Offense	829	961	1,033
Beyond Parental Control Status Offense	128	149	143
Injurious Behavior Status Offense	120	99	107
Child Abuse	426	477	428
Child Neglect	977	1,013	869
Child Custody Issues	152	136	152

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	466	405	372
Parental Alcohol Use Related	13	10	5
Parental Drug Use Related	119	89	83
Parental Alcohol and Drug Use	4	6	3

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	346	349	325
Probation/Parole Admissions--Drug	1,113	1,002	797
Probation/Parole Admissions--DWI	292	352	274
Prison Admissions--Drug	286	284	294
Prison Admissions--DWI	68	72	69

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.

³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

SAINT LOUIS COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	461	444	489
CSTAR Adolescent	101	132	122
CSTAR Women and Children	329	319	285
CSTAR General Adult	1,013	889	767
CSTAR Opioid	227	192	187
Primary Recovery Treatment	260	267	316
Clinical SATOP (CIP, YCIP, SROP)	820	1,021	1,056
Other Substance Abuse Treatment	162	198	183

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	3,245	3,773	4,187
- Adolescent Diversion Education Program	221	213	185
- Offender Education Program	1,258	1,450	1,667
- Weekend Intervention Program	630	776	874
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	80	107	119
Compulsive Gambling	31	33	48
Recovery Supports	11	18	25
Early Intervention	250	293	268


The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013
Total Individuals	2,858	2,896	2,865
AGE			
Under 18	99	136	126
18 to 24	393	404	402
25 to 29	478	502	505
30 to 34	520	502	490
35 to 39	353	327	310
40 to 44	278	277	270
45 to 54	462	503	541
55 and Over	275	245	221
GENDER			
Male	1,994	2,068	2,079
Female	864	828	786
RACE / ETHNICITY			
Caucasian	1,705	1,786	1,753
African American	1,051	1,005	1,007
Native American / Alaskan	*	7	*
Asian / Pacific Islander	9	7	10
Hispanic	46	33	38
Other Race / Two or More Races	59	70	67
EDUCATION			
Less than High School Diploma	718	735	749
High School Graduate or G.E.D.	1,211	1,187	1,119
Associate Degree or Some College	888	923	935
Bachelor or Advanced Degree	41	50	62
EMPLOYMENT			
Employed	996	1,029	907
Unemployed	864	900	1,011
Not in Labor Force	998	967	947
HOUSING / LIVING ARRANGEMENT			
Independent Living	2,494	2,499	2,415
Dependent Living	157	193	177
Homeless	125	112	139
MARITAL / FAMILY STATUS			
Never Married	1,937	1,989	1,931
Married / Cohabiting	479	481	488
Previously Married	442	426	446

PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Alcohol	1,079	1,273	1,305
Marijuana / Hashish	472	476	462
Cocaine (total)	154	165	151
- Crack	123	119	112
Stimulant (total)	71	70	59
- Methamphetamine	62	60	54
Heroin	932	790	759
Analgesic except Heroin	111	87	82
- Non-Prescription Methadone	*	*	0
PCP, LSD, other Hallucinogen	17	15	15
Tranquilizer	13	12	16
Inhalant	*	*	*
Sedative	*	*	*
Other Medication or Illicit Drug	6	6	11
Average Age at First Use of Drug	19.4	19.0	18.8
INJECTION DRUG USE			
Any Injection Use at Admission	645	574	533
- Daily Injection Use	391	327	270
- Weekly Injection Use	114	126	131
- Less than Weekly Injection Use	140	121	132
LIFETIME DUI / DWI ARRESTS			
0	1,640	1,461	1,421
1 or 2	791	924	935
3 or More	427	511	509
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	975	924	884
School	6	10	6
Mental Health Provider	22	26	15
Health Care Provider	146	120	89
Court / Criminal Justice	1,407	1,577	1,673
Other Referral Source	260	200	167
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	79	81	54
Military Veteran	119	129	132
Special Education Services Needed	187	177	170
Co-Occurring Psychological Problem	832	733	713
Co-Occurring Developmental Problem	59	72	142

SAINT LOUIS COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Eastern
PSYCHIATRIC SERVICE AREA 23
CENSUS 2010 998,954
2015 POPULATION ESTIMATE 1,003,362

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	37	37	46
Anxiety Disorder	838	756	641
Dementia	53	6	5
Developmental Disorder	39	36	42
Impulse Control Disorder	637	656	559
Mood Disorder	2,998	3,152	2,957
Personality Disorder	322	296	236
Psychotic Disorder	1,744	1,729	1,698
Sexual Disorder	7	7	6
Other Diagnosis	122	127	114
Diagnosis Unknown	499	419	482

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	5,552	5,674	5,536	Less than High School Diploma	1,068	1,152	1,150
AGE				High School Grad or G.E.D.	0	0	*
Under 6	16	27	29	Associate Degree or Some College	0	0	*
6 to 9	181	180	158	Bachelor or Advanced Degree	0	0	0
10 to 13	282	315	284	Education Level Unknown	4,484	4,522	4,379
14 to 17	420	429	418	EMPLOYMENT			
18 to 24	512	536	542	Employed	365	341	329
25 to 29	425	433	430	Unemployed	353	465	445
30 to 34	459	509	473	Not in Labor Force	2,648	2,626	2,648
35 to 39	440	431	429	Employment Status Unknown	2,186	2,242	2,114
40 to 44	417	490	495	HOUSING / LIVING ARRANGEMENT			
45 to 49	517	603	624	Independent Living	1,503	1,357	1,313
50 to 54	673	647	655	Dependent Living	1,710	1,874	1,945
55 to 59	572	530	502	Homeless	93	115	87
60 and Over	638	544	497	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	2,246	2,328	2,191
GENDER				TREATMENT REFERRAL SOURCE			
Male	2,670	2,747	2,691	Self / Family / Friend	1,209	1,208	1,259
Female	2,882	2,927	2,845	School	108	121	102
Gender Unknown	0	0	0	Mental Health Provider	690	749	812
RACE / ETHNICITY				Health Care Provider	1,119	999	893
Caucasian	2,532	2,681	2,610	Court / Criminal Justice	259	264	286
African American	2,712	2,677	2,646	Other	2,158	2,323	2,176
Native American / Alaskan	*	*	*	Referral Source Unknown	9	10	8
Asian / Pacific Islander	20	24	29	TYPE OF COMMITMENT			
Hispanic	84	77	63	Voluntary	5,451	5,579	5,435
Other Race	201	211	184	Civil	12	13	15
Race/Ethnicity Unknown	0	0	0	Criminal	71	66	71
TREATMENT ACCOMMODATION				Sexual Predatory	6	5	7
Hearing Impaired	181	194	202	Commitment Type Unknown	12	11	8
Past or Current Military Service	110	114	108				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	33.5	30.0	36.9	41.2	Alcohol	16.6	14.7	18.0	20.0
Chewing Tobacco	3.7	3.6	4.4	4.7	Alcohol (5+ drinks on single occasion past 2 weeks)	6.5	6.4		
Cigarettes	11.8	11.9	19.0	21.6	Chewing Tobacco	1.4	2.0	2.2	2.3
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.2	1.4	2.4	2.0	Cigarettes	4.3	4.3	8.8	11.2
Cocaine	1.1	1.0	1.8	1.3	Inhalants	1.1	1.0	1.9	2.8
Electronic Cigarettes	20.6	15.3			Marijuana	11.3	9.1	11.2	11.7
Hallucinogens	2.0	1.9	3.2	2.8	Over-the-counter medications for non-medical use	1.8	1.6	3.2	4.3
Heroin	0.3	0.3	0.9	0.6	Prescription medications not prescribed for student	8.6	3.7	4.6	5.9
Inhalants	2.7	2.0	4.4	5.4	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	19.9	15.9	19.7	19.9	Alcohol (1 or 2 drinks daily)	76.9	70.4		
Methamphetamine	0.3	0.4	1.0	0.5	Alcohol (Binge: 5+ drinks once or twice a week)	83.3	80.5		
Over-the-counter medications for non-medical use	4.6	3.0	5.3	6.7	Cigarettes (1+ packs per day)	87.5	89.4		
Prescription medications not prescribed for student	12.7	6.7	8.1	9.1	Marijuana (once or twice a week)	63.6	66.0		
Synthetic drugs (K2, bath salts, Spice, etc)	1.4	1.9	5.1		Other: Cocaine, LSD, Meth, Club Drug (any use)	90.7	92.4	92.9	93.3
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.54	13.56	13.09	12.77	Alcohol	83.3	84.1	80.6	80.3
Cigarettes	13.22	13.56	13.01	12.68	Cigarettes	95.1	95.4	92.1	91.8
Inhalants	10.87	11.24	11.77	11.51	Marijuana	90.4	93.2	92.1	93.0
Marijuana	14.37	14.40	13.90	13.67	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	68.6	68.4	61.5	59.6
Alcohol	42.8	42.1	50.6	55.3	Cigarettes	91.1	89.7	83.7	81.9
Cigarettes	24.9	27.2	38.8	42.0	Marijuana	74.7	78.3	76.8	77.6
Marijuana	40.6	34.6	41.5	42.3	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.9	96.2	94.6	94.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.3	12.3	15.6	17.0	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	53.9	54.0	60.4	60.9
Alcohol	24.1	22.7	29.5	31.8	Cigarettes	42.8	42.4	50.8	53.7
Cigarettes	5.4	6.5	10.6	11.4	Marijuana	42.5	37.9	42.9	43.4
Marijuana	18.3	14.3	16.2	16.7	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.2	13.9	17.8	19.0
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	60.2	57.8	59.6	68.1	Were grouchy, irritable, or in a bad mood	29.1	22.9	23.4	25.0
Were victims of mean rumors or lies spread at school	43.3	43.7	43.9	50.2	Had difficulty concentrating on school work	26.5	23.9	24.4	24.0
Were victims of an embarrassing or hurtful text message or something posted on the Internet	24.7	25.1	20.2	19.6	Were very sad	19.8	18.5	17.8	20.6
					Felt hopeless about the future	11.7	11.1	10.8	12.7
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	13.3	11.5	12.3	11.6	Parents involve student in making family decisions	74.0	73.6	71.2	72.0
Made plan about how they would attempt suicide	9.4	8.3	8.4	8.1	Parents notice and comment on student's good work	85.1	84.5	83.7	84.4
Attempted suicide	5.5	4.8	5.6	5.4	Teachers notice and comment on student's good work	79.6	75.8		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

SALINE COUNTY



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	12
Adult Psychiatric	12
POPULATION	
Census 2010	23,370
2015 Estimate	23,258

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	12	19	16
Fatal Crashes	1	1	1
Injury Crashes	4	6	8
Property Damage Crashes	12	10	7
Crash Fatalities	1	2	1
Crash Injuries	6	10	8
Drug Involved Crashes	5	6	5
Fatal Crashes	0	0	1
Injury Crashes	1	2	2
Property Damage Crashes	4	4	2
Crash Fatalities	0	0	2
Crash Injuries	1	3	4

BIRTH RISK	2014	2013	2012
Resident Births	308	293	325
Mother Reported Smoking while Pregnant	80	70	65

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	1	0	1
Hepatitis B Chronic, Acute, Prenatal	4	4	0
Hepatitis C Chronic and Acute	9	9	7
Tuberculosis Infection Cases	5	4	8

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	252	291	228
Suicides	1	1	4
Homicides	2	0	1
Alcohol Induced Deaths	0	1	0
Drug Induced Deaths	5	4	4
Smoking Attributable Deaths	43	56	38
Self-inflicted Injuries	13	34	27
Assault Injuries	55	48	41

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	203	248	269
Mental Illness Secondary Diagnosis	369	448	499
Alcohol Principal Diagnosis	5	11	6
Alcohol Secondary Diagnosis	34	25	37
Drug Principal Diagnosis	2	9	7
Drug Secondary Diagnosis	25	17	32
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	52	54	76
Mental Illness Secondary Diagnosis	267	370	484
Alcohol Principal Diagnosis	20	34	22
Alcohol Secondary Diagnosis	21	30	32
Drug Principal Diagnosis	1	7	11
Drug Secondary Diagnosis	22	15	20
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	250	248	199
Mental Illness Secondary Diagnosis	589	512	469
Alcohol Principal Diagnosis	50	53	36
Alcohol Secondary Diagnosis	74	80	51
Drug Principal Diagnosis	20	27	18
Drug Secondary Diagnosis	44	50	40

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	25	25	28
Alcohol Package Carry-out Licenses	30	30	29

EMPLOYMENT	2015	2014	2013
Labor Force	11,331	11,210	11,755
Employed	10,795	10,580	11,112
Unemployed	536	630	643
Unemployment Rate	4.7%	5.6%	5.5%

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	130	133	192
Liquor Law Arrests	36	19	42
Drug Arrests	167	4,916	207
Violent Offenses	43	31	34
Property Offenses	475	460	471
Domestic Violence Reports	104	117	67
	2015	2014	2013
Methamphetamine Lab Seizures	0	0	0
SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	1,082	1,070	1,065
Drop-outs	17	25	23
Drop-out Rate	1.6%	2.3%	2.2%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	0	0	1
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	30	45	37
Juvenile Alcohol Offenses	7	7	13
Juvenile Drug Offenses	13	15	9
School Truancy Status Offense	0	1	13
Absent from Home Status Offense	8	1	7
Beyond Parental Control Status Offense	31	27	35
Injurious Behavior Status Offense	11	13	11
Child Abuse	0	0	0
Child Neglect	0	0	0
Child Custody Issues	25	19	14

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	24	18	21
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	6	4	9
Parental Alcohol and Drug Use	1	0	0

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	16	21	19
Probation/Parole Admissions--Drug	102	83	106
Probation/Parole Admissions--DWI	10	13	13
Prison Admissions--Drug	85	68	61
Prison Admissions--DWI	5	7	8

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

SALINE COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	*	6	15
CSTAR Adolescent	*	6	*
CSTAR Women and Children	8	7	6
CSTAR General Adult	49	68	74
CSTAR Opioid	0	0	0
Primary Recovery Treatment	20	7	17
Clinical SATOP (CIP, YCIP, SROP)	11	17	22
Other Substance Abuse Treatment	0	*	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	78	86	97
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	36	38	49
- Weekend Intervention Program	18	14	19
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	5	*	*
Compulsive Gambling	0	0	*
Recovery Supports	121	143	111
Early Intervention	*	0	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	89	106	117	Alcohol	29	48	48
AGE				Marijuana / Hashish	19	23	26
Under 18	5	6	*	Cocaine (total)	*	*	*
18 to 24	17	19	23	- Crack	*	0	*
25 to 29	18	13	22	Stimulant (total)	27	26	28
30 to 34	11	22	19	- Methamphetamine	27	25	28
35 to 39	12	17	11	Heroin	*	*	*
40 to 44	9	14	14	Analgesic except Heroin	8	6	7
45 to 54	13	10	18	- Non-Prescription Methadone	0	0	0
55 and Over	*	5	6	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	0	0
Male	53	68	74	Inhalant	0	*	0
Female	36	38	43	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	*
Caucasian	72	88	92	Average Age at First Use of Drug	17.3	17.4	17.4
African American	9	10	18	INJECTION DRUG USE			
Native American / Alaskan	0	0	*	Any Injection Use at Admission	7	17	14
Asian / Pacific Islander	0	0	*	- Daily Injection Use	*	*	*
Hispanic	6	5	*	- Weekly Injection Use	*	8	8
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	5	6	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	30	27	29	0	64	60	61
High School Graduate or G.E.D.	48	53	61	1 or 2	21	30	38
Associate Degree or Some College	10	25	23	3 or More	*	16	18
Bachelor or Advanced Degree	*	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	32	29	38
Employed	24	26	38	School	0	0	0
Unemployed	34	43	38	Mental Health Provider	*	*	*
Not in Labor Force	31	37	41	Health Care Provider	7	6	9
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	29	43	54
Independent Living	65	83	101	Other Referral Source	18	23	11
Dependent Living	10	11	7	TREATMENT ACCOMMODATION			
Homeless	7	*	6	Pregnant when Admitted to any Episode	0	*	*
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	51	66	66	Special Education Services Needed	*	5	6
Married / Cohabiting	21	22	30	Co-Occurring Psychological Problem	43	34	22
Previously Married	17	18	21	Co-Occurring Developmental Problem	*	*	6

SALINE COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 12
CENSUS 2010 23,370
2015 POPULATION ESTIMATE 23,258

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	8	6	*
Anxiety Disorder	100	81	61
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	28	27	25
Mood Disorder	122	112	111
Personality Disorder	29	37	36
Psychotic Disorder	31	44	40
Sexual Disorder	*	*	*
Other Diagnosis	17	19	17
Diagnosis Unknown	23	21	31

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	197	200	193	Less than High School Diploma	68	58	50
AGE				High School Grad or G.E.D.	0	0	0
Under 6	*	*	0	Associate Degree or Some College	0	0	0
6 to 9	8	12	5	Bachelor or Advanced Degree	0	0	0
10 to 13	16	11	12	Education Level Unknown	129	142	143
14 to 17	6	11	12	EMPLOYMENT			
18 to 24	13	18	14	Employed	12	6	7
25 to 29	10	7	8	Unemployed	14	8	8
30 to 34	16	18	18	Not in Labor Force	130	130	110
35 to 39	18	13	15	Employment Status Unknown	41	56	68
40 to 44	24	20	22	HOUSING / LIVING ARRANGEMENT			
45 to 49	21	25	25	Independent Living	92	85	55
50 to 54	27	27	21	Dependent Living	64	63	63
55 to 59	19	15	19	Homeless	0	*	*
60 and Over	18	22	22	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	41	50	73
GENDER				TREATMENT REFERRAL SOURCE			
Male	91	96	90	Self / Family / Friend	82	98	93
Female	106	104	103	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	26	35	38
RACE / ETHNICITY				Health Care Provider	49	39	41
Caucasian	168	167	157	Court / Criminal Justice	32	16	9
African American	15	18	20	Other	5	10	11
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	6	7	Voluntary	188	187	179
Other Race	12	9	9	Civil	0	*	0
Race/Ethnicity Unknown	0	0	0	Criminal	9	12	14
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	7	7	5	Commitment Type Unknown	0	0	0
Past or Current Military Service	5	6	7				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	45.1	45.6	35.6	56.1	Alcohol	18.4	13.9	16.4	26.2
Chewing Tobacco	17.0	13.8	15.5	14.9	Alcohol (5+ drinks on single occasion past 2 weeks)	9.2	6.4		
Cigarettes	22.3	22.8	18.8	33.6	Chewing Tobacco	7.9	6.7	11.4	7.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.3	0.7	0.5	1.5	Cigarettes	10.5	11.7	9.8	17.2
Cocaine	0.3	1.4	2.2	1.5	Inhalants	2.0	1.8	0.0	3.1
Electronic Cigarettes	21.7	10.2			Marijuana	5.4	8.1	1.6	8.8
Hallucinogens	2.1	1.1	0.0	1.3	Over-the-counter medications for non-medical use	1.5	1.4	2.2	6.5
Heroin	0.3	0.7	0.0	0.2	Prescription medications not prescribed for student	11.5	4.9	5.7	7.2
Inhalants	4.3	3.9	1.6	8.3	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	13.8	16.9	8.7	16.7	Alcohol (1 or 2 drinks daily)	56.0	51.2		
Methamphetamine	0.0	0.0	2.2	0.6	Alcohol (Binge: 5+ drinks once or twice a week)	67.7	69.5		
Over-the-counter medications for non-medical use	4.1	2.9	2.2	9.5	Cigarettes (1+ packs per day)	78.1	80.5		
Prescription medications not prescribed for student	13.9	8.8	5.7	13.0	Marijuana (once or twice a week)	64.3	67.4		
Synthetic drugs (K2, bath salts, Spice, etc)	3.3	4.0	0.5		Other: Cocaine, LSD, Meth, Club Drug (any use)	90.3	87.8	91.3	94.3
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.53	12.84	11.26	12.67	Alcohol	74.2	78.7	83.9	72.7
Cigarettes	12.15	12.20	12.13	12.16	Cigarettes	92.5	93.3	95.8	88.5
Inhalants	10.14	11.92	10.00	12.11	Marijuana	91.4	92.2	95.6	95.9
Marijuana	13.85	13.97	13.44	13.83	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	65.0	64.3	72.4	51.5
Alcohol	51.3	47.5	48.4	73.4	Cigarettes	81.6	85.5	85.3	76.9
Cigarettes	38.2	40.8	39.6	56.1	Marijuana	82.1	80.5	90.5	83.1
Marijuana	33.6	29.6	21.8	39.8	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.1	98.9	98.4	97.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.8	5.3	4.1	14.3	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	57.4	64.1	54.5	66.1
Alcohol	32.9	28.2	34.2	43.7	Cigarettes	55.6	62.2	49.9	62.6
Cigarettes	12.7	12.7	12.8	16.7	Marijuana	37.6	37.7	27.4	36.2
Marijuana	10.8	14.4	10.1	12.0	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	16.5	20.0	9.8	13.3
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	68.3	68.4	64.7	72.1	Were grouchy, irritable, or in a bad mood	39.1	31.8	29.1	23.8
Were victims of mean rumors or lies spread at school	59.6	59.4	47.3	63.2	Had difficulty concentrating on school work	31.4	23.1	16.3	27.9
Were victims of an embarrassing or hurtful text message or something posted on the Internet	33.6	36.9	34.2	20.4	Were very sad	25.3	24.3	19.6	17.0
					Felt hopeless about the future	16.2	17.0	9.4	14.8
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	12.8	15.0	8.2	11.5	Parents involve student in making family decisions	65.5	66.5	71.1	69.1
Made plan about how they would attempt suicide	13.2	10.9	5.2	6.9	Parents notice and comment on student's good work	78.5	79.6	84.9	83.8
Attempted suicide	8.3	7.1	6.3	5.7	Teachers notice and comment on student's good work	70.9	69.3		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

SCHUYLER COUNTY



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	14
Adult Psychiatric	14
POPULATION	
Census 2010	4,431
2015 Estimate	4,436

BIRTH RISK	2014	2013	2012
Resident Births	66	65	53
Mother Reported Smoking while Pregnant	10	14	12

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	0
Hepatitis C Chronic and Acute	0	1	1
Tuberculosis Infection Cases	0	0	0

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	56	60	51
Suicides	1	1	1
Homicides	0	0	0
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	0	0	0
Smoking Attributable Deaths	10	11	8
Self-inflicted Injuries	4	1	1
Assault Injuries	9	7	16

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	14	11	18
Mental Illness Secondary Diagnosis	101	124	167
Alcohol Principal Diagnosis	1	3	4
Alcohol Secondary Diagnosis	9	15	10
Drug Principal Diagnosis	0	1	1
Drug Secondary Diagnosis	6	5	1
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	6	3	9
Mental Illness Secondary Diagnosis	18	16	9
Alcohol Principal Diagnosis	0	1	0
Alcohol Secondary Diagnosis	5	3	0
Drug Principal Diagnosis	2	1	1
Drug Secondary Diagnosis	3	1	2
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	25	20	20
Mental Illness Secondary Diagnosis	50	32	38
Alcohol Principal Diagnosis	12	4	3
Alcohol Secondary Diagnosis	3	1	5
Drug Principal Diagnosis	3	3	3
Drug Secondary Diagnosis	2	1	2

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	6	6	7
Alcohol Package Carry-out Licenses	8	9	10

EMPLOYMENT	2015	2014	2013
Labor Force	1,896	1,943	2,155
Employed	1,785	1,806	2,017
Unemployed	111	137	138
Unemployment Rate	5.9%	7.1%	6.4%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	3	4	5
Fatal Crashes	0	1	0
Injury Crashes	0	2	4
Property Damage Crashes	1	1	1
Crash Fatalities	0	1	0
Crash Injuries	0	3	6
Drug Involved Crashes	0	1	1
Fatal Crashes	0	1	0
Injury Crashes	0	0	1
Property Damage Crashes	0	0	0
Crash Fatalities	0	1	0
Crash Injuries	0	1	1

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	21	30	53
Liquor Law Arrests	2	4	3
Drug Arrests	13	15,712	12
Violent Offenses	7	4	4
Property Offenses	45	22	27
Domestic Violence Reports	11	13	1

	2015	2014	2013
Methamphetamine Lab Seizures	1	0	1

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	184	184	196
Drop-outs	0	1	3
Drop-out Rate	0.0%	0.5%	1.5%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	0	0	2
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	6	1	5
Juvenile Alcohol Offenses	0	0	4
Juvenile Drug Offenses	0	0	1
School Truancy Status Offense	9	0	13
Absent from Home Status Offense	0	0	0
Beyond Parental Control Status Offense	3	7	5
Injurious Behavior Status Offense	1	1	15
Child Abuse	10	5	11
Child Neglect	56	28	33
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	10	13	12
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	3	7	5
Parental Alcohol and Drug Use	0	1	0

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	7	2	1
Probation/Parole Admissions--DWI	2	0	2
Prison Admissions--Drug	2	2	0
Prison Admissions--DWI	0	1	1

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.

³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

SCHUYLER COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	*	*	0
CSTAR Adolescent	*	*	*
CSTAR Women and Children	0	*	0
CSTAR General Adult	20	24	27
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	0	*
Clinical SATOP (CIP, YCIP, SROP)	*	*	*
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	11	10	25
- Adolescent Diversion Education Program	*	0	*
- Offender Education Program	6	*	9
- Weekend Intervention Program	*	*	7
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	0	0	0
Early Intervention	*	*	7

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	21	27	35	Alcohol	8	7	13
AGE				Marijuana / Hashish	6	10	13
Under 18	*	*	*	Cocaine (total)	0	*	0
18 to 24	*	*	11	- Crack	0	0	0
25 to 29	7	9	5	Stimulant (total)	7	6	5
30 to 34	*	*	7	- Methamphetamine	7	6	5
35 to 39	*	*	*	Heroin	0	0	0
40 to 44	*	*	*	Analgesic except Heroin	0	*	*
45 to 54	*	*	*	- Non-Prescription Methadone	0	0	0
55 and Over	0	*	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	0	*
Male	13	16	21	Inhalant	0	0	0
Female	8	11	14	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	*
Caucasian	21	27	35	Average Age at First Use of Drug	16.8	18.3	17.0
African American	0	0	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	5	*	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	0	0
Hispanic	0	0	0	- Weekly Injection Use	0	0	0
Other Race / Two or More Races	0	0	0	- Less than Weekly Injection Use	5	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	9	13	11	0	11	18	20
High School Graduate or G.E.D.	12	11	19	1 or 2	8	9	12
Associate Degree or Some College	0	*	*	3 or More	*	0	*
Bachelor or Advanced Degree	0	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	7	*	5
Employed	7	*	18	School	0	0	0
Unemployed	5	6	*	Mental Health Provider	0	0	*
Not in Labor Force	9	17	15	Health Care Provider	0	*	0
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	*	*	6
Independent Living	17	23	33	Other Referral Source	*	8	8
Dependent Living	*	*	*	TREATMENT ACCOMMODATION			
Homeless	0	*	0	Pregnant when Admitted to any Episode	0	*	*
MARITAL / FAMILY STATUS				Military Veteran	0	0	*
Never Married	13	15	16	Special Education Services Needed	*	*	*
Married / Cohabiting	5	7	12	Co-Occurring Psychological Problem	11	15	21
Previously Married	*	5	7	Co-Occurring Developmental Problem	*	*	0

SCHUYLER COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 14
CENSUS 2010 4,431
2015 POPULATION ESTIMATE 4,436

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	*	*	*
Anxiety Disorder	16	19	22
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	14	17	12
Mood Disorder	25	27	24
Personality Disorder	*	*	*
Psychotic Disorder	*	*	*
Sexual Disorder	0	0	0
Other Diagnosis	9	9	10
Diagnosis Unknown	0	*	*

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	32	40	45	Less than High School Diploma	18	22	29
AGE				High School Grad or G.E.D.	0	0	*
Under 6	0	0	0	Associate Degree or Some College	0	0	0
6 to 9	*	*	6	Bachelor or Advanced Degree	0	0	0
10 to 13	*	6	11	Education Level Unknown	14	18	15
14 to 17	5	9	10	EMPLOYMENT			
18 to 24	*	*	*	Employed	0	*	*
25 to 29	*	*	*	Unemployed	*	*	*
30 to 34	*	*	0	Not in Labor Force	27	32	37
35 to 39	*	*	*	Employment Status Unknown	*	5	5
40 to 44	*	*	*	HOUSING / LIVING ARRANGEMENT			
45 to 49	*	*	5	Independent Living	19	15	14
50 to 54	5	*	*	Dependent Living	12	18	26
55 to 59	0	0	*	Homeless	0	0	*
60 and Over	*	*	*	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	*	7	*
GENDER				TREATMENT REFERRAL SOURCE			
Male	14	19	19	Self / Family / Friend	5	7	14
Female	18	21	26	School	0	0	*
Gender Unknown	0	0	0	Mental Health Provider	0	0	0
RACE / ETHNICITY				Health Care Provider	5	8	7
Caucasian	32	40	42	Court / Criminal Justice	*	*	*
African American	0	0	*	Other	21	23	21
Native American / Alaskan	0	0	0	Referral Source Unknown	0	*	*
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	0	0	0	Voluntary	32	39	44
Other Race	0	0	*	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	0	*	0	Commitment Type Unknown	0	*	*
Past or Current Military Service	0	0	0				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol		45.6			Alcohol		29.8		
Chewing Tobacco		31.6			Alcohol (5+ drinks on single occasion past 2 weeks)		14.0		
Cigarettes		35.1			Chewing Tobacco		17.5		
Club drugs (Ecstasy, GHB, roofie, Special K, etc)		0.0			Cigarettes		17.9		
Cocaine		0.0			Inhalants		0.0		
Electronic Cigarettes		24.6			Marijuana		5.3		
Hallucinogens		1.8			Over-the-counter medications for non-medical use		1.8		
Heroin		0.0			Prescription medications not prescribed for student		3.5		
Inhalants		5.3			<i>Percent who believe they risk harm if they use:</i>				
Marijuana		10.7			Alcohol (1 or 2 drinks daily)		47.4		
Methamphetamine		1.8			Alcohol (Binge: 5+ drinks once or twice a week)		57.9		
Over-the-counter medications for non-medical use		1.8			Cigarettes (1+ packs per day)		76.4		
Prescription medications not prescribed for student		10.5			Marijuana (once or twice a week)		71.9		
Synthetic drugs (K2, bath salts, Spice, etc)		5.3			Other: Cocaine, LSD, Meth, Club Drug (any use)		91.2		
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol		12.48			Alcohol		70.2		
Cigarettes		12.33			Cigarettes		87.7		
Inhalants		13.00			Marijuana		96.5		
Marijuana		13.91			<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol		49.1		
Alcohol		61.4			Cigarettes		69.6		
Cigarettes		54.4			Marijuana		89.1		
Marijuana		22.8			Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		96.5		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		5.5			<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol		68.4		
Alcohol		43.1			Cigarettes		68.4		
Cigarettes		24.6			Marijuana		29.8		
Marijuana		5.4			Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		12.7		
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others		64.3			Were grouchy, irritable, or in a bad mood		29.8		
Were victims of mean rumors or lies spread at school		63.2			Had difficulty concentrating on school work		19.3		
Were victims of an embarrassing or hurtful text message or something posted on the Internet		26.3			Were very sad		19.3		
<i>Percent of students who, in past 12 months:</i>					Felt hopeless about the future		8.8		
Seriously considered attempting suicide		8.8			<i>Percent of students who say that:</i>				
Made plan about how they would attempt suicide		8.8			Parents involve student in making family decisions		64.9		
Attempted suicide		3.5			Parents notice and comment on student's good work		80.7		
					Teachers notice and comment on student's good work		68.4		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

SCOTLAND COUNTY



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	14
Adult Psychiatric	14
POPULATION	
Census 2010	4,843
2015 Estimate	4,854

BIRTH RISK	2014	2013	2012
Resident Births	62	82	78
Mother Reported Smoking while Pregnant	6	12	13

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	0
Hepatitis C Chronic and Acute	0	2	3
Tuberculosis Infection Cases	0	0	0

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	51	60	52
Suicides	1	0	0
Homicides	0	0	0
Alcohol Induced Deaths	1	0	0
Drug Induced Deaths	0	1	1
Smoking Attributable Deaths	8	10	10
Self-inflicted Injuries	4	2	3
Assault Injuries	3	2	3

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	23	11	11
Mental Illness Secondary Diagnosis	129	165	209
Alcohol Principal Diagnosis	1	2	2
Alcohol Secondary Diagnosis	4	13	15
Drug Principal Diagnosis	1	1	0
Drug Secondary Diagnosis	3	6	2
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	4	5	4
Mental Illness Secondary Diagnosis	16	14	9
Alcohol Principal Diagnosis	0	0	1
Alcohol Secondary Diagnosis	3	2	5
Drug Principal Diagnosis	0	1	0
Drug Secondary Diagnosis	1	3	2
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	36	29	29
Mental Illness Secondary Diagnosis	88	79	140
Alcohol Principal Diagnosis	1	1	2
Alcohol Secondary Diagnosis	4	1	11
Drug Principal Diagnosis	2	3	2
Drug Secondary Diagnosis	3	5	2

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	8	7	7
Alcohol Package Carry-out Licenses	5	5	5

EMPLOYMENT	2015	2014	2013
Labor Force	2,492	2,399	2,480
Employed	2,380	2,283	2,360
Unemployed	112	116	120
Unemployment Rate	4.5%	4.8%	4.8%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	4	5	2
Fatal Crashes	0	0	0
Injury Crashes	2	1	0
Property Damage Crashes	4	4	2
Crash Fatalities	0	0	0
Crash Injuries	5	1	0
Drug Involved Crashes	0	0	0
Fatal Crashes	0	0	0
Injury Crashes	0	0	0
Property Damage Crashes	0	0	0
Crash Fatalities	0	0	0
Crash Injuries	0	0	0

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	13	10	17
Liquor Law Arrests	1	4	1
Drug Arrests	14	4,719	14
Violent Offenses	3	2	3
Property Offenses	46	54	84
Domestic Violence Reports	11	16	19

	2015	2014	2013
Methamphetamine Lab Seizures	0	0	1

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	178	186	173
Drop-outs	1	1	2
Drop-out Rate	0.6%	0.5%	1.2%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	0	0	0
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	0	1	3
Juvenile Alcohol Offenses		0	0
Juvenile Drug Offenses	0	0	0
School Truancy Status Offense	1	2	1
Absent from Home Status Offense	0	0	0
Beyond Parental Control Status Offense	1	3	4
Injurious Behavior Status Offense	11	8	13
Child Abuse	7	5	19
Child Neglect	19	29	44
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	5	11	11
Parental Alcohol Use Related	0	1	0
Parental Drug Use Related	2	6	2
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	0	6	6
Probation/Parole Admissions--Drug	17	11	18
Probation/Parole Admissions--DWI	0	3	3
Prison Admissions--Drug	5	12	11
Prison Admissions--DWI	0	2	3

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.

³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

SCOTLAND COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	*	*	*
CSTAR Adolescent	0	*	0
CSTAR Women and Children	0	0	0
CSTAR General Adult	11	16	14
CSTAR Opioid	0	0	0
Primary Recovery Treatment	0	0	*
Clinical SATOP (CIP, YCIP, SROP)	7	*	*
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	12	15	20
- Adolescent Diversion Education Program	0	6	*
- Offender Education Program	*	*	6
- Weekend Intervention Program	*	*	5
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	0	0	*
Early Intervention	5	*	6

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	17	22	22	Alcohol	8	5	11
AGE				Marijuana / Hashish	*	11	9
Under 18	0	*	0	Cocaine (total)	0	0	0
18 to 24	*	5	6	- Crack	0	0	0
25 to 29	*	5	7	Stimulant (total)	*	*	0
30 to 34	5	5	*	- Methamphetamine	*	*	0
35 to 39	*	5	*	Heroin	0	0	0
40 to 44	*	0	*	Analgesic except Heroin	*	*	*
45 to 54	*	*	*	- Non-Prescription Methadone	0	0	0
55 and Over	*	0	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	0	0
Male	12	10	17	Inhalant	0	0	0
Female	5	12	5	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	*
Caucasian	16	21	19	Average Age at First Use of Drug	20.0	16.5	16.9
African American	0	0	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	*	*	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	0	*
Hispanic	0	0	0	- Weekly Injection Use	0	*	0
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	*	0	0
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	8	7	6	0	*	14	11
High School Graduate or G.E.D.	7	11	14	1 or 2	9	6	7
Associate Degree or Some College	*	*	*	3 or More	*	*	*
Bachelor or Advanced Degree	*	*	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	*	*	*
Employed	10	8	7	School	0	0	0
Unemployed	*	*	7	Mental Health Provider	0	0	0
Not in Labor Force	*	10	8	Health Care Provider	*	0	0
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	13	8	13
Independent Living	16	15	20	Other Referral Source	*	9	*
Dependent Living	0	*	*	TREATMENT ACCOMMODATION			
Homeless	0	*	0	Pregnant when Admitted to any Episode	0	0	0
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	9	11	15	Special Education Services Needed	*	*	*
Married / Cohabiting	*	7	6	Co-Occurring Psychological Problem	*	10	8
Previously Married	*	*	*	Co-Occurring Developmental Problem	*	0	0

SCOTLAND COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 14
CENSUS 2010 4,843
2015 POPULATION ESTIMATE 4,854

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	*	*	0
Anxiety Disorder	18	15	9
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	14	14	12
Mood Disorder	22	24	22
Personality Disorder	*	*	*
Psychotic Disorder	*	0	0
Sexual Disorder	0	0	0
Other Diagnosis	8	8	7
Diagnosis Unknown	0	*	*

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	30	30	30	Less than High School Diploma	18	18	14
AGE				High School Grad or G.E.D.	0	0	0
Under 6	0	0	0	Associate Degree or Some College	0	0	0
6 to 9	*	5	6	Bachelor or Advanced Degree	0	0	0
10 to 13	7	*	*	Education Level Unknown	12	12	16
14 to 17	7	6	5	EMPLOYMENT			
18 to 24	0	*	*	Employed	*	*	*
25 to 29	*	*	*	Unemployed	*	*	0
30 to 34	*	*	*	Not in Labor Force	27	25	23
35 to 39	*	0	0	Employment Status Unknown	*	*	*
40 to 44	*	*	*	HOUSING / LIVING ARRANGEMENT			
45 to 49	*	*	*	Independent Living	13	12	14
50 to 54	*	*	*	Dependent Living	16	15	12
55 to 59	*	0	0	Homeless	0	0	0
60 and Over	*	*	*	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	*	*	*
GENDER				TREATMENT REFERRAL SOURCE			
Male	8	5	5	Self / Family / Friend	5	8	12
Female	22	25	25	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	0	0	0
RACE / ETHNICITY				Health Care Provider	5	5	5
Caucasian	30	29	30	Court / Criminal Justice	0	0	0
African American	0	0	0	Other	20	17	13
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	0	*	0	Voluntary	30	30	30
Other Race	0	0	0	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	0	*	*	Commitment Type Unknown	0	0	0
Past or Current Military Service	0	0	0				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	39.5		36.5	34.7	Alcohol	23.7		16.5	19.0
Chewing Tobacco	15.8		11.6	12.6	Alcohol (5+ drinks on single occasion past 2 weeks)	13.2			
Cigarettes	26.3		22.1	22.5	Chewing Tobacco	7.8		5.8	5.9
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.3		1.2	3.5	Cigarettes	15.8		12.9	12.5
Cocaine	0.0		1.2	0.0	Inhalants	1.3		1.2	0.8
Electronic Cigarettes	17.1				Marijuana	2.6		1.2	3.3
Hallucinogens	1.3		2.4	2.5	Over-the-counter medications for non-medical use	2.6		2.3	3.3
Heroin	0.0		2.4	0.8	Prescription medications not prescribed for student	10.4		3.5	9.1
Inhalants	2.6		3.5	4.1					
Marijuana	9.2		5.8	5.8	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.0		1.2	0.0	Alcohol (1 or 2 drinks daily)	60.5			
Over-the-counter medications for non-medical use	2.6		3.5	4.1	Alcohol (Binge: 5+ drinks once or twice a week)	72.4			
Prescription medications not prescribed for student	13.2		7.0	9.9	Cigarettes (1+ packs per day)	88.0			
Synthetic drugs (K2, bath salts, Spice, etc)	1.3		7.0		Marijuana (once or twice a week)	81.6			
					Other: Cocaine, LSD, Meth, Club Drug (any use)	94.7		91.8	95.8
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.93		12.25	12.63	Alcohol	75.0		80.0	71.2
Cigarettes	13.25		11.94	12.90	Cigarettes	88.2		91.8	86.3
Inhalants				11.91	Marijuana	94.7		96.4	96.7
Marijuana			13.06	12.96					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	47.4		49.4	61.7	Alcohol	61.8		55.8	57.5
Cigarettes	35.5		44.7	50.4	Cigarettes	81.3		75.3	76.7
Marijuana	19.7		15.1	15.8	Marijuana	89.5		89.4	88.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	3.9		7.1	10.1	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.1		98.8	95.7
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	34.2		30.2	36.1	Alcohol	58.7		55.8	64.7
Cigarettes	18.7		15.1	14.0	Cigarettes	40.8		54.1	61.7
Marijuana	7.9		5.8	7.5	Marijuana	15.8		23.5	21.7
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.3		12.0	12.5
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	57.1		62.4	64.2	Were grouchy, irritable, or in a bad mood	27.3		22.1	27.7
Were victims of mean rumors or lies spread at school	51.9		47.7	53.3	Had difficulty concentrating on school work	23.7		24.4	24.2
Were victims of an embarrassing or hurtful text message or something posted on the Internet	22.4		22.1	17.5	Were very sad	15.8		16.3	31.4
					Felt hopeless about the future	9.2		8.2	16.0
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	10.4		10.5	10.7	Parents involve student in making family decisions	73.7		64.7	71.4
Made plan about how they would attempt suicide	6.8		10.5	7.4	Parents notice and comment on student's good work	81.8		85.9	87.4
Attempted suicide	3.9		7.0	5.0	Teachers notice and comment on student's good work	77.6			

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

SCOTT COUNTY



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	21
Adult Psychiatric	20
POPULATION	
Census 2010	39,191
2015 Estimate	39,008

BIRTH RISK	2014	2013	2012
Resident Births	495	524	512
Mother Reported Smoking while Pregnant	111	142	146

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	2	0	0
Hepatitis C Chronic and Acute	40	38	30
Tuberculosis Infection Cases	6	1	8

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	447	446	422
Suicides	5	7	9
Homicides	1	2	2
Alcohol Induced Deaths	0	2	3
Drug Induced Deaths	6	11	8
Smoking Attributable Deaths	91	108	78
Self-inflicted Injuries	78	73	82
Assault Injuries	157	184	162

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	415	470	428
Mental Illness Secondary Diagnosis	619	928	681
Alcohol Principal Diagnosis	6	17	30
Alcohol Secondary Diagnosis	39	75	88
Drug Principal Diagnosis	26	32	19
Drug Secondary Diagnosis	49	69	76
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	60	60	58
Mental Illness Secondary Diagnosis	892	621	733
Alcohol Principal Diagnosis	31	22	20
Alcohol Secondary Diagnosis	90	57	77
Drug Principal Diagnosis	14	17	8
Drug Secondary Diagnosis	62	45	61
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	396	462	436
Mental Illness Secondary Diagnosis	978	580	1,044
Alcohol Principal Diagnosis	55	65	72
Alcohol Secondary Diagnosis	97	63	84
Drug Principal Diagnosis	83	59	60
Drug Secondary Diagnosis	125	67	68

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	37	42	42
Alcohol Package Carry-out Licenses	43	44	42

EMPLOYMENT	2015	2014	2013
Labor Force	20,277	19,797	20,785
Employed	19,210	18,489	19,445
Unemployed	1,067	1,308	1,340
Unemployment Rate	5.3%	6.6%	6.4%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	44	46	34
Fatal Crashes	2	2	3
Injury Crashes	18	20	16
Property Damage Crashes	24	24	15
Crash Fatalities	2	3	3
Crash Injuries	24	31	28
Drug Involved Crashes	10	17	15
Fatal Crashes	0	0	0
Injury Crashes	5	7	3
Property Damage Crashes	5	10	12
Crash Fatalities	0	0	0
Crash Injuries	10	8	5

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	173	204	253
Liquor Law Arrests	28	49	75
Drug Arrests	271	4,790	277
Violent Offenses	440	394	457
Property Offenses	1,481	1,369	1,288
Domestic Violence Reports	540	585	659
	2015	2014	2013
Methamphetamine Lab Seizures	1	6	7

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	1,893	1,950	2,002
Drop-outs	30	10	9
Drop-out Rate	1.6%	0.5%	0.4%
School Discipline Involving Alcohol	1	1	5
School Discipline Involving Drugs	9	16	3
School Discipline Involving Tobacco	6	3	6

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	80	78	72
Juvenile Alcohol Offenses	7	15	19
Juvenile Drug Offenses	22	17	29
School Truancy Status Offense	157	251	161
Absent from Home Status Offense	26	16	28
Beyond Parental Control Status Offense	27	13	10
Injurious Behavior Status Offense	24	38	28
Child Abuse	12	8	6
Child Neglect	70	77	53
Child Custody Issues	6	1	0

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	59	76	40
Parental Alcohol Use Related	1	1	5
Parental Drug Use Related	17	32	8
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	77	68	68
Probation/Parole Admissions--Drug	170	157	156
Probation/Parole Admissions--DWI	14	17	20
Prison Admissions--Drug	83	58	77
Prison Admissions--DWI	6	4	6

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

SCOTT COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	49	68	57
CSTAR Adolescent	22	19	30
CSTAR Women and Children	21	20	36
CSTAR General Adult	240	253	228
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	8	39
Clinical SATOP (CIP, YCIP, SROP)	33	26	34
Other Substance Abuse Treatment	*	*	*


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	136	131	186
- Adolescent Diversion Education Program	*	0	*
- Offender Education Program	49	58	81
- Weekend Intervention Program	30	38	44
<i>(See also Clinical SATOP at left)</i>			
OTHER SERVICES PROVIDED			
Co-Dependency	5	5	*
Compulsive Gambling	0	0	0
Recovery Supports	94	295	195
Early Intervention	*	0	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	338	438	412	Alcohol	105	140	136
AGE				Marijuana / Hashish	102	143	137
Under 18	21	19	30	Cocaine (total)	10	22	22
18 to 24	49	83	92	- Crack	8	11	10
25 to 29	63	80	70	Stimulant (total)	70	79	62
30 to 34	49	71	70	- Methamphetamine	69	73	59
35 to 39	43	46	33	Heroin	11	5	8
40 to 44	37	43	43	Analgesic except Heroin	33	39	31
45 to 54	56	65	55	- Non-Prescription Methadone	0	*	0
55 and Over	20	31	19	PCP, LSD, other Hallucinogen	0	0	*
GENDER				Tranquilizer	6	8	10
Male	237	330	318	Inhalant	0	0	*
Female	101	108	94	Sedative	*	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	*	*
Caucasian	278	331	316	Average Age at First Use of Drug	17.8	17.9	17.4
African American	55	99	83	INJECTION DRUG USE			
Native American / Alaskan	*	0	*	Any Injection Use at Admission	41	43	43
Asian / Pacific Islander	0	*	0	- Daily Injection Use	9	7	6
Hispanic	6	7	6	- Weekly Injection Use	12	10	13
Other Race / Two or More Races	0	6	8	- Less than Weekly Injection Use	20	26	24
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	108	130	132	0	191	256	221
High School Graduate or G.E.D.	172	229	210	1 or 2	89	117	120
Associate Degree or Some College	56	78	69	3 or More	58	65	71
Bachelor or Advanced Degree	*	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	79	91	91
Employed	102	136	110	School	0	0	0
Unemployed	126	166	166	Mental Health Provider	*	6	0
Not in Labor Force	110	136	136	Health Care Provider	19	20	14
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	184	271	231
Independent Living	287	378	316	Other Referral Source	42	43	67
Dependent Living	33	40	69	TREATMENT ACCOMMODATION			
Homeless	15	13	11	Pregnant when Admitted to any Episode	*	6	6
MARITAL / FAMILY STATUS				Military Veteran	13	22	30
Never Married	164	229	212	Special Education Services Needed	19	23	25
Married / Cohabiting	100	113	107	Co-Occurring Psychological Problem	157	157	140
Previously Married	74	96	93	Co-Occurring Developmental Problem	7	14	8

SCOTT COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 20
CENSUS 2010 39,191
2015 POPULATION ESTIMATE 39,008

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	41	50	53
Anxiety Disorder	206	221	234
Dementia	*	*	*
Developmental Disorder	*	6	9
Impulse Control Disorder	148	133	149
Mood Disorder	624	601	571
Personality Disorder	47	70	76
Psychotic Disorder	173	155	149
Sexual Disorder	0	0	*
Other Diagnosis	46	57	68
Diagnosis Unknown	90	61	100

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	1,071	995	1,026	Less than High School Diploma	447	414	405
AGE				High School Grad or G.E.D.	0	0	0
Under 6	9	7	8	Associate Degree or Some College	0	0	*
6 to 9	57	49	49	Bachelor or Advanced Degree	0	0	0
10 to 13	78	70	86	Education Level Unknown	624	581	620
14 to 17	95	91	107	EMPLOYMENT			
18 to 24	96	90	100	Employed	79	67	54
25 to 29	84	100	92	Unemployed	101	79	86
30 to 34	94	98	93	Not in Labor Force	643	580	553
35 to 39	98	81	94	Employment Status Unknown	248	269	333
40 to 44	75	77	83	HOUSING / LIVING ARRANGEMENT			
45 to 49	80	79	84	Independent Living	594	541	444
50 to 54	123	108	93	Dependent Living	279	272	334
55 to 59	89	72	66	Homeless	19	18	12
60 and Over	93	73	71	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	179	164	236
GENDER				TREATMENT REFERRAL SOURCE			
Male	462	422	459	Self / Family / Friend	467	445	421
Female	609	573	567	School	26	19	31
Gender Unknown	0	0	0	Mental Health Provider	98	95	111
RACE / ETHNICITY				Health Care Provider	170	161	159
Caucasian	832	766	798	Court / Criminal Justice	59	48	50
African American	189	188	182	Other	249	224	251
Native American / Alaskan	*	*	*	Referral Source Unknown	*	*	*
Asian / Pacific Islander	*	*	*	TYPE OF COMMITMENT			
Hispanic	12	16	25	Voluntary	1,063	987	1,017
Other Race	35	22	19	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	5	6
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	18	21	29	Commitment Type Unknown	*	*	*
Past or Current Military Service	23	20	25				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	44.9	32.4	37.8	50.0	Alcohol	27.4	11.0	13.5	24.9
Chewing Tobacco	20.2	9.3	16.8	20.3	Alcohol (5+ drinks on single occasion past 2 weeks)	17.9	3.5		
Cigarettes	28.7	20.3	29.0	35.4	Chewing Tobacco	6.6	5.4	10.6	11.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.1	1.7	1.2	2.5	Cigarettes	10.8	7.4	15.7	19.2
Cocaine	4.7	1.5	2.0	1.2	Inhalants	1.5	3.0	0.8	4.6
Electronic Cigarettes	43.1	10.4			Marijuana	11.4	6.1	4.8	9.5
Hallucinogens	1.5	0.7	1.9	2.2	Over-the-counter medications for non-medical use	5.8	1.7	3.3	6.5
Heroin	0.0	0.0	0.0	0.2	Prescription medications not prescribed for student	14.7	5.3	3.3	11.6
Inhalants	2.8	4.3	9.0	9.4	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	18.0	11.3	7.7	22.2	Alcohol (1 or 2 drinks daily)	53.5	53.1		
Methamphetamine	0.0	0.9	0.7	0.4	Alcohol (Binge: 5+ drinks once or twice a week)	64.1	69.4		
Over-the-counter medications for non-medical use	11.1	4.6	5.3	9.1	Cigarettes (1+ packs per day)	77.5	82.4		
Prescription medications not prescribed for student	17.9	9.0	7.2	17.6	Marijuana (once or twice a week)	64.8	66.3		
Synthetic drugs (K2, bath salts, Spice, etc)	7.3	2.2	5.8		Other: Cocaine, LSD, Meth, Club Drug (any use)	86.6	91.0	95.1	90.3
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.31	12.40	12.21	12.53	Alcohol	75.2	88.0	77.2	75.7
Cigarettes	12.66	12.49	11.27	12.27	Cigarettes	87.8	95.2	87.1	87.3
Inhalants	11.95	12.23	10.75	13.05	Marijuana	87.5	94.5	89.5	93.5
Marijuana	14.17	13.85	13.32	14.06	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	59.0	70.9	62.1	54.3
Alcohol	55.5	40.7	53.7	63.9	Cigarettes	84.5	84.1	76.5	72.1
Cigarettes	42.3	33.5	42.4	54.7	Marijuana	78.6	86.6	86.1	76.9
Marijuana	39.7	26.5	25.9	43.3	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.5	96.7	96.1	91.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.4	7.8	10.7	20.8	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	55.5	39.7	58.1	60.1
Alcohol	38.7	23.1	26.3	36.9	Cigarettes	48.1	35.9	51.6	60.2
Cigarettes	11.4	9.9	10.9	19.2	Marijuana	33.8	26.5	31.2	43.7
Marijuana	14.9	11.0	6.4	15.7	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	19.4	8.5	17.1	22.4
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	67.4	61.2	63.3	69.5	Were grouchy, irritable, or in a bad mood	32.0	23.4	27.1	25.8
Were victims of mean rumors or lies spread at school	56.0	53.0	53.1	57.7	Had difficulty concentrating on school work	26.8	22.5	25.0	24.7
Were victims of an embarrassing or hurtful text message or something posted on the Internet	30.1	27.2	19.5	19.2	Were very sad	24.4	18.8	22.6	19.6
					Felt hopeless about the future	10.7	8.5	9.2	13.0
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	12.6	12.1	12.5	12.8	Parents involve student in making family decisions	62.0	69.9	70.9	69.2
Made plan about how they would attempt suicide	10.4	7.6	7.2	9.6	Parents notice and comment on student's good work	77.9	85.2	83.0	82.2
Attempted suicide	6.5	2.4	5.3	7.5	Teachers notice and comment on student's good work	67.1	72.5		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

SHANNON COUNTY



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	18
Adult Psychiatric	18
POPULATION	
Census 2010	8,441
2015 Estimate	8,258

BIRTH RISK	2014	2013	2012
Resident Births	84	94	103
Mother Reported Smoking while Pregnant	40	27	23

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	0
Hepatitis C Chronic and Acute	3	9	9
Tuberculosis Infection Cases	1	0	1

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	96	102	91
Suicides	1	1	1
Homicides	4	0	0
Alcohol Induced Deaths	2	0	1
Drug Induced Deaths	1	0	2
Smoking Attributable Deaths	12	23	17
Self-inflicted Injuries	12	11	8
Assault Injuries	14	21	20

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	75	60	59
Mental Illness Secondary Diagnosis	119	144	130
Alcohol Principal Diagnosis	1	3	6
Alcohol Secondary Diagnosis	9	9	17
Drug Principal Diagnosis	22	24	8
Drug Secondary Diagnosis	11	10	14
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	2	12	7
Mental Illness Secondary Diagnosis	43	79	64
Alcohol Principal Diagnosis	2	1	1
Alcohol Secondary Diagnosis	2	6	6
Drug Principal Diagnosis	1	2	3
Drug Secondary Diagnosis	2	8	4
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	50	52	49
Mental Illness Secondary Diagnosis	121	138	138
Alcohol Principal Diagnosis	10	11	9
Alcohol Secondary Diagnosis	15	13	7
Drug Principal Diagnosis	12	7	9
Drug Secondary Diagnosis	7	11	10

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	8	8	10
Alcohol Package Carry-out Licenses	17	15	15

EMPLOYMENT	2015	2014	2013
Labor Force	3,389	3,404	3,485
Employed	3,116	3,082	3,187
Unemployed	273	322	298
Unemployment Rate	8.1%	9.5%	8.6%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	7	12	12
Fatal Crashes	0	2	0
Injury Crashes	5	5	6
Property Damage Crashes	5	5	6
Crash Fatalities	0	2	0
Crash Injuries	12	9	11
Drug Involved Crashes	1	1	1
Fatal Crashes	0	0	0
Injury Crashes	1	1	1
Property Damage Crashes	0	0	0
Crash Fatalities	0	0	0
Crash Injuries	1	1	1

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	28	27	44
Liquor Law Arrests	15	11	17
Drug Arrests	105	1,237	134
Violent Offenses	22	21	32
Property Offenses	82	95	131
Domestic Violence Reports	16	11	31

	2015	2014	2013
Methamphetamine Lab Seizures	0	2	1

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	250	240	222
Drop-outs	1	0	0
Drop-out Rate	0.4%	0.0%	0.0%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	0	0	0
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	2	6	7
Juvenile Alcohol Offenses	1	1	0
Juvenile Drug Offenses	0	2	2
School Truancy Status Offense	21	14	4
Absent from Home Status Offense	1	0	2
Beyond Parental Control Status Offense	5	2	6
Injurious Behavior Status Offense	7	3	10
Child Abuse	6	3	1
Child Neglect	17	5	3
Child Custody Issues	15	4	8

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	3	4	0
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	1	2	0
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	10	12	12
Probation/Parole Admissions--DWI	1	0	5
Prison Admissions--Drug	4	6	7
Prison Admissions--DWI	1	2	3

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

SHANNON COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	9	9	12
CSTAR Adolescent	*	*	*
CSTAR Women and Children	0	*	*
CSTAR General Adult	11	19	16
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	0	5
Clinical SATOP (CIP, YCIP, SROP)	6	*	*
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	23	24	21
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	12	12	18
- Weekend Intervention Program	*	*	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	0	*	0
Early Intervention	0	0	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	24	31	36	Alcohol	6	9	7
AGE				Marijuana / Hashish	5	6	6
Under 18	*	*	*	Cocaine (total)	0	0	0
18 to 24	*	7	11	- Crack	0	0	0
25 to 29	6	6	6	Stimulant (total)	6	7	12
30 to 34	*	5	10	- Methamphetamine	6	7	12
35 to 39	6	5	*	Heroin	*	0	0
40 to 44	*	*	*	Analgesic except Heroin	6	8	10
45 to 54	*	*	*	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	0	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	0	*
Male	17	19	18	Inhalant	0	0	0
Female	7	12	18	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	*	0
Caucasian	24	31	36	Average Age at First Use of Drug	18.8	17.5	19.2
African American	0	0	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	6	9	13
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	5
Hispanic	*	0	0	- Weekly Injection Use	*	*	5
Other Race / Two or More Races	0	0	0	- Less than Weekly Injection Use	*	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	7	9	17	0	16	22	26
High School Graduate or G.E.D.	14	14	13	1 or 2	5	5	*
Associate Degree or Some College	*	7	5	3 or More	*	*	6
Bachelor or Advanced Degree	0	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	14	12	15
Employed	7	*	*	School	0	0	0
Unemployed	6	15	13	Mental Health Provider	0	0	*
Not in Labor Force	11	15	21	Health Care Provider	0	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	7	6	9
Independent Living	21	27	30	Other Referral Source	*	10	6
Dependent Living	*	*	*	TREATMENT ACCOMMODATION			
Homeless	0	0	*	Pregnant when Admitted to any Episode	0	*	0
MARITAL / FAMILY STATUS				Military Veteran	*	*	0
Never Married	12	11	17	Special Education Services Needed	5	*	*
Married / Cohabiting	9	8	14	Co-Occurring Psychological Problem	6	15	10
Previously Married	*	12	5	Co-Occurring Developmental Problem	*	*	*

SHANNON COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 18
CENSUS 2010 8,441
2015 POPULATION ESTIMATE 8,258

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	7	8	5
Anxiety Disorder	33	43	47
Dementia	*	*	*
Developmental Disorder	*	*	*
Impulse Control Disorder	12	15	18
Mood Disorder	48	70	83
Personality Disorder	*	*	*
Psychotic Disorder	7	7	8
Sexual Disorder	0	0	0
Other Diagnosis	*	7	5
Diagnosis Unknown	*	9	*

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	74	103	112	Less than High School Diploma	16	28	23
AGE				High School Grad or G.E.D.	0	0	0
Under 6	0	0	0	Associate Degree or Some College	0	0	0
6 to 9	*	*	*	Bachelor or Advanced Degree	0	0	0
10 to 13	*	*	*	Education Level Unknown	58	75	89
14 to 17	*	8	8	EMPLOYMENT			
18 to 24	*	9	12	Employed	8	8	20
25 to 29	8	11	10	Unemployed	*	11	18
30 to 34	7	11	17	Not in Labor Force	50	57	54
35 to 39	*	7	9	Employment Status Unknown	12	27	20
40 to 44	10	13	12	HOUSING / LIVING ARRANGEMENT			
45 to 49	12	15	8	Independent Living	42	51	74
50 to 54	7	9	15	Dependent Living	15	16	13
55 to 59	8	8	10	Homeless	*	*	*
60 and Over	8	8	7	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	16	34	24
GENDER				TREATMENT REFERRAL SOURCE			
Male	29	50	49	Self / Family / Friend	27	59	72
Female	45	53	63	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	*	*	*
RACE / ETHNICITY				Health Care Provider	39	33	30
Caucasian	72	101	109	Court / Criminal Justice	0	*	*
African American	0	0	0	Other	6	8	5
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	*	*	Voluntary	74	103	110
Other Race	*	*	*	Civil	0	0	*
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	7	8	12	Commitment Type Unknown	0	0	0
Past or Current Military Service	0	*	*				

SHANNON COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	41.6	52.5	61.0	64.9	Alcohol	17.0	16.3	26.2	34.0
Chewing Tobacco	23.2	19.8	31.2	34.6	Alcohol (5+ drinks on single occasion past 2 weeks)	8.0	1.3		
Cigarettes	30.4	52.0	46.1	48.7	Chewing Tobacco	14.2	19.8	14.9	22.9
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.9	7.4	1.4	1.6	Cigarettes	14.3	32.0	22.7	28.6
Cocaine	0.9	0.0	0.0	1.1	Inhalants	0.9	0.0	4.3	3.6
Electronic Cigarettes	19.6	24.3			Marijuana	8.8	18.8	8.5	6.9
Hallucinogens	2.7	5.0	2.8	1.6	Over-the-counter medications for non-medical use	0.9	0.0	5.7	5.4
Heroin	0.0	0.0	0.0	0.0	Prescription medications not prescribed for student	8.0	12.5	17.0	10.6
Inhalants	4.4	1.2	9.2	5.2	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	14.2	30.4	17.0	15.8	Alcohol (1 or 2 drinks daily)	50.0	42.5		
Methamphetamine	1.8	5.0	0.0	1.1	Alcohol (Binge: 5+ drinks once or twice a week)	63.1	51.9		
Over-the-counter medications for non-medical use	1.8	0.0	6.4	5.4	Cigarettes (1+ packs per day)	72.6	75.3		
Prescription medications not prescribed for student	12.5	25.0	21.3	14.9	Marijuana (once or twice a week)	62.5	50.0		
Synthetic drugs (K2, bath salts, Spice, etc)	5.3	11.3	9.3		Other: Cocaine, LSD, Meth, Club Drug (any use)	91.9	90.1	98.6	93.6
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.76	12.93	12.13	11.80	Alcohol	84.7	91.4	81.6	77.9
Cigarettes	11.49	12.09	11.77	11.92	Cigarettes	89.3	83.8	87.9	88.6
Inhalants		11.00	13.46	11.51	Marijuana	93.8	95.0	97.9	96.3
Marijuana	13.20	14.24	13.27	13.91	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	64.3	63.3	49.6	44.5
Alcohol	52.7	35.8	74.5	77.1	Cigarettes	84.8	53.1	68.1	69.1
Cigarettes	42.0	43.2	70.9	68.1	Marijuana	81.8	76.3	83.0	86.2
Marijuana	42.5	32.1	38.6	31.4	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	99.1	98.8	100.0	96.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.9	7.6	11.3	12.5	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	42.7	38.8	71.6	66.8
Alcohol	32.5	25.9	37.6	50.3	Cigarettes	47.3	45.0	70.9	73.9
Cigarettes	13.3	39.2	29.8	28.3	Marijuana	36.9	29.6	36.9	40.4
Marijuana	9.9	29.6	13.5	9.7	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.4	14.7	20.9	19.0
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	55.8	55.0	70.9	77.0	Were grouchy, irritable, or in a bad mood	28.6	19.8	33.1	20.9
Were victims of mean rumors or lies spread at school	45.1	50.0	58.9	55.3	Had difficulty concentrating on school work	28.3	8.6	24.1	27.9
Were victims of an embarrassing or hurtful text message or something posted on the Internet	19.5	21.3	21.3	25.9	Were very sad	22.3	35.0	31.2	16.7
					Felt hopeless about the future	10.7	2.5	19.1	11.2
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	13.6	10.0	17.7	13.1	Parents involve student in making family decisions	72.3	72.8	73.0	69.1
Made plan about how they would attempt suicide	10.3	10.7	12.2	9.4	Parents notice and comment on student's good work	87.6	87.5	83.0	88.9
Attempted suicide	5.5	1.3	8.5	9.9	Teachers notice and comment on student's good work	77.0	82.5		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

SHELBY COUNTY



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	14
Adult Psychiatric	14
POPULATION	
Census 2010	6,373
2015 Estimate	6,128

BIRTH RISK	2014	2013	2012
Resident Births	79	64	69
Mother Reported Smoking while Pregnant	18	14	13

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	1	1
Hepatitis C Chronic and Acute	4	0	2
Tuberculosis Infection Cases	2	1	0

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	85	85	78
Suicides	1	0	0
Homicides	0	0	0
Alcohol Induced Deaths	0	0	2
Drug Induced Deaths	2	0	1
Smoking Attributable Deaths	12	10	11
Self-inflicted Injuries	5	2	3
Assault Injuries	10	8	10

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	29	22	37
Mental Illness Secondary Diagnosis	69	86	104
Alcohol Principal Diagnosis	0	0	0
Alcohol Secondary Diagnosis	7	8	7
Drug Principal Diagnosis	1	0	0
Drug Secondary Diagnosis	2	1	4
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	7	12	12
Mental Illness Secondary Diagnosis	101	75	67
Alcohol Principal Diagnosis	2	0	4
Alcohol Secondary Diagnosis	20	8	4
Drug Principal Diagnosis	1	1	3
Drug Secondary Diagnosis	3	4	2
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	18	24	19
Mental Illness Secondary Diagnosis	52	35	40
Alcohol Principal Diagnosis	6	3	6
Alcohol Secondary Diagnosis	1	1	2
Drug Principal Diagnosis	5	5	5
Drug Secondary Diagnosis	2	2	0

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	7	6	5
Alcohol Package Carry-out Licenses	10	10	11

EMPLOYMENT	2015	2014	2013
Labor Force	3,124	3,050	3,106
Employed	2,976	2,864	2,940
Unemployed	148	186	166
Unemployment Rate	4.7%	6.1%	5.3%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	0	4	5
Fatal Crashes	0	0	0
Injury Crashes	0	1	3
Property Damage Crashes	3	3	2
Crash Fatalities	0	0	0
Crash Injuries	0	1	3
Drug Involved Crashes	0	0	0
Fatal Crashes	0	0	0
Injury Crashes	0	0	0
Property Damage Crashes	0	0	0
Crash Fatalities	0	0	0
Crash Injuries	0	0	0

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	18	17	23
Liquor Law Arrests	3	1	14
Drug Arrests	12	3,670	55
Violent Offenses	2	4	10
Property Offenses	35	60	39
Domestic Violence Reports	16	20	15

	2015	2014	2013
Methamphetamine Lab Seizures	1	2	1

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	312	316	336
Drop-outs	5	3	2
Drop-out Rate	1.6%	0.9%	0.6%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	1	2	0
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	8	6	6
Juvenile Alcohol Offenses	0	0	4
Juvenile Drug Offenses	2	1	2
School Truancy Status Offense	4	4	8
Absent from Home Status Offense	1	3	0
Beyond Parental Control Status Offense	17	6	6
Injurious Behavior Status Offense	10	11	11
Child Abuse	11	6	27
Child Neglect	47	28	58
Child Custody Issues	1	0	4

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	9	18	8
Parental Alcohol Use Related	0	1	0
Parental Drug Use Related	4	10	1
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	12	13	14
Probation/Parole Admissions--DWI	5	4	1
Prison Admissions--Drug	7	6	5
Prison Admissions--DWI	2	1	3

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

SHELBY COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	*	*	*
CSTAR Adolescent	9	*	6
CSTAR Women and Children	5	7	5
CSTAR General Adult	39	26	5
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	5	16
Clinical SATOP (CIP, YCIP, SROP)	5	*	5
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	29	10	21
- Adolescent Diversion Education Program	*	0	7
- Offender Education Program	12	*	8
- Weekend Intervention Program	*	*	0
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	0	0	0
Recovery Supports	0	0	0
Early Intervention	*	*	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	52	42	34	Alcohol	21	11	11
AGE				Marijuana / Hashish	20	16	15
Under 18	5	*	6	Cocaine (total)	0	0	*
18 to 24	10	6	5	- Crack	0	0	0
25 to 29	5	11	*	Stimulant (total)	6	10	5
30 to 34	8	5	10	- Methamphetamine	5	10	5
35 to 39	*	8	*	Heroin	*	0	0
40 to 44	8	*	*	Analgesic except Heroin	*	*	*
45 to 54	7	6	*	- Non-Prescription Methadone	0	0	0
55 and Over	5	0	*	PCP, LSD, other Hallucinogen	*	*	0
GENDER				Tranquilizer	0	0	0
Male	35	19	19	Inhalant	0	0	0
Female	17	23	15	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	0
Caucasian	50	40	33	Average Age at First Use of Drug	16.4	16.3	16.8
African American	*	*	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	*	*	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	0	*
Hispanic	0	0	*	- Weekly Injection Use	*	0	*
Other Race / Two or More Races	*	*	0	- Less than Weekly Injection Use	*	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	19	17	11	0	25	24	21
High School Graduate or G.E.D.	25	19	19	1 or 2	18	14	6
Associate Degree or Some College	8	6	*	3 or More	9	*	7
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	15	9	5
Employed	18	16	9	School	0	0	0
Unemployed	13	14	16	Mental Health Provider	0	0	0
Not in Labor Force	21	12	9	Health Care Provider	*	0	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	15	16	12
Independent Living	40	34	24	Other Referral Source	13	7	11
Dependent Living	11	8	8	TREATMENT ACCOMMODATION			
Homeless	*	0	*	Pregnant when Admitted to any Episode	0	*	*
MARITAL / FAMILY STATUS				Military Veteran	5	*	*
Never Married	25	19	16	Special Education Services Needed	*	*	*
Married / Cohabiting	15	14	6	Co-Occurring Psychological Problem	25	7	7
Previously Married	12	9	12	Co-Occurring Developmental Problem	*	*	0

SHELBY COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 14
CENSUS 2010 6,373
2015 POPULATION ESTIMATE 6,128

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	*	*	0
Anxiety Disorder	38	22	12
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	17	17	8
Mood Disorder	43	32	25
Personality Disorder	*	*	*
Psychotic Disorder	8	8	12
Sexual Disorder	0	0	0
Other Diagnosis	14	10	8
Diagnosis Unknown	*	*	*

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	64	48	42	Less than High School Diploma	33	22	25
AGE				High School Grad or G.E.D.	0	0	0
Under 6	*	0	*	Associate Degree or Some College	0	0	0
6 to 9	8	5	*	Bachelor or Advanced Degree	0	0	0
10 to 13	5	*	*	Education Level Unknown	31	26	17
14 to 17	12	9	6	EMPLOYMENT			
18 to 24	5	*	*	Employed	*	*	*
25 to 29	5	*	*	Unemployed	*	*	5
30 to 34	*	*	0	Not in Labor Force	53	35	29
35 to 39	6	*	*	Employment Status Unknown	7	8	5
40 to 44	*	*	*	HOUSING / LIVING ARRANGEMENT			
45 to 49	*	6	5	Independent Living	28	18	23
50 to 54	6	*	*	Dependent Living	27	17	13
55 to 59	5	6	7	Homeless	0	0	0
60 and Over	*	*	*	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	9	13	6
GENDER				TREATMENT REFERRAL SOURCE			
Male	21	19	17	Self / Family / Friend	15	12	13
Female	43	29	25	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	0	0	*
RACE / ETHNICITY				Health Care Provider	6	*	*
Caucasian	57	43	39	Court / Criminal Justice	5	*	*
African American	*	*	*	Other	37	28	20
Native American / Alaskan	0	0	0	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	*	*	Voluntary	61	46	40
Other Race	*	0	0	Civil	*	0	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	*	*	*
Past or Current Military Service	*	*	*				

SHELBY COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	40.9	26.1		32.4	Alcohol	12.8	11.1		11.3
Chewing Tobacco	12.9	6.5		16.2	Alcohol (5+ drinks on single occasion past 2 weeks)	4.3	0.0		
Cigarettes	17.0	8.7		18.3	Chewing Tobacco	8.5	2.2		7.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	0.0		0.7	Cigarettes	8.5	0.0		9.2
Cocaine	0.0	2.2		0.0	Inhalants	1.1	0.0		0.0
Electronic Cigarettes	11.8	17.0			Marijuana	0.0	0.0		0.0
Hallucinogens	0.0	13.0		0.0	Over-the-counter medications for non-medical use	1.1	17.0		1.4
Heroin	0.0	0.0		0.0	Prescription medications not prescribed for student	11.8	0.0		2.8
Inhalants	3.3	0.0		0.7					
Marijuana	5.4	0.0		2.8	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.0	0.0		0.0	Alcohol (1 or 2 drinks daily)	59.1	52.2		
Over-the-counter medications for non-medical use	1.1	17.0		3.5	Alcohol (Binge: 5+ drinks once or twice a week)	68.1	65.2		
Prescription medications not prescribed for student	12.9	0.0		5.7	Cigarettes (1+ packs per day)	83.7	95.0		
Synthetic drugs (K2, bath salts, Spice, etc)	1.1	0.0			Marijuana (once or twice a week)	76.3	73.9		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	94.6	82.6		92.4
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.16	11.92		13.37	Alcohol	76.3	69.6		84.5
Cigarettes	12.84	10.50		13.26	Cigarettes	92.5	84.8		95.7
Inhalants					Marijuana	97.8	86.7		96.5
Marijuana									
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	52.7	23.9		48.3	Alcohol	71.0	74.5		70.4
Cigarettes	33.3	15.2		39.6	Cigarettes	85.9	95.7		87.5
Marijuana	15.1	7.5		12.5	Marijuana	93.5	97.8		96.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	4.3	0.0		7.0	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	100.0	100.0		97.9
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	33.3	23.9		27.1	Alcohol	51.1	37.0		50.0
Cigarettes	12.8	0.0		8.4	Cigarettes	57.6	6.5		50.3
Marijuana	8.6	0.0		2.1	Marijuana	18.5	13.0		12.6
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.4	13.0		7.7
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	66.7	71.7		79.0	Were grouchy, irritable, or in a bad mood	28.0	32.6		21.5
Were victims of mean rumors or lies spread at school	52.7	54.3		61.3	Had difficulty concentrating on school work	21.5	9.8		28.7
Were victims of an embarrassing or hurtful text message or something posted on the Internet	24.7	37.0		22.0	Were very sad	20.4	13.0		12.5
					Felt hopeless about the future	11.7	2.2		11.2
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	12.9	26.1		8.3	Parents involve student in making family decisions	74.2	65.2		61.7
Made plan about how they would attempt suicide	10.8	2.2		3.5	Parents notice and comment on student's good work	84.9	78.3		81.1
Attempted suicide	6.4	13.0		2.1	Teachers notice and comment on student's good work	87.1	69.6		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

STODDARD COUNTY



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	19
Adult Psychiatric	20
POPULATION	
Census 2010	29,968
2015 Estimate	29,862

BIRTH RISK	2014	2013	2012
Resident Births	387	360	374
Mother Reported Smoking while Pregnant	109	104	97

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	2	1	0
Hepatitis B Chronic, Acute, Prenatal	6	0	4
Hepatitis C Chronic and Acute	23	31	32
Tuberculosis Infection Cases	4	2	4

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	351	393	367
Suicides	6	7	4
Homicides	0	1	1
Alcohol Induced Deaths	1	2	0
Drug Induced Deaths	2	5	9
Smoking Attributable Deaths	68	74	74
Self-inflicted Injuries	64	72	64
Assault Injuries	90	86	120

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	428	395	398
Mental Illness Secondary Diagnosis	476	616	457
Alcohol Principal Diagnosis	6	8	17
Alcohol Secondary Diagnosis	41	47	29
Drug Principal Diagnosis	20	24	22
Drug Secondary Diagnosis	28	29	28
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	67	58	52
Mental Illness Secondary Diagnosis	607	494	558
Alcohol Principal Diagnosis	6	12	9
Alcohol Secondary Diagnosis	32	31	51
Drug Principal Diagnosis	7	8	13
Drug Secondary Diagnosis	31	19	15
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	400	346	390
Mental Illness Secondary Diagnosis	476	394	482
Alcohol Principal Diagnosis	39	41	38
Alcohol Secondary Diagnosis	43	43	45
Drug Principal Diagnosis	47	44	42
Drug Secondary Diagnosis	77	45	38

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	29	30	30
Alcohol Package Carry-out Licenses	26	26	26

EMPLOYMENT	2015	2014	2013
Labor Force	13,377	13,017	15,155
Employed	12,496	12,021	14,073
Unemployed	881	996	1,082
Unemployment Rate	6.6%	7.7%	7.1%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	22	34	39
Fatal Crashes	0	1	2
Injury Crashes	13	15	18
Property Damage Crashes	18	17	19
Crash Fatalities	0	2	2
Crash Injuries	14	23	26
Drug Involved Crashes	14	10	17
Fatal Crashes	0	0	0
Injury Crashes	6	4	8
Property Damage Crashes	8	6	9
Crash Fatalities	0	0	0
Crash Injuries	7	4	11

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	176	192	234
Liquor Law Arrests	10	37	42
Drug Arrests	169	1,139	114
Violent Offenses	40	51	59
Property Offenses	470	598	665
Domestic Violence Reports	162	155	159
	2015	2014	2013
Methamphetamine Lab Seizures	1	5	10

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	1,400	1,396	1,407
Drop-outs	18	20	19
Drop-out Rate	1.3%	1.4%	1.4%
School Discipline Involving Alcohol	0	0	1
School Discipline Involving Drugs	10	11	2
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	58	44	40
Juvenile Alcohol Offenses	5	11	23
Juvenile Drug Offenses	10	14	7
School Truancy Status Offense	40	33	29
Absent from Home Status Offense	4	5	2
Beyond Parental Control Status Offense	12	2	20
Injurious Behavior Status Offense	7	24	13
Child Abuse	76	87	89
Child Neglect	155	161	197
Child Custody Issues	126	124	182

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	119	119	171
Parental Alcohol Use Related	6	6	3
Parental Drug Use Related	30	62	82
Parental Alcohol and Drug Use	9	4	4

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	44	41	40
Probation/Parole Admissions--Drug	167	130	103
Probation/Parole Admissions--DWI	31	30	26
Prison Admissions--Drug	81	58	56
Prison Admissions--DWI	15	16	11

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

STODDARD COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	32	27	35
CSTAR Adolescent	15	13	15
CSTAR Women and Children	7	15	17
CSTAR General Adult	196	156	181
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	69
Clinical SATOP (CIP, YCIP, SROP)	33	35	43
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	104	127	150
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	29	39	48
- Weekend Intervention Program	13	20	33
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	*	0	0
Recovery Supports	42	137	158
Early Intervention	0	*	5

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	254	255	327	Alcohol	77	90	106
AGE				Marijuana / Hashish	69	70	97
Under 18	15	11	15	Cocaine (total)	*	0	*
18 to 24	34	53	62	- Crack	*	0	*
25 to 29	49	39	57	Stimulant (total)	71	49	60
30 to 34	43	45	61	- Methamphetamine	68	45	58
35 to 39	36	35	30	Heroin	*	*	*
40 to 44	33	20	35	Analgesic except Heroin	23	37	40
45 to 54	30	38	54	- Non-Prescription Methadone	0	*	0
55 and Over	14	14	13	PCP, LSD, other Hallucinogen	*	0	0
GENDER				Tranquilizer	8	*	16
Male	159	159	181	Inhalant	0	*	0
Female	95	96	146	Sedative	0	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	0	*	0
Caucasian	248	250	312	Average Age at First Use of Drug	18.1	17.9	18.5
African American	*	*	6	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	35	39	37
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	*	*
Hispanic	0	*	*	- Weekly Injection Use	11	12	11
Other Race / Two or More Races	*	0	9	- Less than Weekly Injection Use	24	23	22
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	79	75	129	0	139	134	168
High School Graduate or G.E.D.	133	134	137	1 or 2	70	78	95
Associate Degree or Some College	42	44	60	3 or More	45	43	64
Bachelor or Advanced Degree	0	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	48	58	56
Employed	84	70	79	School	0	0	0
Unemployed	83	111	151	Mental Health Provider	*	0	*
Not in Labor Force	87	74	97	Health Care Provider	21	20	12
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	131	121	170
Independent Living	228	220	294	Other Referral Source	42	48	81
Dependent Living	21	23	28	TREATMENT ACCOMMODATION			
Homeless	*	7	5	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	13	12	9
Never Married	95	83	127	Special Education Services Needed	16	21	36
Married / Cohabiting	86	89	92	Co-Occurring Psychological Problem	111	113	112
Previously Married	73	83	108	Co-Occurring Developmental Problem	17	17	22

STODDARD COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 20
CENSUS 2010 29,968
2015 POPULATION ESTIMATE 29,862

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	21	35	43
Anxiety Disorder	165	159	158
Dementia	*	*	*
Developmental Disorder	*	*	5
Impulse Control Disorder	83	69	72
Mood Disorder	409	352	387
Personality Disorder	25	35	48
Psychotic Disorder	77	76	78
Sexual Disorder	*	*	*
Other Diagnosis	31	43	46
Diagnosis Unknown	34	31	48

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	639	587	627	Less than High School Diploma	303	259	268
AGE				High School Grad or G.E.D.	0	0	0
Under 6	7	8	6	Associate Degree or Some College	0	0	0
6 to 9	46	43	34	Bachelor or Advanced Degree	0	0	0
10 to 13	53	48	65	Education Level Unknown	336	328	359
14 to 17	62	53	58	EMPLOYMENT			
18 to 24	49	47	51	Employed	49	34	45
25 to 29	56	49	49	Unemployed	45	33	29
30 to 34	53	54	57	Not in Labor Force	405	394	370
35 to 39	45	44	43	Employment Status Unknown	140	126	183
40 to 44	54	44	55	HOUSING / LIVING ARRANGEMENT			
45 to 49	57	57	64	Independent Living	338	297	252
50 to 54	62	62	62	Dependent Living	214	219	240
55 to 59	46	39	37	Homeless	*	*	*
60 and Over	49	39	46	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	84	69	134
GENDER				TREATMENT REFERRAL SOURCE			
Male	265	249	269	Self / Family / Friend	293	267	246
Female	374	338	358	School	11	5	6
Gender Unknown	0	0	0	Mental Health Provider	69	81	100
RACE / ETHNICITY				Health Care Provider	102	94	109
Caucasian	613	561	607	Court / Criminal Justice	43	29	34
African American	8	11	*	Other	121	111	132
Native American / Alaskan	*	*	*	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	*	5	Voluntary	636	582	624
Other Race	13	12	10	Civil	*	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	11	8	9	Commitment Type Unknown	0	0	0
Past or Current Military Service	7	5	8				

STODDARD COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	39.6	43.3	49.4	42.3	Alcohol	18.9	17.3	23.8	17.7
Chewing Tobacco	19.6	25.3	18.7	18.3	Alcohol (5+ drinks on single occasion past 2 weeks)	8.7	8.7		
Cigarettes	28.8	31.5	37.8	35.3	Chewing Tobacco	9.2	14.0	10.7	8.9
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.5	1.5	1.9	2.6	Cigarettes	11.2	14.1	21.1	17.8
Cocaine	0.5	1.9	3.6	2.1	Inhalants	1.4	0.9	2.1	4.2
Electronic Cigarettes	30.4	18.7			Marijuana	5.3	7.4	3.8	6.5
Hallucinogens	1.2	3.1	1.3	3.4	Over-the-counter medications for non-medical use	1.0	2.1	4.2	5.6
Heroin	0.0	0.6	0.6	1.0	Prescription medications not prescribed for student	10.7	5.2	5.7	11.1
Inhalants	3.6	4.3	6.1	10.8					
Marijuana	14.7	16.0	16.0	12.9	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.2	0.6	1.3	1.6	Alcohol (1 or 2 drinks daily)	59.7	48.2		
Over-the-counter medications for non-medical use	3.1	3.7	9.7	9.3	Alcohol (Binge: 5+ drinks once or twice a week)	71.7	56.2		
Prescription medications not prescribed for student	15.4	12.6	12.2	15.4	Cigarettes (1+ packs per day)	81.4	77.5		
Synthetic drugs (K2, bath salts, Spice, etc)	2.4	6.2	9.2		Marijuana (once or twice a week)	69.7	64.4		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	91.8	90.0	93.6	94.6
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.16	12.71	12.33	12.51	Alcohol	83.8	77.8	83.0	81.8
Cigarettes	12.65	12.16	12.10	12.15	Cigarettes	92.0	85.9	91.8	88.5
Inhalants	11.36	11.91	12.26	12.82	Marijuana	93.4	90.9	97.7	95.1
Marijuana	14.35	13.74	12.98	13.52					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	47.8	56.2	69.4	54.0	Alcohol	67.2	57.1	54.8	61.5
Cigarettes	38.2	53.3	63.8	52.9	Cigarettes	83.3	75.5	72.2	75.3
Marijuana	34.5	36.4	37.0	27.9	Marijuana	84.6	77.1	83.9	86.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.9	14.1	15.0	12.2	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.1	95.4	96.4	96.1
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	27.2	34.1	40.0	30.3	Alcohol	48.5	63.0	66.3	49.6
Cigarettes	12.9	17.6	21.4	19.3	Cigarettes	51.0	61.3	69.6	54.4
Marijuana	10.9	13.8	10.6	9.1	Marijuana	32.8	38.2	37.2	26.5
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.1	19.0	19.3	12.9
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	65.1	64.9	61.6	66.1	Were grouchy, irritable, or in a bad mood	32.9	31.9	26.7	26.1
Were victims of mean rumors or lies spread at school	56.8	57.2	58.6	60.0	Had difficulty concentrating on school work	28.7	22.4	24.3	27.2
Were victims of an embarrassing or hurtful text message or something posted on the Internet	29.3	22.1	20.9	20.2	Were very sad	20.0	21.5	18.1	19.7
					Felt hopeless about the future	11.4	13.9	13.4	12.5
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	11.2	8.8	10.4	11.5	Parents involve student in making family decisions	67.1	62.6	72.5	73.1
Made plan about how they would attempt suicide	8.6	7.9	5.5	8.2	Parents notice and comment on student's good work	81.2	80.1	86.8	85.6
Attempted suicide	4.8	4.5	5.1	5.5	Teachers notice and comment on student's good work	74.5	71.7		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

STONE COUNTY



DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	10
Adult Psychiatric	10
POPULATION	
Census 2010	32,202
2015 Estimate	30,943

BIRTH RISK	2014	2013	2012
Resident Births	231	268	253
Mother Reported Smoking while Pregnant	51	67	56

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	2	2	0
Hepatitis C Chronic and Acute	37	20	14
Tuberculosis Infection Cases	6	4	3

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	431	409	355
Suicides	10	9	5
Homicides	1	1	1
Alcohol Induced Deaths	2	1	2
Drug Induced Deaths	6	2	4
Smoking Attributable Deaths	85	81	63
Self-inflicted Injuries	49	25	28
Assault Injuries	64	36	50

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	168	126	120
Mental Illness Secondary Diagnosis	309	269	294
Alcohol Principal Diagnosis	7	5	10
Alcohol Secondary Diagnosis	25	24	20
Drug Principal Diagnosis	14	8	10
Drug Secondary Diagnosis	24	17	15
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	141	112	110
Mental Illness Secondary Diagnosis	557	632	547
Alcohol Principal Diagnosis	50	31	26
Alcohol Secondary Diagnosis	70	59	70
Drug Principal Diagnosis	23	29	25
Drug Secondary Diagnosis	57	49	50
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	187	158	176
Mental Illness Secondary Diagnosis	493	968	874
Alcohol Principal Diagnosis	55	41	50
Alcohol Secondary Diagnosis	40	94	112
Drug Principal Diagnosis	73	55	55
Drug Secondary Diagnosis	59	83	104

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	39	38	41
Alcohol Package Carry-out Licenses	46	45	46

EMPLOYMENT	2015	2014	2013
Labor Force	13,697	13,423	15,056
Employed	12,633	12,145	13,720
Unemployed	1,064	1,278	1,336
Unemployment Rate	7.8%	9.5%	8.9%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	33	36	49
Fatal Crashes	1	0	4
Injury Crashes	18	16	25
Property Damage Crashes	20	20	20
Crash Fatalities	1	0	4
Crash Injuries	22	17	32
Drug Involved Crashes	4	9	3
Fatal Crashes	0	1	0
Injury Crashes	1	6	1
Property Damage Crashes	3	2	2
Crash Fatalities	0	2	0
Crash Injuries	2	7	1

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	143	222	153
Liquor Law Arrests	15	12	13
Drug Arrests	204	1,071	195
Violent Offenses	145	146	133
Property Offenses	596	594	638
Domestic Violence Reports	271	392	408
	2015	2014	2013
Methamphetamine Lab Seizures	2	0	8

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	1,198	1,236	1,258
Drop-outs	8	16	18
Drop-out Rate	0.7%	1.3%	1.4%
School Discipline Involving Alcohol	5	2	3
School Discipline Involving Drugs	27	16	23
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	31	35	18
Juvenile Alcohol Offenses	2	0	2
Juvenile Drug Offenses	5	11	9
School Truancy Status Offense	0	0	1
Absent from Home Status Offense	13	16	6
Beyond Parental Control Status Offense	6	8	2
Injurious Behavior Status Offense	22	16	9
Child Abuse	28	13	12
Child Neglect	38	30	51
Child Custody Issues	36	52	39

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	37	56	46
Parental Alcohol Use Related	2	2	0
Parental Drug Use Related	17	29	20
Parental Alcohol and Drug Use	0	0	6

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	152	141	140
Probation/Parole Admissions--Drug	115	105	80
Probation/Parole Admissions--DWI	9	7	12
Prison Admissions--Drug	56	50	35
Prison Admissions--DWI	1	1	3

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

STONE COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	58	51	40
CSTAR Adolescent	6	7	*
CSTAR Women and Children	7	7	13
CSTAR General Adult	28	18	25
CSTAR Opioid	0	0	0
Primary Recovery Treatment	66	57	47
Clinical SATOP (CIP, YCIP, SROP)	19	14	29
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	80	118	97
- Adolescent Diversion Education Program	*	*	*
- Offender Education Program	28	48	28
- Weekend Intervention Program	15	32	20
<i>(See also Clinical SATOP at left)</i>			
OTHER SERVICES PROVIDED			
Co-Dependency	8	0	*
Compulsive Gambling	0	0	0
Recovery Supports	5	12	24
Early Intervention	0	0	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	157	133	142	Alcohol	60	55	66
AGE				Marijuana / Hashish	19	22	14
Under 18	5	9	*	Cocaine (total)	0	0	0
18 to 24	27	15	27	- Crack	0	0	0
25 to 29	30	19	20	Stimulant (total)	43	31	32
30 to 34	17	25	30	- Methamphetamine	41	31	30
35 to 39	20	21	15	Heroin	*	*	*
40 to 44	19	19	9	Analgesic except Heroin	30	19	23
45 to 54	30	20	23	- Non-Prescription Methadone	0	*	*
55 and Over	9	5	15	PCP, LSD, other Hallucinogen	0	*	0
GENDER				Tranquilizer	*	*	*
Male	97	88	97	Inhalant	0	0	*
Female	60	45	45	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	0
Caucasian	151	133	139	Average Age at First Use of Drug	19.0	17.5	17.9
African American	0	0	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	*	Any Injection Use at Admission	38	26	28
Asian / Pacific Islander	0	0	0	- Daily Injection Use	8	8	6
Hispanic	*	*	*	- Weekly Injection Use	19	8	8
Other Race / Two or More Races	*	0	*	- Less than Weekly Injection Use	11	10	14
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	48	59	44	0	93	67	60
High School Graduate or G.E.D.	71	47	71	1 or 2	47	44	55
Associate Degree or Some College	38	25	26	3 or More	17	22	27
Bachelor or Advanced Degree	0	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	102	73	61
Employed	36	28	52	School	0	*	0
Unemployed	84	69	58	Mental Health Provider	*	*	*
Not in Labor Force	37	36	32	Health Care Provider	6	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	43	43	67
Independent Living	126	106	124	Other Referral Source	5	12	11
Dependent Living	16	14	12	TREATMENT ACCOMMODATION			
Homeless	10	8	6	Pregnant when Admitted to any Episode	*	0	*
MARITAL / FAMILY STATUS				Military Veteran	9	8	9
Never Married	69	54	57	Special Education Services Needed	5	8	*
Married / Cohabiting	47	41	43	Co-Occurring Psychological Problem	53	36	29
Previously Married	41	38	42	Co-Occurring Developmental Problem	*	5	*

STONE COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southwest
PSYCHIATRIC SERVICE AREA 10
CENSUS 2010 32,202
2015 POPULATION ESTIMATE 30,943

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	9	8	8
Anxiety Disorder	56	52	42
Dementia	0	0	0
Developmental Disorder	*	6	*
Impulse Control Disorder	22	17	21
Mood Disorder	98	94	83
Personality Disorder	16	20	16
Psychotic Disorder	31	27	24
Sexual Disorder	*	0	0
Other Diagnosis	23	20	17
Diagnosis Unknown	19	18	16

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	155	151	139	Less than High School Diploma	53	49	29
AGE				High School Grad or G.E.D.	0	0	0
Under 6	*	*	*	Associate Degree or Some College	0	0	0
6 to 9	7	8	*	Bachelor or Advanced Degree	0	0	0
10 to 13	11	13	22	Education Level Unknown	102	102	110
14 to 17	16	16	12	EMPLOYMENT			
18 to 24	10	10	5	Employed	5	*	*
25 to 29	14	9	7	Unemployed	5	6	*
30 to 34	11	15	18	Not in Labor Force	101	78	71
35 to 39	8	10	5	Employment Status Unknown	44	64	63
40 to 44	15	12	11	HOUSING / LIVING ARRANGEMENT			
45 to 49	17	25	26	Independent Living	46	38	27
50 to 54	27	21	16	Dependent Living	58	46	47
55 to 59	12	6	8	Homeless	*	*	*
60 and Over	*	*	*	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	48	66	64
GENDER				TREATMENT REFERRAL SOURCE			
Male	78	72	70	Self / Family / Friend	93	86	83
Female	77	79	69	School	0	*	*
Gender Unknown	0	0	0	Mental Health Provider	*	*	*
RACE / ETHNICITY				Health Care Provider	25	25	18
Caucasian	147	142	131	Court / Criminal Justice	6	5	11
African American	*	*	*	Other	26	28	20
Native American / Alaskan	0	0	0	Referral Source Unknown	*	*	*
Asian / Pacific Islander	*	0	0	TYPE OF COMMITMENT			
Hispanic	*	*	*	Voluntary	151	148	133
Other Race	5	*	5	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	0	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	*	0	0
Hearing Impaired	12	11	*	Commitment Type Unknown	*	*	*
Past or Current Military Service	*	*	5				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	36.4	39.0	40.2	43.6	Alcohol	15.5	14.9	16.6	17.4
Chewing Tobacco	12.7	17.7	22.7	18.9	Alcohol (5+ drinks on single occasion past 2 weeks)	4.5	4.6		
Cigarettes	23.8	28.2	23.2	29.8	Chewing Tobacco	5.2	10.3	12.7	11.3
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.4	3.6	4.1	2.4	Cigarettes	6.0	11.5	10.5	17.0
Cocaine	1.2	2.6	3.3	1.4	Inhalants	2.1	1.6	3.9	3.9
Electronic Cigarettes	27.5	19.9			Marijuana	7.4	7.5	8.1	8.4
Hallucinogens	2.9	4.6	3.1	2.7	Over-the-counter medications for non-medical use	1.0	2.6	3.2	4.1
Heroin	1.2	0.0	2.1	0.2	Prescription medications not prescribed for student	11.7	4.6	4.2	6.3
Inhalants	6.4	7.5	6.1	7.8					
Marijuana	16.3	16.0	14.2	15.5	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	1.0	2.0	2.9	0.9	Alcohol (1 or 2 drinks daily)	66.1	55.2		
Over-the-counter medications for non-medical use	4.5	5.2	6.9	7.7	Alcohol (Binge: 5+ drinks once or twice a week)	76.3	65.1		
Prescription medications not prescribed for student	15.3	11.9	9.5	10.8	Cigarettes (1+ packs per day)	81.7	85.3		
Synthetic drugs (K2, bath salts, Spice, etc)	2.1	4.3	7.8		Marijuana (once or twice a week)	64.7	64.6		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	90.1	89.5	95.1	93.6
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.52	12.86	12.48	12.41	Alcohol	83.5	76.5	83.2	79.2
Cigarettes	11.71	12.59	12.60	12.42	Cigarettes	94.9	88.4	91.2	88.3
Inhalants	11.78	13.01	13.18	12.56	Marijuana	92.2	88.4	95.3	93.0
Marijuana	12.45	13.24	13.39	13.28					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	44.1	45.5	51.1	57.7	Alcohol	70.9	65.7	67.0	64.8
Cigarettes	34.1	38.8	41.8	51.8	Cigarettes	88.9	84.9	80.4	76.4
Marijuana	31.3	28.8	26.7	35.4	Marijuana	80.6	82.9	85.7	83.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.1	12.5	11.8	17.5	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.9	95.7	95.8	94.2
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	25.2	25.4	27.1	28.8	Alcohol	51.1	49.5	54.0	53.4
Cigarettes	7.9	12.0	12.5	17.4	Cigarettes	48.1	51.5	55.0	56.3
Marijuana	11.5	10.2	9.3	12.2	Marijuana	33.9	32.6	33.0	34.7
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.5	16.7	16.6	16.7
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	61.7	56.0	61.7	66.5	Were grouchy, irritable, or in a bad mood	26.0	26.7	26.7	32.7
Were victims of mean rumors or lies spread at school	46.9	48.0	53.1	54.7	Had difficulty concentrating on school work	26.7	28.6	24.6	29.9
Were victims of an embarrassing or hurtful text message or something posted on the Internet	28.3	30.6	20.2	17.0	Were very sad	23.6	24.4	20.3	29.0
					Felt hopeless about the future	13.3	16.6	11.3	16.9
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	15.7	11.4	9.4	10.4	Parents involve student in making family decisions	72.9	68.0	70.8	72.8
Made plan about how they would attempt suicide	10.4	10.2	7.6	7.2	Parents notice and comment on student's good work	82.8	78.2	83.1	85.5
Attempted suicide	7.4	7.9	4.7	4.5	Teachers notice and comment on student's good work	74.2	69.8		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

SULLIVAN COUNTY



DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	13
Adult Psychiatric	13
POPULATION	
Census 2010	6,714
2015 Estimate	6,353

BIRTH RISK	2014	2013	2012
Resident Births	67	92	87
Mother Reported Smoking while Pregnant	20	15	22

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	0	1	0
Hepatitis B Chronic, Acute, Prenatal	0	0	0
Hepatitis C Chronic and Acute	2	5	3
Tuberculosis Infection Cases	0	0	0

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	88	81	86
Suicides	1	0	1
Homicides	0	0	0
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	2	1	1
Smoking Attributable Deaths	17	12	14
Self-inflicted Injuries	18	11	9
Assault Injuries	10	19	18

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	59	80	46
Mental Illness Secondary Diagnosis	170	120	177
Alcohol Principal Diagnosis	3	4	5
Alcohol Secondary Diagnosis	11	21	11
Drug Principal Diagnosis	5	7	0
Drug Secondary Diagnosis	10	5	8
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	18	8	6
Mental Illness Secondary Diagnosis	31	48	27
Alcohol Principal Diagnosis	1	1	2
Alcohol Secondary Diagnosis	2	9	6
Drug Principal Diagnosis	3	3	1
Drug Secondary Diagnosis	1	1	4
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	66	48	63
Mental Illness Secondary Diagnosis	119	147	163
Alcohol Principal Diagnosis	9	8	8
Alcohol Secondary Diagnosis	9	13	15
Drug Principal Diagnosis	13	7	9
Drug Secondary Diagnosis	32	20	15

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	5	7	10
Alcohol Package Carry-out Licenses	7	7	9

EMPLOYMENT	2015	2014	2013
Labor Force	2,826	2,738	3,413
Employed	2,659	2,557	3,244
Unemployed	167	181	169
Unemployment Rate	5.9%	6.6%	5.0%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	9	7	4
Fatal Crashes	2	0	0
Injury Crashes	6	4	2
Property Damage Crashes	3	3	2
Crash Fatalities	2	0	0
Crash Injuries	5	5	2
Drug Involved Crashes	1	3	0
Fatal Crashes	1	0	0
Injury Crashes	0	2	0
Property Damage Crashes	0	1	0
Crash Fatalities	1	0	0
Crash Injuries	0	2	0

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	29	34	32
Liquor Law Arrests	7	6	2
Drug Arrests	19	675	25
Violent Offenses	13	19	8
Property Offenses	85	80	83
Domestic Violence Reports	36	37	43

	2015	2014	2013
Methamphetamine Lab Seizures	2	1	0

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	296	304	314
Drop-outs	2	0	5
Drop-out Rate	0.7%	0.0%	1.6%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	0	0	2
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	3	10	6
Juvenile Alcohol Offenses	1	1	2
Juvenile Drug Offenses	1	2	3
School Truancy Status Offense	28	44	42
Absent from Home Status Offense	0	0	0
Beyond Parental Control Status Offense	1	9	14
Injurious Behavior Status Offense	9	24	22
Child Abuse	5	7	5
Child Neglect	19	12	11
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	19	10	15
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	6	2	5
Parental Alcohol and Drug Use	5	0	0

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	20	26	17
Probation/Parole Admissions--Drug	18	20	15
Probation/Parole Admissions--DWI	4	3	1
Prison Admissions--Drug	15	13	6
Prison Admissions--DWI	2	2	1

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

SULLIVAN COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	5	0	5
CSTAR Adolescent	5	7	5
CSTAR Women and Children	*	0	*
CSTAR General Adult	59	47	56
CSTAR Opioid	*	0	0
Primary Recovery Treatment	*	*	*
Clinical SATOP (CIP, YCIP, SROP)	7	6	7
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	25	19	30
- Adolescent Diversion Education Program	*	0	*
- Offender Education Program	6	*	6
- Weekend Intervention Program	5	*	11
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	*	*	*
Early Intervention	5	*	6

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	71	67	61	Alcohol	24	21	20
AGE				Marijuana / Hashish	19	27	18
Under 18	*	7	5	Cocaine (total)	*	0	0
18 to 24	9	9	9	- Crack	0	0	0
25 to 29	14	14	11	Stimulant (total)	18	14	11
30 to 34	12	8	12	- Methamphetamine	18	14	11
35 to 39	7	5	11	Heroin	*	*	0
40 to 44	9	9	6	Analgesic except Heroin	6	*	11
45 to 54	12	9	5	- Non-Prescription Methadone	0	0	0
55 and Over	*	6	*	PCP, LSD, other Hallucinogen	*	*	0
GENDER				Tranquilizer	*	0	0
Male	45	46	45	Inhalant	0	0	0
Female	26	21	16	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	*
Caucasian	66	59	55	Average Age at First Use of Drug	19.0	17.2	18.2
African American	*	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	6	5	8
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	0	*
Hispanic	5	5	6	- Weekly Injection Use	*	0	0
Other Race / Two or More Races	*	*	0	- Less than Weekly Injection Use	*	5	6
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	26	34	29	0	47	38	30
High School Graduate or G.E.D.	37	28	29	1 or 2	18	21	20
Associate Degree or Some College	8	5	*	3 or More	6	8	11
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	29	7	7
Employed	31	23	22	School	0	0	*
Unemployed	19	25	26	Mental Health Provider	*	*	0
Not in Labor Force	21	19	13	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	16	17	14
Independent Living	57	60	56	Other Referral Source	14	32	34
Dependent Living	7	7	5	TREATMENT ACCOMMODATION			
Homeless	*	0	0	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	35	41	33	Special Education Services Needed	*	6	7
Married / Cohabiting	23	12	20	Co-Occurring Psychological Problem	25	24	20
Previously Married	13	14	8	Co-Occurring Developmental Problem	0	*	0

SULLIVAN COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 13
CENSUS 2010 6,714
2015 POPULATION ESTIMATE 6,353

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	5	*	*
Anxiety Disorder	24	21	16
Dementia	*	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	8	6	8
Mood Disorder	37	35	32
Personality Disorder	6	*	5
Psychotic Disorder	6	8	8
Sexual Disorder	0	0	0
Other Diagnosis	12	11	8
Diagnosis Unknown	*	*	*

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	56	48	47	Less than High School Diploma	21	19	17
AGE				High School Grad or G.E.D.	0	*	*
Under 6	0	0	0	Associate Degree or Some College	0	0	0
6 to 9	*	*	5	Bachelor or Advanced Degree	0	0	0
10 to 13	6	6	*	Education Level Unknown	35	26	26
14 to 17	5	*	*	EMPLOYMENT			
18 to 24	0	*	*	Employed	5	*	6
25 to 29	7	*	5	Unemployed	*	10	5
30 to 34	*	*	*	Not in Labor Force	36	32	29
35 to 39	*	5	*	Employment Status Unknown	12	5	7
40 to 44	9	7	6	HOUSING / LIVING ARRANGEMENT			
45 to 49	*	*	*	Independent Living	24	22	24
50 to 54	*	7	5	Dependent Living	21	20	16
55 to 59	6	*	5	Homeless	0	0	0
60 and Over	6	*	*	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	11	6	7
GENDER				TREATMENT REFERRAL SOURCE			
Male	25	23	20	Self / Family / Friend	19	19	25
Female	31	25	27	School	*	*	0
Gender Unknown	0	0	0	Mental Health Provider	*	*	*
RACE / ETHNICITY				Health Care Provider	16	14	11
Caucasian	51	44	43	Court / Criminal Justice	5	7	*
African American	*	0	0	Other	10	*	*
Native American / Alaskan	*	*	*	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	*	*	Voluntary	55	47	45
Other Race	0	0	0	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	*
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	*	0	0	Commitment Type Unknown	*	*	*
Past or Current Military Service	*	*	*				

SULLIVAN COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	57.8	38.2	55.5	47.5	Alcohol	30.3	10.3	20.0	24.1
Chewing Tobacco	30.9	22.1	20.9	30.7	Alcohol (5+ drinks on single occasion past 2 weeks)	17.1	2.9		
Cigarettes	42.3	26.5	38.5	39.7	Chewing Tobacco	10.9	14.7	12.7	20.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.7	0.0	2.8	0.7	Cigarettes	17.1	14.7	19.1	21.3
Cocaine	1.8	0.0	1.9	1.4	Inhalants	0.9	1.5	1.8	1.4
Electronic Cigarettes	26.4	19.4			Marijuana	4.5	2.9	8.3	5.8
Hallucinogens	1.8	0.0	2.8	2.9	Over-the-counter medications for non-medical use	0.9	0.0	3.7	4.3
Heroin	0.0	0.0	0.0	0.0	Prescription medications not prescribed for student	5.5	2.9	4.6	5.7
Inhalants	1.8	1.5	5.5	2.9	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	22.5	8.8	17.4	13.1	Alcohol (1 or 2 drinks daily)	57.4	57.4		
Methamphetamine	0.0	0.0	0.0	0.7	Alcohol (Binge: 5+ drinks once or twice a week)	61.7	61.5		
Over-the-counter medications for non-medical use	5.4	1.5	5.5	5.8	Cigarettes (1+ packs per day)	84.3	77.9		
Prescription medications not prescribed for student	10.1	10.4	8.3	12.8	Marijuana (once or twice a week)	72.2	71.6		
Synthetic drugs (K2, bath salts, Spice, etc)	0.9	2.9	6.4		Other: Cocaine, LSD, Meth, Club Drug (any use)	95.4	91.0	90.9	86.5
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.68	12.67	12.58	12.40	Alcohol	68.5	73.5	70.8	69.8
Cigarettes	12.42	12.52	13.33	12.62	Cigarettes	83.8	85.3	83.3	83.6
Inhalants		12.61	12.84		Marijuana	92.7	95.5	90.8	95.0
Marijuana	13.87	14.31	13.69	14.22	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	49.5	60.6	49.1	46.8
Alcohol	56.8	42.6	58.7	67.4	Cigarettes	71.8	70.6	66.4	66.9
Cigarettes	41.4	44.1	56.0	65.2	Marijuana	83.3	87.7	77.8	85.8
Marijuana	31.5	22.1	32.1	24.8	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.2	98.4	96.3	94.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.1	4.5	9.1	17.3	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	58.6	63.2	60.6	57.4
Alcohol	44.4	32.4	42.2	41.3	Cigarettes	52.3	58.8	59.6	65.2
Cigarettes	22.0	16.2	27.5	24.8	Marijuana	36.4	26.9	36.4	29.3
Marijuana	9.2	13.2	13.8	6.5	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.6	10.6	14.7	15.8
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	62.7	59.7	56.9	70.2	Were grouchy, irritable, or in a bad mood	40.9	17.6	27.5	17.4
Were victims of mean rumors or lies spread at school	58.2	50.0	50.5	64.7	Had difficulty concentrating on school work	26.1	16.2	17.4	29.6
Were victims of an embarrassing or hurtful text message or something posted on the Internet	30.6	17.6	16.8	22.1	Were very sad	27.9	13.4	18.3	10.8
					Felt hopeless about the future	11.7	10.3	9.2	7.2
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	13.5	6.0	8.3	10.7	Parents involve student in making family decisions	60.9	81.8	70.6	67.4
Made plan about how they would attempt suicide	6.4	1.5	8.3	8.5	Parents notice and comment on student's good work	78.2	88.2	82.6	80.9
Attempted suicide	7.2	1.5	3.7	6.4	Teachers notice and comment on student's good work	73.0	79.4		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

TANEY COUNTY



DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	10
Adult Psychiatric	10
POPULATION	
Census 2010	51,675
2015 Estimate	54,592

BIRTH RISK	2014	2013	2012
Resident Births	647	595	620
Mother Reported Smoking while Pregnant	166	147	166

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	0	3	2
Hepatitis B Chronic, Acute, Prenatal	2	3	2
Hepatitis C Chronic and Acute	76	64	57
Tuberculosis Infection Cases	4	18	8

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	511	545	533
Suicides	9	6	5
Homicides	2	2	1
Alcohol Induced Deaths	4	9	3
Drug Induced Deaths	7	7	8
Smoking Attributable Deaths	97	94	113
Self-inflicted Injuries	90	90	76
Assault Injuries	135	125	145

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	355	284	276
Mental Illness Secondary Diagnosis	441	497	499
Alcohol Principal Diagnosis	16	28	36
Alcohol Secondary Diagnosis	26	32	44
Drug Principal Diagnosis	30	31	23
Drug Secondary Diagnosis	57	62	40
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	205	219	204
Mental Illness Secondary Diagnosis	1,063	1,209	1,186
Alcohol Principal Diagnosis	93	102	117
Alcohol Secondary Diagnosis	144	148	153
Drug Principal Diagnosis	51	50	53
Drug Secondary Diagnosis	122	131	107
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	557	468	456
Mental Illness Secondary Diagnosis	1,031	3,319	2,746
Alcohol Principal Diagnosis	220	207	233
Alcohol Secondary Diagnosis	123	295	516
Drug Principal Diagnosis	156	140	141
Drug Secondary Diagnosis	143	363	424

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	128	130	124
Alcohol Package Carry-out Licenses	67	67	69

EMPLOYMENT	2015	2014	2013
Labor Force	26,518	25,476	29,041
Employed	24,390	23,020	26,455
Unemployed	2,128	2,456	2,586
Unemployment Rate	8.0%	9.6%	8.9%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	71	75	68
Fatal Crashes	3	2	3
Injury Crashes	25	30	36
Property Damage Crashes	43	43	29
Crash Fatalities	3	2	4
Crash Injuries	41	41	50
Drug Involved Crashes	16	17	8
Fatal Crashes	1	0	0
Injury Crashes	9	13	3
Property Damage Crashes	6	4	5
Crash Fatalities	1	0	0
Crash Injuries	13	22	7

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	266	297	314
Liquor Law Arrests	76	70	73
Drug Arrests	314	1,134	260
Violent Offenses	172	269	279
Property Offenses	1,782	2,011	2,029
Domestic Violence Reports	559	553	495
	2015	2014	2013
Methamphetamine Lab Seizures	1	4	1

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	2,388	2,388	2,398
Drop-outs	18	23	36
Drop-out Rate	0.8%	1.0%	1.5%
School Discipline Involving Alcohol	2	4	1
School Discipline Involving Drugs	35	32	56
School Discipline Involving Tobacco	1	1	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	87	58	57
Juvenile Alcohol Offenses	13	16	9
Juvenile Drug Offenses	30	36	28
School Truancy Status Offense	12	7	3
Absent from Home Status Offense	33	24	28
Beyond Parental Control Status Offense	32	19	30
Injurious Behavior Status Offense	43	36	25
Child Abuse	13	12	11
Child Neglect	84	121	104
Child Custody Issues	37	28	18

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	92	115	100
Parental Alcohol Use Related	5	5	5
Parental Drug Use Related	32	57	45
Parental Alcohol and Drug Use	1	3	0

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	35	42	48
Probation/Parole Admissions--Drug	138	125	124
Probation/Parole Admissions--DWI	22	25	14
Prison Admissions--Drug	76	61	61
Prison Admissions--DWI	11	8	8

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

TANEY COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	194	202	203
CSTAR Adolescent	17	21	11
CSTAR Women and Children	37	31	24
CSTAR General Adult	141	139	138
CSTAR Opioid	0	*	0
Primary Recovery Treatment	156	140	147
Clinical SATOP (CIP, YCIP, SROP)	40	35	46
Other Substance Abuse Treatment	*	*	*


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	179	204	207
- Adolescent Diversion Education Program	0	0	*
- Offender Education Program	55	77	69
- Weekend Intervention Program	36	49	46
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	9	7	12
Compulsive Gambling	0	0	0
Recovery Supports	97	171	207
Early Intervention	5	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	439	447	435	Alcohol	144	164	189
AGE				Marijuana / Hashish	51	57	42
Under 18	17	21	11	Cocaine (total)	*	*	5
18 to 24	67	85	77	- Crack	*	*	*
25 to 29	79	89	84	Stimulant (total)	153	134	108
30 to 34	87	75	79	- Methamphetamine	151	132	105
35 to 39	49	55	43	Heroin	18	26	24
40 to 44	51	39	49	Analgesic except Heroin	64	56	60
45 to 54	70	67	68	- Non-Prescription Methadone	*	*	0
55 and Over	19	16	24	PCP, LSD, other Hallucinogen	*	*	*
GENDER				Tranquilizer	*	*	*
Male	267	287	268	Inhalant	0	0	0
Female	172	160	167	Sedative	0	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	0	*	*
Caucasian	406	419	411	Average Age at First Use of Drug	18.4	18.0	17.6
African American	15	10	7	INJECTION DRUG USE			
Native American / Alaskan	*	*	*	Any Injection Use at Admission	149	129	121
Asian / Pacific Islander	0	*	0	- Daily Injection Use	37	38	33
Hispanic	10	14	13	- Weekly Injection Use	50	34	42
Other Race / Two or More Races	11	8	9	- Less than Weekly Injection Use	62	57	46
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	124	135	117	0	248	246	244
High School Graduate or G.E.D.	237	213	211	1 or 2	121	127	136
Associate Degree or Some College	74	91	101	3 or More	70	74	55
Bachelor or Advanced Degree	*	8	6	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	273	249	270
Employed	136	128	117	School	0	*	0
Unemployed	214	229	226	Mental Health Provider	*	*	*
Not in Labor Force	89	90	92	Health Care Provider	16	10	13
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	119	155	120
Independent Living	294	315	321	Other Referral Source	28	22	29
Dependent Living	73	82	46	TREATMENT ACCOMMODATION			
Homeless	47	45	63	Pregnant when Admitted to any Episode	6	12	6
MARITAL / FAMILY STATUS				Military Veteran	10	17	24
Never Married	186	228	199	Special Education Services Needed	29	11	15
Married / Cohabiting	140	104	110	Co-Occurring Psychological Problem	134	122	90
Previously Married	113	115	126	Co-Occurring Developmental Problem	15	11	14

TANEY COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southwest
PSYCHIATRIC SERVICE AREA 10
CENSUS 2010 51,675
2015 POPULATION ESTIMATE 54,592

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	23	16	15
Anxiety Disorder	206	173	135
Dementia	*	*	0
Developmental Disorder	10	7	10
Impulse Control Disorder	44	44	44
Mood Disorder	292	272	247
Personality Disorder	61	43	34
Psychotic Disorder	76	60	52
Sexual Disorder	0	*	0
Other Diagnosis	41	38	25
Diagnosis Unknown	43	34	37

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	431	404	367	Less than High School Diploma	126	109	65
AGE				High School Grad or G.E.D.	0	0	0
Under 6	9	10	*	Associate Degree or Some College	0	0	0
6 to 9	17	18	19	Bachelor or Advanced Degree	0	0	0
10 to 13	20	29	26	Education Level Unknown	305	295	302
14 to 17	27	18	22	EMPLOYMENT			
18 to 24	19	31	37	Employed	29	24	8
25 to 29	40	34	40	Unemployed	29	26	24
30 to 34	58	52	39	Not in Labor Force	251	209	166
35 to 39	48	43	40	Employment Status Unknown	122	145	169
40 to 44	37	35	38	HOUSING / LIVING ARRANGEMENT			
45 to 49	53	51	38	Independent Living	169	140	67
50 to 54	57	38	27	Dependent Living	110	97	116
55 to 59	21	27	23	Homeless	9	6	6
60 and Over	25	18	14	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	143	161	178
GENDER				TREATMENT REFERRAL SOURCE			
Male	191	172	164	Self / Family / Friend	296	234	196
Female	240	232	203	School	*	0	*
Gender Unknown	0	0	0	Mental Health Provider	10	11	19
RACE / ETHNICITY				Health Care Provider	52	52	47
Caucasian	381	370	330	Court / Criminal Justice	27	43	41
African American	10	8	8	Other	42	62	60
Native American / Alaskan	*	*	*	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	10	6	6	Voluntary	422	396	354
Other Race	26	17	22	Civil	5	*	8
Race/Ethnicity Unknown	0	0	0	Criminal	*	5	*
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	23	13	14	Commitment Type Unknown	*	*	*
Past or Current Military Service	14	9	9				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	37.2	33.3	30.5	38.3	Alcohol	13.3	13.2	11.7	14.7
Chewing Tobacco	13.9	11.5	8.5	13.7	Alcohol (5+ drinks on single occasion past 2 weeks)	3.8	5.0		
Cigarettes	27.7	21.3	20.8	29.0	Chewing Tobacco	3.9	5.9	4.3	6.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.7	2.3	1.7	2.5	Cigarettes	8.7	9.1	8.9	15.7
Cocaine	1.6	1.3	2.0	2.0	Inhalants	2.4	1.0	2.2	2.9
Electronic Cigarettes	32.3	20.7			Marijuana	7.9	8.1	5.3	6.5
Hallucinogens	2.2	2.4	2.9	3.8	Over-the-counter medications for non-medical use	1.0	1.8	4.2	3.8
Heroin	0.8	0.7	1.3	1.1	Prescription medications not prescribed for student	8.0	3.4	3.8	5.7
Inhalants	4.8	4.8	6.1	7.2					
Marijuana	19.0	17.3	12.2	14.9	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.8	1.0	1.3	1.3	Alcohol (1 or 2 drinks daily)	64.4	59.8		
Over-the-counter medications for non-medical use	4.5	4.7	5.7	7.4	Alcohol (Binge: 5+ drinks once or twice a week)	76.3	72.8		
Prescription medications not prescribed for student	12.6	8.8	7.9	11.9	Cigarettes (1+ packs per day)	85.5	88.2		
Synthetic drugs (K2, bath salts, Spice, etc)	3.7	4.6	6.1		Marijuana (once or twice a week)	64.2	62.7		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	93.1	94.1	97.0	93.9
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.50	13.31	11.62	11.99	Alcohol	80.5	84.5	86.0	81.7
Cigarettes	12.13	12.44	11.37	11.50	Cigarettes	90.4	92.9	95.3	89.9
Inhalants	10.36	11.99	11.25	12.09	Marijuana	89.3	89.8	93.5	93.3
Marijuana	13.20	13.60	12.55	12.63					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	45.8	45.1	42.2	52.1	Alcohol	72.7	69.5	71.2	68.9
Cigarettes	37.1	38.6	39.9	50.8	Cigarettes	86.3	85.2	83.3	78.7
Marijuana	39.7	36.6	30.0	34.9	Marijuana	80.8	78.9	82.8	83.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.7	15.1	16.6	19.6	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.7	98.1	94.9	94.4
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	22.2	19.9	22.2	26.1	Alcohol	51.3	48.2	47.3	53.8
Cigarettes	10.6	11.6	12.3	15.2	Cigarettes	47.5	49.0	46.3	57.0
Marijuana	16.9	13.2	12.5	12.6	Marijuana	39.8	35.6	33.1	37.9
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.5	16.6	17.7	18.7
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	65.2	65.4	59.8	71.4	Were grouchy, irritable, or in a bad mood	34.4	25.6	22.7	17.8
Were victims of mean rumors or lies spread at school	53.2	52.6	50.6	61.3	Had difficulty concentrating on school work	33.9	25.9	19.0	28.0
Were victims of an embarrassing or hurtful text message or something posted on the Internet	26.5	27.7	21.0	23.3	Were very sad	31.3	23.1	21.2	9.9
					Felt hopeless about the future	17.5	12.4	10.6	7.9
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	20.7	14.3	13.1	14.7	Parents involve student in making family decisions	65.6	71.5	72.1	72.7
Made plan about how they would attempt suicide	13.9	10.5	11.0	10.7	Parents notice and comment on student's good work	79.1	83.8	86.2	82.6
Attempted suicide	7.7	6.1	6.1	6.5	Teachers notice and comment on student's good work	76.0	72.6		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

TEXAS COUNTY



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	18
Adult Psychiatric	18
POPULATION	
Census 2010	26,008
2015 Estimate	25,690

BIRTH RISK	2014	2013	2012
Resident Births	297	301	280
Mother Reported Smoking while Pregnant	81	82	79

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	0	0	1
Hepatitis B Chronic, Acute, Prenatal	1	5	3
Hepatitis C Chronic and Acute	38	35	35
Tuberculosis Infection Cases	7	2	0

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	292	289	304
Suicides	3	5	3
Homicides	0	3	1
Alcohol Induced Deaths	1	4	4
Drug Induced Deaths	1	5	2
Smoking Attributable Deaths	49	52	59
Self-inflicted Injuries	21	29	20
Assault Injuries	28	28	27

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	174	136	151
Mental Illness Secondary Diagnosis	344	330	360
Alcohol Principal Diagnosis	12	5	5
Alcohol Secondary Diagnosis	20	33	22
Drug Principal Diagnosis	42	23	26
Drug Secondary Diagnosis	18	11	13
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	56	40	42
Mental Illness Secondary Diagnosis	424	377	385
Alcohol Principal Diagnosis	10	8	5
Alcohol Secondary Diagnosis	29	38	40
Drug Principal Diagnosis	11	8	7
Drug Secondary Diagnosis	31	22	20
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	197	136	167
Mental Illness Secondary Diagnosis	545	518	470
Alcohol Principal Diagnosis	35	29	18
Alcohol Secondary Diagnosis	31	37	56
Drug Principal Diagnosis	33	29	24
Drug Secondary Diagnosis	30	30	25

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	16	15	17
Alcohol Package Carry-out Licenses	19	20	21

EMPLOYMENT	2015	2014	2013
Labor Force	9,537	9,364	11,370
Employed	8,905	8,626	10,602
Unemployed	632	738	768
Unemployment Rate	6.6%	7.9%	6.8%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	35	25	30
Fatal Crashes	3	0	1
Injury Crashes	15	17	12
Property Damage Crashes	8	8	17
Crash Fatalities	3	0	1
Crash Injuries	26	26	17
Drug Involved Crashes	9	5	5
Fatal Crashes	2	0	0
Injury Crashes	2	3	5
Property Damage Crashes	5	2	0
Crash Fatalities	2	0	0
Crash Injuries	3	5	8

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	118	126	140
Liquor Law Arrests	54	47	61
Drug Arrests	133	2,910	72
Violent Offenses	34	33	25
Property Offenses	519	520	589
Domestic Violence Reports	145	197	136
	2015	2014	2013
Methamphetamine Lab Seizures	1	9	17

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	1,162	1,181	1,150
Drop-outs	5	11	19
Drop-out Rate	0.4%	0.9%	1.7%
School Discipline Involving Alcohol	2	1	3
School Discipline Involving Drugs	4	4	2
School Discipline Involving Tobacco	0	2	1

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	18	26	33
Juvenile Alcohol Offenses	12	8	11
Juvenile Drug Offenses	7	10	16
School Truancy Status Offense	51	62	98
Absent from Home Status Offense	4	9	10
Beyond Parental Control Status Offense	16	15	19
Injurious Behavior Status Offense	47	64	134
Child Abuse	157	112	195
Child Neglect	244	311	564
Child Custody Issues	9	4	11

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	47	25	16
Parental Alcohol Use Related	2	1	0
Parental Drug Use Related	23	10	5
Parental Alcohol and Drug Use	0	3	3

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	7	10	16
Probation/Parole Admissions--Drug	90	61	51
Probation/Parole Admissions--DWI	10	16	13
Prison Admissions--Drug	28	29	35
Prison Admissions--DWI	6	7	8

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

TEXAS COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	19	25	21
CSTAR Adolescent	*	7	8
CSTAR Women and Children	5	5	7
CSTAR General Adult	83	75	63
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	27
Clinical SATOP (CIP, YCIP, SROP)	14	32	32
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	73	77	102
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	21	20	35
- Weekend Intervention Program	18	11	20
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	0	0	0
Recovery Supports	*	*	5
Early Intervention	0	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	110	116	133	Alcohol	38	55	51
AGE				Marijuana / Hashish	30	15	27
Under 18	*	8	9	Cocaine (total)	0	0	0
18 to 24	13	19	28	- Crack	0	0	0
25 to 29	28	23	22	Stimulant (total)	23	25	21
30 to 34	23	19	25	- Methamphetamine	22	25	20
35 to 39	13	8	13	Heroin	*	*	*
40 to 44	9	13	17	Analgesic except Heroin	17	16	27
45 to 54	17	22	14	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	5	PCP, LSD, other Hallucinogen	*	0	*
GENDER				Tranquilizer	0	*	*
Male	56	76	80	Inhalant	0	0	*
Female	54	40	53	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	*	*
Caucasian	103	110	130	Average Age at First Use of Drug	17.3	18.7	19.2
African American	*	*	*	INJECTION DRUG USE			
Native American / Alaskan	*	0	*	Any Injection Use at Admission	24	16	27
Asian / Pacific Islander	0	0	0	- Daily Injection Use	5	*	*
Hispanic	*	*	*	- Weekly Injection Use	6	6	7
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	13	7	17
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	41	42	50	0	58	61	65
High School Graduate or G.E.D.	50	51	59	1 or 2	42	32	48
Associate Degree or Some College	19	23	23	3 or More	10	23	20
Bachelor or Advanced Degree	0	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	35	39	36
Employed	33	31	31	School	0	0	0
Unemployed	38	36	52	Mental Health Provider	0	*	*
Not in Labor Force	39	49	50	Health Care Provider	11	12	6
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	47	50	73
Independent Living	103	102	116	Other Referral Source	16	11	15
Dependent Living	*	11	14	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	5	*	5
MARITAL / FAMILY STATUS				Military Veteran	*	9	10
Never Married	39	45	43	Special Education Services Needed	15	12	26
Married / Cohabiting	48	33	43	Co-Occurring Psychological Problem	60	42	66
Previously Married	23	38	47	Co-Occurring Developmental Problem	14	11	25

TEXAS COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 18
CENSUS 2010 26,008
2015 POPULATION ESTIMATE 25,690

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	*	9	13
Anxiety Disorder	120	160	151
Dementia	0	*	0
Developmental Disorder	*	*	*
Impulse Control Disorder	40	40	45
Mood Disorder	143	207	225
Personality Disorder	13	16	16
Psychotic Disorder	23	26	25
Sexual Disorder	0	0	0
Other Diagnosis	14	19	22
Diagnosis Unknown	20	20	16

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	234	301	321	Less than High School Diploma	62	82	99
AGE				High School Grad or G.E.D.	0	0	*
Under 6	0	0	0	Associate Degree or Some College	0	0	0
6 to 9	12	9	14	Bachelor or Advanced Degree	0	0	0
10 to 13	17	17	14	Education Level Unknown	172	219	221
14 to 17	18	20	26	EMPLOYMENT			
18 to 24	24	25	50	Employed	26	29	30
25 to 29	28	37	36	Unemployed	14	30	47
30 to 34	23	36	27	Not in Labor Force	138	158	187
35 to 39	16	26	24	Employment Status Unknown	56	84	57
40 to 44	22	31	32	HOUSING / LIVING ARRANGEMENT			
45 to 49	21	32	26	Independent Living	110	139	175
50 to 54	28	34	37	Dependent Living	46	55	57
55 to 59	17	19	17	Homeless	8	5	5
60 and Over	8	15	18	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	70	102	84
GENDER				TREATMENT REFERRAL SOURCE			
Male	119	141	144	Self / Family / Friend	99	160	152
Female	115	160	177	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	*	8	17
RACE / ETHNICITY				Health Care Provider	107	100	126
Caucasian	227	290	308	Court / Criminal Justice	11	15	8
African American	*	*	*	Other	13	18	18
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	*	TYPE OF COMMITMENT			
Hispanic	*	7	7	Voluntary	230	298	319
Other Race	*	*	*	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	6	7	7	Commitment Type Unknown	0	0	0
Past or Current Military Service	12	14	5				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	50.1	30.3	36.9	46.7	Alcohol	22.0	12.2	13.4	21.7
Chewing Tobacco	32.0	20.0	22.7	28.6	Alcohol (5+ drinks on single occasion past 2 weeks)	12.4	3.4		
Cigarettes	44.3	27.5	27.3	33.1	Chewing Tobacco	16.0	15.0	12.1	18.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.6	0.0	2.1	1.7	Cigarettes	16.1	14.7	12.2	17.3
Cocaine	0.6	0.0	0.5	0.2	Inhalants	2.5	2.7	3.1	4.1
Electronic Cigarettes	30.1	19.9			Marijuana	5.5	0.8	5.4	4.2
Hallucinogens	3.0	2.7	3.1	1.7	Over-the-counter medications for non-medical use	2.2	0.8	2.1	5.4
Heroin	0.6	0.0	0.3	0.6	Prescription medications not prescribed for student	9.4	2.7	3.9	6.4
Inhalants	4.7	3.4	5.9	8.1	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	21.3	4.9	8.8	11.0	Alcohol (1 or 2 drinks daily)	59.4	47.5		
Methamphetamine	2.0	0.0	1.1	0.6	Alcohol (Binge: 5+ drinks once or twice a week)	63.2	54.4		
Over-the-counter medications for non-medical use	4.7	0.8	5.2	7.7	Cigarettes (1+ packs per day)	82.9	79.1		
Prescription medications not prescribed for student	14.7	10.2	8.5	10.2	Marijuana (once or twice a week)	70.2	73.2		
Synthetic drugs (K2, bath salts, Spice, etc)	2.2	4.2	6.5		Other: Cocaine, LSD, Meth, Club Drug (any use)	90.4	91.3	90.8	90.1
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	11.79	12.25	11.43	11.89	Alcohol	80.0	83.4	77.5	79.1
Cigarettes	11.44	11.49	11.12	10.98	Cigarettes	90.2	86.7	90.3	86.9
Inhalants	10.58	13.52	11.04	11.51	Marijuana	86.8	98.1	94.7	95.6
Marijuana	13.66	13.46	13.46	12.28	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	63.0	66.0	66.9	58.0
Alcohol	57.2	40.2	44.4	55.8	Cigarettes	79.2	78.2	76.4	74.7
Cigarettes	50.3	38.1	44.7	48.8	Marijuana	76.3	90.5	88.6	88.1
Marijuana	42.8	11.3	18.8	29.6	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.0	98.5	95.5	96.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	17.7	5.0	8.8	14.0	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	53.6	55.8	44.7	54.1
Alcohol	33.7	27.1	23.6	35.6	Cigarettes	54.7	61.1	43.9	59.4
Cigarettes	19.8	14.4	15.5	19.3	Marijuana	40.5	32.3	19.3	28.7
Marijuana	16.3	7.9	8.0	8.2	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	18.3	15.6	11.3	14.0
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	59.1	62.8	56.2	71.0	Were grouchy, irritable, or in a bad mood	41.4	18.5	24.0	19.1
Were victims of mean rumors or lies spread at school	65.5	52.8	49.1	57.3	Had difficulty concentrating on school work	27.1	23.0	17.2	21.6
Were victims of an embarrassing or hurtful text message or something posted on the Internet	33.4	23.4	16.5	19.7	Were very sad	25.4	17.7	15.2	14.0
					Felt hopeless about the future	15.5	8.3	7.3	12.2
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	14.4	6.0	10.8	11.6	Parents involve student in making family decisions	62.6	65.7	63.9	71.2
Made plan about how they would attempt suicide	7.2	1.1	7.3	10.4	Parents notice and comment on student's good work	74.7	82.0	79.8	86.2
Attempted suicide	4.4	0.8	6.7	4.9	Teachers notice and comment on student's good work	68.2	74.0		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

VERNON COUNTY



DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	8
Adult Psychiatric	8B
POPULATION	
Census 2010	21,159
2015 Estimate	20,826

BIRTH RISK	2014	2013	2012
Resident Births	260	275	263
Mother Reported Smoking while Pregnant	50	58	72

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	1	0	2
Hepatitis B Chronic, Acute, Prenatal	3	0	0
Hepatitis C Chronic and Acute	17	17	22
Tuberculosis Infection Cases	7	4	6

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	269	256	234
Suicides	8	1	2
Homicides	3	0	0
Alcohol Induced Deaths	1	1	3
Drug Induced Deaths	3	5	2
Smoking Attributable Deaths	42	54	43
Self-inflicted Injuries	23	34	27
Assault Injuries	64	58	81

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	197	180	183
Mental Illness Secondary Diagnosis	381	408	357
Alcohol Principal Diagnosis	5	6	11
Alcohol Secondary Diagnosis	36	29	28
Drug Principal Diagnosis	10	4	7
Drug Secondary Diagnosis	18	14	22
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	151	167	233
Mental Illness Secondary Diagnosis	171	195	227
Alcohol Principal Diagnosis	7	7	16
Alcohol Secondary Diagnosis	19	12	16
Drug Principal Diagnosis	5	5	14
Drug Secondary Diagnosis	13	12	9
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	188	178	217
Mental Illness Secondary Diagnosis	442	288	551
Alcohol Principal Diagnosis	29	42	42
Alcohol Secondary Diagnosis	41	48	52
Drug Principal Diagnosis	27	33	32
Drug Secondary Diagnosis	50	54	52

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	19	18	16
Alcohol Package Carry-out Licenses	22	24	22

EMPLOYMENT	2015	2014	2013
Labor Force	10,000	9,750	10,074
Employed	9,504	9,196	9,524
Unemployed	496	554	550
Unemployment Rate	5.0%	5.7%	5.5%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	15	15	25
Fatal Crashes	1	1	0
Injury Crashes	4	4	9
Property Damage Crashes	10	10	16
Crash Fatalities	1	1	0
Crash Injuries	7	7	10
Drug Involved Crashes	3	4	6
Fatal Crashes	1	0	0
Injury Crashes	1	1	3
Property Damage Crashes	1	3	3
Crash Fatalities	1	0	0
Crash Injuries	4	1	4

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	92	91	144
Liquor Law Arrests	9	12	34
Drug Arrests	92	1,920	72
Violent Offenses	114	86	86
Property Offenses	849	1,062	1,192
Domestic Violence Reports	162	152	155
	2015	2014	2013
Methamphetamine Lab Seizures	2	0	0

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	950	965	977
Drop-outs	20	31	24
Drop-out Rate	2.1%	3.2%	2.5%
School Discipline Involving Alcohol	3	1	1
School Discipline Involving Drugs	13	12	6
School Discipline Involving Tobacco	1	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	74	33	78
Juvenile Alcohol Offenses	15	3	9
Juvenile Drug Offenses	5	2	15
School Truancy Status Offense	58	36	41
Absent from Home Status Offense	15	5	29
Beyond Parental Control Status Offense	56	15	52
Injurious Behavior Status Offense	9	7	3
Child Abuse	38	42	27
Child Neglect	91	91	85
Child Custody Issues	14	8	5

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	25	13	17
Parental Alcohol Use Related	0	0	4
Parental Drug Use Related	4	7	5
Parental Alcohol and Drug Use	2	2	1

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	26	20	31
Probation/Parole Admissions--Drug	86	62	45
Probation/Parole Admissions--DWI	8	19	16
Prison Admissions--Drug	29	33	18
Prison Admissions--DWI	4	1	3

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

VERNON COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	14	7	13
CSTAR Adolescent	5	6	9
CSTAR Women and Children	17	8	9
CSTAR General Adult	149	156	177
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	*
Clinical SATOP (CIP, YCIP, SROP)	12	20	22
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	66	82	94
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	19	29	45
- Weekend Intervention Program	17	18	23
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	6	*	9
Compulsive Gambling	0	0	0
Recovery Supports	*	*	*
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	184	194	217	Alcohol	55	69	86
AGE				Marijuana / Hashish	35	43	51
Under 18	7	6	10	Cocaine (total)	0	*	0
18 to 24	24	22	40	- Crack	0	0	0
25 to 29	30	34	32	Stimulant (total)	79	67	58
30 to 34	38	41	40	- Methamphetamine	75	64	56
35 to 39	37	28	29	Heroin	*	*	*
40 to 44	19	18	13	Analgesic except Heroin	11	9	14
45 to 54	24	32	42	- Non-Prescription Methadone	0	0	0
55 and Over	5	13	11	PCP, LSD, other Hallucinogen	0	0	*
GENDER				Tranquilizer	0	*	0
Male	113	108	140	Inhalant	0	0	*
Female	71	86	77	Sedative	*	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	*	0	*
Caucasian	177	181	208	Average Age at First Use of Drug	17.9	17.1	16.5
African American	*	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	*	0	Any Injection Use at Admission	33	35	27
Asian / Pacific Islander	0	*	0	- Daily Injection Use	*	*	*
Hispanic	*	*	*	- Weekly Injection Use	10	7	5
Other Race / Two or More Races	6	7	*	- Less than Weekly Injection Use	21	24	19
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	58	69	71	0	121	112	124
High School Graduate or G.E.D.	102	90	106	1 or 2	45	53	54
Associate Degree or Some College	24	34	40	3 or More	18	29	39
Bachelor or Advanced Degree	0	*	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	52	45	91
Employed	36	49	51	School	0	*	0
Unemployed	66	68	63	Mental Health Provider	*	5	*
Not in Labor Force	82	77	103	Health Care Provider	8	17	16
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	73	83	89
Independent Living	142	157	189	Other Referral Source	44	41	18
Dependent Living	17	17	16	TREATMENT ACCOMMODATION			
Homeless	9	6	6	Pregnant when Admitted to any Episode	*	6	*
MARITAL / FAMILY STATUS				Military Veteran	*	5	10
Never Married	90	84	94	Special Education Services Needed	13	16	18
Married / Cohabiting	62	65	69	Co-Occurring Psychological Problem	103	103	93
Previously Married	32	45	54	Co-Occurring Developmental Problem	6	10	16

VERNON COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southwest
PSYCHIATRIC SERVICE AREA 8B
CENSUS 2010 21,159
2015 POPULATION ESTIMATE 20,826

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	11	5	*
Anxiety Disorder	147	140	103
Dementia	*	*	*
Developmental Disorder	*	*	*
Impulse Control Disorder	37	29	26
Mood Disorder	213	204	167
Personality Disorder	30	20	22
Psychotic Disorder	70	72	57
Sexual Disorder	*	*	*
Other Diagnosis	21	12	6
Diagnosis Unknown	11	27	25

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	319	326	267	Less than High School Diploma	102	107	84
AGE				High School Grad or G.E.D.	0	0	0
Under 6	*	*	0	Associate Degree or Some College	0	0	0
6 to 9	10	11	9	Bachelor or Advanced Degree	0	0	0
10 to 13	21	13	8	Education Level Unknown	217	219	183
14 to 17	18	18	12	EMPLOYMENT			
18 to 24	32	29	28	Employed	16	18	6
25 to 29	21	38	32	Unemployed	14	16	24
30 to 34	37	38	33	Not in Labor Force	210	216	160
35 to 39	33	33	27	Employment Status Unknown	79	76	77
40 to 44	31	32	23	HOUSING / LIVING ARRANGEMENT			
45 to 49	33	33	30	Independent Living	141	148	115
50 to 54	42	42	38	Dependent Living	95	84	62
55 to 59	19	25	13	Homeless	*	10	*
60 and Over	19	13	14	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	79	84	86
GENDER				TREATMENT REFERRAL SOURCE			
Male	139	138	117	Self / Family / Friend	223	223	167
Female	180	188	150	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	12	19	21
RACE / ETHNICITY				Health Care Provider	52	56	49
Caucasian	306	309	256	Court / Criminal Justice	13	9	10
African American	*	5	*	Other	17	18	19
Native American / Alaskan	*	0	0	Referral Source Unknown	*	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	*	*	Voluntary	307	316	257
Other Race	7	9	6	Civil	*	*	5
Race/Ethnicity Unknown	0	0	0	Criminal	5	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	11	9	9	Commitment Type Unknown	*	0	0
Past or Current Military Service	11	8	8				

MISSOURI STUDENT SURVEY

	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	44.8	35.4	45.9	46.1	Alcohol	21.2	17.2	24.6	22.6
Chewing Tobacco	18.6	10.3	19.3	21.1	Alcohol (5+ drinks on single occasion past 2 weeks)	9.7	8.2		
Cigarettes	27.4	22.0	31.4	28.8	Chewing Tobacco	6.9	6.6	11.2	13.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.8	0.0	1.1	1.5	Cigarettes	9.2	11.6	18.2	11.7
Cocaine	1.3	0.0	0.9	1.5	Inhalants	1.5	0.4	1.1	2.3
Electronic Cigarettes	26.7	13.0			Marijuana	6.9	3.0	7.0	2.7
Hallucinogens	1.6	0.0	2.2	1.1	Over-the-counter medications for non-medical use	3.1	3.0	4.2	3.6
Heroin	1.0	0.0	0.6	0.6	Prescription medications not prescribed for student	8.5	2.2	8.7	4.9
Inhalants	4.1	2.6	4.5	5.3	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	16.6	5.6	15.7	9.9	Alcohol (1 or 2 drinks daily)	62.9	49.1		
Methamphetamine	1.0	0.0	1.1	0.6	Alcohol (Binge: 5+ drinks once or twice a week)	69.1	68.0		
Over-the-counter medications for non-medical use	6.7	5.6	6.2	6.1	Cigarettes (1+ packs per day)	83.0	80.6		
Prescription medications not prescribed for student	13.6	3.7	10.6	8.9	Marijuana (once or twice a week)	69.9	78.0		
Synthetic drugs (K2, bath salts, Spice, etc)	1.8	3.4	11.2		Other: Cocaine, LSD, Meth, Club Drug (any use)	93.0	91.8	91.8	93.5
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.62	12.31	12.52	12.18	Alcohol	79.8	80.3	73.3	79.2
Cigarettes	12.07	13.00	13.01	11.93	Cigarettes	92.0	90.6	86.6	90.9
Inhalants	11.51	13.15	13.77	11.63	Marijuana	91.6	97.3	94.6	96.4
Marijuana	13.93	13.50	13.29	13.64	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	60.3	61.0	52.2	58.6
Alcohol	52.6	33.5	58.3	59.5	Cigarettes	85.6	85.9	68.3	77.1
Cigarettes	34.8	33.0	49.9	45.2	Marijuana	81.9	91.8	79.2	87.3
Marijuana	35.0	12.0	29.3	25.6	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.7	98.9	94.7	95.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.0	6.2	15.2	13.3	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	54.5	45.5	60.8	59.2
Alcohol	31.7	25.9	43.0	36.5	Cigarettes	50.8	50.5	57.7	58.7
Cigarettes	10.9	10.6	20.7	13.0	Marijuana	39.4	15.7	36.9	31.0
Marijuana	13.0	6.3	11.2	6.1	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	16.1	5.6	20.7	21.3
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	64.6	60.8	64.3	71.4	Were grouchy, irritable, or in a bad mood	34.4	25.1	31.7	28.5
Were victims of mean rumors or lies spread at school	59.0	44.4	54.9	59.3	Had difficulty concentrating on school work	31.5	20.4	26.7	33.9
Were victims of an embarrassing or hurtful text message or something posted on the Internet	30.2	13.3	27.1	20.1	Were very sad	25.1	12.0	20.2	22.7
					Felt hopeless about the future	15.9	7.7	10.6	14.3
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	13.8	5.5	12.5	11.2	Parents involve student in making family decisions	63.3	70.8	64.4	71.9
Made plan about how they would attempt suicide	13.2	4.0	10.5	8.7	Parents notice and comment on student's good work	79.5	86.0	78.4	84.7
Attempted suicide	7.8	2.2	3.9	5.4	Teachers notice and comment on student's good work	70.1	75.6		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

WARREN COUNTY



DBH REGION	Eastern
DBH SERVICE AREAS	
Substance Use	16
Adult Psychiatric	16
POPULATION	
Census 2010	32,513
2015 Estimate	33,513

BIRTH RISK	2014	2013	2012
Resident Births	402	399	415
Mother Reported Smoking while Pregnant	82	104	104

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	0	1	0
Hepatitis B Chronic, Acute, Prenatal	3	0	1
Hepatitis C Chronic and Acute	22	29	21
Tuberculosis Infection Cases	3	3	3

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	306	273	270
Suicides	5	5	8
Homicides	3	1	1
Alcohol Induced Deaths	0	2	1
Drug Induced Deaths	9	13	4
Smoking Attributable Deaths	66	54	51
Self-inflicted Injuries	55	45	51
Assault Injuries	103	93	113

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	252	290	205
Mental Illness Secondary Diagnosis	367	448	366
Alcohol Principal Diagnosis	21	22	16
Alcohol Secondary Diagnosis	43	45	29
Drug Principal Diagnosis	22	26	29
Drug Secondary Diagnosis	27	30	28
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	268	227	256
Mental Illness Secondary Diagnosis	581	550	616
Alcohol Principal Diagnosis	17	13	19
Alcohol Secondary Diagnosis	59	54	66
Drug Principal Diagnosis	12	19	9
Drug Secondary Diagnosis	39	29	39
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	278	294	285
Mental Illness Secondary Diagnosis	1,103	1,466	1,777
Alcohol Principal Diagnosis	45	44	44
Alcohol Secondary Diagnosis	59	49	53
Drug Principal Diagnosis	53	42	51
Drug Secondary Diagnosis	95	158	195

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	33	36	37
Alcohol Package Carry-out Licenses	26	23	26

EMPLOYMENT	2015	2014	2013
Labor Force	17,468	17,034	16,854
Employed	16,633	15,974	15,699
Unemployed	835	1,060	1,155
Unemployment Rate	4.8%	6.2%	6.9%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	24	33	39
Fatal Crashes	0	2	3
Injury Crashes	9	17	19
Property Damage Crashes	14	14	17
Crash Fatalities	0	2	3
Crash Injuries	20	20	21
Drug Involved Crashes	9	4	6
Fatal Crashes	0	0	2
Injury Crashes	5	1	1
Property Damage Crashes	4	3	3
Crash Fatalities	0	0	2
Crash Injuries	6	1	2

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	134	170	184
Liquor Law Arrests	24	49	73
Drug Arrests	222	2,097	305
Violent Offenses	134	142	96
Property Offenses	700	710	843
Domestic Violence Reports	231	336	313
	2015	2014	2013
Methamphetamine Lab Seizures	5	24	30

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	1,420	1,354	1,368
Drop-outs	4	13	18
Drop-out Rate	0.3%	1.0%	1.3%
School Discipline Involving Alcohol	0	13	0
School Discipline Involving Drugs	16	18	14
School Discipline Involving Tobacco	0	1	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	8	15	10
Juvenile Alcohol Offenses	5	2	3
Juvenile Drug Offenses	11	9	14
School Truancy Status Offense	10	7	10
Absent from Home Status Offense	34	15	17
Beyond Parental Control Status Offense	25	12	16
Injurious Behavior Status Offense	50	47	59
Child Abuse	52	39	30
Child Neglect	69	59	50
Child Custody Issues	2	1	3

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	44	35	36
Parental Alcohol Use Related	2	1	2
Parental Drug Use Related	11	13	9
Parental Alcohol and Drug Use	1	3	1

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	26	24	43
Probation/Parole Admissions--Drug	157	136	153
Probation/Parole Admissions--DWI	25	19	19
Prison Admissions--Drug	71	64	75
Prison Admissions--DWI	12	15	21

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

WARREN COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	12	18	28
CSTAR Adolescent	15	14	11
CSTAR Women and Children	29	23	37
CSTAR General Adult	132	121	81
CSTAR Opioid	0	*	*
Primary Recovery Treatment	*	*	13
Clinical SATOP (CIP, YCIP, SROP)	33	43	56
Other Substance Abuse Treatment	0	0	*


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	127	130	156
- Adolescent Diversion Education Program	5	*	*
- Offender Education Program	45	45	42
- Weekend Intervention Program	20	23	32
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	0	*	*
Recovery Supports	0	*	0
Early Intervention	*	*	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	188	182	196	Alcohol	57	74	88
AGE				Marijuana / Hashish	48	40	42
Under 18	15	16	12	Cocaine (total)	*	*	*
18 to 24	25	34	33	- Crack	*	*	*
25 to 29	39	38	37	Stimulant (total)	21	29	23
30 to 34	29	18	25	- Methamphetamine	20	28	23
35 to 39	24	22	18	Heroin	45	30	28
40 to 44	16	16	26	Analgesic except Heroin	10	*	11
45 to 54	30	28	36	- Non-Prescription Methadone	0	0	0
55 and Over	10	10	9	PCP, LSD, other Hallucinogen	0	*	*
GENDER				Tranquilizer	*	0	*
Male	117	105	125	Inhalant	0	0	0
Female	71	76	71	Sedative	*	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	*	0
Caucasian	164	163	185	Average Age at First Use of Drug	18.7	17.5	17.3
African American	14	9	7	INJECTION DRUG USE			
Native American / Alaskan	*	0	0	Any Injection Use at Admission	48	43	40
Asian / Pacific Islander	*	*	0	- Daily Injection Use	12	7	10
Hispanic	*	*	*	- Weekly Injection Use	12	11	10
Other Race / Two or More Races	*	7	*	- Less than Weekly Injection Use	24	25	20
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	62	78	70	0	114	105	86
High School Graduate or G.E.D.	89	74	91	1 or 2	46	42	67
Associate Degree or Some College	37	28	34	3 or More	28	35	43
Bachelor or Advanced Degree	0	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	42	49	43
Employed	55	56	65	School	6	*	*
Unemployed	78	84	89	Mental Health Provider	0	*	0
Not in Labor Force	55	42	42	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	117	96	115
Independent Living	162	151	163	Other Referral Source	14	25	31
Dependent Living	21	23	26	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	*	*	7
MARITAL / FAMILY STATUS				Military Veteran	7	10	9
Never Married	111	105	111	Special Education Services Needed	25	22	14
Married / Cohabiting	45	43	37	Co-Occurring Psychological Problem	47	55	57
Previously Married	32	34	48	Co-Occurring Developmental Problem	6	8	9

WARREN COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Eastern
PSYCHIATRIC SERVICE AREA 16
CENSUS 2010 32,513
2015 POPULATION ESTIMATE 33,513

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	*	*	5
Anxiety Disorder	481	379	295
Dementia	*	0	0
Developmental Disorder	33	23	21
Impulse Control Disorder	236	177	139
Mood Disorder	602	508	426
Personality Disorder	65	66	53
Psychotic Disorder	66	56	52
Sexual Disorder	*	*	*
Other Diagnosis	48	30	27
Diagnosis Unknown	22	11	14

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	754	632	548	Less than High School Diploma	274	225	206
AGE				High School Grad or G.E.D.	0	0	*
Under 6	*	5	*	Associate Degree or Some College	0	0	0
6 to 9	65	48	43	Bachelor or Advanced Degree	0	0	0
10 to 13	62	66	54	Education Level Unknown	480	407	338
14 to 17	87	69	59	EMPLOYMENT			
18 to 24	66	48	50	Employed	51	44	37
25 to 29	50	46	35	Unemployed	58	48	37
30 to 34	72	63	59	Not in Labor Force	409	356	301
35 to 39	68	54	45	Employment Status Unknown	236	184	173
40 to 44	56	49	42	HOUSING / LIVING ARRANGEMENT			
45 to 49	56	52	52	Independent Living	316	318	273
50 to 54	69	65	54	Dependent Living	181	111	109
55 to 59	60	40	30	Homeless	8	6	*
60 and Over	40	27	24	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	249	197	165
GENDER				TREATMENT REFERRAL SOURCE			
Male	315	259	227	Self / Family / Friend	348	283	185
Female	439	373	321	School	94	87	74
Gender Unknown	0	0	0	Mental Health Provider	19	27	30
RACE / ETHNICITY				Health Care Provider	104	57	53
Caucasian	675	572	512	Court / Criminal Justice	11	10	8
African American	37	28	11	Other	176	166	197
Native American / Alaskan	*	0	*	Referral Source Unknown	*	*	*
Asian / Pacific Islander	*	*	*	TYPE OF COMMITMENT			
Hispanic	17	11	9	Voluntary	747	627	545
Other Race	19	18	13	Civil	*	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	25	24	18	Commitment Type Unknown	*	*	*
Past or Current Military Service	18	13	8				

WARREN COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol			50.9	43.3	Alcohol			22.7	19.0
Chewing Tobacco			10.9	10.8	Alcohol (5+ drinks on single occasion past 2 weeks)				
Cigarettes			32.5	26.7	Chewing Tobacco			6.2	5.9
Club drugs (Ecstasy, GHB, roofie, Special K, etc)			4.2	0.9	Cigarettes			12.9	13.6
Cocaine			3.3	0.9	Inhalants			3.2	1.8
Electronic Cigarettes					Marijuana			12.6	7.5
Hallucinogens			4.6	3.0	Over-the-counter medications for non-medical use			6.0	3.0
Heroin			3.0	0.4	Prescription medications not prescribed for student			5.8	4.6
Inhalants			5.5	5.2					
Marijuana			24.3	16.5	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine			1.6	0.9	Alcohol (1 or 2 drinks daily)				
Over-the-counter medications for non-medical use			10.9	5.8	Alcohol (Binge: 5+ drinks once or twice a week)				
Prescription medications not prescribed for student			9.8	9.7	Cigarettes (1+ packs per day)				
Synthetic drugs (K2, bath salts, Spice, etc)			5.3		Marijuana (once or twice a week)				
					Other: Cocaine, LSD, Meth, Club Drug (any use)			95.4	92.9
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol			11.85	12.49	Alcohol			70.4	71.9
Cigarettes			11.91	12.24	Cigarettes			87.9	91.5
Inhalants			11.55	13.00	Marijuana			93.4	95.0
Marijuana			13.25	13.76					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol			62.8	63.2	Alcohol			48.3	55.5
Cigarettes			52.4	50.0	Cigarettes			76.4	78.2
Marijuana			52.3	37.4	Marijuana			73.4	81.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)			19.9	18.3	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)			94.6	94.3
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol			41.4	32.6	Alcohol			67.4	64.8
Cigarettes			15.4	15.3	Cigarettes			62.1	61.5
Marijuana			19.7	11.0	Marijuana			46.4	34.7
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)			20.7	17.0
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others			59.0	68.5	Were grouchy, irritable, or in a bad mood			29.4	24.5
Were victims of mean rumors or lies spread at school			44.8	46.8	Had difficulty concentrating on school work			29.0	31.7
Were victims of an embarrassing or hurtful text message or something posted on the Internet			21.2	13.6	Were very sad			25.8	18.7
					Felt hopeless about the future			16.5	11.7
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide			17.0	9.8	Parents involve student in making family decisions			57.1	68.1
Made plan about how they would attempt suicide			17.4	8.0	Parents notice and comment on student's good work			72.5	84.4
Attempted suicide			12.2	3.8	Teachers notice and comment on student's good work				

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

WASHINGTON COUNTY



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	17
Adult Psychiatric	17B
POPULATION	
Census 2010	25,195
2015 Estimate	24,788

BIRTH RISK	2014	2013	2012
Resident Births	277	300	286
Mother Reported Smoking while Pregnant	79	104	91

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	1	0	0
Hepatitis B Chronic, Acute, Prenatal	1	3	1
Hepatitis C Chronic and Acute	47	32	31
Tuberculosis Infection Cases	0	1	6

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	299	295	222
Suicides	5	8	4
Homicides	0	0	1
Alcohol Induced Deaths	0	1	1
Drug Induced Deaths	9	7	2
Smoking Attributable Deaths	71	68	46
Self-inflicted Injuries	37	50	35
Assault Injuries	96	90	134

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	235	263	240
Mental Illness Secondary Diagnosis	500	552	532
Alcohol Principal Diagnosis	5	9	5
Alcohol Secondary Diagnosis	30	31	26
Drug Principal Diagnosis	27	26	20
Drug Secondary Diagnosis	38	33	22
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	60	39	64
Mental Illness Secondary Diagnosis	506	523	446
Alcohol Principal Diagnosis	10	7	8
Alcohol Secondary Diagnosis	47	42	47
Drug Principal Diagnosis	4	10	6
Drug Secondary Diagnosis	25	35	26
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	292	262	308
Mental Illness Secondary Diagnosis	1,928	1,836	1,621
Alcohol Principal Diagnosis	25	39	25
Alcohol Secondary Diagnosis	38	51	71
Drug Principal Diagnosis	61	56	45
Drug Secondary Diagnosis	63	58	97

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	16	17	16
Alcohol Package Carry-out Licenses	24	25	23

EMPLOYMENT	2015	2014	2013
Labor Force	10,687	10,450	10,000
Employed	9,980	9,554	9,055
Unemployed	707	896	945
Unemployment Rate	6.6%	8.6%	9.5%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	27	35	43
Fatal Crashes	1	6	6
Injury Crashes	13	11	13
Property Damage Crashes	18	18	24
Crash Fatalities	1	7	6
Crash Injuries	17	17	15
Drug Involved Crashes	14	10	11
Fatal Crashes	2	1	0
Injury Crashes	4	0	5
Property Damage Crashes	8	9	6
Crash Fatalities	4	1	0
Crash Injuries	8	1	6

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	64	66	80
Liquor Law Arrests	5	7	11
Drug Arrests	44	392	49
Violent Offenses	76	48	47
Property Offenses	455	492	601
Domestic Violence Reports	78	90	131
	2015	2014	2013
Methamphetamine Lab Seizures	6	12	29

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	1,041	1,006	971
Drop-outs	24	23	33
Drop-out Rate	2.3%	2.3%	3.4%
School Discipline Involving Alcohol	0	0	1
School Discipline Involving Drugs	1	1	4
School Discipline Involving Tobacco	1	0	1

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	52	61	58
Juvenile Alcohol Offenses	0	5	4
Juvenile Drug Offenses	4	1	11
School Truancy Status Offense	80	56	20
Absent from Home Status Offense	3	5	7
Beyond Parental Control Status Offense	2	9	18
Injurious Behavior Status Offense	23	27	18
Child Abuse	5	4	5
Child Neglect	38	34	41
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	46	26	32
Parental Alcohol Use Related	0	0	2
Parental Drug Use Related	30	17	22
Parental Alcohol and Drug Use	3	0	0

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	22	13	22
Probation/Parole Admissions--Drug	51	64	73
Probation/Parole Admissions--DWI	6	11	8
Prison Admissions--Drug	42	32	44
Prison Admissions--DWI	5	5	2

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

WASHINGTON COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	24	23	19
CSTAR Adolescent	*	*	*
CSTAR Women and Children	*	*	8
CSTAR General Adult	130	101	113
CSTAR Opioid	*	*	0
Primary Recovery Treatment	*	*	52
Clinical SATOP (CIP, YCIP, SROP)	15	9	12
Other Substance Abuse Treatment	0	*	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	65	55	63
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	27	28	28
- Weekend Intervention Program	11	11	12
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	0	*	*
Early Intervention	*	*	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	165	134	161	Alcohol	33	28	37
AGE				Marijuana / Hashish	34	29	43
Under 18	6	*	*	Cocaine (total)	*	*	*
18 to 24	22	23	25	- Crack	*	0	*
25 to 29	37	25	44	Stimulant (total)	45	28	33
30 to 34	28	36	22	- Methamphetamine	42	26	32
35 to 39	19	13	24	Heroin	19	12	10
40 to 44	13	15	14	Analgesic except Heroin	27	30	35
45 to 54	31	14	21	- Non-Prescription Methadone	0	0	0
55 and Over	9	*	7	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	*	*
Male	91	75	98	Inhalant	0	0	0
Female	74	59	63	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	0
Caucasian	156	130	160	Average Age at First Use of Drug	19.7	18.6	18.7
African American	6	*	0	INJECTION DRUG USE			
Native American / Alaskan	0	*	0	Any Injection Use at Admission	45	26	26
Asian / Pacific Islander	0	0	0	- Daily Injection Use	15	11	8
Hispanic	*	*	0	- Weekly Injection Use	9	8	7
Other Race / Two or More Races	*	0	*	- Less than Weekly Injection Use	21	7	11
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	65	52	63	0	105	81	98
High School Graduate or G.E.D.	80	64	80	1 or 2	44	38	43
Associate Degree or Some College	20	18	18	3 or More	16	15	20
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	56	46	43
Employed	27	28	26	School	0	0	0
Unemployed	57	57	91	Mental Health Provider	0	0	0
Not in Labor Force	81	49	44	Health Care Provider	31	14	7
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	55	60	88
Independent Living	152	125	153	Other Referral Source	19	13	23
Dependent Living	6	6	5	TREATMENT ACCOMMODATION			
Homeless	5	*	*	Pregnant when Admitted to any Episode	*	5	*
MARITAL / FAMILY STATUS				Military Veteran	9	7	9
Never Married	66	75	81	Special Education Services Needed	22	16	24
Married / Cohabiting	56	46	39	Co-Occurring Psychological Problem	84	68	81
Previously Married	43	13	41	Co-Occurring Developmental Problem	7	*	13

WASHINGTON COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 17B
CENSUS 2010 25,195
2015 POPULATION ESTIMATE 24,788

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	*	*	*
Anxiety Disorder	59	54	47
Dementia	0	*	0
Developmental Disorder	5	6	6
Impulse Control Disorder	30	31	31
Mood Disorder	112	130	96
Personality Disorder	10	10	8
Psychotic Disorder	49	50	47
Sexual Disorder	0	0	0
Other Diagnosis	6	5	7
Diagnosis Unknown	28	21	23

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	249	257	219	Less than High School Diploma	54	73	69
AGE				High School Grad or G.E.D.	0	0	0
Under 6	*	*	*	Associate Degree or Some College	0	0	*
6 to 9	15	17	15	Bachelor or Advanced Degree	0	0	0
10 to 13	16	13	20	Education Level Unknown	195	184	149
14 to 17	20	21	18	EMPLOYMENT			
18 to 24	27	30	17	Employed	7	7	8
25 to 29	18	18	17	Unemployed	*	*	5
30 to 34	20	30	27	Not in Labor Force	106	130	106
35 to 39	22	16	16	Employment Status Unknown	132	118	100
40 to 44	17	22	14	HOUSING / LIVING ARRANGEMENT			
45 to 49	25	20	20	Independent Living	40	43	43
50 to 54	22	20	12	Dependent Living	78	91	74
55 to 59	28	28	21	Homeless	*	*	*
60 and Over	17	21	21	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	129	121	100
GENDER				TREATMENT REFERRAL SOURCE			
Male	121	134	108	Self / Family / Friend	60	76	69
Female	128	123	111	School	10	7	5
Gender Unknown	0	0	0	Mental Health Provider	41	33	21
RACE / ETHNICITY				Health Care Provider	78	68	45
Caucasian	234	245	210	Court / Criminal Justice	14	24	22
African American	7	7	6	Other	45	48	56
Native American / Alaskan	0	0	0	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	0	0	Voluntary	244	249	211
Other Race	7	5	*	Civil	0	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	5	6
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	13	14	5	Commitment Type Unknown	*	*	*
Past or Current Military Service	11	15	11				

WASHINGTON COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	48.1		36.3	50.1	Alcohol	19.1		15.3	26.5
Chewing Tobacco	19.8		17.4	23.3	Alcohol (5+ drinks on single occasion past 2 weeks)	10.4			
Cigarettes	23.8		22.5	35.8	Chewing Tobacco	6.8		9.9	13.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.8		1.0	2.2	Cigarettes	10.2		8.6	18.6
Cocaine	0.5		0.5	1.4	Inhalants	1.0		2.3	3.3
Electronic Cigarettes	37.9				Marijuana	6.0		4.7	10.1
Hallucinogens	2.1		1.0	3.5	Over-the-counter medications for non-medical use	2.6		3.9	6.1
Heroin	0.5		0.8	1.0	Prescription medications not prescribed for student	12.5		4.4	7.8
Inhalants	4.7		5.2	8.2					
Marijuana	15.7		11.1	15.6	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.3		1.3	2.3	Alcohol (1 or 2 drinks daily)	60.5			
Over-the-counter medications for non-medical use	7.0		6.5	9.4	Alcohol (Binge: 5+ drinks once or twice a week)	73.4			
Prescription medications not prescribed for student	16.5		8.5	15.0	Cigarettes (1+ packs per day)	79.8			
Synthetic drugs (K2, bath salts, Spice, etc)	1.8		5.2		Marijuana (once or twice a week)	67.0			
					Other: Cocaine, LSD, Meth, Club Drug (any use)	91.8		93.0	92.2
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.42		11.92	12.13	Alcohol	74.4		80.2	73.4
Cigarettes	12.28		11.60	11.53	Cigarettes	88.1		94.0	87.0
Inhalants	11.37		11.68	12.51	Marijuana	89.8		95.5	91.6
Marijuana	13.95		13.16	13.17					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	58.6		46.1	63.4	Alcohol	62.0		65.5	53.6
Cigarettes	38.1		37.1	48.6	Cigarettes	83.8		85.6	76.2
Marijuana	43.5		25.7	33.4	Marijuana	80.0		88.7	81.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.7		11.0	12.4	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.5		97.4	94.4
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	30.3		26.1	42.4	Alcohol	61.0		45.3	59.4
Cigarettes	10.0		10.9	17.4	Cigarettes	51.9		44.5	56.7
Marijuana	14.4		7.0	14.8	Marijuana	44.4		23.5	34.8
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	19.6		11.9	18.7
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	59.4		61.6	71.5	Were grouchy, irritable, or in a bad mood	42.1		27.5	27.3
Were victims of mean rumors or lies spread at school	53.5		51.4	61.4	Had difficulty concentrating on school work	36.1		24.2	29.2
Were victims of an embarrassing or hurtful text message or something posted on the Internet	31.6		19.8	20.3	Were very sad	27.5		20.8	25.8
					Felt hopeless about the future	16.8		10.9	13.9
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	13.2		11.5	15.7	Parents involve student in making family decisions	66.8		66.2	67.1
Made plan about how they would attempt suicide	9.9		7.6	11.6	Parents notice and comment on student's good work	84.3		82.4	84.5
Attempted suicide	7.0		5.2	7.6	Teachers notice and comment on student's good work	75.1			

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

WAYNE COUNTY



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	19
Adult Psychiatric	19
POPULATION	
Census 2010	13,521
2015 Estimate	13,405

BIRTH RISK	2014	2013	2012
Resident Births	116	157	152
Mother Reported Smoking while Pregnant	35	55	55

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	1	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	2
Hepatitis C Chronic and Acute	13	10	11
Tuberculosis Infection Cases	2	6	4

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	192	217	184
Suicides	6	3	3
Homicides	0	1	1
Alcohol Induced Deaths	2	3	2
Drug Induced Deaths	9	3	4
Smoking Attributable Deaths	41	46	32
Self-inflicted Injuries	23	15	31
Assault Injuries	38	21	37

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	109	126	109
Mental Illness Secondary Diagnosis	284	313	276
Alcohol Principal Diagnosis	8	10	11
Alcohol Secondary Diagnosis	27	30	34
Drug Principal Diagnosis	7	7	8
Drug Secondary Diagnosis	15	13	21
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	39	30	29
Mental Illness Secondary Diagnosis	323	346	328
Alcohol Principal Diagnosis	9	9	4
Alcohol Secondary Diagnosis	22	18	25
Drug Principal Diagnosis	7	6	1
Drug Secondary Diagnosis	11	5	8
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	118	134	133
Mental Illness Secondary Diagnosis	225	358	182
Alcohol Principal Diagnosis	11	13	13
Alcohol Secondary Diagnosis	25	15	21
Drug Principal Diagnosis	18	11	16
Drug Secondary Diagnosis	15	13	14

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	19	18	18
Alcohol Package Carry-out Licenses	21	23	22

EMPLOYMENT	2015	2014	2013
Labor Force	5,804	5,550	5,946
Employed	5,466	5,135	5,502
Unemployed	338	415	444
Unemployment Rate	5.8%	7.5%	7.5%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	19	25	18
Fatal Crashes	0	1	0
Injury Crashes	11	14	10
Property Damage Crashes	10	10	8
Crash Fatalities	0	1	0
Crash Injuries	23	23	17
Drug Involved Crashes	9	9	4
Fatal Crashes	0	0	0
Injury Crashes	6	6	2
Property Damage Crashes	3	3	2
Crash Fatalities	0	0	0
Crash Injuries	7	9	3

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	81	94	106
Liquor Law Arrests	4	12	32
Drug Arrests	189	548	177
Violent Offenses	31	28	14
Property Offenses	270	288	150
Domestic Violence Reports	34	32	10
	2015	2014	2013
Methamphetamine Lab Seizures	1	3	9

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	516	500	498
Drop-outs	10	8	11
Drop-out Rate	1.9%	1.6%	2.2%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	2	9	2
School Discipline Involving Tobacco	2	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	6	11	11
Juvenile Alcohol Offenses	1	4	2
Juvenile Drug Offenses	4	3	3
School Truancy Status Offense	1	0	1
Absent from Home Status Offense	0	0	0
Beyond Parental Control Status Offense	10	10	17
Injurious Behavior Status Offense	0	1	6
Child Abuse	0	1	0
Child Neglect	109	10	17
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	19	21	16
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	9	12	7
Parental Alcohol and Drug Use	0	0	1

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	27	33	42
Probation/Parole Admissions--Drug	48	48	58
Probation/Parole Admissions--DWI	5	3	2
Prison Admissions--Drug	18	23	21
Prison Admissions--DWI	1	2	0

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

WAYNE COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	*	12	6
CSTAR Adolescent	*	*	*
CSTAR Women and Children	*	*	*
CSTAR General Adult	88	72	84
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	9	38
Clinical SATOP (CIP, YCIP, SROP)	13	16	14
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	46	49	49
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	12	13	16
- Weekend Intervention Program	10	9	9
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	0	0
Compulsive Gambling	0	0	0
Recovery Supports	*	29	23
Early Intervention	0	0	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	105	110	129	Alcohol	29	34	40
AGE				Marijuana / Hashish	38	37	36
Under 18	*	*	*	Cocaine (total)	*	*	0
18 to 24	16	12	14	- Crack	0	*	0
25 to 29	18	16	25	Stimulant (total)	25	21	36
30 to 34	18	31	27	- Methamphetamine	24	21	35
35 to 39	18	11	14	Heroin	*	6	5
40 to 44	9	13	13	Analgesic except Heroin	6	9	7
45 to 54	18	15	20	- Non-Prescription Methadone	*	0	0
55 and Over	7	9	12	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	*	5
Male	67	74	89	Inhalant	0	0	0
Female	38	36	40	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	0	0
Caucasian	102	105	126	Average Age at First Use of Drug	18.4	18.3	18.1
African American	*	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	*	Any Injection Use at Admission	9	12	15
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	*
Hispanic	*	0	*	- Weekly Injection Use	0	*	*
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	7	6	10
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	37	44	47	0	59	62	63
High School Graduate or G.E.D.	48	56	64	1 or 2	31	34	46
Associate Degree or Some College	20	10	18	3 or More	15	14	20
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	20	27	22
Employed	33	27	28	School	0	0	0
Unemployed	35	53	66	Mental Health Provider	*	0	*
Not in Labor Force	37	30	35	Health Care Provider	6	*	7
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	63	65	83
Independent Living	93	97	117	Other Referral Source	10	12	15
Dependent Living	*	11	8	TREATMENT ACCOMMODATION			
Homeless	*	0	*	Pregnant when Admitted to any Episode	*	0	0
MARITAL / FAMILY STATUS				Military Veteran	6	7	*
Never Married	46	44	54	Special Education Services Needed	16	11	25
Married / Cohabiting	34	36	44	Co-Occurring Psychological Problem	48	51	62
Previously Married	25	30	31	Co-Occurring Developmental Problem	*	7	21

WAYNE COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 19
CENSUS 2010 13,521
2015 POPULATION ESTIMATE 13,405

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	5	8	6
Anxiety Disorder	29	32	31
Dementia	0	0	0
Developmental Disorder	0	0	0
Impulse Control Disorder	10	*	8
Mood Disorder	129	148	131
Personality Disorder	*	*	*
Psychotic Disorder	30	31	28
Sexual Disorder	0	0	0
Other Diagnosis	*	0	0
Diagnosis Unknown	7	12	15

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	193	215	203	Less than High School Diploma	81	72	60
AGE				High School Grad or G.E.D.	0	0	0
Under 6	0	0	0	Associate Degree or Some College	0	0	0
6 to 9	6	*	7	Bachelor or Advanced Degree	0	0	0
10 to 13	8	7	*	Education Level Unknown	112	143	143
14 to 17	5	*	8	EMPLOYMENT			
18 to 24	5	5	7	Employed	*	10	*
25 to 29	13	16	8	Unemployed	7	9	*
30 to 34	10	19	20	Not in Labor Force	150	147	119
35 to 39	18	16	17	Employment Status Unknown	32	49	81
40 to 44	20	18	15	HOUSING / LIVING ARRANGEMENT			
45 to 49	23	33	32	Independent Living	134	138	105
50 to 54	32	33	29	Dependent Living	24	25	18
55 to 59	21	24	28	Homeless	0	0	0
60 and Over	32	37	28	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	35	52	80
GENDER				TREATMENT REFERRAL SOURCE			
Male	74	81	86	Self / Family / Friend	68	77	73
Female	119	134	117	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	28	34	29
RACE / ETHNICITY				Health Care Provider	43	46	42
Caucasian	190	209	195	Court / Criminal Justice	23	26	23
African American	0	*	*	Other	28	30	32
Native American / Alaskan	*	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	0	*	*	Voluntary	191	211	200
Other Race	*	*	*	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	14	12	12	Commitment Type Unknown	0	0	0
Past or Current Military Service	*	5	6				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	47.0		49.7	49.1	Alcohol	17.2		18.3	21.5
Chewing Tobacco	19.6		28.9	23.3	Alcohol (5+ drinks on single occasion past 2 weeks)	8.0			
Cigarettes	32.5		39.4	33.6	Chewing Tobacco	12.6		14.4	12.5
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.0		4.5	1.3	Cigarettes	13.5		22.5	16.5
Cocaine	0.5		4.5	0.9	Inhalants	2.0		2.2	1.3
Electronic Cigarettes	31.5				Marijuana	8.5		11.7	7.4
Hallucinogens	3.1		7.2	3.0	Over-the-counter medications for non-medical use	2.5		4.4	3.0
Heroin	0.0		2.3	0.4	Prescription medications not prescribed for student	8.0		8.3	8.6
Inhalants	6.1		7.8	7.4	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	18.1		23.9	14.4	Alcohol (1 or 2 drinks daily)	61.6			
Methamphetamine	1.0		3.4	1.3	Alcohol (Binge: 5+ drinks once or twice a week)	71.1			
Over-the-counter medications for non-medical use	7.0		7.2	7.0	Cigarettes (1+ packs per day)	79.8			
Prescription medications not prescribed for student	13.1		13.9	12.1	Marijuana (once or twice a week)	64.6			
Synthetic drugs (K2, bath salts, Spice, etc)	3.0		9.4		Other: Cocaine, LSD, Meth, Club Drug (any use)	92.3		92.1	92.7
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.54		11.99	12.48	Alcohol	83.6		71.5	76.4
Cigarettes	11.45		11.88	11.60	Cigarettes	90.9		85.5	87.5
Inhalants	11.84		11.01	11.95	Marijuana	91.1		86.0	92.2
Marijuana	13.24		12.18	13.42	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	62.1		49.7	54.5
Alcohol	50.8		58.7	63.6	Cigarettes	81.4		65.6	67.7
Cigarettes	45.4		58.1	56.4	Marijuana	79.2		72.9	80.3
Marijuana	37.6		46.6	32.8	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.0		92.1	94.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.0		19.0	17.3	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	45.1		60.0	55.0
Alcohol	33.0		44.4	33.3	Cigarettes	45.6		58.3	59.1
Cigarettes	15.5		27.9	18.1	Marijuana	37.5		44.9	31.9
Marijuana	12.6		18.5	8.7	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.5		23.0	16.2
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	60.5		58.1	65.0	Were grouchy, irritable, or in a bad mood	27.0		31.3	25.3
Were victims of mean rumors or lies spread at school	51.3		56.7	62.2	Had difficulty concentrating on school work	23.0		29.5	35.3
Were victims of an embarrassing or hurtful text message or something posted on the Internet	28.1		21.5	17.0	Were very sad	21.8		19.4	16.7
					Felt hopeless about the future	11.5		10.7	7.3
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	10.6		15.6	9.4	Parents involve student in making family decisions	70.1		65.4	74.8
Made plan about how they would attempt suicide	9.6		9.8	7.7	Parents notice and comment on student's good work	85.8		77.1	86.6
Attempted suicide	6.5		6.1	5.1	Teachers notice and comment on student's good work	79.5			

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

WEBSTER COUNTY



DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	10
Adult Psychiatric	10
POPULATION	
Census 2010	36,202
2015 Estimate	37,483

BIRTH RISK	2014	2013	2012
Resident Births	544	539	527
Mother Reported Smoking while Pregnant	82	76	77

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	8	3	3
Hepatitis C Chronic and Acute	30	29	18
Tuberculosis Infection Cases	1	8	3

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	313	309	302
Suicides	7	5	7
Homicides	2	0	3
Alcohol Induced Deaths	0	3	0
Drug Induced Deaths	6	4	4
Smoking Attributable Deaths	54	55	57
Self-inflicted Injuries	55	43	59
Assault Injuries	67	60	89

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	148	146	124
Mental Illness Secondary Diagnosis	297	269	281
Alcohol Principal Diagnosis	4	2	12
Alcohol Secondary Diagnosis	7	11	10
Drug Principal Diagnosis	12	17	18
Drug Secondary Diagnosis	17	15	13
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	158	148	167
Mental Illness Secondary Diagnosis	710	658	605
Alcohol Principal Diagnosis	48	42	36
Alcohol Secondary Diagnosis	51	31	52
Drug Principal Diagnosis	40	49	37
Drug Secondary Diagnosis	67	53	46
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	216	201	243
Mental Illness Secondary Diagnosis	1,218	1,131	1,043
Alcohol Principal Diagnosis	42	61	44
Alcohol Secondary Diagnosis	41	35	34
Drug Principal Diagnosis	79	74	74
Drug Secondary Diagnosis	90	90	79

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	8	7	8
Alcohol Package Carry-out Licenses	27	27	28

EMPLOYMENT	2015	2014	2013
Labor Force	16,763	16,273	16,283
Employed	15,919	15,301	15,237
Unemployed	844	972	1,046
Unemployment Rate	5.0%	6.0%	6.4%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	30	30	34
Fatal Crashes	0	1	2
Injury Crashes	10	15	10
Property Damage Crashes	14	14	22
Crash Fatalities	0	1	2
Crash Injuries	24	24	12
Drug Involved Crashes	9	12	8
Fatal Crashes	0	0	0
Injury Crashes	6	4	2
Property Damage Crashes	3	8	6
Crash Fatalities	0	0	0
Crash Injuries	11	5	2

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	114	131	154
Liquor Law Arrests	18	23	69
Drug Arrests	321	351	231
Violent Offenses	73	66	64
Property Offenses	684	750	766
Domestic Violence Reports	179	131	159
	2015	2014	2013
Methamphetamine Lab Seizures	2	14	16

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	1,410	1,358	1,373
Drop-outs	17	16	26
Drop-out Rate	1.2%	1.2%	1.9%
School Discipline Involving Alcohol	4	5	1
School Discipline Involving Drugs	6	11	13
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	64	75	60
Juvenile Alcohol Offenses	14	11	13
Juvenile Drug Offenses	19	9	12
School Truancy Status Offense	9	12	19
Absent from Home Status Offense	8	10	16
Beyond Parental Control Status Offense	15	44	97
Injurious Behavior Status Offense	8	10	5
Child Abuse	30	30	47
Child Neglect	109	83	86
Child Custody Issues	1	0	0

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	40	29	35
Parental Alcohol Use Related	2	1	3
Parental Drug Use Related	23	14	14
Parental Alcohol and Drug Use	2	3	3

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	17	15	16
Probation/Parole Admissions--Drug	86	82	54
Probation/Parole Admissions--DWI	4	14	9
Prison Admissions--Drug	34	28	33
Prison Admissions--DWI	6	1	3

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

WEBSTER COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	25	22	22
CSTAR Adolescent	8	8	*
CSTAR Women and Children	10	16	18
CSTAR General Adult	64	66	59
CSTAR Opioid	0	0	0
Primary Recovery Treatment	20	21	21
Clinical SATOP (CIP, YCIP, SROP)	16	19	22
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	77	97	90
- Adolescent Diversion Education Program	*	0	*
- Offender Education Program	28	30	32
- Weekend Intervention Program	15	21	19
<i>(See also Clinical SATOP at left)</i>			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	0	0	0
Recovery Supports	9	18	12
Early Intervention	*	0	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	137	122	133	Alcohol	41	46	55
AGE				Marijuana / Hashish	21	21	13
Under 18	8	8	*	Cocaine (total)	*	0	*
18 to 24	31	23	29	- Crack	0	0	*
25 to 29	19	21	20	Stimulant (total)	53	34	37
30 to 34	26	24	21	- Methamphetamine	52	32	36
35 to 39	14	15	12	Heroin	*	6	*
40 to 44	7	13	22	Analgesic except Heroin	17	12	17
45 to 54	25	12	15	- Non-Prescription Methadone	*	0	0
55 and Over	7	6	10	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	*	*
Male	87	83	86	Inhalant	0	0	0
Female	50	39	47	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	*	*
Caucasian	130	117	128	Average Age at First Use of Drug	18.6	16.9	19.3
African American	*	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	38	26	33
Asian / Pacific Islander	*	0	0	- Daily Injection Use	10	7	10
Hispanic	*	0	0	- Weekly Injection Use	8	7	*
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	20	12	19
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	48	42	55	0	89	63	65
High School Graduate or G.E.D.	66	62	55	1 or 2	31	38	42
Associate Degree or Some College	23	18	21	3 or More	17	21	26
Bachelor or Advanced Degree	0	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	43	36	50
Employed	34	35	37	School	0	0	0
Unemployed	49	39	46	Mental Health Provider	0	0	*
Not in Labor Force	54	48	50	Health Care Provider	7	6	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	72	66	62
Independent Living	114	98	110	Other Referral Source	15	13	13
Dependent Living	13	15	14	TREATMENT ACCOMMODATION			
Homeless	*	5	8	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	*	6	5
Never Married	61	55	52	Special Education Services Needed	13	8	9
Married / Cohabiting	44	44	39	Co-Occurring Psychological Problem	46	45	44
Previously Married	32	23	42	Co-Occurring Developmental Problem	*	6	7

WEBSTER COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southwest
PSYCHIATRIC SERVICE AREA 10
CENSUS 2010 36,202
2015 POPULATION ESTIMATE 37,483

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	7	10	10
Anxiety Disorder	119	105	91
Dementia	*	*	*
Developmental Disorder	10	11	15
Impulse Control Disorder	28	32	32
Mood Disorder	166	143	128
Personality Disorder	32	22	23
Psychotic Disorder	39	37	43
Sexual Disorder	0	0	0
Other Diagnosis	45	48	42
Diagnosis Unknown	17	12	9

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	236	219	201	Less than High School Diploma	71	50	33
AGE				High School Grad or G.E.D.	0	0	0
Under 6	7	15	14	Associate Degree or Some College	0	0	0
6 to 9	19	17	14	Bachelor or Advanced Degree	0	0	0
10 to 13	24	24	21	Education Level Unknown	165	169	168
14 to 17	16	16	20	EMPLOYMENT			
18 to 24	20	22	16	Employed	6	*	*
25 to 29	16	8	6	Unemployed	13	*	*
30 to 34	15	19	16	Not in Labor Force	110	75	48
35 to 39	18	13	15	Employment Status Unknown	107	139	149
40 to 44	14	13	16	HOUSING / LIVING ARRANGEMENT			
45 to 49	27	18	17	Independent Living	70	31	25
50 to 54	19	16	18	Dependent Living	51	46	25
55 to 59	27	23	16	Homeless	*	*	0
60 and Over	14	15	12	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	111	139	151
GENDER				TREATMENT REFERRAL SOURCE			
Male	95	98	92	Self / Family / Friend	124	111	109
Female	141	121	109	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	6	6	9
RACE / ETHNICITY				Health Care Provider	35	30	20
Caucasian	223	207	192	Court / Criminal Justice	11	11	15
African American	*	0	*	Other	57	58	46
Native American / Alaskan	0	0	0	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	*	0	Voluntary	231	214	198
Other Race	10	10	8	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	8	8	6	Commitment Type Unknown	*	*	*
Past or Current Military Service	8	10	5				

WEBSTER COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	39.5	34.3	38.2	45.6	Alcohol	19.4	15.2	14.7	19.1
Chewing Tobacco	20.0	18.5	20.9	22.8	Alcohol (5+ drinks on single occasion past 2 weeks)	5.7	9.6		
Cigarettes	34.1	24.6	24.4	30.0	Chewing Tobacco	15.5	7.2	9.1	13.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.2	2.8	0.9	2.1	Cigarettes	15.4	8.5	10.1	14.7
Cocaine	1.8	1.1	0.0	1.3	Inhalants	0.5	2.6	4.2	3.1
Electronic Cigarettes	26.4	17.7			Marijuana	3.3	9.1	6.9	7.0
Hallucinogens	1.2	3.9	1.5	3.7	Over-the-counter medications for non-medical use	0.8	1.7	1.5	6.4
Heroin	0.3	1.1	0.0	0.3	Prescription medications not prescribed for student	13.3	2.9	3.7	8.7
Inhalants	3.2	4.8	9.1	7.9					
Marijuana	17.9	21.1	15.8	13.9	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.7	1.1	0.0	0.7	Alcohol (1 or 2 drinks daily)	62.9	64.1		
Over-the-counter medications for non-medical use	11.5	3.7	4.8	10.5	Alcohol (Binge: 5+ drinks once or twice a week)	50.0	78.5		
Prescription medications not prescribed for student	9.3	9.5	11.2	14.5	Cigarettes (1+ packs per day)	72.0	85.6		
Synthetic drugs (K2, bath salts, Spice, etc)	0.8	6.4	8.0		Marijuana (once or twice a week)	58.8	71.7		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	85.5	93.0	93.2	94.0
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.13	13.21	12.53	12.48	Alcohol	88.5	83.3	84.5	78.6
Cigarettes	13.16	13.06	11.54	12.08	Cigarettes	85.8	92.2	94.7	88.7
Inhalants	13.88	13.60	12.74	11.94	Marijuana	93.5	93.9	92.6	93.9
Marijuana	14.44	14.38	12.13	13.27					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	66.1	44.1	56.5	61.8	Alcohol	59.2	60.8	63.0	59.3
Cigarettes	61.7	35.7	51.0	51.7	Cigarettes	72.2	77.2	81.4	76.6
Marijuana	55.1	29.2	32.4	37.7	Marijuana	70.8	77.1	84.6	85.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	20.0	9.3	14.5	19.8	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	89.3	93.7	99.2	94.7
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	22.6	24.6	28.8	33.3	Alcohol	69.2	48.5	49.5	60.6
Cigarettes	16.0	12.1	11.0	16.5	Cigarettes	74.7	50.0	47.1	62.6
Marijuana	15.9	16.7	12.3	10.9	Marijuana	52.0	36.8	25.1	40.1
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.7	17.8	10.7	23.7
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	45.8	56.7	68.7	68.5	Were grouchy, irritable, or in a bad mood	39.4	29.9	25.9	28.5
Were victims of mean rumors or lies spread at school	38.9	52.4	56.5	54.9	Had difficulty concentrating on school work	45.1	22.8	26.2	29.3
Were victims of an embarrassing or hurtful text message or something posted on the Internet	23.5	17.8	21.4	18.9	Were very sad	26.4	23.0	20.9	21.0
					Felt hopeless about the future	20.8	13.3	11.2	14.8
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	16.8	12.0	14.5	14.8	Parents involve student in making family decisions	55.6	66.5	63.7	69.8
Made plan about how they would attempt suicide	15.8	8.5	9.9	10.4	Parents notice and comment on student's good work	71.4	75.2	82.9	82.1
Attempted suicide	11.0	5.2	7.3	6.0	Teachers notice and comment on student's good work	73.8	70.6		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

WORTH COUNTY



DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	1
Adult Psychiatric	1
POPULATION	
Census 2010	2,171
2015 Estimate	2,057

BIRTH RISK	2014	2013	2012
Resident Births	23	22	30
Mother Reported Smoking while Pregnant	7	5	9

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	0
Hepatitis C Chronic and Acute	1	2	1
Tuberculosis Infection Cases	0	0	0

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	31	32	24
Suicides	0	0	1
Homicides	0	0	0
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	0	1	0
Smoking Attributable Deaths	7	4	2
Self-inflicted Injuries	2	2	3
Assault Injuries	4	5	2

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	11	13	19
Mental Illness Secondary Diagnosis	33	40	33
Alcohol Principal Diagnosis	0	0	0
Alcohol Secondary Diagnosis	1	3	1
Drug Principal Diagnosis	0	0	1
Drug Secondary Diagnosis	0	2	0
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	12	7	4
Mental Illness Secondary Diagnosis	20	14	21
Alcohol Principal Diagnosis	0	0	1
Alcohol Secondary Diagnosis	0	3	8
Drug Principal Diagnosis	0	1	2
Drug Secondary Diagnosis	1	3	2
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	15	12	15
Mental Illness Secondary Diagnosis	78	59	35
Alcohol Principal Diagnosis	2	1	1
Alcohol Secondary Diagnosis	4	2	2
Drug Principal Diagnosis	0	0	3
Drug Secondary Diagnosis	1	5	4

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	2	2	2
Alcohol Package Carry-out Licenses	4	4	4

EMPLOYMENT	2015	2014	2013
Labor Force	1,240	1,323	1,229
Employed	1,200	1,270	1,178
Unemployed	40	53	51
Unemployment Rate	3.2%	4.0%	4.1%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	2	0	1
Fatal Crashes	0	0	0
Injury Crashes	1	0	1
Property Damage Crashes	0	0	0
Crash Fatalities	0	0	0
Crash Injuries	0	0	2
Drug Involved Crashes	0	0	0
Fatal Crashes	0	0	0
Injury Crashes	0	0	0
Property Damage Crashes	0	0	0
Crash Fatalities	0	0	0
Crash Injuries	0	0	0

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	12	4	7
Liquor Law Arrests	6	0	0
Drug Arrests	9	2,775	4
Violent Offenses	2	0	2
Property Offenses	46	38	40
Domestic Violence Reports	4	12	11

	2015	2014	2013
Methamphetamine Lab Seizures	0	0	1

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	113	96	96
Drop-outs	2	3	0
Drop-out Rate	1.8%	3.1%	0.0%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	0	0	0
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	0	0	0
Juvenile Alcohol Offenses	1	1	0
Juvenile Drug Offenses	0	0	0
School Truancy Status Offense	0	0	2
Absent from Home Status Offense	0	0	0
Beyond Parental Control Status Offense	1	1	2
Injurious Behavior Status Offense	0	8	3
Child Abuse	0	0	0
Child Neglect	13	7	4
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	6	1	1
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	6	0	0
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	0	1	1
Probation/Parole Admissions--Drug	8	2	0
Probation/Parole Admissions--DWI	0	3	0
Prison Admissions--Drug	4	0	0
Prison Admissions--DWI	1	0	0

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

WORTH COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	0	*	0
CSTAR Adolescent	0	0	0
CSTAR Women and Children	0	0	0
CSTAR General Adult	6	*	*
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	6	*
Clinical SATOP (CIP, YCIP, SROP)	*	*	*
Other Substance Abuse Treatment	0	0	*


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	6	6	6
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	*	*	*
- Weekend Intervention Program	0	*	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	0	0	0
Early Intervention	0	0	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	8	6	*	Alcohol	*	*	*
AGE				Marijuana / Hashish	*	*	*
Under 18	0	0	0	Cocaine (total)	0	0	0
18 to 24	5	0	*	- Crack	0	0	0
25 to 29	*	0	0	Stimulant (total)	*	*	0
30 to 34	0	*	0	- Methamphetamine	*	*	0
35 to 39	*	*	*	Heroin	0	0	0
40 to 44	0	0	*	Analgesic except Heroin	*	0	0
45 to 54	*	*	0	- Non-Prescription Methadone	0	0	0
55 and Over	0	*	0	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	0	0
Male	*	*	*	Inhalant	0	0	0
Female	*	*	0	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	8	6	*	Average Age at First Use of Drug	17.0	17.0	15.7
African American	0	0	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	*	*	0
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	0	0
Hispanic	0	0	0	- Weekly Injection Use	0	*	0
Other Race / Two or More Races	0	0	0	- Less than Weekly Injection Use	*	0	0
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	*	*	0	0	7	*	*
High School Graduate or G.E.D.	*	*	*	1 or 2	*	*	0
Associate Degree or Some College	0	*	0	3 or More	0	*	*
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	*	0	0
Employed	*	*	*	School	0	0	0
Unemployed	*	*	*	Mental Health Provider	0	0	0
Not in Labor Force	*	0	0	Health Care Provider	0	0	0
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	5	5	*
Independent Living	8	*	*	Other Referral Source	*	*	0
Dependent Living	0	0	0	TREATMENT ACCOMMODATION			
Homeless	0	0	0	Pregnant when Admitted to any Episode	0	0	0
MARITAL / FAMILY STATUS				Military Veteran	0	0	0
Never Married	6	0	*	Special Education Services Needed	0	0	0
Married / Cohabiting	*	*	0	Co-Occurring Psychological Problem	*	*	0
Previously Married	*	*	*	Co-Occurring Developmental Problem	0	0	0

WORTH COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 1
CENSUS 2010 2,171
2015 POPULATION ESTIMATE 2,057

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	0	0	0
Anxiety Disorder	9	11	7
Dementia	0	0	0
Developmental Disorder	0	0	0
Impulse Control Disorder	7	9	7
Mood Disorder	17	13	10
Personality Disorder	*	*	*
Psychotic Disorder	0	0	0
Sexual Disorder	*	0	0
Other Diagnosis	*	*	5
Diagnosis Unknown	*	0	*

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	24	18	17	Less than High School Diploma	12	7	8
AGE				High School Grad or G.E.D.	0	0	0
Under 6	0	0	0	Associate Degree or Some College	0	0	0
6 to 9	*	*	*	Bachelor or Advanced Degree	0	0	0
10 to 13	*	*	*	Education Level Unknown	12	11	9
14 to 17	*	*	*	EMPLOYMENT			
18 to 24	*	*	*	Employed	*	0	*
25 to 29	*	0	*	Unemployed	7	*	0
30 to 34	*	*	0	Not in Labor Force	16	14	12
35 to 39	0	0	0	Employment Status Unknown	0	*	*
40 to 44	*	*	*	HOUSING / LIVING ARRANGEMENT			
45 to 49	*	*	*	Independent Living	15	9	6
50 to 54	*	*	*	Dependent Living	8	6	8
55 to 59	*	*	*	Homeless	0	0	0
60 and Over	*	*	*	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	*	*	*
GENDER				TREATMENT REFERRAL SOURCE			
Male	6	*	*	Self / Family / Friend	6	*	*
Female	18	15	14	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	*	*	5
RACE / ETHNICITY				Health Care Provider	6	*	*
Caucasian	24	18	17	Court / Criminal Justice	*	0	*
African American	0	0	0	Other	5	6	*
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	0	0	0	Voluntary	24	18	17
Other Race	0	0	0	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	0	0	0
Past or Current Military Service	*	0	0				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
Percent of students who have ever used:					Percent of students who, in past 30 days, used:				
Alcohol					Alcohol				
Chewing Tobacco					Alcohol (5+ drinks on single occasion past 2 weeks)				
Cigarettes					Chewing Tobacco				
Club drugs (Ecstasy, GHB, roofie, Special K, etc)					Cigarettes				
Cocaine					Inhalants				
Electronic Cigarettes					Marijuana				
Hallucinogens					Over-the-counter medications for non-medical use				
Heroin					Prescription medications not prescribed for student				
Inhalants									
Marijuana					Percent who believe they risk harm if they use:				
Methamphetamine					Alcohol (1 or 2 drinks daily)				
Over-the-counter medications for non-medical use					Alcohol (Binge: 5+ drinks once or twice a week)				
Prescription medications not prescribed for student					Cigarettes (1+ packs per day)				
Synthetic drugs (K2, bath salts, Spice, etc)					Marijuana (once or twice a week)				
					Other: Cocaine, LSD, Meth, Club Drug (any use)				
Among students who have ever used, average age of first use of:					Percent whose parents would disapprove if they use:				
Alcohol					Alcohol				
Cigarettes					Cigarettes				
Inhalants					Marijuana				
Marijuana									
Percent whose friends used in past 12 months:					Percent who say it would be wrong to use:				
Alcohol					Alcohol				
Cigarettes					Cigarettes				
Marijuana					Marijuana				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)				
Percent who would likely use, if offered by a best friend:					Percent who say it would be easy to obtain:				
Alcohol					Alcohol				
Cigarettes					Cigarettes				
Marijuana					Marijuana				
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)				
Percent of students who, in past 3 months:					Percent of students who, in past 30 days:				
Were emotionally bullied or made fun of by others					Were grouchy, irritable, or in a bad mood				
Were victims of mean rumors or lies spread at school					Had difficulty concentrating on school work				
Were victims of an embarrassing or hurtful text message or something posted on the Internet					Were very sad				
					Felt hopeless about the future				
Percent of students who, in past 12 months:					Percent of students who say that:				
Seriously considered attempting suicide					Parents involve student in making family decisions				
Made plan about how they would attempt suicide					Parents notice and comment on student's good work				
Attempted suicide					Teachers notice and comment on student's good work				

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

WRIGHT COUNTY



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	18
Adult Psychiatric	18
POPULATION	
Census 2010	18,815
2015 Estimate	18,268

BIRTH RISK	2014	2013	2012
Resident Births	255	245	228
Mother Reported Smoking while Pregnant	74	70	71

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	2	2	2
Hepatitis C Chronic and Acute	11	12	25
Tuberculosis Infection Cases	1	2	0

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	242	208	225
Suicides	4	6	4
Homicides	1	0	2
Alcohol Induced Deaths	1	1	3
Drug Induced Deaths	0	0	2
Smoking Attributable Deaths	48	39	48
Self-inflicted Injuries	18	34	33
Assault Injuries	30	30	36

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	146	175	191
Mental Illness Secondary Diagnosis	181	202	182
Alcohol Principal Diagnosis	10	23	23
Alcohol Secondary Diagnosis	10	6	13
Drug Principal Diagnosis	12	24	21
Drug Secondary Diagnosis	12	13	14
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	47	81	45
Mental Illness Secondary Diagnosis	373	378	405
Alcohol Principal Diagnosis	12	10	15
Alcohol Secondary Diagnosis	42	31	47
Drug Principal Diagnosis	9	18	14
Drug Secondary Diagnosis	34	34	30
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	136	175	147
Mental Illness Secondary Diagnosis	745	628	528
Alcohol Principal Diagnosis	14	28	35
Alcohol Secondary Diagnosis	38	30	40
Drug Principal Diagnosis	21	14	41
Drug Secondary Diagnosis	28	40	40

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	10	12	8
Alcohol Package Carry-out Licenses	14	14	15

EMPLOYMENT	2015	2014	2013
Labor Force	7,736	7,619	8,237
Employed	7,259	7,072	7,651
Unemployed	477	547	586
Unemployment Rate	6.2%	7.2%	7.1%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	16	17	19
Fatal Crashes	0	1	2
Injury Crashes	9	8	2
Property Damage Crashes	8	8	15
Crash Fatalities	0	1	2
Crash Injuries	13	13	4
Drug Involved Crashes	0	5	4
Fatal Crashes	0	0	0
Injury Crashes	0	0	3
Property Damage Crashes	0	5	1
Crash Fatalities	0	0	0
Crash Injuries	0	0	3

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	95	67	100
Liquor Law Arrests	8	11	25
Drug Arrests	208	1,245	188
Violent Offenses	52	33	53
Property Offenses	306	408	397
Domestic Violence Reports	2	4	4
	2015	2014	2013
Methamphetamine Lab Seizures	1	7	14

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	968	988	960
Drop-outs	1	1	11
Drop-out Rate	0.1%	0.1%	1.1%
School Discipline Involving Alcohol	1	0	11
School Discipline Involving Drugs	7	1	5
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	17	16	20
Juvenile Alcohol Offenses	3	0	4
Juvenile Drug Offenses	5	2	10
School Truancy Status Offense	18	9	8
Absent from Home Status Offense	1	1	2
Beyond Parental Control Status Offense	23	20	16
Injurious Behavior Status Offense	2	4	1
Child Abuse	0	0	0
Child Neglect	82	59	32
Child Custody Issues	14	6	31

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	93	56	37
Parental Alcohol Use Related	3	3	3
Parental Drug Use Related	48	13	6
Parental Alcohol and Drug Use	0	3	8

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	70	53	59
Probation/Parole Admissions--Drug	95	88	64
Probation/Parole Admissions--DWI	9	10	12
Prison Admissions--Drug	42	50	27
Prison Admissions--DWI	4	4	1

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

WRIGHT COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	10	23	21
CSTAR Adolescent	9	*	*
CSTAR Women and Children	*	7	7
CSTAR General Adult	33	52	45
CSTAR Opioid	0	0	*
Primary Recovery Treatment	5	9	24
Clinical SATOP (CIP, YCIP, SROP)	27	17	21
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	77	63	75
- Adolescent Diversion Education Program	*	*	0
- Offender Education Program	25	19	19
- Weekend Intervention Program	6	14	14
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	*	*	*
Early Intervention	0	0	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	99	95	111	Alcohol	37	36	36
AGE				Marijuana / Hashish	12	11	17
Under 18	9	5	*	Cocaine (total)	*	0	*
18 to 24	15	16	16	- Crack	0	0	*
25 to 29	24	16	19	Stimulant (total)	34	31	33
30 to 34	18	20	28	- Methamphetamine	33	30	32
35 to 39	14	8	12	Heroin	*	*	5
40 to 44	8	8	6	Analgesic except Heroin	12	11	17
45 to 54	9	20	17	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	9	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	*	*
Male	57	58	70	Inhalant	0	0	0
Female	42	37	41	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	*
Caucasian	96	94	109	Average Age at First Use of Drug	18.2	17.9	17.7
African American	0	0	*	INJECTION DRUG USE			
Native American / Alaskan	0	*	0	Any Injection Use at Admission	22	28	38
Asian / Pacific Islander	0	0	0	- Daily Injection Use	7	6	11
Hispanic	0	*	*	- Weekly Injection Use	7	8	13
Other Race / Two or More Races	*	0	0	- Less than Weekly Injection Use	8	14	14
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	42	34	47	0	52	50	60
High School Graduate or G.E.D.	42	46	50	1 or 2	27	31	32
Associate Degree or Some College	15	15	13	3 or More	20	14	19
Bachelor or Advanced Degree	0	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	31	33	51
Employed	28	15	9	School	0	0	0
Unemployed	24	28	44	Mental Health Provider	0	0	0
Not in Labor Force	47	52	58	Health Care Provider	6	5	5
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	47	39	33
Independent Living	77	83	96	Other Referral Source	15	17	21
Dependent Living	12	9	9	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	*	*	9
Never Married	44	29	35	Special Education Services Needed	15	6	6
Married / Cohabiting	33	36	46	Co-Occurring Psychological Problem	48	28	41
Previously Married	22	30	30	Co-Occurring Developmental Problem	6	5	*

WRIGHT COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 18
CENSUS 2010 18,815
2015 POPULATION ESTIMATE 18,268

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	15	16	12
Anxiety Disorder	121	161	156
Dementia	*	0	0
Developmental Disorder	*	0	*
Impulse Control Disorder	36	34	35
Mood Disorder	174	235	247
Personality Disorder	10	22	18
Psychotic Disorder	25	29	28
Sexual Disorder	0	*	0
Other Diagnosis	7	*	9
Diagnosis Unknown	16	24	20

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	250	337	340	Less than High School Diploma	63	84	96
AGE				High School Grad or G.E.D.	0	0	0
Under 6	0	0	0	Associate Degree or Some College	0	0	0
6 to 9	11	12	16	Bachelor or Advanced Degree	0	0	0
10 to 13	16	12	9	Education Level Unknown	187	253	244
14 to 17	12	7	15	EMPLOYMENT			
18 to 24	22	37	41	Employed	23	26	36
25 to 29	19	32	34	Unemployed	14	36	45
30 to 34	24	32	39	Not in Labor Force	156	197	201
35 to 39	30	34	26	Employment Status Unknown	57	78	58
40 to 44	21	33	39	HOUSING / LIVING ARRANGEMENT			
45 to 49	31	41	35	Independent Living	132	169	179
50 to 54	32	45	43	Dependent Living	42	36	46
55 to 59	19	35	27	Homeless	7	13	10
60 and Over	13	17	16	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	69	119	105
GENDER				TREATMENT REFERRAL SOURCE			
Male	110	135	141	Self / Family / Friend	92	164	155
Female	140	202	199	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	8	11	13
RACE / ETHNICITY				Health Care Provider	127	131	127
Caucasian	235	324	326	Court / Criminal Justice	8	16	24
African American	*	*	*	Other	15	15	21
Native American / Alaskan	*	*	*	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	*	TYPE OF COMMITMENT			
Hispanic	*	*	6	Voluntary	247	337	337
Other Race	8	6	*	Civil	0	0	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	0	*
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	*	6	6	Commitment Type Unknown	0	0	0
Past or Current Military Service	8	7	7				

WRIGHT COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	39.4	32.1	30.4	47.7	Alcohol	15.5	11.2	8.6	17.2
Chewing Tobacco	24.7	21.2	21.0	30.0	Alcohol (5+ drinks on single occasion past 2 weeks)	7.9	3.6		
Cigarettes	23.7	23.6	22.3	34.4	Chewing Tobacco	12.6	9.3	10.9	17.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.3	0.0	1.3	1.8	Cigarettes	10.2	8.9	9.3	17.9
Cocaine	0.6	0.0	0.6	1.5	Inhalants	2.2	0.4	1.3	4.1
Electronic Cigarettes	22.3	14.5			Marijuana	4.4	3.1	2.6	3.8
Hallucinogens	1.0	0.9	1.0	2.5	Over-the-counter medications for non-medical use	1.6	2.2	3.2	5.1
Heroin	0.3	0.9	0.6	1.3	Prescription medications not prescribed for student	11.7	4.4	3.2	9.7
Inhalants	3.8	3.1	5.4	8.4	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	13.8	10.6	8.0	10.4	Alcohol (1 or 2 drinks daily)	64.4	52.9		
Methamphetamine	0.3	0.0	0.6	1.0	Alcohol (Binge: 5+ drinks once or twice a week)	73.0	72.2		
Over-the-counter medications for non-medical use	3.2	4.8	4.8	9.7	Cigarettes (1+ packs per day)	84.3	85.0		
Prescription medications not prescribed for student	16.0	8.8	8.0	15.0	Marijuana (once or twice a week)	70.2	73.7		
Synthetic drugs (K2, bath salts, Spice, etc)	1.6	5.4	5.4		Other: Cocaine, LSD, Meth, Club Drug (any use)	92.0	92.4	93.3	93.9
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.23	13.14	12.71	11.90	Alcohol	84.7	82.8	84.7	79.4
Cigarettes	12.29	12.95	12.36	11.86	Cigarettes	92.9	89.0	92.6	91.3
Inhalants	10.99	13.43	11.91	12.35	Marijuana	95.1	94.7	96.1	96.7
Marijuana	13.63	14.02	13.63	12.75	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	67.9	69.0	71.2	55.9
Alcohol	46.4	42.0	43.3	65.6	Cigarettes	87.7	86.3	85.5	74.7
Cigarettes	30.9	36.0	37.8	51.0	Marijuana	86.0	88.2	89.0	88.6
Marijuana	28.3	18.0	19.4	31.5	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.1	97.7	97.4	98.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.6	4.4	8.0	17.2	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	48.1	39.6	42.1	58.3
Alcohol	26.9	23.2	21.7	35.5	Cigarettes	46.3	46.7	47.1	62.0
Cigarettes	9.8	8.8	11.8	18.5	Marijuana	29.6	22.9	20.8	28.9
Marijuana	11.1	8.0	5.4	7.4	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.0	8.9	10.0	15.1
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	64.6	58.8	58.8	71.1	Were grouchy, irritable, or in a bad mood	33.1	25.2	24.6	25.9
Were victims of mean rumors or lies spread at school	56.0	53.1	50.0	65.1	Had difficulty concentrating on school work	31.1	21.1	24.0	26.2
Were victims of an embarrassing or hurtful text message or something posted on the Internet	22.5	22.0	20.3	19.6	Were very sad	23.3	19.2	21.7	19.9
					Felt hopeless about the future	12.0	9.3	14.4	11.7
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	11.9	8.8	12.2	12.3	Parents involve student in making family decisions	72.8	69.2	71.1	67.0
Made plan about how they would attempt suicide	8.7	5.8	10.6	10.6	Parents notice and comment on student's good work	85.1	86.3	83.7	80.8
Attempted suicide	6.3	3.9	5.5	6.8	Teachers notice and comment on student's good work	68.5	78.5		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

SAINT LOUIS CITY



DBH REGION	Eastern
DBH SERVICE AREAS	
Substance Use	SL
Adult Psychiatric	24, 25
POPULATION	
Census 2010	319,294
2015 Estimate	315,685

BIRTH RISK	2014	2013	2012
Resident Births	4,689	4,694	4,696
Mother Reported Smoking while Pregnant	635	657	707

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	90	113	127
Hepatitis B Chronic, Acute, Prenatal	79	73	68
Hepatitis C Chronic and Acute	902	774	780
Tuberculosis Infection Cases	583	626	581

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	3,002	2,960	2,911
Suicides	37	38	31
Homicides	118	89	93
Alcohol Induced Deaths	43	57	44
Drug Induced Deaths	131	102	68
Smoking Attributable Deaths	461	467	461
Self-inflicted Injuries	382	370	458
Assault Injuries	2,244	2,800	2,965

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	3,612	3,748	2,449
Mental Illness Secondary Diagnosis	4,949	5,749	2,928
Alcohol Principal Diagnosis	241	293	143
Alcohol Secondary Diagnosis	800	930	255
Drug Principal Diagnosis	392	543	422
Drug Secondary Diagnosis	1,117	1,339	588
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	2,704	2,080	3,047
Mental Illness Secondary Diagnosis	5,332	4,472	7,506
Alcohol Principal Diagnosis	342	276	404
Alcohol Secondary Diagnosis	1,044	850	1,420
Drug Principal Diagnosis	297	219	294
Drug Secondary Diagnosis	1,146	824	1,621
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	4,013	4,156	4,594
Mental Illness Secondary Diagnosis	10,479	11,798	9,932
Alcohol Principal Diagnosis	1,630	1,811	1,845
Alcohol Secondary Diagnosis	1,254	1,410	1,361
Drug Principal Diagnosis	1,010	1,061	1,052
Drug Secondary Diagnosis	2,060	1,899	1,993

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	786	790	783
Alcohol Package Carry-out Licenses	164	164	168

EMPLOYMENT	2015	2014	2013
Labor Force	163,003	161,200	139,644
Employed	153,141	148,789	126,965
Unemployed	9,862	12,411	12,679
Unemployment Rate	6.1%	7.7%	9.1%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	89	138	152
Fatal Crashes	2	2	2
Injury Crashes	31	60	55
Property Damage Crashes	76	75	95
Crash Fatalities	2	2	2
Crash Injuries	61	105	85
Drug Involved Crashes	17	22	21
Fatal Crashes	0	0	0
Injury Crashes	11	8	10
Property Damage Crashes	6	14	11
Crash Fatalities	0	0	0
Crash Injuries	17	20	14

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	218	287	343
Liquor Law Arrests	622	576	715
Drug Arrests	2,193	1,014	3,940
Violent Offenses	5,352	5,082	5,664
Property Offenses	20,177	21,349	22,231
Domestic Violence Reports	2,235	2,488	2,628

	2015	2014	2013
Methamphetamine Lab Seizures	9	23	41

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	7,664	8,066	8,353
Drop-outs	1,239	1,225	1,050
Drop-out Rate	16.2%	15.2%	12.6%
School Discipline Involving Alcohol	0	5	0
School Discipline Involving Drugs	133	123	131
School Discipline Involving Tobacco	5	1	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	413	398	546
Juvenile Alcohol Offenses	4	0	6
Juvenile Drug Offenses	79	89	102
School Truancy Status Offense	234	198	169
Absent from Home Status Offense	35	46	42
Beyond Parental Control Status Offense	53	63	78
Injurious Behavior Status Offense	6	5	10
Child Abuse	43	33	50
Child Neglect	596	610	436
Child Custody Issues	66	72	53

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	283	291	214
Parental Alcohol Use Related	19	5	3
Parental Drug Use Related	59	68	76
Parental Alcohol and Drug Use	1	1	3

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	599	446	527
Probation/Parole Admissions--Drug	1,194	1,494	1,485
Probation/Parole Admissions--DWI	9	11	8
Prison Admissions--Drug	442	617	609
Prison Admissions--DWI	1	3	4

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.

³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

SAINT LOUIS CITY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	713	644	776
CSTAR Adolescent	113	139	152
CSTAR Women and Children	833	790	694
CSTAR General Adult	1,436	1,364	1,055
CSTAR Opioid	202	196	237
Primary Recovery Treatment	315	306	436
Clinical SATOP (CIP, YCIP, SROP)	161	163	181
Other Substance Abuse Treatment	505	494	452

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	434	525	528
- Adolescent Diversion Education Program	*	*	*
- Offender Education Program	112	163	152
- Weekend Intervention Program	73	75	80
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	253	278	297
Compulsive Gambling	*	5	5
Recovery Supports	13	20	17
Early Intervention	654	520	497

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013
Total Individuals	3,459	3,370	3,166
AGE			
Under 18	114	143	149
18 to 24	354	363	364
25 to 29	495	496	480
30 to 34	595	560	532
35 to 39	511	457	407
40 to 44	406	340	337
45 to 54	651	670	641
55 and Over	333	341	256

GENDER			
Male	2,148	2,093	2,032
Female	1,310	1,276	1,134

RACE / ETHNICITY			
Caucasian	1,043	986	916
African American	2,291	2,270	2,146
Native American / Alaskan	*	*	*
Asian / Pacific Islander	*	5	5
Hispanic	41	33	32
Other Race / Two or More Races	92	87	81

EDUCATION			
Less than High School Diploma	1,402	1,433	1,331
High School Graduate or G.E.D.	1,491	1,362	1,283
Associate Degree or Some College	542	555	531
Bachelor or Advanced Degree	24	20	21

EMPLOYMENT			
Employed	565	490	382
Unemployed	1,107	1,194	1,106
Not in Labor Force	1,787	1,686	1,678

HOUSING / LIVING ARRANGEMENT			
Independent Living	2,500	2,398	2,237
Dependent Living	420	465	453
Homeless	376	347	322

MARITAL / FAMILY STATUS			
Never Married	2,534	2,489	2,358
Married / Cohabiting	513	477	451
Previously Married	412	404	357

PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Alcohol	691	672	684
Marijuana / Hashish	699	727	695
Cocaine (total)	358	403	376
- Crack	314	349	304
Stimulant (total)	93	62	46
- Methamphetamine	77	50	38
Heroin	1,436	1,338	1,220
Analgesic except Heroin	130	114	111
- Non-Prescription Methadone	*	*	*
PCP, LSD, other Hallucinogen	26	32	17
Tranquilizer	15	10	6
Inhalant	*	*	0
Sedative	*	*	*
Other Medication or Illicit Drug	8	10	8
Average Age at First Use of Drug	21.1	21.1	20.5

INJECTION DRUG USE			
Any Injection Use at Admission	846	822	693
- Daily Injection Use	546	512	439
- Weekly Injection Use	118	136	106
- Less than Weekly Injection Use	182	174	148


LIFETIME DUI / DWI ARRESTS			
0	2,955	2,835	2,630
1 or 2	374	393	383
3 or More	130	142	153

TREATMENT REFERRAL SOURCE			
Self / Family / Friend	1,590	1,586	1,460
School	10	19	16
Mental Health Provider	25	18	23
Health Care Provider	254	151	108
Court / Criminal Justice	1,211	1,264	1,290
Other Referral Source	351	317	249

TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	104	125	91
Military Veteran	132	137	134
Special Education Services Needed	282	384	294
Co-Occurring Psychological Problem	944	880	800
Co-Occurring Developmental Problem	90	144	192

SAINT LOUIS CITY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Eastern
PSYCHIATRIC SERVICE AREA 24, 25
CENSUS 2010 319,294
2015 POPULATION ESTIMATE 315,685

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	85	54	79
Anxiety Disorder	893	675	567
Dementia	352	10	6
Developmental Disorder	31	27	23
Impulse Control Disorder	819	699	701
Mood Disorder	3,676	3,440	3,156
Personality Disorder	387	322	274
Psychotic Disorder	2,736	2,521	2,429
Sexual Disorder	16	14	11
Other Diagnosis	279	186	142
Diagnosis Unknown	608	548	632

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	6,921	6,797	6,686	Less than High School Diploma	1,880	1,803	1,912
AGE				High School Grad or G.E.D.	0	*	*
Under 6	7	17	19	Associate Degree or Some College	0	0	*
6 to 9	270	287	274	Bachelor or Advanced Degree	0	0	0
10 to 13	338	309	308	Education Level Unknown	5,041	4,993	4,772
14 to 17	334	357	379	EMPLOYMENT			
18 to 24	455	440	470	Employed	345	308	295
25 to 29	428	441	444	Unemployed	298	341	325
30 to 34	528	540	519	Not in Labor Force	3,710	3,538	3,605
35 to 39	533	490	474	Employment Status Unknown	2,568	2,610	2,461
40 to 44	592	622	604	HOUSING / LIVING ARRANGEMENT			
45 to 49	744	777	797	Independent Living	2,465	2,266	2,192
50 to 54	967	938	961	Dependent Living	1,493	1,509	1,699
55 to 59	882	866	786	Homeless	330	324	260
60 and Over	843	713	651	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	2,633	2,698	2,535
GENDER				TREATMENT REFERRAL SOURCE			
Male	3,555	3,478	3,434	Self / Family / Friend	2,410	2,383	2,460
Female	3,366	3,319	3,252	School	55	44	47
Gender Unknown	0	0	0	Mental Health Provider	687	739	805
RACE / ETHNICITY				Health Care Provider	1,168	1,049	910
Caucasian	1,711	1,675	1,675	Court / Criminal Justice	427	399	433
African American	4,895	4,833	4,744	Other	2,131	2,137	1,977
Native American / Alaskan	6	5	5	Referral Source Unknown	43	46	54
Asian / Pacific Islander	32	28	24	TYPE OF COMMITMENT			
Hispanic	59	58	53	Voluntary	6,666	6,539	6,398
Other Race	218	198	184	Civil	24	27	30
Race/Ethnicity Unknown	0	0	*	Criminal	186	181	201
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	193	201	178	Commitment Type Unknown	42	46	53
Past or Current Military Service	201	197	188				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol					Alcohol				
Chewing Tobacco					Alcohol (5+ drinks on single occasion past 2 weeks)				
Cigarettes					Chewing Tobacco				
Club drugs (Ecstasy, GHB, roofie, Special K, etc)					Cigarettes				
Cocaine					Inhalants				
Electronic Cigarettes					Marijuana				
Hallucinogens					Over-the-counter medications for non-medical use				
Heroin					Prescription medications not prescribed for student				
Inhalants									
Marijuana					<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine					Alcohol (1 or 2 drinks daily)				
Over-the-counter medications for non-medical use					Alcohol (Binge: 5+ drinks once or twice a week)				
Prescription medications not prescribed for student					Cigarettes (1+ packs per day)				
Synthetic drugs (K2, bath salts, Spice, etc)					Marijuana (once or twice a week)				
					Other: Cocaine, LSD, Meth, Club Drug (any use)				
<i>Among students who have ever used, average age of first use of:</i>									
Alcohol					<i>Percent whose parents would disapprove if they use:</i>				
Cigarettes					Alcohol				
Inhalants					Cigarettes				
Marijuana					Marijuana				
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol					Alcohol				
Cigarettes					Cigarettes				
Marijuana					Marijuana				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)				
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol					Alcohol				
Cigarettes					Cigarettes				
Marijuana					Marijuana				
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)				
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others					Were grouchy, irritable, or in a bad mood				
Were victims of mean rumors or lies spread at school					Had difficulty concentrating on school work				
Were victims of an embarrassing or hurtful text message or something posted on the Internet					Were very sad				
					Felt hopeless about the future				
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide					Parents involve student in making family decisions				
Made plan about how they would attempt suicide					Parents notice and comment on student's good work				
Attempted suicide					Teachers notice and comment on student's good work				

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

DIVISION OF BEHAVIORAL HEALTH CENTRAL REGION



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	11, 12, 14, 15
Adult Psychiatric	11, 12, 14, 15
POPULATION	
Census 2010	807,835
2015 Estimate	820,168

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	771	824	850
Fatal Crashes	27	40	37
Injury Crashes	300	361	398
Property Damage Crashes	444	423	415
Crash Fatalities	33	45	37
Crash Injuries	415	496	567
Drug Involved Crashes	190	147	134
Fatal Crashes	9	7	9
Injury Crashes	84	58	59
Property Damage Crashes	97	82	66
Crash Fatalities	9	7	12
Crash Injuries	122	79	99

BIRTH RISK	2014	2013	2012
Resident Births	9,995	10,043	9,981
Mother Reported Smoking while Pregnant	1,953	2,103	2,144

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	35	21	21
Hepatitis B Chronic, Acute, Prenatal		70	69
Hepatitis C Chronic and Acute	739	552	534
Tuberculosis Infection Cases	360	579	398

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	7,608	7,546	7,272
Suicides	133	136	123
Homicides	31	32	25
Alcohol Induced Deaths	50	39	45
Drug Induced Deaths	95	105	103
Smoking Attributable Deaths	1,347	1,349	1,321
Self-inflicted Injuries	857	967	972
Assault Injuries	2,290	2,245	2,460

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	4,056	4,065	3,826
Mental Illness Secondary Diagnosis	10,772	11,354	12,714
Alcohol Principal Diagnosis	242	322	289
Alcohol Secondary Diagnosis	736	861	851
Drug Principal Diagnosis	201	218	245
Drug Secondary Diagnosis	699	665	637
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	3,437	3,244	3,269
Mental Illness Secondary Diagnosis	10,815	10,697	10,044
Alcohol Principal Diagnosis	751	794	769
Alcohol Secondary Diagnosis	1,241	1,239	1,112
Drug Principal Diagnosis	468	433	411
Drug Secondary Diagnosis	735	666	620
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	6,663	6,446	6,082
Mental Illness Secondary Diagnosis	28,891	22,947	17,476
Alcohol Principal Diagnosis	1,612	1,441	1,322
Alcohol Secondary Diagnosis	1,618	1,783	1,393
Drug Principal Diagnosis	1,095	931	994
Drug Secondary Diagnosis	1,605	1,471	1,255

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	1,129	1,154	1,163
Alcohol Package Carry-out Licenses	869	866	880

EMPLOYMENT	2015	2014	2013
Labor Force	398,929	392,897	409,146
Employed	380,046	370,481	385,074
Unemployed	18,883	22,416	24,072
Unemployment Rate	4.7%	5.7%	5.9%

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	3,942	4,078	4,822
Liquor Law Arrests	1,199	1,607	1,981
Drug Arrests	4,903	549	4,757
Violent Offenses	2,097	2,088	2,288
Property Offenses	18,657	20,483	21,491
Domestic Violence Reports	6,539	6,113	6,524
	2015	2014	2013
Methamphetamine Lab Seizures	78	162	245
SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	34,451	34,500	34,939
Drop-outs	511	632	712
Drop-out Rate	1.5%	1.8%	2.0%
School Discipline Involving Alcohol	51	45	36
School Discipline Involving Drugs	183	179	233
School Discipline Involving Tobacco		5	9

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	920	945	1,064
Juvenile Alcohol Offenses	110	156	196
Juvenile Drug Offenses	251	328	343
School Truancy Status Offense	799	725	935
Absent from Home Status Offense	299	404	399
Beyond Parental Control Status Offense	583	625	779
Injurious Behavior Status Offense	1,511	1,312	1,564
Child Abuse	805	631	889
Child Neglect	1,860	1,641	1,994
Child Custody Issues	80	99	133

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	1,084	1,054	987
Parental Alcohol Use Related	51	28	18
Parental Drug Use Related	360	345	342
Parental Alcohol and Drug Use	42	48	34

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	692	698	772
Probation/Parole Admissions--Drug	2,352	2,172	2,100
Probation/Parole Admissions--DWI	355	395	455
Prison Admissions--Drug	1,242	1,227	1,082
Prison Admissions--DWI	150	198	219

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

DIVISION OF BEHAVIORAL HEALTH CENTRAL REGION

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	374	397	532
CSTAR Adolescent	307	346	379
CSTAR Women and Children	580	560	526
CSTAR General Adult	2,833	3,234	2,513
CSTAR Opioid	*	*	5
Primary Recovery Treatment	457	581	1,284
Clinical SATOP (CIP, YCIP, SROP)	682	725	752
Other Substance Abuse Treatment	*	12	6


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	3,047	3,209	3,485
- Adolescent Diversion Education Program	116	144	165
- Offender Education Program	1,103	1,109	1,273
- Weekend Intervention Program	610	623	726
<i>(See also Clinical SATOP at left)</i>			
OTHER SERVICES PROVIDED			
Co-Dependency	235	123	159
Compulsive Gambling	0	*	7
Recovery Supports	225	275	347
Early Intervention	159	168	177

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	4,576	5,024	5,211	Alcohol	1,715	1,913	2,153
AGE				Marijuana / Hashish	1,186	1,355	1,437
Under 18	315	360	386	Cocaine (total)	122	184	176
18 to 24	818	918	997	- Crack	61	89	90
25 to 29	825	888	971	Stimulant (total)	929	924	742
30 to 34	772	832	789	- Methamphetamine	909	891	688
35 to 39	560	595	558	Heroin	214	250	248
40 to 44	394	422	454	Analgesic except Heroin	260	255	315
45 to 54	603	738	758	- Non-Prescription Methadone	5	*	7
55 and Over	289	271	298	PCP, LSD, other Hallucinogen	27	25	21
GENDER				Tranquilizer	29	24	43
Male	2,962	3,304	3,419	Inhalant	*	9	5
Female	1,614	1,720	1,792	Sedative	6	5	5
RACE / ETHNICITY				Other Medication or Illicit Drug	86	79	66
Caucasian	3,842	4,122	4,326	Average Age at First Use of Drug	17.8	17.9	17.6
African American	506	662	659	INJECTION DRUG USE			
Native American / Alaskan	17	17	15	Any Injection Use at Admission	588	651	583
Asian / Pacific Islander	17	13	18	- Daily Injection Use	134	131	123
Hispanic	81	91	79	- Weekly Injection Use	163	187	151
Other Race / Two or More Races	136	142	144	- Less than Weekly Injection Use	291	333	309
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	1,425	1,569	1,645	0	2,613	2,806	2,781
High School Graduate or G.E.D.	2,184	2,376	2,374	1 or 2	1,335	1,525	1,615
Associate Degree or Some College	906	1,005	1,091	3 or More	628	693	815
Bachelor or Advanced Degree	61	74	98	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	1,212	1,394	1,471
Employed	1,429	1,555	1,619	School	8	8	11
Unemployed	1,624	1,840	1,814	Mental Health Provider	34	50	66
Not in Labor Force	1,523	1,629	1,778	Health Care Provider	186	174	173
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	1,835	2,157	2,542
Independent Living	3,511	3,984	4,198	Other Referral Source	973	904	663
Dependent Living	619	644	664	TREATMENT ACCOMMODATION			
Homeless	186	188	200	Pregnant when Admitted to any Episode	48	48	80
MARITAL / FAMILY STATUS				Military Veteran	198	207	238
Never Married	2,624	2,841	2,920	Special Education Services Needed	301	306	424
Married / Cohabiting	1,041	1,130	1,196	Co-Occurring Psychological Problem	2,042	1,965	1,912
Previously Married	911	1,053	1,095	Co-Occurring Developmental Problem	85	100	182

DIVISION OF BEHAVIORAL HEALTH CENTRAL REGION

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 11, 12, 14, 15
CENSUS 2010 807,835
2015 POPULATION ESTIMATE 820,168

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	473	461	359
Anxiety Disorder	4,342	4,214	3,729
Dementia	23	21	16
Developmental Disorder	245	256	203
Impulse Control Disorder	1,906	1,925	1,714
Mood Disorder	6,235	6,323	6,026
Personality Disorder	790	790	742
Psychotic Disorder	1,616	1,607	1,579
Sexual Disorder	48	36	32
Other Diagnosis	893	872	730
Diagnosis Unknown	497	645	595

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	9,304	9,550	9,159	Less than High School Diploma	3,559	3,401	3,205
AGE				High School Grad or G.E.D.	0	*	61
Under 6	72	95	71	Associate Degree or Some College	0	0	16
6 to 9	561	523	444	Bachelor or Advanced Degree	0	0	*
10 to 13	706	752	679	Education Level Unknown	5,745	6,148	5,873
14 to 17	858	843	836	EMPLOYMENT			
18 to 24	702	816	817	Employed	689	702	705
25 to 29	687	726	755	Unemployed	625	732	933
30 to 34	778	884	838	Not in Labor Force	6,315	6,197	5,766
35 to 39	823	853	768	Employment Status Unknown	1,675	1,919	1,755
40 to 44	809	815	854	HOUSING / LIVING ARRANGEMENT			
45 to 49	841	943	943	Independent Living	4,342	4,283	4,338
50 to 54	1,024	965	902	Dependent Living	2,896	2,869	2,707
55 to 59	738	693	646	Homeless	203	151	167
60 and Over	705	642	606	Other	0	0	*
Age Unknown	0	0	0	Housing Unknown	1,863	2,247	1,945
GENDER				TREATMENT REFERRAL SOURCE			
Male	4,226	4,473	4,269	Self / Family / Friend	4,518	4,620	4,304
Female	5,078	5,077	4,888	School	82	62	57
Gender Unknown	0	0	*	Mental Health Provider	655	705	755
RACE / ETHNICITY				Health Care Provider	1,399	1,415	1,576
Caucasian	7,808	8,075	7,735	Court / Criminal Justice	460	555	564
African American	1,023	1,005	967	Other	2,160	2,157	1,864
Native American / Alaskan	18	17	23	Referral Source Unknown	30	36	39
Asian / Pacific Islander	16	18	19	TYPE OF COMMITMENT			
Hispanic	139	149	141	Voluntary	9,129	9,364	8,971
Other Race	300	286	274	Civil	26	24	24
Race/Ethnicity Unknown	0	0	0	Criminal	86	108	106
TREATMENT ACCOMMODATION				Sexual Predatory	34	18	19
Hearing Impaired	283	278	266	Commitment Type Unknown	29	36	39
Past or Current Military Service	239	234	235				

DIVISION OF BEHAVIORAL HEALTH CENTRAL REGION

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	39.3	39.3	43.9	47.2	Alcohol	17.5	14.8	20.4	22.0
Chewing Tobacco	13.8	16.2	14.9	15.2	Alcohol (5+ drinks on single occasion past 2 weeks)	7.4	6.3		
Cigarettes	21.9	24.8	26.3	29.3	Chewing Tobacco	6.6	7.1	8.1	8.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.3	1.1	2.3	2.4	Cigarettes	8.0	11.3	12.5	14.9
Cocaine	0.7	1.1	2.1	1.9	Inhalants	0.9	0.7	2.3	3.0
Electronic Cigarettes	22.2				Marijuana	5.8	4.8	7.2	7.5
Hallucinogens	1.5	1.3	2.6	2.9	Over-the-counter medications for non-medical use	1.9	1.3	3.9	4.8
Heroin	0.3	0.2	1.1	0.6	Prescription medications not prescribed for student	8.9	3.4	4.5	6.7
Inhalants	2.6	2.8	5.3	6.7	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	13.8	13.1	15.7	15.7	Alcohol (1 or 2 drinks daily)	65.8	51.1		
Methamphetamine	0.3	0.4	1.4	1.0	Alcohol (Binge: 5+ drinks once or twice a week)	74.9	63.9		
Over-the-counter medications for non-medical use	4.4	2.0	6.2	7.9	Cigarettes (1+ packs per day)	82.0	83.5		
Prescription medications not prescribed for student	13.8	6.6	9.1	11.4	Marijuana (once or twice a week)	69.1	65.5		
Synthetic drugs (K2, bath salts, Spice, etc)	1.7	3.4	6.6		Other: Cocaine, LSD, Meth, Club Drug (any use)	92.0	90.6	92.8	93.6
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.97	13.28	12.51	12.37	Alcohol	80.3	77.6	76.4	76.4
Cigarettes	12.64	12.64	12.43	12.33	Cigarettes	92.7	92.3	90.4	89.5
Inhalants	10.82	12.56	12.12	12.20	Marijuana	92.5	95.1	93.9	94.6
Marijuana	13.85	13.78	13.63	13.47	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	65.9	58.8	56.8	56.1
Alcohol	48.3	50.7	56.9	62.6	Cigarettes	86.7	81.5	77.6	77.5
Cigarettes	34.3	40.4	46.8	49.3	Marijuana	83.0	83.9	82.3	82.7
Marijuana	31.7	23.9	34.6	35.1	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.2	97.2	95.0	94.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.9	7.5	14.2	17.7	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	52.7	54.4	57.6	60.4
Alcohol	28.2	29.4	35.4	36.7	Cigarettes	46.8	50.4	53.8	56.9
Cigarettes	9.7	12.8	16.5	16.4	Marijuana	32.1	28.2	34.2	33.3
Marijuana	12.5	9.1	12.6	12.2	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.6	11.0	16.3	17.7
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	60.5	60.7	61.3	68.3	Were grouchy, irritable, or in a bad mood	31.7	27.1	24.7	29.3
Were victims of mean rumors or lies spread at school	48.8	52.9	48.0	56.2	Had difficulty concentrating on school work	26.0	23.9	22.8	25.0
Were victims of an embarrassing or hurtful text message or something posted on the Internet	24.2	22.9	21.0	19.5	Were very sad	20.6	19.2	18.2	23.2
					Felt hopeless about the future	11.9	11.2	11.0	14.7
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	11.3	9.6	12.2	12.1	Parents involve student in making family decisions	70.7	66.8	67.8	70.3
Made plan about how they would attempt suicide	8.7	7.1	8.9	8.0	Parents notice and comment on student's good work	83.8	84.0	81.6	84.3
Attempted suicide	5.1	3.6	5.7	5.1	Teachers notice and comment on student's good work	78.0	73.5		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

DIVISION OF BEHAVIORAL HEALTH EASTERN REGION



DBH REGION	Eastern
DBH SERVICE AREAS	
Substance Use	16, 22, 23-25 (SL)
Adult Psychiatric	16, 22, 23, 24, 25
POPULATION	
Census 2010	2,084,037
2015 Estimate	2,119,396

BIRTH RISK	2014	2013	2012
Resident Births	25,774	25,755	25,740
Mother Reported Smoking while Pregnant	2,996	3,256	3,429

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	228	241	286
Hepatitis B Chronic, Acute, Prenatal		218	211
Hepatitis C Chronic and Acute	2,171	1,774	1,629
Tuberculosis Infection Cases	1,292	1,364	1,149

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	18,853	18,339	18,081
Suicides	313	290	293
Homicides	221	178	194
Alcohol Induced Deaths	149	150	150
Drug Induced Deaths	506	442	356
Smoking Attributable Deaths	3,089	2,979	2,985
Self-inflicted Injuries	2,030	1,951	2,286
Assault Injuries	6,746	7,841	8,879

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	13,043	14,293	11,162
Mental Illness Secondary Diagnosis	23,046	26,078	19,019
Alcohol Principal Diagnosis	939	1,095	793
Alcohol Secondary Diagnosis	2,050	2,453	1,213
Drug Principal Diagnosis	1,179	1,410	1,249
Drug Secondary Diagnosis	2,472	2,853	1,565
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	13,992	11,498	14,674
Mental Illness Secondary Diagnosis	42,151	38,264	47,047
Alcohol Principal Diagnosis	1,447	1,212	1,532
Alcohol Secondary Diagnosis	4,759	4,206	5,274
Drug Principal Diagnosis	1,008	878	1,016
Drug Secondary Diagnosis	3,442	2,814	4,102
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	16,309	17,126	17,699
Mental Illness Secondary Diagnosis	63,074	63,637	60,733
Alcohol Principal Diagnosis	4,279	4,611	4,809
Alcohol Secondary Diagnosis	3,957	4,129	4,397
Drug Principal Diagnosis	3,513	3,417	3,544
Drug Secondary Diagnosis	5,733	5,491	5,829

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	2,847	2,881	2,858
Alcohol Package Carry-out Licenses	1,355	1,341	1,340

EMPLOYMENT	2015	2014	2013
Labor Force	1,137,608	1,112,517	1,064,232
Employed	1,083,742	1,045,496	992,122
Unemployed	53,866	67,021	72,110
Unemployment Rate	4.7%	6.0%	6.8%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	1,473	1,586	1,668
Fatal Crashes	37	33	35
Injury Crashes	503	596	626
Property Damage Crashes	933	957	1,007
Crash Fatalities	39	42	37
Crash Injuries	738	860	906
Drug Involved Crashes	322	330	322
Fatal Crashes	17	7	13
Injury Crashes	135	125	138
Property Damage Crashes	170	198	171
Crash Fatalities	18	9	15
Crash Injuries	209	178	209

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	7,636	9,327	10,792
Liquor Law Arrests	2,545	2,900	3,816
Drug Arrests	12,636	959	16,477
Violent Offenses	9,797	9,238	10,013
Property Offenses	56,194	60,135	64,018
Domestic Violence Reports	9,937	10,425	10,721

	2015	2014	2013
Methamphetamine Lab Seizures	249	485	559

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	89,612	90,558	91,488
Drop-outs	2,672	2,717	2,715
Drop-out Rate	3.0%	3.0%	3.0%
School Discipline Involving Alcohol	105	133	113
School Discipline Involving Drugs	710	734	905
School Discipline Involving Tobacco		14	17

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	2,357	2,494	2,788
Juvenile Alcohol Offenses	267	307	428
Juvenile Drug Offenses	732	818	919
School Truancy Status Offense	1,177	1,193	951
Absent from Home Status Offense	1,146	1,294	1,463
Beyond Parental Control Status Offense	287	307	301
Injurious Behavior Status Offense	430	357	379
Child Abuse	782	812	785
Child Neglect	2,835	2,681	2,262
Child Custody Issues	333	404	453

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	1,450	1,395	1,359
Parental Alcohol Use Related	51	46	35
Parental Drug Use Related	502	452	561
Parental Alcohol and Drug Use	20	29	23

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	1,568	1,369	1,529
Probation/Parole Admissions--Drug	3,711	3,902	3,606
Probation/Parole Admissions--DWI	652	764	709
Prison Admissions--Drug	1,437	1,634	1,497
Prison Admissions--DWI	193	219	236

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.

³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

DIVISION OF BEHAVIORAL HEALTH EASTERN REGION

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	1504	1,397	1,606
CSTAR Adolescent	562	647	644
CSTAR Women and Children	1,443	1,386	1,280
CSTAR General Adult	4,225	3,773	3,243
CSTAR Opioid	480	457	511
Primary Recovery Treatment	637	631	971
Clinical SATOP (CIP, YCIP, SROP)	1,899	2,252	2,426
Other Substance Abuse Treatment	682	719	655

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	7,030	8,002	8,713
- Adolescent Diversion Education Program	431	385	262
- Offender Education Program	2,580	2,922	3,287
- Weekend Intervention Program	1,370	1,615	1,821
<i>(See also Clinical SATOP at left)</i>			
OTHER SERVICES PROVIDED			
Co-Dependency	369	422	468
Compulsive Gambling	67	57	89
Recovery Supports	48	90	69
Early Intervention	945	867	834


The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013
Total Individuals	9,729	9,608	9,583
AGE			
Under 18	567	661	654
18 to 24	1,270	1,360	1,448
25 to 29	1,625	1,600	1,638
30 to 34	1,704	1,609	1,579
35 to 39	1,246	1,152	1,068
40 to 44	982	877	911
45 to 54	1,550	1,627	1,670
55 and Over	785	722	615
GENDER			
Male	6,361	6,349	6,453
Female	3,367	3,257	3,130
RACE / ETHNICITY			
Caucasian	5,943	5,911	6,019
African American	3,463	3,385	3,259
Native American / Alaskan	12	17	7
Asian / Pacific Islander	19	19	21
Hispanic	122	105	103
Other Race / Two or More Races	218	211	217
EDUCATION			
Less than High School Diploma	3,149	3,274	3,210
High School Graduate or G.E.D.	4,194	3,879	3,901
Associate Degree or Some College	2,285	2,337	2,353
Bachelor or Advanced Degree	101	115	117
EMPLOYMENT			
Employed	2,786	2,676	2,438
Unemployed	3,116	3,270	3,520
Not in Labor Force	3,827	3,662	3,625
HOUSING / LIVING ARRANGEMENT			
Independent Living	7,745	7,549	7,535
Dependent Living	1,003	1,116	1,088
Homeless	602	555	555
MARITAL / FAMILY STATUS			
Never Married	6,583	6,518	6,500
Married / Cohabiting	1,688	1,628	1,634
Previously Married	1,458	1,462	1,449

PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Alcohol	3,086	3,377	3,575
Marijuana / Hashish	1,854	1,885	1,826
Cocaine (total)	556	607	568
- Crack	467	491	437
Stimulant (total)	539	492	423
- Methamphetamine	503	445	391
Heroin	3,143	2,750	2,669
Analgesic except Heroin	394	338	351
- Non-Prescription Methadone	9	7	6
PCP, LSD, other Hallucinogen	53	54	43
Tranquilizer	57	53	57
Inhalant	6	*	6
Sedative	8	11	11
Other Medication or Illicit Drug	33	44	54
Average Age at First Use of Drug	19.6	19.4	19.1
INJECTION DRUG USE			
Any Injection Use at Admission	2,318	2,135	2,020
- Daily Injection Use	1,203	1,070	958
- Weekly Injection Use	446	445	434
- Less than Weekly Injection Use	669	620	628
LIFETIME DUI / DWI ARRESTS			
0	6,380	5,884	5,669
1 or 2	2,206	2,452	2,543
3 or More	1,143	1,272	1,371
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	3,456	3,358	3,225
School	62	81	56
Mental Health Provider	74	76	68
Health Care Provider	505	365	296
Court / Criminal Justice	4,499	4,736	5,044
Other Referral Source	989	861	773
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	251	276	216
Military Veteran	402	425	425
Special Education Services Needed	762	778	698
Co-Occurring Psychological Problem	3,137	2,808	2,778
Co-Occurring Developmental Problem	231	284	460

DIVISION OF BEHAVIORAL HEALTH EASTERN REGION

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Eastern
PSYCHIATRIC SERVICE AREA 16, 22, 23, 24, 25
CENSUS 2010 2,084,037
2015 POPULATION ESTIMATE 2,119,396

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	279	213	228
Anxiety Disorder	6,150	5,108	4,355
Dementia	430	37	32
Developmental Disorder	339	300	287
Impulse Control Disorder	3,420	2,999	2,774
Mood Disorder	12,705	12,014	11,023
Personality Disorder	1,525	1,433	1,298
Psychotic Disorder	5,552	5,276	5,083
Sexual Disorder	38	34	32
Other Diagnosis	915	793	696
Diagnosis Unknown	1,427	1,268	1,482

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	20,589	19,786	19,016	Less than High School Diploma	5,429	5,306	5,365
AGE				High School Grad or G.E.D.	0	9	77
Under 6	50	84	88	Associate Degree or Some College	0	5	26
6 to 9	964	943	882	Bachelor or Advanced Degree	0	*	11
10 to 13	1,327	1,218	1,150	Education Level Unknown	15,160	14,463	13,537
14 to 17	1,529	1,453	1,436	EMPLOYMENT			
18 to 24	1,641	1,625	1,615	Employed	1,380	1,270	1,137
25 to 29	1,492	1,477	1,443	Unemployed	1,183	1,319	1,220
30 to 34	1,784	1,779	1,631	Not in Labor Force	10,573	10,055	9,973
35 to 39	1,663	1,531	1,427	Employment Status Unknown	7,453	7,142	6,686
40 to 44	1,657	1,706	1,683	HOUSING / LIVING ARRANGEMENT			
45 to 49	1,939	2,054	2,106	Independent Living	7,572	6,931	6,521
50 to 54	2,463	2,342	2,312	Dependent Living	4,941	4,993	5,253
55 to 59	2,072	1,899	1,739	Homeless	504	529	412
60 and Over	2,008	1,675	1,504	Other	0	*	0
Age Unknown	0	0	0	Housing Unknown	7,572	7,332	6,830
GENDER				TREATMENT REFERRAL SOURCE			
Male	9,924	9,617	9,292	Self / Family / Friend	6,703	6,091	5,753
Female	10,665	10,169	9,724	School	976	893	823
Gender Unknown	0	0	0	Mental Health Provider	1,796	1,941	2,147
RACE / ETHNICITY				Health Care Provider	3,691	3,238	2,764
Caucasian	11,533	10,964	10,456	Court / Criminal Justice	892	914	980
African American	8,012	7,858	7,692	Other	6,431	6,605	6,432
Native American / Alaskan	17	18	18	Referral Source Unknown	100	104	117
Asian / Pacific Islander	80	76	76	TYPE OF COMMITMENT			
Hispanic	267	244	212	Voluntary	20,128	19,331	18,508
Other Race	680	626	561	Civil	47	50	61
Race/Ethnicity Unknown	0	0	*	Criminal	297	283	308
TREATMENT ACCOMMODATION				Sexual Predatory	15	13	15
Hearing Impaired	602	578	516	Commitment Type Unknown	102	109	124
Past or Current Military Service	472	440	397				

DIVISION OF BEHAVIORAL HEALTH EASTERN REGION

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	34.9	32.0	38.0	43.9	Alcohol	16.6	14.8	17.8	21.4
Chewing Tobacco	5.3	4.8	5.6	6.7	Alcohol (5+ drinks on single occasion past 2 weeks)	6.6	6.2		
Cigarettes	13.0	14.8	20.1	24.2	Chewing Tobacco	2.3	2.3	3.0	3.5
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.2	1.5	2.2	2.2	Cigarettes	4.9	6.0	9.6	12.4
Cocaine	1.0	1.0	1.5	1.5	Inhalants	1.0	1.1	2.4	3.0
Electronic Cigarettes	22.0				Marijuana	9.9	10.2	10.8	11.9
Hallucinogens	2.0	1.9	2.9	3.2	Over-the-counter medications for non-medical use	1.6	1.5	3.4	4.6
Heroin	0.3	0.3	0.9	0.6	Prescription medications not prescribed for student	8.3	3.8	4.8	6.4
Inhalants	2.6	2.5	4.9	5.9	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	18.0	18.0	18.9	20.7	Alcohol (1 or 2 drinks daily)	73.6	64.9		
Methamphetamine	0.3	0.4	1.0	0.6	Alcohol (Binge: 5+ drinks once or twice a week)	81.6	76.0		
Over-the-counter medications for non-medical use	4.1	3.0	5.8	7.4	Cigarettes (1+ packs per day)	87.4	87.4		
Prescription medications not prescribed for student	12.2	7.1	8.4	10.1	Marijuana (once or twice a week)	64.7	62.5		
Synthetic drugs (K2, bath salts, Spice, etc)	1.4	2.8	5.8		Other: Cocaine, LSD, Meth, Club Drug (any use)	91.7	92.0	93.1	93.0
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.37	13.21	12.95	12.71	Alcohol	83.0	82.2	80.1	78.1
Cigarettes	13.17	13.20	12.69	12.53	Cigarettes	95.3	94.7	92.2	90.8
Inhalants	10.93	11.96	11.53	11.70	Marijuana	91.2	91.5	92.8	92.3
Marijuana	14.29	13.95	13.82	13.64	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	67.7	66.9	62.1	57.3
Alcohol	44.0	44.8	51.0	58.2	Cigarettes	90.8	88.6	83.6	80.5
Cigarettes	26.1	30.9	40.1	45.5	Marijuana	76.7	76.2	78.2	77.3
Marijuana	38.7	37.3	40.5	42.9	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.4	95.5	95.3	94.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.0	12.4	15.3	18.0	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	54.4	52.7	58.1	61.6
Alcohol	24.6	24.1	30.1	34.2	Cigarettes	43.5	44.6	51.1	56.2
Cigarettes	6.2	8.2	11.0	12.8	Marijuana	40.1	38.7	41.6	43.6
Marijuana	16.6	15.9	15.1	16.8	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.5	14.9	17.6	19.8
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	60.0	57.3	60.1	67.7	Were grouchy, irritable, or in a bad mood	29.4	24.6	23.7	24.6
Were victims of mean rumors or lies spread at school	44.4	44.4	45.1	50.0	Had difficulty concentrating on school work	27.4	24.9	23.8	24.6
Were victims of an embarrassing or hurtful text message or something posted on the Internet	25.1	25.1	20.1	19.1	Were very sad	20.0	19.8	17.6	19.3
					Felt hopeless about the future	11.5	11.8	10.9	11.9
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	12.6	12.0	11.8	11.5	Parents involve student in making family decisions	72.3	70.3	70.2	70.2
Made plan about how they would attempt suicide	8.7	8.6	8.6	8.3	Parents notice and comment on student's good work	84.0	82.8	83.1	83.5
Attempted suicide	5.2	5.2	5.9	5.5	Teachers notice and comment on student's good work	76.3	73.3		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

DIVISION OF BEHAVIORAL HEALTH SOUTHEAST REGION



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	17, 18, 19, 20, 21
Adult Psychiatric	17A, 17B, 18, 19, 20, 21
POPULATION	
Census 2010	712,520
2015 Estimate	708,843

BIRTH RISK	2014	2013	2012
Resident Births	8,359	8,653	8,578
Mother Reported Smoking while Pregnant	2,214	2,388	2,319

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	27	14	18
Hepatitis B Chronic, Acute, Prenatal		49	56
Hepatitis C Chronic and Acute	1,022	804	815
Tuberculosis Infection Cases	204	211	220

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	8,418	8,455	8,138
Suicides	132	134	127
Homicides	35	29	25
Alcohol Induced Deaths	40	44	54
Drug Induced Deaths	142	134	154
Smoking Attributable Deaths	1,598	1,686	1,605
Self-inflicted Injuries	1,032	1,164	1,264
Assault Injuries	2,430	2,538	2,787

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	7,535	7,584	7,522
Mental Illness Secondary Diagnosis	12,928	14,542	13,943
Alcohol Principal Diagnosis	370	400	457
Alcohol Secondary Diagnosis	873	1,118	1,096
Drug Principal Diagnosis	895	764	697
Drug Secondary Diagnosis	882	882	923
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	1,895	1,690	2,007
Mental Illness Secondary Diagnosis	12,045	10,664	11,825
Alcohol Principal Diagnosis	306	272	335
Alcohol Secondary Diagnosis	960	814	1,070
Drug Principal Diagnosis	254	270	288
Drug Secondary Diagnosis	730	577	668
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	8,356	7,853	8,160
Mental Illness Secondary Diagnosis	27,790	29,395	29,210
Alcohol Principal Diagnosis	1,174	1,225	1,192
Alcohol Secondary Diagnosis	1,203	1,222	1,405
Drug Principal Diagnosis	1,369	1,227	1,270
Drug Secondary Diagnosis	1,707	1,635	1,731

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	761	779	795
Alcohol Package Carry-out Licenses	768	774	755

EMPLOYMENT	2015	2014	2013
Labor Force	317,700	312,393	343,223
Employed	298,835	290,267	319,874
Unemployed	18,865	22,126	23,349
Unemployment Rate	5.9%	7.1%	6.8%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	664	778	865
Fatal Crashes	31	38	52
Injury Crashes	307	317	398
Property Damage Crashes	326	423	415
Crash Fatalities	33	43	53
Crash Injuries	469	462	578
Drug Involved Crashes	204	239	207
Fatal Crashes	14	7	5
Injury Crashes	89	90	102
Property Damage Crashes	101	142	100
Crash Fatalities	17	7	6
Crash Injuries	139	125	142

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	3,368	3,719	4,548
Liquor Law Arrests	634	738	1,110
Drug Arrests	4,734	11,256	4,495
Violent Offenses	2,485	2,350	2,550
Property Offenses	18,419	18,997	20,252
Domestic Violence Reports	4,483	4,262	4,278

	2015	2014	2013
Methamphetamine Lab Seizures	84	174	333

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	31,344	33,230	31,768
Drop-outs	424	446	516
Drop-out Rate	1.4%	1.3%	1.6%
School Discipline Involving Alcohol	43	36	76
School Discipline Involving Drugs	189	240	177
School Discipline Involving Tobacco		8	14

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	949	989	1,146
Juvenile Alcohol Offenses	97	146	152
Juvenile Drug Offenses	191	208	275
School Truancy Status Offense	1,056	1,102	1,104
Absent from Home Status Offense	216	233	247
Beyond Parental Control Status Offense	549	545	570
Injurious Behavior Status Offense	733	676	715
Child Abuse	752	862	955
Child Neglect	2,662	2,387	2,779
Child Custody Issues	237	298	337

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	1,472	1,180	1,029
Parental Alcohol Use Related	37	31	48
Parental Drug Use Related	733	550	402
Parental Alcohol and Drug Use	39	39	34

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	802	718	797
Probation/Parole Admissions--Drug	2,429	2,273	2,266
Probation/Parole Admissions--DWI	334	332	410
Prison Admissions--Drug	1,247	1,201	1,112
Prison Admissions--DWI	149	170	176

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.

³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

DIVISION OF BEHAVIORAL HEALTH SOUTHEAST REGION

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	877	993	951
CSTAR Adolescent	307	279	314
CSTAR Women and Children	354	336	401
CSTAR General Adult	3,357	3,070	2,944
CSTAR Opioid	7	*	12
Primary Recovery Treatment	365	479	1,627
Clinical SATOP (CIP, YCIP, SROP)	596	600	660
Other Substance Abuse Treatment	6	13	11

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	2,350	2,540	2,872
- Adolescent Diversion Education Program	7	*	5
- Offender Education Program	874	963	1,133
- Weekend Intervention Program	460	588	640
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	58	45	56
Compulsive Gambling	5	5	*
Recovery Supports	358	1,119	968
Early Intervention	182	118	95


The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013
Total Individuals	5,013	5,222	5,792
AGE			
Under 18	316	289	326
18 to 24	741	919	1,125
25 to 29	935	944	1,075
30 to 34	891	959	1,027
35 to 39	630	625	633
40 to 44	467	492	530
45 to 54	743	728	814
55 and Over	290	266	262
GENDER			
Male	3,090	3,430	3,799
Female	1,923	1,791	1,993
RACE / ETHNICITY			
Caucasian	4,473	4,550	5,088
African American	399	527	577
Native American / Alaskan	13	16	13
Asian / Pacific Islander	*	*	*
Hispanic	60	79	66
Other Race / Two or More Races	94	83	80
EDUCATION			
Less than High School Diploma	1,821	1,871	2,170
High School Graduate or G.E.D.	2,307	2,444	2,717
Associate Degree or Some College	867	875	880
Bachelor or Advanced Degree	18	32	25
EMPLOYMENT			
Employed	1,276	1,294	1,393
Unemployed	1,752	2,055	2,463
Not in Labor Force	1,985	1,873	1,936
HOUSING / LIVING ARRANGEMENT			
Independent Living	4,136	4,332	4,831
Dependent Living	549	624	726
Homeless	211	175	145
MARITAL / FAMILY STATUS			
Never Married	2,443	2,524	2,822
Married / Cohabiting	1,398	1,456	1,635
Previously Married	1,172	1,242	1,335

PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Alcohol	1,554	1,685	1,942
Marijuana / Hashish	1,280	1,310	1,515
Cocaine (total)	95	131	164
- Crack	59	67	92
Stimulant (total)	1,110	1,070	986
- Methamphetamine	1,076	1,030	958
Heroin	323	292	299
Analgesic except Heroin	518	589	721
- Non-Prescription Methadone	9	7	*
PCP, LSD, other Hallucinogen	10	8	9
Tranquilizer	99	86	112
Inhalant	*	7	10
Sedative	*	10	10
Other Medication or Illicit Drug	17	39	24
Average Age at First Use of Drug	18.4	18.2	18.2
INJECTION DRUG USE			
Any Injection Use at Admission	873	865	872
- Daily Injection Use	189	216	197
- Weekly Injection Use	242	249	251
- Less than Weekly Injection Use	442	400	424
LIFETIME DUI / DWI ARRESTS			
0	2,964	3,099	3,313
1 or 2	1,340	1,404	1,638
3 or More	709	719	841
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	1,453	1,453	1,535
School	6	6	6
Mental Health Provider	29	36	44
Health Care Provider	376	304	295
Court / Criminal Justice	2,318	2,547	3,045
Other Referral Source	701	742	763
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	84	94	114
Military Veteran	189	240	230
Special Education Services Needed	513	458	599
Co-Occurring Psychological Problem	2,302	2,093	2,138
Co-Occurring Developmental Problem	214	274	407

DIVISION OF BEHAVIORAL HEALTH SOUTHEAST REGION

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 17A, 17B, 18, 19, 20, 21
CENSUS 2010 712,520
2015 POPULATION ESTIMATE 708,843

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	665	874	770
Anxiety Disorder	3,628	3,877	3,638
Dementia	34	30	25
Developmental Disorder	81	86	92
Impulse Control Disorder	1,914	1,934	1,791
Mood Disorder	8,424	9,008	8,343
Personality Disorder	464	543	544
Psychotic Disorder	1,985	1,976	1,877
Sexual Disorder	145	144	132
Other Diagnosis	554	617	544
Diagnosis Unknown	1,113	1,144	1,238

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	14,389	15,362	14,445	Less than High School Diploma	4,025	3,835	3,895
AGE				High School Grad or G.E.D.	0	*	94
Under 6	77	80	72	Associate Degree or Some College	0	0	36
6 to 9	722	760	651	Bachelor or Advanced Degree	0	0	5
10 to 13	1,033	1,059	935	Education Level Unknown	10,364	11,526	10,415
14 to 17	1,131	1,153	1,054	EMPLOYMENT			
18 to 24	1,192	1,415	1,402	Employed	698	623	667
25 to 29	1,174	1,413	1,365	Unemployed	635	705	988
30 to 34	1,295	1,478	1,425	Not in Labor Force	7,131	6,779	6,389
35 to 39	1,341	1,359	1,266	Employment Status Unknown	5,925	7,255	6,401
40 to 44	1,305	1,403	1,339	HOUSING / LIVING ARRANGEMENT			
45 to 49	1,357	1,382	1,390	Independent Living	4,970	4,747	4,806
50 to 54	1,466	1,608	1,466	Dependent Living	3,396	3,206	3,166
55 to 59	1,108	1,093	1,011	Homeless	191	184	151
60 and Over	1,188	1,159	1,069	Other	0	0	*
Age Unknown	0	0	0	Housing Unknown	5,832	7,225	6,320
GENDER				TREATMENT REFERRAL SOURCE			
Male	6,613	7,072	6,637	Self / Family / Friend	7,238	7,664	7,131
Female	7,776	8,290	7,808	School	205	191	160
Gender Unknown	0	0	0	Mental Health Provider	1,177	1,268	1,209
RACE / ETHNICITY				Health Care Provider	2,642	2,750	2,539
Caucasian	12,667	13,614	12,846	Court / Criminal Justice	961	992	1,023
African American	1,078	1,082	980	Other	2,128	2,455	2,337
Native American / Alaskan	24	23	25	Referral Source Unknown	38	42	46
Asian / Pacific Islander	8	9	10	TYPE OF COMMITMENT			
Hispanic	251	335	338	Voluntary	13,982	14,947	14,030
Other Race	361	299	246	Civil	14	16	22
Race/Ethnicity Unknown	0	0	0	Criminal	218	218	225
TREATMENT ACCOMMODATION				Sexual Predatory	148	152	136
Hearing Impaired	509	526	522	Commitment Type Unknown	27	29	32
Past or Current Military Service	426	396	376				

DIVISION OF BEHAVIORAL HEALTH SOUTHEAST REGION

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	37.1	37.2	41.0	46.2	Alcohol	14.8	14.5	17.3	21.8
Chewing Tobacco	16.0	17.8	18.0	19.7	Alcohol (5+ drinks on single occasion past 2 weeks)	6.8	6.9		
Cigarettes	25.1	26.5	28.5	33.0	Chewing Tobacco	6.8	10.9	9.9	11.1
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.2	1.3	2.0	2.0	Cigarettes	9.1	11.6	14.1	17.3
Cocaine	1.0	0.9	1.8	1.5	Inhalants	1.1	1.3	2.3	3.5
Electronic Cigarettes	25.2				Marijuana	5.5	5.8	7.0	8.4
Hallucinogens	1.9	1.3	2.6	3.0	Over-the-counter medications for non-medical use	2.0	1.6	3.6	5.4
Heroin	0.4	0.3	0.9	0.7	Prescription medications not prescribed for student	9.2	4.8	5.2	8.1
Inhalants	3.0	3.5	6.1	8.1					
Marijuana	13.9	12.8	14.4	16.6	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.6	0.6	1.3	1.1	Alcohol (1 or 2 drinks daily)	62.7	54.9		
Over-the-counter medications for non-medical use	4.9	3.2	6.2	8.4	Alcohol (Binge: 5+ drinks once or twice a week)	73.7	64.9		
Prescription medications not prescribed for student	13.4	8.8	9.9	13.9	Cigarettes (1+ packs per day)	82.9	82.8		
Synthetic drugs (K2, bath salts, Spice, etc)	2.3	3.3	6.9		Marijuana (once or twice a week)	70.6	67.3		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	91.6	91.2	93.5	92.8
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.67	12.76	12.45	12.33	Alcohol	82.7	79.0	78.5	77.4
Cigarettes	12.21	12.62	12.11	11.94	Cigarettes	91.6	89.9	89.6	88.9
Inhalants	11.14	11.93	12.04	12.33	Marijuana	92.6	93.1	94.2	94.3
Marijuana	13.58	13.90	13.44	13.44					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	45.6	46.5	53.6	61.1	Alcohol	68.2	63.7	60.2	58.0
Cigarettes	34.6	39.9	46.1	51.6	Cigarettes	83.8	80.6	78.0	75.4
Marijuana	30.1	27.7	31.8	36.4	Marijuana	83.0	82.8	83.8	82.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.3	9.4	13.1	17.3	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.0	96.4	95.9	94.7
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	25.7	28.0	30.9	35.6	Alcohol	46.9	48.9	54.9	58.6
Cigarettes	11.7	14.2	15.7	18.0	Cigarettes	45.9	49.4	53.8	59.1
Marijuana	12.3	11.1	10.9	12.8	Marijuana	32.2	31.2	33.6	36.5
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.2	14.0	17.2	19.8
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	64.1	59.5	61.0	69.1	Were grouchy, irritable, or in a bad mood	32.0	25.2	25.7	24.3
Were victims of mean rumors or lies spread at school	51.9	52.4	51.5	57.9	Had difficulty concentrating on school work	27.4	23.0	23.2	25.5
Were victims of an embarrassing or hurtful text message or something posted on the Internet	24.3	23.9	20.4	19.9	Were very sad	20.9	19.5	19.9	18.9
					Felt hopeless about the future	12.7	10.8	11.3	12.8
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	11.9	11.0	11.9	12.6	Parents involve student in making family decisions	69.7	70.9	68.7	69.2
Made plan about how they would attempt suicide	9.2	7.8	8.9	9.3	Parents notice and comment on student's good work	83.7	83.1	82.7	83.5
Attempted suicide	5.5	4.5	5.5	5.9	Teachers notice and comment on student's good work	77.1	74.5		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

DIVISION OF BEHAVIORAL HEALTH SOUTHWEST REGION



DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	8, 9, 10
Adult Psychiatric	8A, 8B, 9, 10
POPULATION	
Census 2010	926,656
2015 Estimate	945,583

BIRTH RISK	2014	2013	2012
Resident Births	11,628	11,493	11,597
Mother Reported Smoking while Pregnant	2,241	2,296	2,264

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	34	28	40
Hepatitis B Chronic, Acute, Prenatal		92	73
Hepatitis C Chronic and Acute	1,155	925	869
Tuberculosis Infection Cases	326	296	279

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	9,859	9,675	9,269
Suicides	192	148	139
Homicides	42	27	42
Alcohol Induced Deaths	77	75	67
Drug Induced Deaths	167	146	142
Smoking Attributable Deaths	1,767	1,797	1,696
Self-inflicted Injuries	1,408	1,298	1,293
Assault Injuries	2,563	2,630	2,953

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	5,728	5,697	5,369
Mental Illness Secondary Diagnosis	11,124	11,495	12,160
Alcohol Principal Diagnosis	302	422	473
Alcohol Secondary Diagnosis	667	696	805
Drug Principal Diagnosis	377	430	485
Drug Secondary Diagnosis	778	735	738
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	5,170	4,865	4,638
Mental Illness Secondary Diagnosis	16,642	16,578	14,704
Alcohol Principal Diagnosis	1,613	1,494	1,477
Alcohol Secondary Diagnosis	1,759	1,805	1,704
Drug Principal Diagnosis	1,086	1,042	1,071
Drug Secondary Diagnosis	1,460	1,321	1,131
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	8,077	7,955	8,697
Mental Illness Secondary Diagnosis	43,689	46,145	44,436
Alcohol Principal Diagnosis	2,851	2,839	2,839
Alcohol Secondary Diagnosis	4,178	2,482	2,637
Drug Principal Diagnosis	2,195	2,049	2,132
Drug Secondary Diagnosis	3,525	3,145	3,021

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	931	938	933
Alcohol Package Carry-out Licenses	951	960	849

EMPLOYMENT	2015	2014	2013
Labor Force	464,185	453,322	456,912
Employed	441,604	426,990	429,001
Unemployed	22,581	26,332	27,911
Unemployment Rate	4.9%	5.8%	6.1%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	886	994	1,027
Fatal Crashes	27	29	34
Injury Crashes	369	414	443
Property Damage Crashes	490	551	550
Crash Fatalities	29	32	36
Crash Injuries	537	562	612
Drug Involved Crashes	215	240	249
Fatal Crashes	7	9	4
Injury Crashes	96	110	104
Property Damage Crashes	112	121	141
Crash Fatalities	7	10	5
Crash Injuries	167	164	148

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	4,964	5,432	5,995
Liquor Law Arrests	742	878	1,115
Drug Arrests	5,121	1,681	4,492
Violent Offenses	4,186	4,225	4,034
Property Offenses	33,597	37,395	37,963
Domestic Violence Reports	9,050	8,893	8,780

	2015	2014	2013
Methamphetamine Lab Seizures	76	203	313

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	41,994	41,522	41,638
Drop-outs	685	677	797
Drop-out Rate	1.6%	1.6%	1.9%
School Discipline Involving Alcohol	103	90	129
School Discipline Involving Drugs	366	421	421
School Discipline Involving Tobacco		20	12

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	1,185	1,035	1,271
Juvenile Alcohol Offenses	157	149	207
Juvenile Drug Offenses	328	318	398
School Truancy Status Offense	350	297	295
Absent from Home Status Offense	312	229	300
Beyond Parental Control Status Offense	387	268	417
Injurious Behavior Status Offense	832	753	828
Child Abuse	498	514	483
Child Neglect	2,408	2,284	2,401
Child Custody Issues	760	583	544

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	1,717	1,481	1,369
Parental Alcohol Use Related	61	33	62
Parental Drug Use Related	605	584	536
Parental Alcohol and Drug Use	53	28	36

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	2,285	1,807	1,557
Probation/Parole Admissions--Drug	2,053	2,074	1,831
Probation/Parole Admissions--DWI	438	488	527
Prison Admissions--Drug	974	978	993
Prison Admissions--DWI	180	185	204

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.

³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

DIVISION OF BEHAVIORAL HEALTH SOUTHWEST REGION

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	1259	1,144	1,227
CSTAR Adolescent	344	334	354
CSTAR Women and Children	768	702	687
CSTAR General Adult	2,842	2,607	2,740
CSTAR Opioid	0	6	*
Primary Recovery Treatment	1,112	991	863
Clinical SATOP (CIP, YCIP, SROP)	834	820	772
Other Substance Abuse Treatment	5	5	9

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	3,462	3,705	3,840
- Adolescent Diversion Education Program	63	67	94
- Offender Education Program	1,260	1,353	1,489
- Weekend Intervention Program	660	728	813
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	205	204	249
Compulsive Gambling	*	*	5
Recovery Supports	807	1,618	1,953
Early Intervention	240	263	243

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013
Total Individuals	6,222	6,083	6,329
AGE			
Under 18	350	334	371
18 to 24	957	963	1,034
25 to 29	1,100	1,034	1,127
30 to 34	1,070	1,036	1,073
35 to 39	790	785	754
40 to 44	641	631	640
45 to 54	963	973	982
55 and Over	351	327	348

GENDER			
Male	3,910	3,934	4,162
Female	2,312	2,149	2,167

RACE / ETHNICITY			
Caucasian	5,699	5,571	5,808
African American	219	217	245
Native American / Alaskan	22	30	22
Asian / Pacific Islander	18	19	17
Hispanic	158	152	154
Other Race / Two or More Races	160	159	141

EDUCATION			
Less than High School Diploma	2,041	1,974	2,206
High School Graduate or G.E.D.	2,715	2,675	2,687
Associate Degree or Some College	1,426	1,379	1,389
Bachelor or Advanced Degree	40	55	47

EMPLOYMENT			
Employed	1,865	1,761	1,783
Unemployed	2,058	2,152	2,260
Not in Labor Force	2,299	2,170	2,286

HOUSING / LIVING ARRANGEMENT			
Independent Living	4,845	4,818	5,014
Dependent Living	743	706	704
Homeless	428	381	429

MARITAL / FAMILY STATUS			
Never Married	3,015	2,921	3,055
Married / Cohabiting	1,639	1,606	1,595
Previously Married	1,568	1,556	1,679

PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Alcohol	2,361	2,327	2,528
Marijuana / Hashish	1,194	1,277	1,211
Cocaine (total)	48	50	73
- Crack	23	27	30
Stimulant (total)	1,885	1,648	1,640
- Methamphetamine	1,838	1,588	1,582
Heroin	133	136	119
Analgesic except Heroin	502	521	586
- Non-Prescription Methadone	*	7	18
PCP, LSD, other Hallucinogen	9	11	26
Tranquilizer	56	60	78
Inhalant	6	8	11
Sedative	5	10	10
Other Medication or Illicit Drug	23	30	47
Average Age at First Use of Drug	17.8	17.6	17.7

INJECTION DRUG USE			
Any Injection Use at Admission	1,297	1,139	1,174
- Daily Injection Use	255	231	232
- Weekly Injection Use	388	311	329
- Less than Weekly Injection Use	654	597	613


LIFETIME DUI / DWI ARRESTS			
0	3,383	3,202	3,240
1 or 2	1,762	1,806	1,941
3 or More	1,077	1,075	1,148

TREATMENT REFERRAL SOURCE			
Self / Family / Friend	2,181	1,971	2,928
School	13	16	18
Mental Health Provider	49	80	82
Health Care Provider	438	398	372
Court / Criminal Justice	2,683	2,700	2,133
Other Referral Source	818	874	759

TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	116	111	89
Military Veteran	236	261	294
Special Education Services Needed	552	497	605
Co-Occurring Psychological Problem	2,772	2,493	2,566
Co-Occurring Developmental Problem	158	205	255

DIVISION OF BEHAVIORAL HEALTH SOUTHWEST REGION

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southwest
PSYCHIATRIC SERVICE AREA 8A, 8B, 9, 10
CENSUS 2010 926,656
2015 POPULATION ESTIMATE 945,583

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	546	473	464
Anxiety Disorder	4,285	3,932	3,913
Dementia	30	26	21
Developmental Disorder	180	171	191
Impulse Control Disorder	1,519	1,408	1,452
Mood Disorder	6,140	5,709	5,986
Personality Disorder	1,317	1,238	1,109
Psychotic Disorder	1,684	1,614	1,599
Sexual Disorder	33	31	33
Other Diagnosis	1,090	960	830
Diagnosis Unknown	1,070	1,469	1,543

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	10,157	10,033	10,801	Less than High School Diploma	3,146	2,833	2,663
AGE				High School Grad or G.E.D.	0	*	15
Under 6	177	224	228	Associate Degree or Some College	0	0	6
6 to 9	601	592	665	Bachelor or Advanced Degree	0	0	0
10 to 13	708	734	776	Education Level Unknown	7,011	7,199	8,117
14 to 17	770	682	746	EMPLOYMENT			
18 to 24	774	801	899	Employed	583	494	393
25 to 29	777	813	936	Unemployed	419	471	482
30 to 34	974	922	1,015	Not in Labor Force	5,632	5,217	5,085
35 to 39	881	918	947	Employment Status Unknown	3,523	3,851	4,841
40 to 44	934	932	1,043	HOUSING / LIVING ARRANGEMENT			
45 to 49	978	1,023	1,130	Independent Living	3,612	3,299	3,068
50 to 54	1,157	1,081	1,134	Dependent Living	2,693	2,592	2,519
55 to 59	793	748	738	Homeless	216	168	208
60 and Over	633	563	544	Other	0	0	*
Age Unknown	0	0	0	Housing Unknown	3,636	3,974	5,004
GENDER				TREATMENT REFERRAL SOURCE			
Male	4,779	4,684	4,989	Self / Family / Friend	6,262	6,604	7,312
Female	5,378	5,349	5,812	School	67	57	60
Gender Unknown	0	0	0	Mental Health Provider	336	328	388
RACE / ETHNICITY				Health Care Provider	1,321	1,105	987
Caucasian	9,317	9,193	9,956	Court / Criminal Justice	777	536	539
African American	261	262	262	Other	1,296	1,295	1,401
Native American / Alaskan	30	35	27	Referral Source Unknown	98	108	114
Asian / Pacific Islander	15	16	16	TYPE OF COMMITMENT			
Hispanic	238	249	227	Voluntary	9,579	9,662	10,380
Other Race	296	278	313	Civil	411	199	249
Race/Ethnicity Unknown	0	0	0	Criminal	58	53	45
TREATMENT ACCOMMODATION				Sexual Predatory	10	11	11
Hearing Impaired	256	259	261	Commitment Type Unknown	99	108	116
Past or Current Military Service	224	208	214				

DIVISION OF BEHAVIORAL HEALTH SOUTHWEST REGION

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	32.8	31.9	34.0	39.8	Alcohol	12.5	12.8	13.9	17.0
Chewing Tobacco	11.1	12.4	12.6	14.8	Alcohol (5+ drinks on single occasion past 2 weeks)	4.5	5.9		
Cigarettes	20.4	21.2	23.4	27.8	Chewing Tobacco	4.8	6.4	6.6	7.9
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.1	1.9	2.2	2.3	Cigarettes	7.6	8.9	10.7	14.3
Cocaine	1.1	1.0	1.8	1.7	Inhalants	1.1	1.2	2.4	3.1
Electronic Cigarettes	23.0				Marijuana	6.3	6.0	6.7	8.0
Hallucinogens	1.7	2.3	3.1	3.3	Over-the-counter medications for non-medical use	1.5	1.6	3.7	5.0
Heroin	0.3	0.4	0.9	0.7	Prescription medications not prescribed for student	8.7	3.2	4.4	6.7
Inhalants	3.0	3.3	5.8	7.1					
Marijuana	14.1	13.3	14.1	16.0	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.6	0.8	1.4	1.1	Alcohol (1 or 2 drinks daily)	69.1	60.8		
Over-the-counter medications for non-medical use	4.1	2.9	6.2	8.4	Alcohol (Binge: 5+ drinks once or twice a week)	77.7	72.6		
Prescription medications not prescribed for student	12.6	7.5	8.4	11.8	Cigarettes (1+ packs per day)	85.0	86.0		
Synthetic drugs (K2, bath salts, Spice, etc)	1.9	3.6	7.4		Marijuana (once or twice a week)	68.7	69.1		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	92.3	92.8	93.7	93.0
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.86	12.96	12.44	12.42	Alcohol	85.5	83.5	82.6	80.6
Cigarettes	12.42	12.60	12.17	12.11	Cigarettes	93.5	93.1	91.9	89.7
Inhalants	10.90	12.01	12.05	12.23	Marijuana	92.6	93.4	93.9	93.2
Marijuana	13.70	13.72	13.11	13.37					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	41.0	40.9	47.0	54.8	Alcohol	71.8	68.8	66.9	63.1
Cigarettes	31.3	33.9	40.3	46.8	Cigarettes	87.7	84.4	81.8	77.0
Marijuana	32.7	27.3	30.9	35.4	Marijuana	81.9	82.8	83.1	81.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.9	11.1	14.8	18.8	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.6	96.6	95.1	94.2
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	21.1	22.1	25.3	29.6	Alcohol	48.9	47.6	50.9	54.7
Cigarettes	9.3	11.6	12.9	15.7	Cigarettes	45.5	46.7	48.9	56.4
Marijuana	13.0	11.2	11.8	13.1	Marijuana	33.9	29.8	32.3	36.4
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.4	14.0	16.8	19.9
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	60.9	59.8	60.4	67.7	Were grouchy, irritable, or in a bad mood	32.0	24.1	23.1	24.0
Were victims of mean rumors or lies spread at school	48.8	50.6	49.1	54.7	Had difficulty concentrating on school work	28.5	22.6	22.0	24.9
Were victims of an embarrassing or hurtful text message or something posted on the Internet	24.8	24.1	20.9	19.0	Were very sad	24.8	21.8	19.2	19.5
					Felt hopeless about the future	14.4	12.5	10.7	11.7
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	15.1	12.3	11.9	11.7	Parents involve student in making family decisions	70.4	69.9	69.9	70.7
Made plan about how they would attempt suicide	11.3	9.2	8.6	8.7	Parents notice and comment on student's good work	82.6	83.0	83.0	83.6
Attempted suicide	6.7	5.4	5.4	5.5	Teachers notice and comment on student's good work	74.9	72.9		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

DIVISION OF BEHAVIORAL HEALTH WESTERN REGION



DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	1, 2-5 (JC), 6, 7, 13
Adult Psychiatric	1, 2, 3, 4, 5, 6, 7, 13
POPULATION	
Census 2010	1,457,879
2015 Estimate	1,489,682

BIRTH RISK	2014	2013	2012
Resident Births	19,348	19,300	19,504
Mother Reported Smoking while Pregnant	3,050	3,112	3,350

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	138	145	157
Hepatitis B Chronic, Acute, Prenatal		168	128
Hepatitis C Chronic and Acute	1,197	826	879
Tuberculosis Infection Cases	1,026	743	599

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	13,403	13,239	13,023
Suicides	234	250	219
Homicides	111	124	143
Alcohol Induced Deaths	159	136	133
Drug Induced Deaths	211	215	197
Smoking Attributable Deaths	2,321	2,298	2,262
Self-inflicted Injuries	2,167	2,311	2,307
Assault Injuries	5,890	6,408	6,876

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	11,962	11,825	11,873
Mental Illness Secondary Diagnosis	17,476	15,913	15,809
Alcohol Principal Diagnosis	937	1,166	1,158
Alcohol Secondary Diagnosis	2,041	2,285	1,977
Drug Principal Diagnosis	487	638	685
Drug Secondary Diagnosis	2,265	1,923	1,995
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	3,530	3,708	4,193
Mental Illness Secondary Diagnosis	27,078	25,208	24,781
Alcohol Principal Diagnosis	1,119	987	1,147
Alcohol Secondary Diagnosis	3,503	3,301	3,479
Drug Principal Diagnosis	548	576	657
Drug Secondary Diagnosis	2,555	2,467	3,045
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	11,750	12,188	12,846
Mental Illness Secondary Diagnosis	29,978	31,431	26,060
Alcohol Principal Diagnosis	5,423	5,546	5,736
Alcohol Secondary Diagnosis	4,141	4,620	5,089
Drug Principal Diagnosis	2,388	2,804	2,627
Drug Secondary Diagnosis	5,374	4,831	5,192

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	1,600	1,614	1,621
Alcohol Package Carry-out Licenses	1,150	1,140	1,142

EMPLOYMENT	2015	2014	2013
Labor Force	795,346	787,002	744,559
Employed	753,953	737,991	694,682
Unemployed	41,393	49,011	49,877
Unemployment Rate	5.2%	6.2%	6.7%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	1,292	1,383	1,360
Fatal Crashes	30	34	37
Injury Crashes	524	574	541
Property Damage Crashes	738	775	782
Crash Fatalities	30	43	40
Crash Injuries	736	838	768
Drug Involved Crashes	260	312	302
Fatal Crashes	8	8	7
Injury Crashes	125	150	154
Property Damage Crashes	127	154	141
Crash Fatalities	8	9	9
Crash Injuries	182	228	235

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	6,452	6,785	7,353
Liquor Law Arrests	2,129	2,272	2,494
Drug Arrests	7,896	1,023	7,139
Violent Offenses	8,322	8,300	8,286
Property Offenses	50,907	53,737	57,326
Domestic Violence Reports	12,370	11,955	11,201

	2015	2014	2013
Methamphetamine Lab Seizures	20	21	45

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	67,304	66,267	66,776
Drop-outs	1,360	2,002	1,685
Drop-out Rate	2.0%	3.0%	2.5%
School Discipline Involving Alcohol	96	93	79
School Discipline Involving Drugs	580	522	559
School Discipline Involving Tobacco		11	9

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	1,104	1,045	1,167
Juvenile Alcohol Offenses	144	106	137
Juvenile Drug Offenses	384	304	331
School Truancy Status Offense	550	789	673
Absent from Home Status Offense	308	320	351
Beyond Parental Control Status Offense	341	404	563
Injurious Behavior Status Offense	628	576	658
Child Abuse	579	519	498
Child Neglect	2,242	2,101	2,146
Child Custody Issues	226	205	354

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	1,537	1,577	1,678
Parental Alcohol Use Related	37	37	47
Parental Drug Use Related	503	492	532
Parental Alcohol and Drug Use	49	68	70

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	1,711	1,433	1,534
Probation/Parole Admissions--Drug	2,369	2,395	2,287
Probation/Parole Admissions--DWI	517	517	549
Prison Admissions--Drug	1,168	1,125	1,095
Prison Admissions--DWI	247	258	292

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.

³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

DIVISION OF BEHAVIORAL HEALTH WESTERN REGION

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	1000	1,209	1,173
CSTAR Adolescent	538	540	554
CSTAR Women and Children	915	891	820
CSTAR General Adult	4,399	4,593	4,133
CSTAR Opioid	171	143	91
Primary Recovery Treatment	508	698	1,130
Clinical SATOP (CIP, YCIP, SROP)	1,253	1,269	1,298
Other Substance Abuse Treatment	*	8	379

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	5,047	5,273	5,513
- Adolescent Diversion Education Program	101	84	98
- Offender Education Program	1,728	1,921	2,098
- Weekend Intervention Program	1,066	1,112	1,240
<i>(See also Clinical SATOP at left)</i>			
OTHER SERVICES PROVIDED			
Co-Dependency	183	210	243
Compulsive Gambling	16	16	16
Recovery Supports	1,543	1,883	2,227
Early Intervention	101	132	159


The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013
Total Individuals	8,239	8,671	8,769
AGE			
Under 18	538	544	575
18 to 24	1,208	1,394	1,479
25 to 29	1,308	1,397	1,389
30 to 34	1,375	1,418	1,398
35 to 39	976	998	924
40 to 44	784	858	871
45 to 54	1,425	1,512	1,603
55 and Over	625	550	530
GENDER			
Male	5,448	5,882	5,989
Female	2,791	2,788	2,779
RACE / ETHNICITY			
Caucasian	5,978	6,264	6,356
African American	1,713	1,886	1,891
Native American / Alaskan	35	27	28
Asian / Pacific Islander	32	15	30
Hispanic	320	322	318
Other Race / Two or More Races	262	265	251
EDUCATION			
Less than High School Diploma	2,465	2,729	2,802
High School Graduate or G.E.D.	3,786	3,895	3,941
Associate Degree or Some College	1,888	1,948	1,954
Bachelor or Advanced Degree	99	99	72
EMPLOYMENT			
Employed	2,605	2,473	2,407
Unemployed	2,920	3,295	3,580
Not in Labor Force	2,713	2,903	2,780
HOUSING / LIVING ARRANGEMENT			
Independent Living	6,117	6,488	6,603
Dependent Living	1,030	1,057	1,177
Homeless	746	768	727
MARITAL / FAMILY STATUS			
Never Married	5,006	5,239	5,316
Married / Cohabiting	1,617	1,696	1,718
Previously Married	1,616	1,736	1,735

PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Alcohol	3,177	3,336	3,564
Marijuana / Hashish	2,059	2,130	2,229
Cocaine (total)	385	503	500
- Crack	202	295	360
Stimulant (total)	1,662	1,641	1,513
- Methamphetamine	1,619	1,578	1,467
Heroin	230	228	156
Analgesic except Heroin	488	535	513
- Non-Prescription Methadone	*	*	*
PCP, LSD, other Hallucinogen	148	183	188
Tranquilizer	54	54	59
Inhalant	6	6	5
Sedative	6	*	*
Other Medication or Illicit Drug	24	51	38
Average Age at First Use of Drug	18.0	18.0	17.7
INJECTION DRUG USE			
Any Injection Use at Admission	845	946	792
- Daily Injection Use	203	223	170
- Weekly Injection Use	202	247	199
- Less than Weekly Injection Use	440	476	423
LIFETIME DUI / DWI ARRESTS			
0	4,839	5,013	4,920
1 or 2	2,150	2,368	2,382
3 or More	1,250	1,290	1,467
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	2,486	2,957	3,000
School	41	35	37
Mental Health Provider	195	213	232
Health Care Provider	483	355	321
Court / Criminal Justice	3,450	3,429	3,522
Other Referral Source	1,222	1,223	1,084
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	106	124	112
Military Veteran	309	313	365
Special Education Services Needed	494	500	569
Co-Occurring Psychological Problem	2,997	3,196	3,225
Co-Occurring Developmental Problem	166	180	229

DIVISION OF BEHAVIORAL HEALTH WESTERN REGION

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 1, 2, 3, 4, 5, 6, 7, 13
CENSUS 2010 1,457,879
2015 POPULATION ESTIMATE 1,489,682

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	1,075	946	1,045
Anxiety Disorder	8,372	6,941	7,119
Dementia	46	37	38
Developmental Disorder	266	255	256
Impulse Control Disorder	3,703	3,415	3,756
Mood Disorder	13,838	12,540	13,626
Personality Disorder	1,044	995	987
Psychotic Disorder	4,249	4,100	4,395
Sexual Disorder	46	33	44
Other Diagnosis	1,752	1,483	1,650
Diagnosis Unknown	2,146	2,413	3,086

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	22,477	20,944	23,784	Less than High School Diploma	5,171	4,421	4,979
AGE				High School Grad or G.E.D.	*	22	119
Under 6	148	195	271	Associate Degree or Some College	0	*	29
6 to 9	1,210	1,254	1,412	Bachelor or Advanced Degree	0	0	*
10 to 13	1,588	1,552	1,739	Education Level Unknown	17,305	16,499	18,654
14 to 17	1,797	1,590	1,786	EMPLOYMENT			
18 to 24	1,822	1,722	2,095	Employed	1,264	934	1,172
25 to 29	1,802	1,665	1,940	Unemployed	1,304	1,295	1,647
30 to 34	2,017	1,899	2,210	Not in Labor Force	9,533	8,081	8,865
35 to 39	1,900	1,790	1,982	Employment Status Unknown	10,376	10,634	12,100
40 to 44	1,891	1,837	2,081	HOUSING / LIVING ARRANGEMENT			
45 to 49	2,037	1,948	2,346	Independent Living	6,790	5,609	6,196
50 to 54	2,507	2,301	2,564	Dependent Living	4,764	4,165	4,930
55 to 59	1,953	1,699	1,809	Homeless	584	454	526
60 and Over	1,805	1,492	1,549	Other	0	0	*
Age Unknown	0	0	0	Housing Unknown	10,339	10,716	12,130
GENDER				TREATMENT REFERRAL SOURCE			
Male	10,651	10,021	11,376	Self / Family / Friend	12,129	11,776	13,444
Female	11,826	10,923	12,408	School	355	282	337
Gender Unknown	0	0	0	Mental Health Provider	1,780	1,914	1,970
RACE / ETHNICITY				Health Care Provider	3,142	2,679	3,030
Caucasian	14,531	13,820	14,935	Court / Criminal Justice	991	895	1,074
African American	5,794	5,391	6,693	Other	3,954	3,249	3,773
Native American / Alaskan	81	80	93	Referral Source Unknown	126	149	156
Asian / Pacific Islander	87	75	89	TYPE OF COMMITMENT			
Hispanic	794	628	681	Voluntary	22,034	20,486	23,321
Other Race	1,190	950	1,293	Civil	78	63	72
Race/Ethnicity Unknown	0	0	0	Criminal	230	243	233
TREATMENT ACCOMMODATION				Sexual Predatory	17	16	15
Hearing Impaired	583	504	527	Commitment Type Unknown	118	136	143
Past or Current Military Service	507	466	493				

DIVISION OF BEHAVIORAL HEALTH WESTERN REGION

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	31.7	31.4	36.9	39.4	Alcohol	12.7	12.4	15.5	17.3
Chewing Tobacco	8.1	8.8	10.1	9.5	Alcohol (5+ drinks on single occasion past 2 weeks)	4.4	5.5		
Cigarettes	15.7	17.9	21.2	24.6	Chewing Tobacco	3.4	4.3	5.3	5.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.1	1.8	2.1	2.1	Cigarettes	5.9	7.3	9.5	12.7
Cocaine	1.1	1.3	1.8	1.7	Inhalants	1.0	1.2	2.0	2.9
Electronic Cigarettes	18.3				Marijuana	6.4	7.1	8.2	8.6
Hallucinogens	1.7	2.0	2.8	2.5	Over-the-counter medications for non-medical use	1.8	1.9	3.4	4.7
Heroin	0.2	0.4	0.9	0.6	Prescription medications not prescribed for student	8.6	3.6	4.4	6.3
Inhalants	2.7	3.1	5.1	6.1	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	14.6	14.5	16.1	16.5	Alcohol (1 or 2 drinks daily)	67.7	60.5		
Methamphetamine	0.4	0.6	1.3	0.9	Alcohol (Binge: 5+ drinks once or twice a week)	77.3	72.6		
Over-the-counter medications for non-medical use	4.2	3.2	5.9	7.4	Cigarettes (1+ packs per day)	84.6	85.4		
Prescription medications not prescribed for student	12.8	7.8	8.0	10.5	Marijuana (once or twice a week)	65.5	62.5		
Synthetic drugs (K2, bath salts, Spice, etc)	1.6	3.5	6.1		Other: Cocaine, LSD, Meth, Club Drug (any use)	90.0	90.5	92.7	91.8
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.96	13.09	12.83	12.57	Alcohol	83.7	82.6	80.0	80.0
Cigarettes	12.66	12.92	12.70	12.28	Cigarettes	94.2	93.0	91.8	90.5
Inhalants	10.50	11.28	11.69	11.69	Marijuana	92.3	92.3	93.4	93.5
Marijuana	13.86	13.88	13.65	13.49	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	72.0	66.6	62.1	62.1
Alcohol	40.1	41.5	51.4	54.1	Cigarettes	89.6	85.7	81.6	79.5
Cigarettes	26.9	31.9	40.8	44.5	Marijuana	80.9	79.2	81.0	81.2
Marijuana	32.8	32.3	37.5	36.8	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.5	95.6	94.9	94.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.3	12.2	14.5	17.3	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	49.8	50.1	56.7	56.2
Alcohol	21.0	24.1	29.1	30.4	Cigarettes	43.1	45.1	51.9	53.6
Cigarettes	7.0	10.2	12.4	14.0	Marijuana	35.2	34.1	37.7	36.5
Marijuana	13.8	13.5	13.8	13.1	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.1	14.3	16.7	18.6
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	59.4	58.4	59.9	65.8	Were grouchy, irritable, or in a bad mood	32.5	25.9	24.3	25.1
Were victims of mean rumors or lies spread at school	46.4	48.1	46.8	51.4	Had difficulty concentrating on school work	26.8	24.3	22.6	23.7
Were victims of an embarrassing or hurtful text message or something posted on the Internet	23.9	24.8	20.1	19.0	Were very sad	21.5	20.6	18.6	18.8
					Felt hopeless about the future	12.8	12.2	11.0	11.7
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	12.7	12.3	11.8	11.4	Parents involve student in making family decisions	69.7	69.7	68.4	69.8
Made plan about how they would attempt suicide	9.5	9.2	8.7	8.3	Parents notice and comment on student's good work	83.1	82.0	82.0	82.9
Attempted suicide	5.7	5.3	5.0	5.6	Teachers notice and comment on student's good work	72.4	71.3		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

SUBSTANCE USE SERVICE AREA 1



DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	1
Adult Psychiatric	Not Applicable
POPULATION	
Census 2010	183,003
2015 Estimate	181,041

BIRTH RISK	2014	2013	2012
Resident Births	2,106	2,113	2,166
Mother Reported Smoking while Pregnant	512	493	568

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	5	7	3
Hepatitis B Chronic, Acute, Prenatal		23	21
Hepatitis C Chronic and Acute	248	154	126
Tuberculosis Infection Cases	34	25	61

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	1,985	1,975	1,968
Suicides	20	30	26
Homicides	5	2	5
Alcohol Induced Deaths	14	18	11
Drug Induced Deaths	20	25	18
Smoking Attributable Deaths	376	349	354
Self-inflicted Injuries	322	267	265
Assault Injuries	568	620	627

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	983	1,114	1,252
Mental Illness Secondary Diagnosis	1,725	1,552	1,662
Alcohol Principal Diagnosis	31	60	97
Alcohol Secondary Diagnosis	101	108	90
Drug Principal Diagnosis	32	60	85
Drug Secondary Diagnosis	90	95	97
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	1,332	1,153	1,095
Mental Illness Secondary Diagnosis	3,347	2,699	2,897
Alcohol Principal Diagnosis	175	174	172
Alcohol Secondary Diagnosis	404	325	382
Drug Principal Diagnosis	142	165	137
Drug Secondary Diagnosis	245	226	234
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	1,476	1,685	1,861
Mental Illness Secondary Diagnosis	3,204	2,931	2,919
Alcohol Principal Diagnosis	305	353	423
Alcohol Secondary Diagnosis	339	395	345
Drug Principal Diagnosis	215	214	198
Drug Secondary Diagnosis	325	307	316

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	194	210	212
Alcohol Package Carry-out Licenses	191	187	188

EMPLOYMENT	2015	2014	2013
Labor Force	94,693	95,961	100,419
Employed	90,365	90,603	94,806
Unemployed	4,328	5,358	5,613
Unemployment Rate	4.6%	5.6%	5.6%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	192	189	186
Fatal Crashes	5	4	8
Injury Crashes	80	86	89
Property Damage Crashes	107	99	89
Crash Fatalities	5	5	10
Crash Injuries	113	110	124
Drug Involved Crashes	33	45	32
Fatal Crashes	0	1	2
Injury Crashes	17	15	14
Property Damage Crashes	16	29	16
Crash Fatalities	0	2	3
Crash Injuries	23	22	23

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	830	911	877
Liquor Law Arrests	547	579	636
Drug Arrests	1,128	1,237	1,074
Violent Offenses	613	568	488
Property Offenses	5,740	5,812	6,389
Domestic Violence Reports	1,521	1,371	1,280
	2015	2014	2013
Methamphetamine Lab Seizures	4	5	5

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	7,676	7,607	7,623
Drop-outs	89	78	117
Drop-out Rate	1.2%	1.0%	1.5%
School Discipline Involving Alcohol	9	12	4
School Discipline Involving Drugs	39	26	35
School Discipline Involving Tobacco		1	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	166	172	210
Juvenile Alcohol Offenses	52	30	43
Juvenile Drug Offenses	45	37	41
School Truancy Status Offense	230	441	351
Absent from Home Status Offense	134	150	142
Beyond Parental Control Status Offense	148	196	251
Injurious Behavior Status Offense	161	157	145
Child Abuse	24	32	27
Child Neglect	397	364	277
Child Custody Issues	0	1	21

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	140	159	144
Parental Alcohol Use Related	5	6	2
Parental Drug Use Related	43	36	35
Parental Alcohol and Drug Use	2	2	7

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	275	239	290
Probation/Parole Admissions--Drug	563	569	526
Probation/Parole Admissions--DWI	84	98	117
Prison Admissions--Drug	370	323	349
Prison Admissions--DWI	49	58	59

- ¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- ² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- ³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

SUBSTANCE USE SERVICE AREA 1

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	29	183	194
CSTAR Adolescent	84	103	107
CSTAR Women and Children	14	22	20
CSTAR General Adult	694	618	694
CSTAR Opioid	*	*	*
Primary Recovery Treatment	22	141	156
Clinical SATOP (CIP, YCIP, SROP)	86	102	135
Other Substance Abuse Treatment	*	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	658	661	738
- Adolescent Diversion Education Program	67	63	69
- Offender Education Program	270	264	313
- Weekend Intervention Program	121	125	150
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	8	10
Compulsive Gambling	0	5	*
Recovery Supports	9	10	14
Early Intervention	5	22	86

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	892	1,016	1,145	Alcohol	278	329	416
AGE				Marijuana / Hashish	248	263	346
Under 18	84	101	107	Cocaine (total)	17	30	23
18 to 24	150	177	243	- Crack	9	21	19
25 to 29	144	177	188	Stimulant (total)	223	244	225
30 to 34	151	153	172	- Methamphetamine	217	237	223
35 to 39	95	103	93	Heroin	12	10	10
40 to 44	88	90	103	Analgesic except Heroin	96	116	109
45 to 54	137	157	173	- Non-Prescription Methadone	0	0	*
55 and Over	43	58	66	PCP, LSD, other Hallucinogen	*	8	6
GENDER				Tranquilizer	10	7	*
Male	593	665	799	Inhalant	*	*	0
Female	299	351	346	Sedative	*	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	*	6	5
Caucasian	784	899	995	Average Age at First Use of Drug	18.5	18.4	17.7
African American	60	73	107	INJECTION DRUG USE			
Native American / Alaskan	*	*	0	Any Injection Use at Admission	145	171	142
Asian / Pacific Islander	*	*	*	- Daily Injection Use	10	41	33
Hispanic	21	23	31	- Weekly Injection Use	18	44	40
Other Race / Two or More Races	28	26	25	- Less than Weekly Injection Use	117	86	69
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	281	347	375	0	580	653	679
High School Graduate or G.E.D.	443	500	553	1 or 2	205	228	297
Associate Degree or Some College	158	157	211	3 or More	107	135	169
Bachelor or Advanced Degree	10	12	6	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	167	445	340
Employed	259	263	331	School	*	*	0
Unemployed	236	306	547	Mental Health Provider	14	5	15
Not in Labor Force	397	447	267	Health Care Provider	40	45	45
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	564	443	643
Independent Living	602	718	835	Other Referral Source	88	62	76
Dependent Living	159	167	210	TREATMENT ACCOMMODATION			
Homeless	37	84	79	Pregnant when Admitted to any Episode	10	7	8
MARITAL / FAMILY STATUS				Military Veteran	23	32	63
Never Married	550	606	688	Special Education Services Needed	52	79	93
Married / Cohabiting	169	189	214	Co-Occurring Psychological Problem	213	309	371
Previously Married	173	221	243	Co-Occurring Developmental Problem	30	33	34

SUBSTANCE USE SERVICE AREA 1

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	37.0	27.6	35.7	38.8	Alcohol	17.1	10.4	14.9	16.0
Chewing Tobacco	15.9	8.5	12.6	13.7	Alcohol (5+ drinks on single occasion past 2 weeks)	8.0	5.0		
Cigarettes	19.9	19.2	20.0	24.6	Chewing Tobacco	6.2	4.5	6.5	7.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.8	1.3	1.1	1.3	Cigarettes	8.8	7.5	9.2	13.2
Cocaine	0.7	1.0	0.9	1.1	Inhalants	1.0	1.1	1.7	3.0
Electronic Cigarettes	21.5				Marijuana	8.0	4.3	5.3	5.4
Hallucinogens	1.5	1.5	1.8	1.7	Over-the-counter medications for non-medical use	1.5	2.1	2.1	4.1
Heroin	0.2	0.3	0.5	0.4	Prescription medications not prescribed for student	7.6	2.5	3.4	5.6
Inhalants	2.4	3.1	4.8	6.1	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	15.0	10.6	11.1	10.5	Alcohol (1 or 2 drinks daily)	66.9	60.6		
Methamphetamine	0.6	0.7	1.4	0.6	Alcohol (Binge: 5+ drinks once or twice a week)	76.3	71.8		
Over-the-counter medications for non-medical use	4.6	3.0	4.1	6.2	Cigarettes (1+ packs per day)	85.2	86.7		
Prescription medications not prescribed for student	12.5	5.6	6.2	9.1	Marijuana (once or twice a week)	65.8	70.2		
Synthetic drugs (K2, bath salts, Spice, etc)	1.4	2.7	5.8		Other: Cocaine, LSD, Meth, Club Drug (any use)	93.2	91.9	92.3	94.2
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.50	12.86	12.56	12.39	Alcohol	79.5	85.2	83.5	82.4
Cigarettes	13.32	12.48	12.45	11.83	Cigarettes	92.3	92.7	94.4	92.1
Inhalants	11.29	10.99	11.51	12.29	Marijuana	91.4	93.5	96.0	96.0
Marijuana	14.45	13.65	13.63	13.46	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	68.4	70.9	65.0	65.2
Alcohol	46.5	35.4	50.6	54.3	Cigarettes	86.5	86.2	82.7	81.2
Cigarettes	32.7	29.8	39.7	44.7	Marijuana	80.2	84.0	86.7	87.8
Marijuana	35.1	22.9	30.7	28.6	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	0.0	96.3	97.0	95.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.6	8.1	12.4	15.4	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	52.2	45.7	53.3	54.4
Alcohol	25.9	19.8	27.3	28.9	Cigarettes	47.3	43.0	47.1	53.2
Cigarettes	9.6	9.8	11.7	14.0	Marijuana	37.1	25.1	28.6	29.0
Marijuana	13.8	9.3	9.9	8.4	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.0	9.5	12.8	15.7
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	61.3	56.3	62.2	67.6	Were grouchy, irritable, or in a bad mood	32.4	25.5	24.8	30.2
Were victims of mean rumors or lies spread at school	49.3	46.2	48.4	54.6	Had difficulty concentrating on school work	28.0	23.0	78.8	25.7
Were victims of an embarrassing or hurtful text message or something posted on the Internet	25.4	23.3	20.0	20.0	Were very sad	20.4	19.9	16.1	20.8
					Felt hopeless about the future	11.9	10.4	9.9	11.4
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	13.5	9.5	10.0	11.1	Parents involve student in making family decisions	74.2	72.0	70.3	71.5
Made plan about how they would attempt suicide	9.2	7.4	8.0	7.4	Parents notice and comment on student's good work	84.5	85.0	84.1	83.9
Attempted suicide	5.4	4.2	4.0	4.8	Teachers notice and comment on student's good work	79.4	76.1		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

SUBSTANCE USE SERVICE AREAS 2-5 (JC)



DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	2-5 (JC)
Adult Psychiatric	Not Applicable
POPULATION	
Census 2010	674,158
2015 Estimate	687,623

BIRTH RISK	2014	2013	2012
Resident Births	9,520	9,478	9,630
Mother Reported Smoking while Pregnant	1,347	1,357	1,503

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases			125
Hepatitis B Chronic, Acute, Prenatal		116	83
Hepatitis C Chronic and Acute	754	519	589
Tuberculosis Infection Cases	828	618	462

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	6,073	6,091	6,022
Suicides	104	116	108
Homicides	83	109	112
Alcohol Induced Deaths	83	77	82
Drug Induced Deaths	119	118	113
Smoking Attributable Deaths	989	1,005	1,013
Self-inflicted Injuries	990	1,122	1,150
Assault Injuries	3,866	4,242	4,567

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	6,460	6,521	6,293
Mental Illness Secondary Diagnosis	7,606	6,771	6,511
Alcohol Principal Diagnosis	607	815	726
Alcohol Secondary Diagnosis	1,328	1,622	1,377
Drug Principal Diagnosis	276	392	379
Drug Secondary Diagnosis	1,630	1,301	1,364
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	1,429	1,615	2,112
Mental Illness Secondary Diagnosis	13,597	12,373	11,745
Alcohol Principal Diagnosis	644	544	660
Alcohol Secondary Diagnosis	2,046	1,923	2,022
Drug Principal Diagnosis	261	263	330
Drug Secondary Diagnosis	1,663	1,557	2,052
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	5,551	5,482	5,886
Mental Illness Secondary Diagnosis	15,080	17,292	13,602
Alcohol Principal Diagnosis	4,012	4,099	4,113
Alcohol Secondary Diagnosis	2,729	3,119	3,617
Drug Principal Diagnosis	1,535	1,854	1,643
Drug Secondary Diagnosis	3,521	2,978	3,491

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	838	825	821
Alcohol Package Carry-out Licenses	469	461	463

EMPLOYMENT	2015	2014	2013
Labor Force	367,147	363,483	330,287
Employed	345,606	338,018	305,538
Unemployed	21,541	25,465	24,749
Unemployment Rate	5.9%	7.0%	7.5%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	615	699	650
Fatal Crashes	13	13	11
Injury Crashes	248	298	251
Property Damage Crashes	354	388	388
Crash Fatalities	13	14	12
Crash Injuries	367	449	362
Drug Involved Crashes	127	166	149
Fatal Crashes	3	5	1
Injury Crashes	67	90	75
Property Damage Crashes	57	71	73
Crash Fatalities	3	5	1
Crash Injuries	104	150	115

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	3,034	3,014	3,435
Liquor Law Arrests	683	684	809
Drug Arrests	3,770	3,670	3,507
Violent Offenses	6,884	6,947	6,979
Property Offenses	36,440	39,082	40,982
Domestic Violence Reports	8,183	7,872	6,986

	2015	2014	2013
Methamphetamine Lab Seizures	8	11	29

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	29,123	28,224	28,682
Drop-outs	907	1,541	1,113
Drop-out Rate	3.1%	5.5%	3.9%
School Discipline Involving Alcohol	46	44	41
School Discipline Involving Drugs	301	288	286
School Discipline Involving Tobacco		6	8

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	463	362	408
Juvenile Alcohol Offenses	15	8	0
Juvenile Drug Offenses	94	52	47
School Truancy Status Offense	4	2	7
Absent from Home Status Offense	18	18	6
Beyond Parental Control Status Offense	11	14	32
Injurious Behavior Status Offense	14	18	22
Child Abuse	417	315	323
Child Neglect	787	893	1,035
Child Custody Issues	165	119	239

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	976	1,022	1,176
Parental Alcohol Use Related	14	27	36
Parental Drug Use Related	290	319	413
Parental Alcohol and Drug Use	39	56	48

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	1,109	857	848
Probation/Parole Admissions--Drug	642	735	822
Probation/Parole Admissions--DWI	172	157	177
Prison Admissions--Drug	163	182	224
Prison Admissions--DWI	62	48	76

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

SUBSTANCE USE SERVICE AREAS 2-5 (JC)

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	819	860	822
CSTAR Adolescent	237	243	267
CSTAR Women and Children	787	775	698
CSTAR General Adult	1,988	2,031	1,430
CSTAR Opioid	142	124	82
Primary Recovery Treatment	441	491	863
Clinical SATOP (CIP, YCIP, SROP)	615	622	620
Other Substance Abuse Treatment	*	8	359

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	2,372	2,449	2,570
- Adolescent Diversion Education Program	9	5	11
- Offender Education Program	789	859	1,000
- Weekend Intervention Program	468	502	538
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	120	171	177
Compulsive Gambling	15	8	10
Recovery Supports	1,300	1,669	1,873
Early Intervention	21	32	32

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	4,686	4,709	4,558	Alcohol	1,793	1,805	1,878
AGE				Marijuana / Hashish	1,150	1,161	1,081
Under 18	228	245	265	Cocaine (total)	337	420	422
18 to 24	586	637	585	- Crack	178	251	313
25 to 29	696	689	689	Stimulant (total)	854	745	674
30 to 34	773	772	714	- Methamphetamine	836	706	647
35 to 39	600	558	532	Heroin	150	156	103
40 to 44	454	510	481	Analgesic except Heroin	225	208	189
45 to 54	919	955	959	- Non-Prescription Methadone	0	*	0
55 and Over	430	343	333	PCP, LSD, other Hallucinogen	140	168	166
GENDER				Tranquilizer	27	25	32
Male	3,144	3,254	3,099	Inhalant	*	0	*
Female	1,542	1,454	1,459	Sedative	*	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	5	19	10
Caucasian	2,804	2,669	2,563	Average Age at First Use of Drug	18.2	18.0	17.8
African American	1,521	1,701	1,671	INJECTION DRUG USE			
Native American / Alaskan	19	16	16	Any Injection Use at Admission	406	408	328
Asian / Pacific Islander	17	11	15	- Daily Injection Use	133	125	95
Hispanic	212	208	191	- Weekly Injection Use	106	112	90
Other Race / Two or More Races	170	170	155	- Less than Weekly Injection Use	167	171	143
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	1,460	1,568	1,522	0	2,836	2,806	2,662
High School Graduate or G.E.D.	2,068	1,972	1,937	1 or 2	1,159	1,224	1,161
Associate Degree or Some College	1,112	1,114	1,054	3 or More	691	679	735
Bachelor or Advanced Degree	46	55	45	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	1,528	1,707	1,750
Employed	1,275	1,129	1,006	School	31	25	29
Unemployed	1,927	1,948	1,893	Mental Health Provider	77	87	85
Not in Labor Force	1,484	1,632	1,658	Health Care Provider	339	233	197
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	1,917	1,885	1,777
Independent Living	3,297	3,274	3,123	Other Referral Source	667	562	435
Dependent Living	583	637	710	TREATMENT ACCOMMODATION			
Homeless	631	612	576	Pregnant when Admitted to any Episode	67	75	66
MARITAL / FAMILY STATUS				Military Veteran	169	180	192
Never Married	2,951	2,986	2,904	Special Education Services Needed	318	293	323
Married / Cohabiting	825	844	785	Co-Occurring Psychological Problem	1,799	1,794	1,767
Previously Married	910	879	869	Co-Occurring Developmental Problem	101	104	135

SUBSTANCE USE SERVICE AREAS 2-5 (JC)

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	29.8	30.5	36.7	37.7	Alcohol	11.1	11.5	14.9	16.3
Chewing Tobacco	18.8	7.1	9.6	6.3	Alcohol (5+ drinks on single occasion past 2 weeks)	3.1	5.1		
Cigarettes	15.6	17.3	21.1	24.7	Chewing Tobacco	2.5	3.5	3.8	3.1
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.4	1.9	2.4	2.1	Cigarettes	5.1	6.7	9.2	12.4
Cocaine	1.4	1.5	2.1	1.8	Inhalants	1.0	1.4	2.0	2.7
Electronic Cigarettes	17.8				Marijuana	6.8	8.1	10.2	10.5
Hallucinogens	1.9	1.8	3.0	2.5	Over-the-counter medications for non-medical use	2.2	2.2	3.5	4.6
Heroin	0.2	0.5	1.0	0.6	Prescription medications not prescribed for student	9.3	3.9	4.5	6.2
Inhalants	2.6	3.4	5.0	5.8					
Marijuana	17.2	16.6	19.6	19.7	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.5	0.6	1.3	0.9	Alcohol (1 or 2 drinks daily)	68.0	60.3		
Over-the-counter medications for non-medical use	4.7	3.7	5.9	7.3	Alcohol (Binge: 5+ drinks once or twice a week)	78.4	73.1		
Prescription medications not prescribed for student	13.8	8.5	8.0	9.9	Cigarettes (1+ packs per day)	82.7	83.2		
Synthetic drugs (K2, bath salts, Spice, etc)	1.8	3.3	6.4		Marijuana (once or twice a week)	60.3	56.4		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	87.6	88.2	91.8	89.7
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.73	12.99	12.94	12.46	Alcohol	84.6	83.3	79.3	80.4
Cigarettes	12.25	12.76	12.65	12.12	Cigarettes	94.1	93.5	90.6	90.0
Inhalants	10.32	11.00	11.55	11.21	Marijuana	90.5	90.7	91.5	92.0
Marijuana	13.62	13.73	13.61	13.33					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	39.9	40.8	51.5	50.9	Alcohol	73.2	66.5	61.1	62.8
Cigarettes	27.3	30.9	41.0	42.7	Cigarettes	89.8	86.1	81.3	79.3
Marijuana	36.0	35.2	42.9	39.6	Marijuana	77.7	76.0	76.9	78.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.4	13.0	15.1	17.0	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.7	95.0	93.9	93.6
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	19.9	23.7	29.3	29.3	Alcohol	47.5	48.3	56.9	52.7
Cigarettes	6.3	9.7	12.4	13.5	Cigarettes	41.7	44.3	54.4	51.7
Marijuana	16.5	16.0	17.0	15.4	Marijuana	40.0	37.4	43.6	39.4
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.1	15.7	18.7	19.8
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	58.3	57.9	58.0	63.5	Were grouchy, irritable, or in a bad mood	34.8	27.6	25.5	23.4
Were victims of mean rumors or lies spread at school	44.3	48.7	44.7	48.6	Had difficulty concentrating on school work	27.4	24.7	23.3	22.8
Were victims of an embarrassing or hurtful text message or something posted on the Internet	23.6	24.2	18.3	17.2	Were very sad	22.8	20.8	19.9	17.1
					Felt hopeless about the future	14.3	12.2	11.8	11.1
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	13.7	13.3	12.5	11.6	Parents involve student in making family decisions	68.2	68.8	67.0	69.1
Made plan about how they would attempt suicide	10.0	9.6	8.8	8.7	Parents notice and comment on student's good work	80.5	80.8	80.9	82.2
Attempted suicide	6.4	5.9	5.6	6.2	Teachers notice and comment on student's good work	69.4	70.6		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

SUBSTANCE USE SERVICE AREA 6



DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	6
Adult Psychiatric	Not Applicable
POPULATION	
Census 2010	334,755
2015 Estimate	354,543

BIRTH RISK	2014	2013	2012
Resident Births	4,428	4,433	4,492
Mother Reported Smoking while Pregnant	541	605	647

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	18	13	25
Hepatitis B Chronic, Acute, Prenatal		13	10
Hepatitis C Chronic and Acute	66	64	61
Tuberculosis Infection Cases	26	35	38

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	2,596	2,505	2,438
Suicides	54	58	50
Homicides	15	10	15
Alcohol Induced Deaths	34	27	30
Drug Induced Deaths	35	44	46
Smoking Attributable Deaths	437	461	414
Self-inflicted Injuries	515	561	511
Assault Injuries	866	939	1,050

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	2,586	2,173	2,273
Mental Illness Secondary Diagnosis	4,105	3,796	3,702
Alcohol Principal Diagnosis	178	183	212
Alcohol Secondary Diagnosis	334	263	264
Drug Principal Diagnosis	103	91	129
Drug Secondary Diagnosis	314	287	271
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	361	465	539
Mental Illness Secondary Diagnosis	6,624	6,703	6,795
Alcohol Principal Diagnosis	160	164	196
Alcohol Secondary Diagnosis	687	699	714
Drug Principal Diagnosis	86	97	108
Drug Secondary Diagnosis	412	459	487
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	2,652	2,918	2,906
Mental Illness Secondary Diagnosis	8,179	7,642	5,765
Alcohol Principal Diagnosis	731	726	797
Alcohol Secondary Diagnosis	609	696	737
Drug Principal Diagnosis	355	433	473
Drug Secondary Diagnosis	1,055	1,071	863

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	337	342	330
Alcohol Package Carry-out Licenses	225	226	222

EMPLOYMENT	2015	2014	2013
Labor Force	200,561	196,227	183,184
Employed	191,579	185,724	171,753
Unemployed	8,982	10,503	11,431
Unemployment Rate	4.5%	5.4%	6.2%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	274	267	298
Fatal Crashes	6	3	5
Injury Crashes	104	109	114
Property Damage Crashes	164	155	179
Crash Fatalities	6	3	5
Crash Injuries	138	157	163
Drug Involved Crashes	57	54	70
Fatal Crashes	4	2	3
Injury Crashes	24	27	36
Property Damage Crashes	29	25	31
Crash Fatalities	4	2	3
Crash Injuries	30	35	56

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	1,486	1,568	1,571
Liquor Law Arrests	344	370	427
Drug Arrests	1,458	1,139	1,133
Violent Offenses	398	347	395
Property Offenses	3,917	3,803	4,337
Domestic Violence Reports	1,105	1,035	1,073
	2015	2014	2013
Methamphetamine Lab Seizures	4	2	4

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	17,624	17,564	17,518
Drop-outs	203	204	260
Drop-out Rate	1.2%	1.2%	1.5%
School Discipline Involving Alcohol	23	18	8
School Discipline Involving Drugs	152	109	178
School Discipline Involving Tobacco		3	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	241	267	242
Juvenile Alcohol Offenses	38	35	47
Juvenile Drug Offenses	132	136	133
School Truancy Status Offense	41	48	60
Absent from Home Status Offense	26	52	39
Beyond Parental Control Status Offense	42	39	61
Injurious Behavior Status Offense	57	38	46
Child Abuse	33	67	33
Child Neglect	243	282	246
Child Custody Issues	16	9	20

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	101	108	74
Parental Alcohol Use Related	4	1	4
Parental Drug Use Related	47	42	18
Parental Alcohol and Drug Use	0	0	1

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	135	115	135
Probation/Parole Admissions--Drug	532	475	375
Probation/Parole Admissions--DWI	147	139	117
Prison Admissions--Drug	249	234	189
Prison Admissions--DWI	55	69	66

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

SUBSTANCE USE SERVICE AREA 6

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	74	89	85
CSTAR Adolescent	89	84	64
CSTAR Women and Children	58	52	49
CSTAR General Adult	961	997	970
CSTAR Opioid	24	15	*
Primary Recovery Treatment	18	19	48
Clinical SATOP (CIP, YCIP, SROP)	328	315	287
Other Substance Abuse Treatment	0	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	1,206	1,225	1,214
- Adolescent Diversion Education Program	13	8	11
- Offender Education Program	389	463	429
- Weekend Intervention Program	320	301	323
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	22	16	25
Compulsive Gambling	0	*	*
Recovery Supports	35	42	59
Early Intervention	43	39	12

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	1,502	1,534	1,479	Alcohol	654	653	624
AGE				Marijuana / Hashish	363	344	383
Under 18	94	86	77	Cocaine (total)	21	36	39
18 to 24	270	322	338	- Crack	13	18	21
25 to 29	293	275	242	Stimulant (total)	312	338	281
30 to 34	260	255	235	- Methamphetamine	303	333	277
35 to 39	160	168	139	Heroin	49	40	28
40 to 44	151	124	152	Analgesic except Heroin	85	99	90
45 to 54	190	217	232	- Non-Prescription Methadone	*	*	*
55 and Over	84	87	64	PCP, LSD, other Hallucinogen	*	*	5
GENDER				Tranquilizer	10	10	16
Male	1,007	1,046	1,021	Inhalant	0	*	0
Female	495	488	457	Sedative	*	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	8	13
Caucasian	1,331	1,375	1,309	Average Age at First Use of Drug	17.7	17.7	17.7
African American	86	64	80	INJECTION DRUG USE			
Native American / Alaskan	8	9	5	Any Injection Use at Admission	174	183	145
Asian / Pacific Islander	10	*	10	- Daily Injection Use	32	29	18
Hispanic	59	61	58	- Weekly Injection Use	53	40	29
Other Race / Two or More Races	35	46	39	- Less than Weekly Injection Use	89	114	98
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	324	349	396	0	745	765	732
High School Graduate or G.E.D.	723	756	676	1 or 2	479	491	465
Associate Degree or Some College	426	409	395	3 or More	278	278	282
Bachelor or Advanced Degree	28	20	12	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	350	382	294
Employed	687	619	554	School	8	6	5
Unemployed	391	481	541	Mental Health Provider	91	109	120
Not in Labor Force	424	434	383	Health Care Provider	53	45	45
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	613	626	665
Independent Living	1,312	1,338	1,312	Other Referral Source	208	173	163
Dependent Living	114	107	91	TREATMENT ACCOMMODATION			
Homeless	47	34	40	Pregnant when Admitted to any Episode	19	26	22
MARITAL / FAMILY STATUS				Military Veteran	72	60	45
Never Married	873	893	865	Special Education Services Needed	76	66	65
Married / Cohabiting	328	308	316	Co-Occurring Psychological Problem	545	514	497
Previously Married	301	333	298	Co-Occurring Developmental Problem	9	18	26

SUBSTANCE USE SERVICE AREA 6

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	30.9	29.0	36.4	38.2	Alcohol	12.7	11.6	16.5	17.5
Chewing Tobacco	13.4	6.7	12.0	10.0	Alcohol (5+ drinks on single occasion past 2 weeks)	4.4	4.9		
Cigarettes	13.5	14.2	19.5	21.2	Chewing Tobacco	2.8	2.8	5.2	5.1
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.9	1.1	2.4	2.3	Cigarettes	4.9	5.7	8.9	11.0
Cocaine	0.9	0.8	1.9	1.7	Inhalants	0.9	1.0	2.0	2.8
Electronic Cigarettes	17.5				Marijuana	6.8	5.9	8.8	7.8
Hallucinogens	1.9	1.6	3.4	2.9	Over-the-counter medications for non-medical use	1.5	1.4	4.0	5.1
Heroin	0.2	0.3	0.9	0.6	Prescription medications not prescribed for student	8.0	3.5	4.8	6.6
Inhalants	2.3	2.5	5.3	6.2	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	13.7	12.3	16.6	14.8	Alcohol (1 or 2 drinks daily)	72.3	64.3		
Methamphetamine	0.3	0.6	1.3	0.8	Alcohol (Binge: 5+ drinks once or twice a week)	81.4	75.6		
Over-the-counter medications for non-medical use	3.7	2.2	6.7	7.9	Cigarettes (1+ packs per day)	86.8	88.8		
Prescription medications not prescribed for student	11.8	7.0	8.8	11.3	Marijuana (once or twice a week)	68.8	66.8		
Synthetic drugs (K2, bath salts, Spice, etc)	1.4	2.6	6.4		Other: Cocaine, LSD, Meth, Club Drug (any use)	91.5	93.1	93.8	93.7
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.21	13.32	12.99	12.81	Alcohol	85.4	83.6	80.4	80.6
Cigarettes	12.95	13.29	13.05	12.63	Cigarettes	95.4	93.9	92.6	91.3
Inhalants	10.65	11.50	11.93	11.89	Marijuana	93.5	94.2	93.7	94.3
Marijuana	14.14	14.13	13.79	13.74	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	72.4	68.9	63.5	63.1
Alcohol	39.5	41.1	52.5	55.1	Cigarettes	91.0	87.7	82.6	81.0
Cigarettes	24.5	29.8	40.5	42.9	Marijuana	82.0	81.4	80.4	82.2
Marijuana	32.3	32.3	40.4	37.5	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.8	96.4	94.8	94.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.3	12.2	17.6	19.8	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	50.5	52.4	60.4	59.7
Alcohol	20.4	21.6	28.4	29.0	Cigarettes	40.4	44.2	51.9	53.0
Cigarettes	6.0	8.7	11.5	12.9	Marijuana	33.1	33.3	39.5	37.0
Marijuana	12.5	11.8	13.9	12.5	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.7	13.2	18.0	18.3
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	56.6	56.7	59.9	67.4	Were grouchy, irritable, or in a bad mood	30.1	23.3	23.3	25.0
Were victims of mean rumors or lies spread at school	42.8	44.3	46.1	52.2	Had difficulty concentrating on school work	26.9	23.7	23.1	23.8
Were victims of an embarrassing or hurtful text message or something posted on the Internet	23.6	24.3	22.0	20.7	Were very sad	20.3	18.8	18.3	19.6
					Felt hopeless about the future	11.9	12.0	11.5	12.3
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	11.9	11.2	12.1	11.3	Parents involve student in making family decisions	73.1	71.8	69.1	70.8
Made plan about how they would attempt suicide	9.1	8.2	8.9	7.8	Parents notice and comment on student's good work	84.8	83.8	82.3	83.9
Attempted suicide	5.1	4.8	4.7	4.9	Teachers notice and comment on student's good work	76.5	71.3		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

SUBSTANCE USE SERVICE AREA 7



DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	7
Adult Psychiatric	Not Applicable
POPULATION	
Census 2010	185,454
2015 Estimate	188,255

BIRTH RISK	2014	2013	2012
Resident Births	2,310	2,306	2,262
Mother Reported Smoking while Pregnant	394	421	386

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	10	7	4
Hepatitis B Chronic, Acute, Prenatal		9	6
Hepatitis C Chronic and Acute	78	57	66
Tuberculosis Infection Cases	126	57	31

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	1,687	1,693	1,616
Suicides	42	34	21
Homicides	6	3	7
Alcohol Induced Deaths	20	13	7
Drug Induced Deaths	21	16	11
Smoking Attributable Deaths	326	299	289
Self-inflicted Injuries	230	242	269
Assault Injuries	438	427	460

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	1,389	1,442	1,500
Mental Illness Secondary Diagnosis	2,346	2,255	2,160
Alcohol Principal Diagnosis	98	87	98
Alcohol Secondary Diagnosis	168	155	139
Drug Principal Diagnosis	53	62	69
Drug Secondary Diagnosis	141	149	143
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	247	309	287
Mental Illness Secondary Diagnosis	2,649	2,556	2,428
Alcohol Principal Diagnosis	106	94	93
Alcohol Secondary Diagnosis	266	270	249
Drug Principal Diagnosis	40	36	52
Drug Secondary Diagnosis	177	174	210
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	1,304	1,354	1,426
Mental Illness Secondary Diagnosis	1,658	1,527	1,570
Alcohol Principal Diagnosis	291	308	289
Alcohol Secondary Diagnosis	281	267	251
Drug Principal Diagnosis	188	213	219
Drug Secondary Diagnosis	306	324	380

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	155	158	167
Alcohol Package Carry-out Licenses	164	163	166

EMPLOYMENT	2015	2014	2013
Labor Force	95,311	94,355	91,834
Employed	90,609	88,855	86,072
Unemployed	4,702	5,500	5,762
Unemployment Rate	4.9%	5.8%	6.3%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	141	149	161
Fatal Crashes	4	11	10
Injury Crashes	48	49	54
Property Damage Crashes	89	89	97
Crash Fatalities	4	17	10
Crash Injuries	61	79	75
Drug Involved Crashes	28	26	34
Fatal Crashes	0	0	1
Injury Crashes	10	8	19
Property Damage Crashes	18	18	14
Crash Fatalities	0	0	2
Crash Injuries	12	9	28

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	753	896	1,080
Liquor Law Arrests	455	565	531
Drug Arrests	1,121	1,071	1,044
Violent Offenses	299	257	296
Property Offenses	3,768	3,738	4,215
Domestic Violence Reports	1,151	1,202	1,364
	2015	2014	2013
Methamphetamine Lab Seizures	1	2	3

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	9,194	9,200	9,218
Drop-outs	133	148	146
Drop-out Rate	1.4%	1.6%	1.6%
School Discipline Involving Alcohol	14	17	11
School Discipline Involving Drugs	76	91	47
School Discipline Involving Tobacco		1	1

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	173	169	239
Juvenile Alcohol Offenses	30	27	32
Juvenile Drug Offenses	96	65	94
School Truancy Status Offense	122	94	67
Absent from Home Status Offense	118	85	144
Beyond Parental Control Status Offense	111	101	148
Injurious Behavior Status Offense	296	247	349
Child Abuse	24	16	47
Child Neglect	592	347	404
Child Custody Issues	45	73	74

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	185	175	154
Parental Alcohol Use Related	5	3	0
Parental Drug Use Related	72	63	27
Parental Alcohol and Drug Use	1	6	11

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	100	127	163
Probation/Parole Admissions--Drug	344	350	318
Probation/Parole Admissions--DWI	70	77	98
Prison Admissions--Drug	193	201	182
Prison Admissions--DWI	51	52	58

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

SUBSTANCE USE SERVICE AREA 7

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	39	34	40
CSTAR Adolescent	95	85	75
CSTAR Women and Children	34	28	36
CSTAR General Adult	351	480	564
CSTAR Opioid	0	*	*
Primary Recovery Treatment	9	11	18
Clinical SATOP (CIP, YCIP, SROP)	170	165	199
Other Substance Abuse Treatment	*	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	585	689	739
- Adolescent Diversion Education Program	5	*	*
- Offender Education Program	202	272	278
- Weekend Intervention Program	109	147	159
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	30	12	27
Compulsive Gambling	*	0	0
Recovery Supports	191	155	274
Early Intervention	13	17	7

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	655	807	954	Alcohol	295	333	423
AGE				Marijuana / Hashish	154	205	225
Under 18	99	84	81	Cocaine (total)	5	14	9
18 to 24	99	145	178	- Crack	*	*	6
25 to 29	90	148	156	Stimulant (total)	140	182	212
30 to 34	108	128	165	- Methamphetamine	136	172	199
35 to 39	65	86	95	Heroin	16	15	10
40 to 44	53	74	78	Analgesic except Heroin	35	41	56
45 to 54	96	111	160	- Non-Prescription Methadone	*	0	*
55 and Over	45	31	41	PCP, LSD, other Hallucinogen	0	*	8
GENDER				Tranquilizer	*	5	*
Male	403	546	647	Inhalant	0	*	*
Female	252	261	307	Sedative	*	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	6	10	5
Caucasian	582	745	886	Average Age at First Use of Drug	16.9	17.5	17.1
African American	34	36	24	INJECTION DRUG USE			
Native American / Alaskan	*	0	7	Any Injection Use at Admission	52	87	96
Asian / Pacific Islander	*	*	*	- Daily Injection Use	18	17	10
Hispanic	19	19	25	- Weekly Injection Use	14	30	32
Other Race / Two or More Races	19	14	20	- Less than Weekly Injection Use	20	40	54
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	208	241	275	0	346	440	471
High School Graduate or G.E.D.	305	360	445	1 or 2	185	246	284
Associate Degree or Some College	134	197	229	3 or More	124	121	199
Bachelor or Advanced Degree	8	9	5	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	262	309	510
Employed	205	284	331	School	0	*	0
Unemployed	198	272	288	Mental Health Provider	8	5	10
Not in Labor Force	252	251	335	Health Care Provider	27	20	20
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	209	271	261
Independent Living	491	634	798	Other Referral Source	140	189	107
Dependent Living	114	100	95	TREATMENT ACCOMMODATION			
Homeless	22	18	18	Pregnant when Admitted to any Episode	5	9	14
MARITAL / FAMILY STATUS				Military Veteran	18	22	41
Never Married	363	457	505	Special Education Services Needed	10	19	34
Married / Cohabiting	151	188	252	Co-Occurring Psychological Problem	241	309	293
Previously Married	141	162	197	Co-Occurring Developmental Problem	10	18	17

SUBSTANCE USE SERVICE AREA 7

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	31.3	38.2	36.8	44.5	Alcohol	12.2	17.5	14.2	20.2
Chewing Tobacco	16.1	14.2	16.0	12.7	Alcohol (5+ drinks on single occasion past 2 weeks)	4.2	7.8		
Cigarettes	13.1	21.8	21.5	27.4	Chewing Tobacco	3.4	6.9	6.4	7.3
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.8	3.2	2.0	2.3	Cigarettes	6.0	10.0	9.4	14.4
Cocaine	0.7	1.9	1.6	1.9	Inhalants	1.6	1.0	2.2	3.3
Electronic Cigarettes	18.2				Marijuana	3.6	9.2	4.8	7.5
Hallucinogens	1.2	4.2	2.4	2.9	Over-the-counter medications for non-medical use	1.4	1.8	3.3	5.1
Heroin	0.2	0.5	0.7	0.5	Prescription medications not prescribed for student	8.5	4.3	4.4	7.0
Inhalants	3.5	3.2	5.4	7.6					
Marijuana	8.2	16.4	11.1	15.3	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.1	0.7	1.3	1.2	Alcohol (1 or 2 drinks daily)	61.6	58.6		
Over-the-counter medications for non-medical use	3.3	3.1	6.2	8.3	Alcohol (Binge: 5+ drinks once or twice a week)	69.6	69.5		
Prescription medications not prescribed for student	11.8	9.0	7.9	12.0	Cigarettes (1+ packs per day)	86.2	86.4		
Synthetic drugs (K2, bath salts, Spice, etc)	1.4	6.0	5.3		Marijuana (once or twice a week)	73.8	63.6		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	92.1	91.5	94.2	93.0
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.79	13.36	12.65	12.72	Alcohol	82.7	78.4	78.0	76.9
Cigarettes	12.92	13.29	12.54	12.66	Cigarettes	94.9	90.9	92.3	90.1
Inhalants	10.04	12.10	11.76	12.16	Marijuana	95.7	92.7	95.2	94.3
Marijuana	13.79	14.20	13.53	13.70					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	34.2	48.3	47.9	60.4	Alcohol	72.7	61.5	61.9	57.3
Cigarettes	22.2	37.9	37.7	49.9	Cigarettes	91.0	82.6	82.5	77.9
Marijuana	23.8	35.8	26.4	36.1	Marijuana	88.0	78.3	85.9	83.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	8.4	14.9	11.0	17.3	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.7	95.1	95.8	94.6
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	18.6	30.2	29.5	35.3	Alcohol	53.2	55.2	53.2	61.6
Cigarettes	6.6	12.9	12.3	16.0	Cigarettes	47.1	49.6	47.9	58.6
Marijuana	8.4	13.8	9.4	12.0	Marijuana	24.3	36.5	29.2	34.9
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.0	17.0	13.0	18.1
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	64.8	63.3	61.2	67.8	Were grouchy, irritable, or in a bad mood	28.7	26.6	21.0	27.6
Were victims of mean rumors or lies spread at school	54.4	53.0	49.5	54.8	Had difficulty concentrating on school work	24.2	26.7	21.1	25.7
Were victims of an embarrassing or hurtful text message or something posted on the Internet	23.1	28.3	20.4	20.7	Were very sad	19.6	23.7	17.4	21.8
					Felt hopeless about the future	11.1	14.7	8.8	13.5
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	10.7	13.5	10.9	11.6	Parents involve student in making family decisions	65.1	67.2	69.5	69.7
Made plan about how they would attempt suicide	8.8	10.9	8.8	8.1	Parents notice and comment on student's good work	87.6	80.6	83.0	83.1
Attempted suicide	4.8	5.4	5.0	5.2	Teachers notice and comment on student's good work	68.3	68.1		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

SUBSTANCE USE SERVICE AREA 8



DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	8
Adult Psychiatric	Not Applicable
POPULATION	
Census 2010	112,950
2015 Estimate	110,254

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	94	89	136
Fatal Crashes	4	3	4
Injury Crashes	41	43	51
Property Damage Crashes	49	43	81
Crash Fatalities	5	5	4
Crash Injuries	61	58	73
Drug Involved Crashes	19	28	25
Fatal Crashes	1	0	1
Injury Crashes	4	13	9
Property Damage Crashes	14	15	15
Crash Fatalities	1	0	1
Crash Injuries	10	15	10

BIRTH RISK	2014	2013	2012
Resident Births	1,230	1,177	1,188
Mother Reported Smoking while Pregnant	273	291	319

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	7	2	2
Hepatitis B Chronic, Acute, Prenatal		1	2
Hepatitis C Chronic and Acute	95	96	89
Tuberculosis Infection Cases	18	16	14

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	1,611	1,487	1,539
Suicides	33	18	22
Homicides	5	2	5
Alcohol Induced Deaths	10	11	11
Drug Induced Deaths	18	18	30
Smoking Attributable Deaths	313	305	305
Self-inflicted Injuries	162	157	144
Assault Injuries	294	321	361

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	980	1,068	984
Mental Illness Secondary Diagnosis	2,481	2,593	2,453
Alcohol Principal Diagnosis	51	41	58
Alcohol Secondary Diagnosis	183	171	179
Drug Principal Diagnosis	35	47	64
Drug Secondary Diagnosis	126	159	144
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	340	362	458
Mental Illness Secondary Diagnosis	1,516	1,591	1,635
Alcohol Principal Diagnosis	59	62	54
Alcohol Secondary Diagnosis	138	156	156
Drug Principal Diagnosis	38	41	59
Drug Secondary Diagnosis	108	114	104
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	1,053	1,017	1,102
Mental Illness Secondary Diagnosis	5,080	5,044	4,307
Alcohol Principal Diagnosis	186	173	174
Alcohol Secondary Diagnosis	301	284	284
Drug Principal Diagnosis	182	176	179
Drug Secondary Diagnosis	389	335	318

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	126	126	128
Alcohol Package Carry-out Licenses	141	147	148

EMPLOYMENT	2015	2014	2013
Labor Force	49,658	48,746	50,585
Employed	46,782	45,435	47,189
Unemployed	2,876	3,311	3,396
Unemployment Rate	5.8%	6.8%	6.7%

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	477	509	590
Liquor Law Arrests	74	96	137
Drug Arrests	923	397	651
Violent Offenses	402	398	393
Property Offenses	3,098	3,357	3,739
Domestic Violence Reports	643	571	650

	2015	2014	2013
Methamphetamine Lab Seizures	3	1	16

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	5,011	4,998	5,062
Drop-outs	79	95	85
Drop-out Rate	1.6%	1.9%	1.7%
School Discipline Involving Alcohol	15	4	15
School Discipline Involving Drugs	56	41	45
School Discipline Involving Tobacco		5	2

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	162	142	197
Juvenile Alcohol Offenses	30	21	44
Juvenile Drug Offenses	30	21	50
School Truancy Status Offense	162	136	136
Absent from Home Status Offense	47	22	52
Beyond Parental Control Status Offense	112	67	102
Injurious Behavior Status Offense	174	168	139
Child Abuse	126	136	164
Child Neglect	473	467	445
Child Custody Issues	32	33	18

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	124	109	88
Parental Alcohol Use Related	8	3	7
Parental Drug Use Related	30	42	35
Parental Alcohol and Drug Use	6	2	1

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	82	61	87
Probation/Parole Admissions--Drug	345	294	258
Probation/Parole Admissions--DWI	48	66	61
Prison Admissions--Drug	138	135	115
Prison Admissions--DWI	26	26	23

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.

³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

SUBSTANCE USE SERVICE AREA 8

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	42	48	66
CSTAR Adolescent	52	67	66
CSTAR Women and Children	36	53	56
CSTAR General Adult	655	937	885
CSTAR Opioid	0	*	0
Primary Recovery Treatment	14	22	24
Clinical SATOP (CIP, YCIP, SROP)	70	134	140
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	282	520	588
- Adolescent Diversion Education Program	0	*	*
- Offender Education Program	84	174	216
- Weekend Intervention Program	48	97	126
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	25	25	32
Compulsive Gambling	0	0	0
Recovery Supports	60	244	369
Early Intervention	5	16	13

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	839	1,319	1,314	Alcohol	273	459	463
AGE				Marijuana / Hashish	217	333	344
Under 18	53	71	71	Cocaine (total)	*	12	16
18 to 24	124	208	259	- Crack	*	*	6
25 to 29	142	207	204	Stimulant (total)	257	388	367
30 to 34	126	218	213	- Methamphetamine	250	364	355
35 to 39	120	176	161	Heroin	6	8	5
40 to 44	93	123	117	Analgesic except Heroin	68	92	90
45 to 54	130	236	207	- Non-Prescription Methadone	0	*	0
55 and Over	51	80	82	PCP, LSD, other Hallucinogen	0	*	*
GENDER				Tranquilizer	5	8	12
Male	527	813	835	Inhalant	0	*	*
Female	312	506	479	Sedative	*	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	7	11	9
Caucasian	804	1,231	1,246	Average Age at First Use of Drug	17.7	17.6	17.4
African American	15	33	36	INJECTION DRUG USE			
Native American / Alaskan	*	6	*	Any Injection Use at Admission	111	165	191
Asian / Pacific Islander	*	*	0	- Daily Injection Use	16	20	39
Hispanic	5	24	18	- Weekly Injection Use	26	39	47
Other Race / Two or More Races	16	29	19	- Less than Weekly Injection Use	69	106	105
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	289	422	411	0	524	793	736
High School Graduate or G.E.D.	425	662	658	1 or 2	215	344	341
Associate Degree or Some College	121	225	237	3 or More	100	182	237
Bachelor or Advanced Degree	*	10	8	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	194	361	574
Employed	178	338	306	School	0	*	0
Unemployed	290	444	394	Mental Health Provider	16	23	18
Not in Labor Force	371	537	614	Health Care Provider	38	58	57
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	288	407	403
Independent Living	643	1,063	1,077	Other Referral Source	285	454	254
Dependent Living	90	129	109	TREATMENT ACCOMMODATION			
Homeless	22	24	44	Pregnant when Admitted to any Episode	8	19	16
MARITAL / FAMILY STATUS				Military Veteran	13	35	53
Never Married	413	637	660	Special Education Services Needed	29	44	67
Married / Cohabiting	231	374	329	Co-Occurring Psychological Problem	391	501	374
Previously Married	195	308	325	Co-Occurring Developmental Problem	11	17	47

SUBSTANCE USE SERVICE AREA 8

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	38.7	38.2	45.5	49.8	Alcohol	16.9	17.4	21.0	23.3
Chewing Tobacco	19.6	15.9	12.7	18.8	Alcohol (5+ drinks on single occasion past 2 weeks)	8.2	8.0		
Cigarettes	23.6	23.6	29.5	31.7	Chewing Tobacco	6.4	9.7	8.2	10.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.2	1.4	2.4	2.5	Cigarettes	10.5	10.3	14.4	15.7
Cocaine	0.9	1.2	2.0	1.6	Inhalants	1.8	1.1	2.1	2.8
Electronic Cigarettes	22.7				Marijuana	5.4	4.5	6.3	7.0
Hallucinogens	1.5	1.4	2.8	2.6	Over-the-counter medications for non-medical use	2.1	1.7	3.6	5.0
Heroin	0.5	0.4	1.4	0.7	Prescription medications not prescribed for student	8.7	3.0	5.6	6.4
Inhalants	3.7	3.1	5.7	6.5					
Marijuana	13.6	10.7	15.6	15.8	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.7	0.7	1.8	1.1	Alcohol (1 or 2 drinks daily)	61.5	53.7		
Over-the-counter medications for non-medical use	4.6	3.7	5.2	8.0	Alcohol (Binge: 5+ drinks once or twice a week)	73.8	67.5		
Prescription medications not prescribed for student	12.7	7.2	9.5	11.3	Cigarettes (1+ packs per day)	82.6	82.9		
Synthetic drugs (K2, bath salts, Spice, etc)	2.9	4.0	8.5		Marijuana (once or twice a week)	70.9	72.9		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	92.4	93.1	92.7	93.5
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.73	12.52	12.53	12.29	Alcohol	80.3	79.8	74.9	74.3
Cigarettes	12.30	12.51	12.19	12.19	Cigarettes	91.8	91.1	89.0	88.4
Inhalants	11.17	12.29	12.07	12.49	Marijuana	91.7	95.2	95.1	93.6
Marijuana	13.60	13.32	13.06	13.40					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	46.4	42.6	56.9	62.0	Alcohol	66.7	63.2	54.5	56.2
Cigarettes	35.4	35.9	47.6	51.6	Cigarettes	85.7	84.5	78.4	76.3
Marijuana	30.7	21.3	30.2	32.3	Marijuana	84.8	87.2	83.8	83.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.9	7.4	13.4	16.0	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.1	97.7	95.0	94.7
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	25.9	28.3	37.4	39.7	Alcohol	50.0	47.7	61.3	61.2
Cigarettes	11.0	11.3	16.4	16.9	Cigarettes	48.4	47.8	55.5	60.6
Marijuana	10.8	8.1	9.6	12.1	Marijuana	33.4	20.4	32.4	35.6
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.5	8.5	16.7	21.9
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	65.8	61.2	64.1	71.8	Were grouchy, irritable, or in a bad mood	33.8	25.7	25.9	25.7
Were victims of mean rumors or lies spread at school	56.3	50.8	50.6	58.7	Had difficulty concentrating on school work	27.6	21.8	24.7	26.8
Were victims of an embarrassing or hurtful text message or something posted on the Internet	29.1	21.5	21.9	21.1	Were very sad	26.4	18.7	21.4	21.8
					Felt hopeless about the future	14.3	12.1	9.7	13.4
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	13.3	12.6	12.6	11.7	Parents involve student in making family decisions	69.0	69.8	66.7	66.8
Made plan about how they would attempt suicide	11.2	8.6	8.7	8.7	Parents notice and comment on student's good work	82.3	83.4	81.6	81.1
Attempted suicide	6.6	5.2	4.5	5.7	Teachers notice and comment on student's good work	75.4	75.3		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

SUBSTANCE USE SERVICE AREA 9



DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	9
Adult Psychiatric	Not Applicable
POPULATION	
Census 2010	285,234
2015 Estimate	285,743

BIRTH RISK	2014	2013	2012
Resident Births	3,725	3,750	3,884
Mother Reported Smoking while Pregnant	743	771	765

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	15	8	7
Hepatitis B Chronic, Acute, Prenatal		28	23
Hepatitis C Chronic and Acute	343	236	210
Tuberculosis Infection Cases	117	105	125

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	3,045	3,079	2,884
Suicides	63	48	41
Homicides	9	8	14
Alcohol Induced Deaths	17	16	15
Drug Induced Deaths	40	36	25
Smoking Attributable Deaths	593	601	543
Self-inflicted Injuries	316	331	340
Assault Injuries	728	702	838

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	1,725	1,804	1,813
Mental Illness Secondary Diagnosis	3,977	4,358	5,172
Alcohol Principal Diagnosis	103	160	232
Alcohol Secondary Diagnosis	279	305	401
Drug Principal Diagnosis	135	147	167
Drug Secondary Diagnosis	254	237	299
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	1,552	1,356	1,197
Mental Illness Secondary Diagnosis	4,358	4,266	3,218
Alcohol Principal Diagnosis	398	326	351
Alcohol Secondary Diagnosis	437	468	413
Drug Principal Diagnosis	275	279	227
Drug Secondary Diagnosis	301	233	212
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	2,073	2,254	2,708
Mental Illness Secondary Diagnosis	17,194	17,185	16,866
Alcohol Principal Diagnosis	706	627	638
Alcohol Secondary Diagnosis	2,910	842	732
Drug Principal Diagnosis	537	498	491
Drug Secondary Diagnosis	1,368	902	773

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	227	232	235
Alcohol Package Carry-out Licenses	341	349	291

EMPLOYMENT	2015	2014	2013
Labor Force	137,203	134,710	138,255
Employed	130,976	127,240	130,203
Unemployed	6,227	7,470	8,052
Unemployment Rate	4.5%	5.5%	5.8%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	286	335	338
Fatal Crashes	15	16	10
Injury Crashes	123	144	148
Property Damage Crashes	148	175	180
Crash Fatalities	15	17	11
Crash Injuries	177	200	205
Drug Involved Crashes	66	81	84
Fatal Crashes	1	7	0
Injury Crashes	29	32	30
Property Damage Crashes	36	42	54
Crash Fatalities	1	7	0
Crash Injuries	51	42	41

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	2,037	2,170	2,172
Liquor Law Arrests	299	351	427
Drug Arrests	1,285	675	1,039
Violent Offenses	1,031	988	1,092
Property Offenses	10,232	10,990	10,982
Domestic Violence Reports	3,020	2,967	2,806

	2015	2014	2013
Methamphetamine Lab Seizures	34	125	164

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	13,976	13,591	13,720
Drop-outs	247	262	310
Drop-out Rate	1.8%	1.9%	2.3%
School Discipline Involving Alcohol	37	42	74
School Discipline Involving Drugs	66	110	84
School Discipline Involving Tobacco		3	3

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	296	178	358
Juvenile Alcohol Offenses	26	33	57
Juvenile Drug Offenses	66	65	114
School Truancy Status Offense	141	94	84
Absent from Home Status Offense	74	70	101
Beyond Parental Control Status Offense	127	79	130
Injurious Behavior Status Offense	144	137	141
Child Abuse	166	156	100
Child Neglect	912	899	1,123
Child Custody Issues	566	421	397

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	896	672	691
Parental Alcohol Use Related	32	9	36
Parental Drug Use Related	312	228	249
Parental Alcohol and Drug Use	13	9	14

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	316	307	302
Probation/Parole Admissions--Drug	516	507	482
Probation/Parole Admissions--DWI	189	201	228
Prison Admissions--Drug	242	228	256
Prison Admissions--DWI	66	72	88

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

SUBSTANCE USE SERVICE AREA 9

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	317	270	395
CSTAR Adolescent	105	115	107
CSTAR Women and Children	332	299	285
CSTAR General Adult	1,276	966	978
CSTAR Opioid	0	*	0
Primary Recovery Treatment	101	85	80
Clinical SATOP (CIP, YCIP, SROP)	278	284	266
Other Substance Abuse Treatment	0	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	1,128	1,191	1,237
- Adolescent Diversion Education Program	36	49	58
- Offender Education Program	426	404	466
- Weekend Intervention Program	223	207	238
<i>(See also Clinical SATOP at left)</i>			
OTHER SERVICES PROVIDED			
Co-Dependency	58	69	108
Compulsive Gambling	*	*	5
Recovery Supports	83	349	505
Early Intervention	128	117	86

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	2,058	1,903	2,011	Alcohol	783	776	867
AGE				Marijuana / Hashish	448	410	368
Under 18	109	116	113	Cocaine (total)	9	18	22
18 to 24	294	276	288	- Crack	6	10	11
25 to 29	344	297	357	Stimulant (total)	625	500	512
30 to 34	369	322	342	- Methamphetamine	606	482	500
35 to 39	285	258	268	Heroin	9	12	10
40 to 44	229	198	202	Analgesic except Heroin	147	153	180
45 to 54	294	317	331	- Non-Prescription Methadone	0	*	5
55 and Over	134	119	110	PCP, LSD, other Hallucinogen	0	*	8
GENDER				Tranquilizer	26	18	24
Male	1,298	1,212	1,299	Inhalant	5	5	5
Female	760	691	712	Sedative	0	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	6	7	13
Caucasian	1,875	1,736	1,832	Average Age at First Use of Drug	18.0	17.7	18.0
African American	61	64	73	INJECTION DRUG USE			
Native American / Alaskan	11	9	5	Any Injection Use at Admission	364	318	308
Asian / Pacific Islander	6	9	9	- Daily Injection Use	59	62	57
Hispanic	69	71	60	- Weekly Injection Use	116	90	84
Other Race / Two or More Races	55	44	47	- Less than Weekly Injection Use	189	166	167
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	756	674	745	0	1,038	933	956
High School Graduate or G.E.D.	830	779	797	1 or 2	628	581	659
Associate Degree or Some College	464	434	452	3 or More	392	389	396
Bachelor or Advanced Degree	8	16	17	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	628	555	999
Employed	683	575	615	School	0	*	*
Unemployed	737	721	782	Mental Health Provider	11	10	6
Not in Labor Force	638	607	614	Health Care Provider	192	190	184
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	1,002	929	532
Independent Living	1,700	1,555	1,621	Other Referral Source	218	207	275
Dependent Living	206	208	205	TREATMENT ACCOMMODATION			
Homeless	108	95	126	Pregnant when Admitted to any Episode	31	33	23
MARITAL / FAMILY STATUS				Military Veteran	96	98	116
Never Married	933	857	876	Special Education Services Needed	319	266	293
Married / Cohabiting	579	520	577	Co-Occurring Psychological Problem	1,115	939	1,125
Previously Married	546	526	558	Co-Occurring Developmental Problem	58	70	64

SUBSTANCE USE SERVICE AREA 9

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	33.7	32.4	32.0	39.1	Alcohol	12.0	12.5	12.3	16.4
Chewing Tobacco	15.6	15.5	11.9	15.7	Alcohol (5+ drinks on single occasion past 2 weeks)	4.4	5.8		
Cigarettes	21.4	22.0	23.1	28.5	Chewing Tobacco	6.0	8.0	6.8	8.5
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.8	1.2	1.6	1.8	Cigarettes	7.6	8.9	10.0	14.5
Cocaine	0.9	0.5	1.2	1.4	Inhalants	0.9	1.2	2.0	3.4
Electronic Cigarettes	23.7				Marijuana	5.5	4.0	5.1	6.3
Hallucinogens	1.3	1.4	2.7	2.4	Over-the-counter medications for non-medical use	1.4	1.3	3.4	4.7
Heroin	0.2	0.4	0.8	0.5	Prescription medications not prescribed for student	8.0	2.8	3.7	6.2
Inhalants	2.6	2.7	5.1	7.4					
Marijuana	12.8	11.0	12.0	14.4	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.4	0.7	1.2	1.1	Alcohol (1 or 2 drinks daily)	69.6	58.5		
Over-the-counter medications for non-medical use	3.5	2.5	5.7	8.0	Alcohol (Binge: 5+ drinks once or twice a week)	78.4	71.3		
Prescription medications not prescribed for student	12.0	6.5	7.1	10.7	Cigarettes (1+ packs per day)	84.8	85.1		
Synthetic drugs (K2, bath salts, Spice, etc)	1.4	2.6	7.1		Marijuana (once or twice a week)	73.4	71.4		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	92.2	93.2	94.1	93.2
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.80	12.91	12.31	12.43	Alcohol	86.6	82.6	83.8	80.9
Cigarettes	12.29	12.53	12.10	12.04	Cigarettes	93.6	93.1	92.4	89.7
Inhalants	10.57	11.10	12.13	12.17	Marijuana	94.4	94.1	95.3	93.9
Marijuana	13.73	14.02	13.23	13.45					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	38.7	40.4	44.6	52.2	Alcohol	72.5	68.9	69.6	65.1
Cigarettes	30.1	32.0	38.0	44.2	Cigarettes	87.5	84.8	83.4	77.6
Marijuana	28.6	21.5	26.1	31.9	Marijuana	85.3	86.1	86.1	83.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.5	7.1	12.0	15.5	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.1	97.1	95.5	94.8
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	21.3	23.3	22.6	27.6	Alcohol	46.7	48.2	46.3	50.9
Cigarettes	10.5	12.2	11.9	15.7	Cigarettes	44.0	46.8	45.8	53.8
Marijuana	10.6	8.2	9.3	11.3	Marijuana	29.5	25.3	27.4	33.7
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.8	12.2	14.5	17.2
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	59.9	58.3	59.8	66.5	Were grouchy, irritable, or in a bad mood	31.3	22.6	20.8	23.7
Were victims of mean rumors or lies spread at school	48.4	49.6	48.6	53.8	Had difficulty concentrating on school work	25.9	21.2	21.1	23.3
Were victims of an embarrassing or hurtful text message or something posted on the Internet	22.2	22.9	19.7	17.8	Were very sad	24.1	21.7	18.2	20.7
					Felt hopeless about the future	13.3	12.7	10.6	11.2
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	13.2	12.3	10.5	11.2	Parents involve student in making family decisions	70.6	70.4	71.4	71.3
Made plan about how they would attempt suicide	9.9	9.2	7.6	8.3	Parents notice and comment on student's good work	83.7	83.5	83.8	84.3
Attempted suicide	6.1	4.9	4.9	5.6	Teachers notice and comment on student's good work	75.2	72.4		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

SUBSTANCE USE SERVICE AREA 10



DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	10
Adult Psychiatric	Not Applicable
POPULATION	
Census 2010	528,472
2015 Estimate	549,586

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	506	570	553
Fatal Crashes	8	10	20
Injury Crashes	205	227	244
Property Damage Crashes	293	333	289
Crash Fatalities	9	10	21
Crash Injuries	299	304	334
Drug Involved Crashes	130	131	140
Fatal Crashes	5	2	3
Injury Crashes	63	65	65
Property Damage Crashes	62	64	72
Crash Fatalities	5	3	4
Crash Injuries	106	107	97

BIRTH RISK	2014	2013	2012
Resident Births	6,673	6,566	6,525
Mother Reported Smoking while Pregnant	1,225	1,234	1,180

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	12	18	31
Hepatitis B Chronic, Acute, Prenatal		63	48
Hepatitis C Chronic and Acute	717	593	570
Tuberculosis Infection Cases	191	175	140

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	5,203	5,109	4,846
Suicides	96	82	76
Homicides	28	17	23
Alcohol Induced Deaths	50	48	41
Drug Induced Deaths	109	92	87
Smoking Attributable Deaths	861	890	848
Self-inflicted Injuries	930	810	809
Assault Injuries	1,541	1,607	1,754

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	3,023	2,825	2,572
Mental Illness Secondary Diagnosis	4,666	4,544	4,535
Alcohol Principal Diagnosis	148	221	183
Alcohol Secondary Diagnosis	205	220	225
Drug Principal Diagnosis	207	236	254
Drug Secondary Diagnosis	398	339	295
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	3,278	3,147	2,983
Mental Illness Secondary Diagnosis	10,768	10,721	9,851
Alcohol Principal Diagnosis	1,156	1,106	1,072
Alcohol Secondary Diagnosis	1,184	1,181	1,135
Drug Principal Diagnosis	773	722	785
Drug Secondary Diagnosis	1,051	974	815
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	4,951	4,684	4,887
Mental Illness Secondary Diagnosis	21,415	23,916	23,263
Alcohol Principal Diagnosis	1,959	2,039	2,027
Alcohol Secondary Diagnosis	967	1,356	1,621
Drug Principal Diagnosis	1,476	1,375	1,462
Drug Secondary Diagnosis	1,768	1,908	1,930

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	578	580	570
Alcohol Package Carry-out Licenses	469	464	410

EMPLOYMENT	2015	2014	2013
Labor Force	277,324	269,866	268,072
Employed	263,846	254,315	251,609
Unemployed	13,478	15,551	16,463
Unemployment Rate	4.9%	5.8%	6.1%

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	2,450	2,753	3,233
Liquor Law Arrests	369	431	551
Drug Arrests	2,913	770	2,802
Violent Offenses	2,753	2,839	2,549
Property Offenses	20,267	23,048	23,242
Domestic Violence Reports	5,387	5,355	5,324

	2015	2014	2013
Methamphetamine Lab Seizures	39	77	133

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	23,008	22,933	22,856
Drop-outs	359	320	402
Drop-out Rate	1.6%	1.4%	1.8%
School Discipline Involving Alcohol	51	44	40
School Discipline Involving Drugs	244	270	292
School Discipline Involving Tobacco		12	7

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	727	715	716
Juvenile Alcohol Offenses	101	95	106
Juvenile Drug Offenses	232	232	234
School Truancy Status Offense	47	67	75
Absent from Home Status Offense	191	137	147
Beyond Parental Control Status Offense	148	122	185
Injurious Behavior Status Offense	514	448	548
Child Abuse	206	222	219
Child Neglect	1,023	918	833
Child Custody Issues	162	129	129

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	697	700	590
Parental Alcohol Use Related	21	21	19
Parental Drug Use Related	263	314	252
Parental Alcohol and Drug Use	34	17	21

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	1,887	1,439	1,168
Probation/Parole Admissions--Drug	1,192	1,273	1,091
Probation/Parole Admissions--DWI	201	221	238
Prison Admissions--Drug	594	615	622
Prison Admissions--DWI	88	87	93

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.

³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

SUBSTANCE USE SERVICE AREA 10

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	900	837	789
CSTAR Adolescent	187	180	199
CSTAR Women and Children	400	369	357
CSTAR General Adult	911	972	1,088
CSTAR Opioid	0	*	*
Primary Recovery Treatment	997	896	769
Clinical SATOP (CIP, YCIP, SROP)	486	464	422
Other Substance Abuse Treatment	5	5	7

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	2,052	2,213	2,229
- Adolescent Diversion Education Program	27	18	35
- Offender Education Program	750	841	877
- Weekend Intervention Program	389	465	497
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	122	119	116
Compulsive Gambling	0	0	0
Recovery Supports	664	1,114	1,276
Early Intervention	107	131	147

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013
Total Individuals	3,325	3,238	3,346
AGE			
Under 18	188	176	207
18 to 24	539	540	549
25 to 29	614	593	623
30 to 34	575	559	563
35 to 39	385	398	369
40 to 44	319	339	350
45 to 54	539	482	500
55 and Over	166	151	185
GENDER			
Male	2,085	2,143	2,242
Female	1,240	1,095	1,104
RACE / ETHNICITY			
Caucasian	3,020	2,935	3,037
African American	143	140	160
Native American / Alaskan	10	18	16
Asian / Pacific Islander	10	7	8
Hispanic	84	71	82
Other Race / Two or More Races	89	96	81
EDUCATION			
Less than High School Diploma	996	1,006	1,144
High School Graduate or G.E.D.	1,460	1,409	1,397
Associate Degree or Some College	841	790	779
Bachelor or Advanced Degree	28	33	26
EMPLOYMENT			
Employed	1,004	962	931
Unemployed	1,031	1,122	1,176
Not in Labor Force	1,290	1,154	1,239
HOUSING / LIVING ARRANGEMENT			
Independent Living	2,502	2,505	2,595
Dependent Living	447	409	420
Homeless	298	270	276
MARITAL / FAMILY STATUS			
Never Married	1,669	1,624	1,693
Married / Cohabiting	829	796	772
Previously Married	827	818	881

PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Alcohol	1,305	1,236	1,329
Marijuana / Hashish	529	631	589
Cocaine (total)	35	27	43
- Crack	14	15	16
Stimulant (total)	1,003	859	846
- Methamphetamine	982	830	808
Heroin	118	119	106
Analgesic except Heroin	287	295	335
- Non-Prescription Methadone	*	*	13
PCP, LSD, other Hallucinogen	9	9	16
Tranquilizer	25	35	47
Inhalant	*	*	*
Sedative	*	5	5
Other Medication or Illicit Drug	10	18	26
Average Age at First Use of Drug	17.7	17.5	17.6
INJECTION DRUG USE			
Any Injection Use at Admission	822	699	713
- Daily Injection Use	180	155	150
- Weekly Injection Use	246	192	206
- Less than Weekly Injection Use	396	352	357
LIFETIME DUI / DWI ARRESTS			
0	1,821	1,683	1,735
1 or 2	919	1,000	1,040
3 or More	585	555	571
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	1,359	1,161	1,501
School	13	11	15
Mental Health Provider	22	51	61
Health Care Provider	208	156	141
Court / Criminal Justice	1,393	1,521	1,339
Other Referral Source	315	315	268
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	77	59	55
Military Veteran	127	138	147
Special Education Services Needed	204	196	256
Co-Occurring Psychological Problem	1,266	1,186	1,151
Co-Occurring Developmental Problem	89	119	150

SUBSTANCE USE SERVICE AREA 10

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	31.1	30.4	32.8	38.3	Alcohol	11.9	12.0	13.4	16.1
Chewing Tobacco	16.9	10.0	14.9	13.5	Alcohol (5+ drinks on single occasion past 2 weeks)	3.9	5.5		
Cigarettes	19.2	20.3	22.4	26.7	Chewing Tobacco	3.8	4.8	6.2	7.1
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.2	2.5	2.5	2.6	Cigarettes	7.0	8.6	10.4	14.0
Cocaine	1.2	1.3	2.0	2.0	Inhalants	1.0	1.3	2.7	3.0
Electronic Cigarettes	22.7				Marijuana	7.0	7.4	7.7	9.1
Hallucinogens	1.9	3.0	3.4	3.9	Over-the-counter medications for non-medical use	1.5	1.7	3.9	5.2
Heroin	0.4	0.4	0.9	0.7	Prescription medications not prescribed for student	9.0	3.4	4.6	7.0
Inhalants	3.2	3.6	6.2	7.0	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	14.9	15.2	15.1	17.0	Alcohol (1 or 2 drinks daily)	70.2	63.4		
Methamphetamine	0.7	0.9	1.5	1.1	Alcohol (Binge: 5+ drinks once or twice a week)	78.0	74.4		
Over-the-counter medications for non-medical use	4.4	3.0	6.6	8.8	Cigarettes (1+ packs per day)	85.6	87.1		
Prescription medications not prescribed for student	12.8	8.1	8.9	12.5	Marijuana (once or twice a week)	65.6	67.1		
Synthetic drugs (K2, bath salts, Spice, etc)	2.0	4.1	7.3		Other: Cocaine, LSD, Meth, Club Drug (any use)	92.2	92.5	93.7	92.8
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.92	13.09	12.48	12.44	Alcohol	85.9	84.8	83.3	81.7
Cigarettes	12.53	12.67	12.20	12.13	Cigarettes	93.8	93.5	92.1	90.0
Inhalants	11.00	12.39	12.01	12.22	Marijuana	91.7	92.6	92.9	92.8
Marijuana	13.70	13.65	13.06	13.32	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	72.4	69.8	67.7	63.3
Alcohol	41.4	40.9	46.5	54.8	Cigarettes	88.2	84.1	81.6	76.9
Cigarettes	31.2	34.6	40.1	47.4	Marijuana	79.4	80.1	81.3	80.5
Marijuana	35.3	31.8	33.8	38.1	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.9	96.1	95.0	93.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.0	14.2	16.6	21.3	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	49.9	47.3	51.5	55.6
Alcohol	20.1	20.2	24.5	28.8	Cigarettes	45.8	46.4	49.4	57.1
Cigarettes	8.4	11.3	12.7	15.4	Marijuana	36.5	34.2	35.2	38.2
Marijuana	14.7	13.6	13.6	14.4	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.1	16.0	18.1	21.1
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	60.6	60.3	60.1	67.7	Were grouchy, irritable, or in a bad mood	32.1	24.6	23.8	23.9
Were victims of mean rumors or lies spread at school	47.7	51.2	49.2	54.5	Had difficulty concentrating on school work	30.1	23.5	22.0	25.5
Were victims of an embarrassing or hurtful text message or something posted on the Internet	25.5	25.4	21.4	19.3	Were very sad	25.0	22.5	19.3	18.4
					Felt hopeless about the future	15.0	12.5	11.0	11.7
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	16.5	12.2	12.5	12.1	Parents involve student in making family decisions	70.6	69.6	69.6	71.1
Made plan about how they would attempt suicide	12.1	9.3	9.2	8.9	Parents notice and comment on student's good work	82.0	82.7	82.7	83.7
Attempted suicide	7.1	5.7	5.9	5.3	Teachers notice and comment on student's good work	74.7	72.8		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

SUBSTANCE USE SERVICE AREA 11



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	11
Adult Psychiatric	Not Applicable
POPULATION	
Census 2010	306,402
2015 Estimate	309,189

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	311	333	326
Fatal Crashes	16	23	16
Injury Crashes	126	148	138
Property Damage Crashes	169	162	172
Crash Fatalities	17	25	16
Crash Injuries	189	217	204
Drug Involved Crashes	89	61	49
Fatal Crashes	6	2	3
Injury Crashes	40	31	17
Property Damage Crashes	43	28	29
Crash Fatalities	6	2	3
Crash Injuries	57	43	29

BIRTH RISK	2014	2013	2012
Resident Births	3,824	3,803	3,814
Mother Reported Smoking while Pregnant	788	820	848

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	14	10	8
Hepatitis B Chronic, Acute, Prenatal		27	24
Hepatitis C Chronic and Acute	337	235	192
Tuberculosis Infection Cases	103	97	87

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	2,739	2,696	2,682
Suicides	53	48	47
Homicides	15	14	13
Alcohol Induced Deaths	19	17	22
Drug Induced Deaths	36	39	43
Smoking Attributable Deaths	493	497	519
Self-inflicted Injuries	329	386	357
Assault Injuries	948	941	1,074

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	1,553	1,553	1,305
Mental Illness Secondary Diagnosis	3,299	3,403	3,277
Alcohol Principal Diagnosis	76	102	68
Alcohol Secondary Diagnosis	209	249	204
Drug Principal Diagnosis	102	114	114
Drug Secondary Diagnosis	238	221	211
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	1,393	1,264	1,382
Mental Illness Secondary Diagnosis	4,698	4,366	4,740
Alcohol Principal Diagnosis	252	285	312
Alcohol Secondary Diagnosis	480	514	488
Drug Principal Diagnosis	171	170	166
Drug Secondary Diagnosis	268	264	277
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	2,698	2,555	2,449
Mental Illness Secondary Diagnosis	14,761	10,307	6,653
Alcohol Principal Diagnosis	534	495	482
Alcohol Secondary Diagnosis	575	614	512
Drug Principal Diagnosis	450	432	464
Drug Secondary Diagnosis	603	534	566

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	443	460	469
Alcohol Package Carry-out Licenses	339	327	343

EMPLOYMENT	2015	2014	2013
Labor Force	138,796	137,620	145,766
Employed	131,688	128,824	136,059
Unemployed	7,108	8,796	9,707
Unemployment Rate	5.1%	6.4%	6.7%

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	1,378	1,538	1,834
Liquor Law Arrests	238	506	561
Drug Arrests	1,894	2,877	1,635
Violent Offenses	801	818	969
Property Offenses	6,178	6,772	7,415
Domestic Violence Reports	2,354	2,275	2,445

	2015	2014	2013
Methamphetamine Lab Seizures	13	37	43

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	13,611	13,606	13,734
Drop-outs	212	260	277
Drop-out Rate	1.6%	1.9%	2.0%
School Discipline Involving Alcohol	29	29	21
School Discipline Involving Drugs	137	107	117
School Discipline Involving Tobacco		5	8

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	311	247	326
Juvenile Alcohol Offenses	22	58	92
Juvenile Drug Offenses	85	103	114
School Truancy Status Offense	278	236	358
Absent from Home Status Offense	56	106	127
Beyond Parental Control Status Offense	216	173	159
Injurious Behavior Status Offense	486	347	465
Child Abuse	594	373	584
Child Neglect	838	694	948
Child Custody Issues	17	22	24

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	418	403	333
Parental Alcohol Use Related	23	14	5
Parental Drug Use Related	131	101	93
Parental Alcohol and Drug Use	17	22	13

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	192	192	189
Probation/Parole Admissions--Drug	947	841	788
Probation/Parole Admissions--DWI	127	147	170
Prison Admissions--Drug	450	452	376
Prison Admissions--DWI	53	62	73

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.

³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

SUBSTANCE USE SERVICE AREA 11

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	126	147	139
CSTAR Adolescent	93	90	115
CSTAR Women and Children	167	177	144
CSTAR General Adult	917	1,013	1,065
CSTAR Opioid	*	0	*
Primary Recovery Treatment	135	174	276
Clinical SATOP (CIP, YCIP, SROP)	274	282	283
Other Substance Abuse Treatment	*	*	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	1,037	1,145	1,224
- Adolescent Diversion Education Program	30	35	34
- Offender Education Program	372	396	445
- Weekend Intervention Program	198	235	262
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	76	28	33
Compulsive Gambling	0	0	5
Recovery Supports	14	16	18
Early Intervention	72	40	57

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	1,526	1,590	1,810	Alcohol	593	630	776
AGE				Marijuana / Hashish	308	323	411
Under 18	96	92	116	Cocaine (total)	36	32	49
18 to 24	262	287	340	- Crack	14	12	23
25 to 29	260	286	335	Stimulant (total)	339	312	252
30 to 34	267	276	291	- Methamphetamine	331	301	221
35 to 39	216	197	197	Heroin	96	142	128
40 to 44	132	143	163	Analgesic except Heroin	107	97	139
45 to 54	197	221	273	- Non-Prescription Methadone	*	*	*
55 and Over	96	88	95	PCP, LSD, other Hallucinogen	6	*	6
GENDER				Tranquilizer	10	9	12
Male	978	1,047	1,200	Inhalant	*	0	*
Female	548	543	610	Sedative	*	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	28	40	34
Caucasian	1,323	1,355	1,548	Average Age at First Use of Drug	18.1	18.3	18.0
African American	140	165	186	INJECTION DRUG USE			
Native American / Alaskan	9	6	6	Any Injection Use at Admission	234	276	245
Asian / Pacific Islander	7	*	7	- Daily Injection Use	67	69	55
Hispanic	19	28	32	- Weekly Injection Use	75	90	59
Other Race / Two or More Races	36	35	41	- Less than Weekly Injection Use	92	117	131
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	473	477	559	0	858	877	903
High School Graduate or G.E.D.	712	734	793	1 or 2	440	478	555
Associate Degree or Some College	317	357	427	3 or More	228	235	352
Bachelor or Advanced Degree	24	22	29	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	465	517	544
Employed	462	465	576	School	6	*	*
Unemployed	563	646	655	Mental Health Provider	8	20	34
Not in Labor Force	501	479	579	Health Care Provider	61	53	61
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	582	697	966
Independent Living	1,182	1,296	1,502	Other Referral Source	392	276	187
Dependent Living	182	165	185	TREATMENT ACCOMMODATION			
Homeless	55	45	47	Pregnant when Admitted to any Episode	13	20	30
MARITAL / FAMILY STATUS				Military Veteran	65	70	84
Never Married	882	853	980	Special Education Services Needed	57	52	122
Married / Cohabiting	352	406	438	Co-Occurring Psychological Problem	740	667	623
Previously Married	292	331	392	Co-Occurring Developmental Problem	14	28	62

SUBSTANCE USE SERVICE AREA 11

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	42.3	39.2	42.8	46.5	Alcohol	21.7	15.5	20.0	22.0
Chewing Tobacco	18.9	13.7	15.6	15.3	Alcohol (5+ drinks on single occasion past 2 weeks)	9.2	6.2		
Cigarettes	27.1	25.1	24.9	29.7	Chewing Tobacco	7.3	6.3	7.6	8.5
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.1	1.0	2.6	2.7	Cigarettes	10.6	10.3	11.9	14.0
Cocaine	0.9	1.1	2.0	2.0	Inhalants	0.7	0.6	2.5	3.5
Electronic Cigarettes	30.1				Marijuana	7.2	5.9	7.7	7.2
Hallucinogens	2.3	1.7	2.8	3.4	Over-the-counter medications for non-medical use	2.1	1.3	5.0	5.2
Heroin	0.2	0.2	1.3	0.9	Prescription medications not prescribed for student	10.0	3.2	5.1	7.7
Inhalants	2.5	1.9	5.1	7.2	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	17.2	14.6	15.1	15.8	Alcohol (1 or 2 drinks daily)	63.4	56.0		
Methamphetamine	0.6	0.4	1.2	1.3	Alcohol (Binge: 5+ drinks once or twice a week)	72.8	69.3		
Over-the-counter medications for non-medical use	5.2	2.1	7.1	8.5	Cigarettes (1+ packs per day)	82.6	87.1		
Prescription medications not prescribed for student	16.1	6.7	9.4	12.3	Marijuana (once or twice a week)	65.1	66.9		
Synthetic drugs (K2, bath salts, Spice, etc)	1.8	3.0	6.7		Other: Cocaine, LSD, Meth, Club Drug (any use)	91.8	91.7	93.1	94.2
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.91	12.85	12.50	12.29	Alcohol	78.7	78.3	75.6	77.8
Cigarettes	12.56	12.63	12.42	12.13	Cigarettes	91.5	93.0	90.1	90.9
Inhalants	11.53	11.77	12.17	12.20	Marijuana	91.0	93.7	92.9	95.0
Marijuana	13.95	13.92	13.49	13.37	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	62.3	63.4	56.3	57.7
Alcohol	53.2	44.8	57.0	61.1	Cigarettes	83.3	85.1	78.2	77.0
Cigarettes	40.4	35.1	45.7	48.8	Marijuana	78.7	82.4	81.4	82.5
Marijuana	37.6	27.1	33.6	35.8	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.3	96.4	94.4	94.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.4	9.3	15.0	20.1	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	55.1	50.6	58.2	60.3
Alcohol	33.2	27.2	34.6	36.7	Cigarettes	52.6	49.4	54.5	56.9
Cigarettes	12.1	11.5	16.3	15.8	Marijuana	36.3	29.5	35.7	33.7
Marijuana	15.4	10.9	14.2	12.6	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	16.9	13.2	18.4	19.2
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	61.7	57.9	57.2	68.9	Were grouchy, irritable, or in a bad mood	34.1	23.3	24.9	26.3
Were victims of mean rumors or lies spread at school	51.8	49.8	47.9	54.7	Had difficulty concentrating on school work	25.1	22.8	23.8	25.0
Were victims of an embarrassing or hurtful text message or something posted on the Internet	25.8	23.1	19.2	18.5	Were very sad	22.1	20.2	18.5	22.6
					Felt hopeless about the future	12.7	12.4	10.4	13.2
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	12.7	12.0	13.6	13.2	Parents involve student in making family decisions	68.9	69.7	67.4	70.0
Made plan about how they would attempt suicide	8.7	8.0	9.0	9.4	Parents notice and comment on student's good work	83.0	82.7	80.3	84.5
Attempted suicide	5.7	5.2	5.5	5.8	Teachers notice and comment on student's good work	76.1	73.0		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

SUBSTANCE USE SERVICE AREA 12



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	12
Adult Psychiatric	Not Applicable
POPULATION	
Census 2010	319,063
2015 Estimate	330,124

BIRTH RISK	2014	2013	2012
Resident Births	4,056	4,100	4,075
Mother Reported Smoking while Pregnant	668	759	763

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	15	8	8
Hepatitis B Chronic, Acute, Prenatal		40	35
Hepatitis C Chronic and Acute	263	221	244
Tuberculosis Infection Cases	226	449	285

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	2,784	2,844	2,643
Suicides	46	54	46
Homicides	12	12	10
Alcohol Induced Deaths	23	14	19
Drug Induced Deaths	40	42	37
Smoking Attributable Deaths	457	477	443
Self-inflicted Injuries	311	381	364
Assault Injuries	964	953	957

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	1,549	1,601	1,605
Mental Illness Secondary Diagnosis	4,713	5,038	6,136
Alcohol Principal Diagnosis	120	151	153
Alcohol Secondary Diagnosis	327	393	444
Drug Principal Diagnosis	60	66	86
Drug Secondary Diagnosis	321	296	306
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	1,582	1,572	1,455
Mental Illness Secondary Diagnosis	3,955	4,111	3,237
Alcohol Principal Diagnosis	434	437	389
Alcohol Secondary Diagnosis	505	518	403
Drug Principal Diagnosis	232	204	188
Drug Secondary Diagnosis	336	289	222
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	2,722	2,626	2,385
Mental Illness Secondary Diagnosis	11,502	10,434	8,495
Alcohol Principal Diagnosis	786	659	541
Alcohol Secondary Diagnosis	798	930	666
Drug Principal Diagnosis	425	336	370
Drug Secondary Diagnosis	818	758	540

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	443	445	443
Alcohol Package Carry-out Licenses	301	307	310

EMPLOYMENT	2015	2014	2013
Labor Force	173,218	169,629	170,898
Employed	165,728	160,992	161,901
Unemployed	7,490	8,637	8,997
Unemployment Rate	4.3%	5.1%	5.3%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	313	349	329
Fatal Crashes	9	11	13
Injury Crashes	104	145	152
Property Damage Crashes	200	193	164
Crash Fatalities	14	14	13
Crash Injuries	134	187	214
Drug Involved Crashes	60	54	52
Fatal Crashes	2	3	2
Injury Crashes	26	18	30
Property Damage Crashes	32	33	20
Crash Fatalities	2	3	3
Crash Injuries	42	22	50

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	1,856	1,765	2,045
Liquor Law Arrests	681	814	1,017
Drug Arrests	2,094	1,599	2,308
Violent Offenses	966	941	1,020
Property Offenses	9,013	9,781	9,949
Domestic Violence Reports	2,868	2,605	2,855

	2015	2014	2013
Methamphetamine Lab Seizures	16	23	22

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	13,312	13,318	13,418
Drop-outs	204	252	271
Drop-out Rate	1.5%	1.9%	2.0%
School Discipline Involving Alcohol	9	3	10
School Discipline Involving Drugs	23	53	77
School Discipline Involving Tobacco		0	1

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	439	502	535
Juvenile Alcohol Offenses	51	57	50
Juvenile Drug Offenses	125	173	178
School Truancy Status Offense	267	213	334
Absent from Home Status Offense	215	263	233
Beyond Parental Control Status Offense	258	317	467
Injurious Behavior Status Offense	597	572	652
Child Abuse	92	135	158
Child Neglect	476	428	510
Child Custody Issues	48	71	96

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	389	343	383
Parental Alcohol Use Related	22	9	10
Parental Drug Use Related	134	120	155
Parental Alcohol and Drug Use	15	9	7

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	326	344	398
Probation/Parole Admissions--Drug	814	786	796
Probation/Parole Admissions--DWI	138	145	167
Prison Admissions--Drug	495	493	440
Prison Admissions--DWI	66	90	99

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.

³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

SUBSTANCE USE SERVICE AREA 12

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	95	102	194
CSTAR Adolescent	114	108	123
CSTAR Women and Children	227	206	203
CSTAR General Adult	936	889	779
CSTAR Opioid	*	0	*
Primary Recovery Treatment	249	260	360
Clinical SATOP (CIP, YCIP, SROP)	287	243	273
Other Substance Abuse Treatment	*	6	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	1,402	1,173	1,299
- Adolescent Diversion Education Program	42	41	43
- Offender Education Program	550	472	552
- Weekend Intervention Program	318	231	271
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	102	49	56
Compulsive Gambling	0	*	*
Recovery Supports	203	158	124
Early Intervention	29	38	26

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	1,642	1,518	1,579	Alcohol	645	599	682
AGE				Marijuana / Hashish	448	432	435
Under 18	120	116	125	Cocaine (total)	67	112	87
18 to 24	260	245	257	- Crack	37	62	51
25 to 29	299	248	300	Stimulant (total)	302	220	184
30 to 34	270	251	230	- Methamphetamine	296	218	172
35 to 39	190	186	177	Heroin	50	53	57
40 to 44	149	134	153	Analgesic except Heroin	92	69	92
45 to 54	235	252	242	- Non-Prescription Methadone	*	*	*
55 and Over	119	86	95	PCP, LSD, other Hallucinogen	9	15	12
GENDER				Tranquilizer	9	5	15
Male	1,064	995	1,013	Inhalant	0	*	*
Female	578	523	566	Sedative	*	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	16	10	11
Caucasian	1,270	1,074	1,179	Average Age at First Use of Drug	17.6	17.8	17.5
African American	261	356	328	INJECTION DRUG USE			
Native American / Alaskan	7	*	5	Any Injection Use at Admission	173	172	151
Asian / Pacific Islander	9	8	8	- Daily Injection Use	41	35	27
Hispanic	43	35	24	- Weekly Injection Use	47	57	51
Other Race / Two or More Races	64	53	47	- Less than Weekly Injection Use	85	80	73
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	490	447	460	0	909	799	804
High School Graduate or G.E.D.	758	653	660	1 or 2	506	499	567
Associate Degree or Some College	363	378	404	3 or More	227	220	208
Bachelor or Advanced Degree	31	40	54	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	477	513	561
Employed	488	464	485	School	*	*	*
Unemployed	588	552	576	Mental Health Provider	13	14	21
Not in Labor Force	566	502	518	Health Care Provider	73	62	62
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	701	649	725
Independent Living	1,230	1,159	1,241	Other Referral Source	357	260	182
Dependent Living	210	195	204	TREATMENT ACCOMMODATION			
Homeless	96	100	100	Pregnant when Admitted to any Episode	15	9	25
MARITAL / FAMILY STATUS				Military Veteran	66	61	88
Never Married	941	930	915	Special Education Services Needed	90	109	150
Married / Cohabiting	370	288	331	Co-Occurring Psychological Problem	727	612	677
Previously Married	331	300	333	Co-Occurring Developmental Problem	30	33	80

SUBSTANCE USE SERVICE AREA 12

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	35.1	38.4	45.1	47.8	Alcohol	13.6	13.9	20.6	22.7
Chewing Tobacco	15.9	18.6	18.2	13.4	Alcohol (5+ drinks on single occasion past 2 weeks)	5.7	6.0		
Cigarettes	17.0	26.1	26.3	29.9	Chewing Tobacco	4.9	7.6	9.0	7.5
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.8	1.3	1.9	2.7	Cigarettes	5.7	12.3	11.7	14.3
Cocaine	0.5	1.3	2.0	2.4	Inhalants	0.9	0.7	1.9	2.7
Electronic Cigarettes	17.2				Marijuana	5.6	5.0	7.4	10.0
Hallucinogens	1.1	1.0	2.1	3.2	Over-the-counter medications for non-medical use	1.8	1.1	3.3	5.2
Heroin	0.2	0.2	0.5	0.6	Prescription medications not prescribed for student	8.0	4.2	4.5	7.0
Inhalants	2.6	3.6	5.5	7.1					
Marijuana	12.6	13.7	17.3	19.6	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.2	0.4	1.1	0.7	Alcohol (1 or 2 drinks daily)	70.8	47.2		
Over-the-counter medications for non-medical use	4.3	1.6	6.2	8.4	Alcohol (Binge: 5+ drinks once or twice a week)	78.9	59.1		
Prescription medications not prescribed for student	12.2	6.9	9.8	12.2	Cigarettes (1+ packs per day)	80.9	81.2		
Synthetic drugs (K2, bath salts, Spice, etc)	1.6	3.3	6.5		Marijuana (once or twice a week)	71.1	62.9		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	91.9	88.9	92.3	93.2
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.99	13.83	12.55	12.72	Alcohol	83.7	77.7	77.1	75.2
Cigarettes	12.35	12.51	12.48	12.33	Cigarettes	94.7	91.4	90.6	89.4
Inhalants	10.66	12.83	12.07	12.32	Marijuana	93.2	95.8	94.4	93.2
Marijuana	13.52	13.45	13.73	13.60					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	44.8	54.3	57.7	65.5	Alcohol	70.8	57.3	57.2	54.1
Cigarettes	28.9	43.6	47.8	51.1	Cigarettes	89.9	78.5	78.7	77.5
Marijuana	31.2	22.4	37.3	41.3	Marijuana	84.6	84.6	83.0	79.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.1	5.1	14.1	19.8	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.5	97.7	95.9	94.6
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	23.2	30.3	36.3	37.4	Alcohol	49.2	55.2	58.3	63.1
Cigarettes	7.2	13.8	15.6	15.8	Cigarettes	40.8	50.2	54.6	59.6
Marijuana	11.5	8.0	11.9	14.8	Marijuana	31.1	27.3	35.6	39.7
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.8	8.7	15.0	19.9
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	58.8	62.8	63.5	68.9	Were grouchy, irritable, or in a bad mood	29.3	29.4	24.1	29.7
Were victims of mean rumors or lies spread at school	44.9	55.9	46.6	55.3	Had difficulty concentrating on school work	29.4	25.4	22.0	27.2
Were victims of an embarrassing or hurtful text message or something posted on the Internet	23.8	22.2	21.7	19.1	Were very sad	20.2	18.7	17.4	21.8
					Felt hopeless about the future	11.8	11.3	12.1	14.4
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	10.7	7.7	10.4	12.1	Parents involve student in making family decisions	72.9	65.6	68.9	70.0
Made plan about how they would attempt suicide	8.8	6.9	8.4	8.1	Parents notice and comment on student's good work	85.0	87.5	83.0	83.4
Attempted suicide	5.1	2.1	5.1	5.1	Teachers notice and comment on student's good work	79.0	75.7		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

SUBSTANCE USE SERVICE AREA 13



DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	13
Adult Psychiatric	Not Applicable
POPULATION	
Census 2010	80,509
2015 Estimate	78,220

BIRTH RISK	2014	2013	2012
Resident Births	984	970	954
Mother Reported Smoking while Pregnant	256	236	246

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	0	3	0
Hepatitis B Chronic, Acute, Prenatal		7	8
Hepatitis C Chronic and Acute	51	32	37
Tuberculosis Infection Cases	12	8	7

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	1,062	975	979
Suicides	14	12	14
Homicides	2	0	4
Alcohol Induced Deaths	8	1	3
Drug Induced Deaths	16	12	9
Smoking Attributable Deaths	193	185	191
Self-inflicted Injuries	110	119	112
Assault Injuries	152	180	172

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	544	575	555
Mental Illness Secondary Diagnosis	1,694	1,539	1,774
Alcohol Principal Diagnosis	23	21	25
Alcohol Secondary Diagnosis	110	137	107
Drug Principal Diagnosis	23	33	23
Drug Secondary Diagnosis	90	91	120
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	161	166	160
Mental Illness Secondary Diagnosis	861	877	916
Alcohol Principal Diagnosis	34	11	26
Alcohol Secondary Diagnosis	100	84	112
Drug Principal Diagnosis	19	15	30
Drug Secondary Diagnosis	58	51	62
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	767	749	767
Mental Illness Secondary Diagnosis	1,857	2,039	2,204
Alcohol Principal Diagnosis	84	60	114
Alcohol Secondary Diagnosis	183	143	139
Drug Principal Diagnosis	95	90	94
Drug Secondary Diagnosis	167	151	142

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	76	79	91
Alcohol Package Carry-out Licenses	101	103	103

EMPLOYMENT	2015	2014	2013
Labor Force	37,634	36,976	38,835
Employed	35,794	34,791	36,513
Unemployed	1,840	2,185	2,322
Unemployment Rate	4.9%	5.9%	6.0%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	70	79	65
Fatal Crashes	2	3	3
Injury Crashes	44	32	33
Property Damage Crashes	24	44	29
Crash Fatalities	2	4	3
Crash Injuries	57	43	44
Drug Involved Crashes	15	21	17
Fatal Crashes	1	0	0
Injury Crashes	7	10	10
Property Damage Crashes	7	11	7
Crash Fatalities	1	0	0
Crash Injuries	13	12	13

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	349	396	390
Liquor Law Arrests	100	74	91
Drug Arrests	419	2,136	381
Violent Offenses	128	181	128
Property Offenses	1,042	1,302	1,403
Domestic Violence Reports	410	475	498

Methamphetamine Lab Seizures	2015	2014	2013
	3	1	4

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	3,688	3,672	3,734
Drop-outs	28	31	49
Drop-out Rate	0.8%	0.8%	1.3%
School Discipline Involving Alcohol	4	2	15
School Discipline Involving Drugs	12	8	13
School Discipline Involving Tobacco		0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	61	75	68
Juvenile Alcohol Offenses	9	6	15
Juvenile Drug Offenses	17	14	16
School Truancy Status Offense	153	204	188
Absent from Home Status Offense	12	15	20
Beyond Parental Control Status Offense	29	54	71
Injurious Behavior Status Offense	100	116	96
Child Abuse	81	89	68
Child Neglect	223	215	184
Child Custody Issues	0	3	0

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	135	113	130
Parental Alcohol Use Related	9	0	5
Parental Drug Use Related	51	32	39
Parental Alcohol and Drug Use	7	4	3

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	92	95	98
Probation/Parole Admissions--Drug	288	266	246
Probation/Parole Admissions--DWI	44	46	40
Prison Admissions--Drug	193	185	151
Prison Admissions--DWI	30	31	33

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

SUBSTANCE USE SERVICE AREA 13

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	39	43	32
CSTAR Adolescent	33	25	41
CSTAR Women and Children	22	14	17
CSTAR General Adult	405	467	475
CSTAR Opioid	*	0	0
Primary Recovery Treatment	18	36	45
Clinical SATOP (CIP, YCIP, SROP)	54	65	57
Other Substance Abuse Treatment	0	0	10

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	226	249	252
- Adolescent Diversion Education Program	7	6	*
- Offender Education Program	78	63	78
- Weekend Intervention Program	48	37	70
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	7	*	*
Compulsive Gambling	0	0	0
Recovery Supports	8	7	7
Early Intervention	19	22	22

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	504	605	633	Alcohol	157	216	223
AGE				Marijuana / Hashish	144	157	194
Under 18	33	28	45	Cocaine (total)	5	*	7
18 to 24	103	113	135	- Crack	*	*	*
25 to 29	85	108	114	Stimulant (total)	133	132	121
30 to 34	83	110	112	- Methamphetamine	127	130	121
35 to 39	56	83	65	Heroin	*	7	5
40 to 44	38	60	57	Analgesic except Heroin	47	71	69
45 to 54	83	72	79	- Non-Prescription Methadone	0	0	0
55 and Over	23	31	26	PCP, LSD, other Hallucinogen	*	*	*
GENDER				Tranquilizer	*	7	*
Male	301	371	423	Inhalant	0	*	*
Female	203	234	210	Sedative	*	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	7	8	5
Caucasian	477	576	603	Average Age at First Use of Drug	18.2	18.0	17.5
African American	12	12	9	INJECTION DRUG USE			
Native American / Alaskan	0	*	0	Any Injection Use at Admission	68	97	81
Asian / Pacific Islander	0	0	0	- Daily Injection Use	10	11	14
Hispanic	9	11	13	- Weekly Injection Use	11	21	8
Other Race / Two or More Races	10	9	12	- Less than Weekly Injection Use	47	65	59
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	192	224	234	0	332	349	376
High School Graduate or G.E.D.	247	307	330	1 or 2	122	179	175
Associate Degree or Some College	58	71	65	3 or More	50	77	82
Bachelor or Advanced Degree	7	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	179	114	106
Employed	179	178	185	School	*	*	*
Unemployed	168	288	311	Mental Health Provider	5	7	*
Not in Labor Force	156	139	137	Health Care Provider	24	12	14
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	147	204	176
Independent Living	415	524	535	Other Referral Source	119	237	303
Dependent Living	60	46	71	TREATMENT ACCOMMODATION			
Homeless	9	20	14	Pregnant when Admitted to any Episode	5	7	*
MARITAL / FAMILY STATUS				Military Veteran	27	19	24
Never Married	269	297	354	Special Education Services Needed	38	43	54
Married / Cohabiting	144	167	151	Co-Occurring Psychological Problem	199	270	297
Previously Married	91	141	128	Co-Occurring Developmental Problem	16	7	17

SUBSTANCE USE SERVICE AREA 13

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	42.6	39.4	45.6	48.4	Alcohol	19.6	14.6	21.9	21.4
Chewing Tobacco	18.6	18.9	13.4	20.7	Alcohol (5+ drinks on single occasion past 2 weeks)	9.3	6.9		
Cigarettes	26.1	26.3	32.7	32.0	Chewing Tobacco	8.7	10.5	11.1	11.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.5	0.7	1.8	1.4	Cigarettes	11.9	12.8	16.2	17.0
Cocaine	1.6	1.0	1.8	1.4	Inhalants	1.1	1.9	2.3	3.0
Electronic Cigarettes	19.6				Marijuana	4.9	3.8	6.6	4.6
Hallucinogens	1.5	1.2	2.5	1.6	Over-the-counter medications for non-medical use	2.1	1.6	4.5	4.2
Heroin	0.4	0.2	1.4	0.8	Prescription medications not prescribed for student	8.3	3.2	5.4	6.1
Inhalants	3.3	4.2	5.8	5.7					
Marijuana	13.1	9.3	13.5	10.7	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.6	0.4	1.4	0.7	Alcohol (1 or 2 drinks daily)	61.4	51.4		
Over-the-counter medications for non-medical use	4.5	3.1	6.5	7.1	Alcohol (Binge: 5+ drinks once or twice a week)	70.8	65.2		
Prescription medications not prescribed for student	12.5	6.8	9.7	11.6	Cigarettes (1+ packs per day)	84.4	83.0		
Synthetic drugs (K2, bath salts, Spice, etc)	2.4	3.4	6.3		Marijuana (once or twice a week)	73.8	74.7		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	92.9	93.1	91.6	94.1
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.79	12.73	12.58	12.51	Alcohol	78.6	76.4	77.9	75.3
Cigarettes	12.78	12.83	12.81	12.39	Cigarettes	91.1	91.0	89.1	88.4
Inhalants	11.35	11.57	12.11	12.23	Marijuana	94.7	94.9	95.0	97.0
Marijuana	13.93	13.82	13.62	14.00					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	48.8	46.9	58.4	61.2	Alcohol	64.2	61.5	54.7	56.2
Cigarettes	36.2	38.0	52.1	53.4	Cigarettes	83.4	81.0	74.8	75.0
Marijuana	26.9	19.9	31.2	26.9	Marijuana	86.1	88.6	85.0	87.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.9	6.7	12.1	13.3	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.3	97.8	95.6	96.6
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	30.3	32.5	35.7	37.7	Alcohol	52.9	51.9	58.2	63.0
Cigarettes	13.9	15.7	19.1	18.4	Cigarettes	48.1	47.9	58.5	62.9
Marijuana	10.0	8.1	10.7	7.4	Marijuana	28.7	23.6	32.6	28.5
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.9	11.2	16.5	15.5
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	63.9	63.2	64.7	70.6	Were grouchy, irritable, or in a bad mood	33.4	22.4	25.0	22.9
Were victims of mean rumors or lies spread at school	54.7	52.2	54.3	58.9	Had difficulty concentrating on school work	25.4	20.9	21.8	22.2
Were victims of an embarrassing or hurtful text message or something posted on the Internet	27.6	26.7	25.0	20.8	Were very sad	23.4	19.6	19.9	18.6
					Felt hopeless about the future	11.0	10.6	11.5	11.2
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	12.0	12.0	11.7	11.3	Parents involve student in making family decisions	70.4	70.3	68.6	68.3
Made plan about how they would attempt suicide	8.9	8.5	8.7	8.3	Parents notice and comment on student's good work	83.2	81.1	81.1	82.8
Attempted suicide	5.3	5.3	5.1	5.4	Teachers notice and comment on student's good work	76.4	75.5		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

SUBSTANCE USE SERVICE AREA 14



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	14
Adult Psychiatric	Not Applicable
POPULATION	
Census 2010	107,082
2015 Estimate	105,929

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	84	79	107
Fatal Crashes	0	3	4
Injury Crashes	35	34	56
Property Damage Crashes	49	42	47
Crash Fatalities	0	3	4
Crash Injuries	42	45	84
Drug Involved Crashes	28	14	19
Fatal Crashes	0	2	1
Injury Crashes	15	6	6
Property Damage Crashes	13	6	12
Crash Fatalities	0	2	1
Crash Injuries	20	10	12

BIRTH RISK	2014	2013	2012
Resident Births	1,221	1,297	1,223
Mother Reported Smoking while Pregnant	250	309	291

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	5	3	4
Hepatitis B Chronic, Acute, Prenatal		3	5
Hepatitis C Chronic and Acute	45	52	56
Tuberculosis Infection Cases	22	19	18

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	1,226	1,149	1,180
Suicides	24	24	14
Homicides	2	4	2
Alcohol Induced Deaths	3	6	2
Drug Induced Deaths	11	15	14
Smoking Attributable Deaths	220	207	198
Self-inflicted Injuries	132	131	138
Assault Injuries	212	176	219

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	601	515	543
Mental Illness Secondary Diagnosis	1,799	1,958	2,251
Alcohol Principal Diagnosis	29	47	45
Alcohol Secondary Diagnosis	119	146	140
Drug Principal Diagnosis	25	22	21
Drug Secondary Diagnosis	78	95	72
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	181	155	165
Mental Illness Secondary Diagnosis	1,084	1,123	1,042
Alcohol Principal Diagnosis	27	31	38
Alcohol Secondary Diagnosis	134	105	109
Drug Principal Diagnosis	28	26	36
Drug Secondary Diagnosis	65	58	58
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	691	678	677
Mental Illness Secondary Diagnosis	1,489	1,201	1,043
Alcohol Principal Diagnosis	222	209	210
Alcohol Secondary Diagnosis	117	114	116
Drug Principal Diagnosis	133	96	89
Drug Secondary Diagnosis	82	76	65

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	145	149	153
Alcohol Package Carry-out Licenses	133	134	128

EMPLOYMENT	2015	2014	2013
Labor Force	51,422	50,918	55,288
Employed	48,801	47,938	52,170
Unemployed	2,621	2,980	3,118
Unemployment Rate	5.1%	5.9%	5.6%

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	447	497	662
Liquor Law Arrests	226	241	373
Drug Arrests	588	392	620
Violent Offenses	222	210	204
Property Offenses	2,355	2,704	2,849
Domestic Violence Reports	565	545	637

	2015	2014	2013
Methamphetamine Lab Seizures	33	70	118

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	4,726	4,796	4,828
Drop-outs	41	57	77
Drop-out Rate	0.9%	1.2%	1.6%
School Discipline Involving Alcohol	6	2	2
School Discipline Involving Drugs	15	8	15
School Discipline Involving Tobacco		0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	113	121	119
Juvenile Alcohol Offenses	21	25	42
Juvenile Drug Offenses	17	37	26
School Truancy Status Offense	202	220	172
Absent from Home Status Offense	10	14	19
Beyond Parental Control Status Offense	97	117	136
Injurious Behavior Status Offense	335	281	335
Child Abuse	83	80	105
Child Neglect	420	396	439
Child Custody Issues	1	0	4

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	171	227	180
Parental Alcohol Use Related	5	5	0
Parental Drug Use Related	60	114	81
Parental Alcohol and Drug Use	3	12	9

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	139	140	156
Probation/Parole Admissions--Drug	331	316	325
Probation/Parole Admissions--DWI	54	61	75
Prison Admissions--Drug	183	183	181
Prison Admissions--DWI	21	26	29

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.

³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

SUBSTANCE USE SERVICE AREA 14

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	118	99	114
CSTAR Adolescent	73	81	76
CSTAR Women and Children	121	122	109
CSTAR General Adult	676	710	360
CSTAR Opioid	0	*	0
Primary Recovery Treatment	44	63	335
Clinical SATOP (CIP, YCIP, SROP)	69	77	81
Other Substance Abuse Treatment	0	*	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	363	435	497
- Adolescent Diversion Education Program	33	54	83
- Offender Education Program	112	122	141
- Weekend Intervention Program	51	74	91
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	32	25	39
Compulsive Gambling	0	0	0
Recovery Supports	6	5	5
Early Intervention	42	71	72

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	947	994	959	Alcohol	318	338	356
AGE				Marijuana / Hashish	282	338	332
Under 18	70	80	79	Cocaine (total)	10	17	17
18 to 24	208	227	239	- Crack	6	8	7
25 to 29	180	199	185	Stimulant (total)	201	192	159
30 to 34	156	151	141	- Methamphetamine	195	187	155
35 to 39	107	100	84	Heroin	40	33	34
40 to 44	76	69	68	Analgesic except Heroin	42	42	43
45 to 54	103	124	114	- Non-Prescription Methadone	*	*	0
55 and Over	47	44	49	PCP, LSD, other Hallucinogen	12	6	*
GENDER				Tranquilizer	5	6	6
Male	619	646	639	Inhalant	*	6	0
Female	328	348	320	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	36	15	11
Caucasian	859	879	842	Average Age at First Use of Drug	17.8	17.4	17.1
African American	55	78	69	INJECTION DRUG USE			
Native American / Alaskan	*	*	*	Any Injection Use at Admission	124	110	106
Asian / Pacific Islander	*	0	*	- Daily Injection Use	18	16	19
Hispanic	12	10	11	- Weekly Injection Use	26	17	24
Other Race / Two or More Races	22	27	34	- Less than Weekly Injection Use	80	77	63
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	315	320	342	0	578	604	587
High School Graduate or G.E.D.	471	531	496	1 or 2	262	284	242
Associate Degree or Some College	155	137	115	3 or More	107	106	130
Bachelor or Advanced Degree	6	6	6	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	192	126	146
Employed	303	321	324	School	0	*	*
Unemployed	302	288	272	Mental Health Provider	7	7	5
Not in Labor Force	342	385	363	Health Care Provider	39	38	29
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	301	360	378
Independent Living	728	783	762	Other Referral Source	160	204	188
Dependent Living	166	171	155	TREATMENT ACCOMMODATION			
Homeless	30	28	33	Pregnant when Admitted to any Episode	10	13	15
MARITAL / FAMILY STATUS				Military Veteran	42	43	27
Never Married	546	574	557	Special Education Services Needed	94	70	92
Married / Cohabiting	207	217	212	Co-Occurring Psychological Problem	411	372	370
Previously Married	194	203	190	Co-Occurring Developmental Problem	33	16	19

SUBSTANCE USE SERVICE AREA 14

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	44.2	39.4	42.6	45.9	Alcohol	17.6	14.9	20.3	19.3
Chewing Tobacco	20.6	14.0	13.3	18.6	Alcohol (5+ drinks on single occasion past 2 weeks)	7.2	6.7		
Cigarettes	22.8	18.5	30.2	27.0	Chewing Tobacco	11.7	7.4	7.2	8.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.2	0.3	2.4	1.4	Cigarettes	8.4	10.5	16.1	17.3
Cocaine	0.3	0.7	2.9	1.2	Inhalants	2.5	0.7	3.1	2.3
Electronic Cigarettes	17.5				Marijuana	1.1	2.8	5.9	3.4
Hallucinogens	0.3	1.6	3.3	1.7	Over-the-counter medications for non-medical use	1.5	2.2	2.8	3.3
Heroin	0.8	0.0	2.1	0.4	Prescription medications not prescribed for student	7.6	2.2	2.4	4.0
Inhalants	4.2	3.0	5.1	5.1					
Marijuana	6.6	8.7	13.2	7.9	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.2	0.4	2.5	0.9	Alcohol (1 or 2 drinks daily)	61.2	52.0		
Over-the-counter medications for non-medical use	2.6	3.1	4.0	5.7	Alcohol (Binge: 5+ drinks once or twice a week)	72.9	64.2		
Prescription medications not prescribed for student	11.8	5.7	6.6	7.4	Cigarettes (1+ packs per day)	85.2	84.8		
Synthetic drugs (K2, bath salts, Spice, etc)	1.4	4.0	6.8		Marijuana (once or twice a week)	75.9	72.1		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	94.7	92.2	94.7	93.4
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.25	12.86	12.36	11.79	Alcohol	74.2	78.6	78.0	77.6
Cigarettes	13.57	12.98	12.34	12.84	Cigarettes	87.8	92.9	91.0	86.8
Inhalants	9.79	12.82	12.34	12.13	Marijuana	94.0	96.5	95.1	96.7
Marijuana	14.86	14.58	13.68	13.34					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	43.7	50.3	54.4	59.1	Alcohol	62.0	60.4	57.3	59.4
Cigarettes	34.3	40.9	48.5	46.5	Cigarettes	86.1	84.4	72.0	78.5
Marijuana	13.6	19.2	32.4	21.1	Marijuana	91.4	87.8	81.2	89.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	2.0	8.5	13.3	9.7	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.6	97.6	94.0	95.9
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	27.7	28.1	34.3	33.9	Alcohol	59.3	56.9	55.4	55.4
Cigarettes	11.4	12.6	21.1	18.7	Cigarettes	51.5	52.9	50.8	50.5
Marijuana	6.0	8.1	12.2	7.3	Marijuana	22.6	28.9	26.8	19.1
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.8	14.5	13.9	10.5
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	60.9	64.5	66.8	65.8	Were grouchy, irritable, or in a bad mood	33.1	30.5	25.8	34.3
Were victims of mean rumors or lies spread at school	50.1	55.7	50.7	60.1	Had difficulty concentrating on school work	17.9	24.3	22.0	18.7
Were victims of an embarrassing or hurtful text message or something posted on the Internet	18.2	27.0	24.0	22.0	Were very sad	17.9	21.1	19.6	27.8
					Felt hopeless about the future	10.8	10.6	10.0	18.1
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	9.0	12.4	14.2	9.9	Parents involve student in making family decisions	68.5	60.8	65.2	71.6
Made plan about how they would attempt suicide	10.0	7.1	11.1	5.5	Parents notice and comment on student's good work	83.2	78.7	81.3	86.7
Attempted suicide	4.1	4.1	8.2	3.1	Teachers notice and comment on student's good work	82.6	68.2		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

SUBSTANCE USE SERVICE AREA 15



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	15
Adult Psychiatric	Not Applicable
POPULATION	
Census 2010	75,288
2015 Estimate	74,926

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	63	63	88
Fatal Crashes	2	3	4
Injury Crashes	35	34	52
Property Damage Crashes	26	26	32
Crash Fatalities	2	3	4
Crash Injuries	50	47	65
Drug Involved Crashes	13	18	14
Fatal Crashes	1	0	3
Injury Crashes	3	3	6
Property Damage Crashes	9	15	5
Crash Fatalities	1	0	5
Crash Injuries	3	4	8

BIRTH RISK	2014	2013	2012
Resident Births	894	843	869
Mother Reported Smoking while Pregnant	247	215	242

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	1	0	1
Hepatitis B Chronic, Acute, Prenatal		0	5
Hepatitis C Chronic and Acute	94	44	42
Tuberculosis Infection Cases	9	14	8

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	859	857	767
Suicides	10	10	16
Homicides	2	2	0
Alcohol Induced Deaths	5	2	2
Drug Induced Deaths	8	9	9
Smoking Attributable Deaths	177	168	160
Self-inflicted Injuries	85	69	113
Assault Injuries	166	175	210

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	353	396	373
Mental Illness Secondary Diagnosis	961	955	1,050
Alcohol Principal Diagnosis	17	22	23
Alcohol Secondary Diagnosis	81	73	63
Drug Principal Diagnosis	14	16	24
Drug Secondary Diagnosis	62	53	48
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	281	253	267
Mental Illness Secondary Diagnosis	1,078	1,097	1,025
Alcohol Principal Diagnosis	38	41	30
Alcohol Secondary Diagnosis	122	102	112
Drug Principal Diagnosis	37	33	21
Drug Secondary Diagnosis	66	55	63
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	552	587	571
Mental Illness Secondary Diagnosis	1,139	1,005	1,285
Alcohol Principal Diagnosis	70	78	89
Alcohol Secondary Diagnosis	128	125	99
Drug Principal Diagnosis	87	67	71
Drug Secondary Diagnosis	102	103	84

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	98	100	98
Alcohol Package Carry-out Licenses	96	98	99

EMPLOYMENT	2015	2014	2013
Labor Force	35,493	34,730	37,194
Employed	33,829	32,727	34,944
Unemployed	1,664	2,003	2,250
Unemployment Rate	4.7%	5.8%	6.0%

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	261	278	281
Liquor Law Arrests	54	46	30
Drug Arrests	327	548	194
Violent Offenses	108	119	95
Property Offenses	1,111	1,226	1,278
Domestic Violence Reports	752	688	587
	2015	2014	2013
Methamphetamine Lab Seizures	16	32	62
SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	2,802	2,780	2,960
Drop-outs	54	63	87
Drop-out Rate	1.9%	2.3%	2.9%
School Discipline Involving Alcohol	7	11	3
School Discipline Involving Drugs	8	11	24
School Discipline Involving Tobacco		0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	57	75	84
Juvenile Alcohol Offenses	16	16	12
Juvenile Drug Offenses	24	15	25
School Truancy Status Offense	52	56	71
Absent from Home Status Offense	18	21	20
Beyond Parental Control Status Offense	12	18	17
Injurious Behavior Status Offense	93	112	112
Child Abuse	36	43	42
Child Neglect	126	123	97
Child Custody Issues	14	6	9

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	106	81	91
Parental Alcohol Use Related	1	0	3
Parental Drug Use Related	35	10	13
Parental Alcohol and Drug Use	7	5	5

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	35	22	29
Probation/Parole Admissions--Drug	260	229	191
Probation/Parole Admissions--DWI	36	42	43
Prison Admissions--Drug	114	99	85
Prison Admissions--DWI	10	20	18

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

SUBSTANCE USE SERVICE AREA 15

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	35	38	62
CSTAR Adolescent	27	39	47
CSTAR Women and Children	65	36	59
CSTAR General Adult	304	354	98
CSTAR Opioid	*	0	*
Primary Recovery Treatment	29	72	303
Clinical SATOP (CIP, YCIP, SROP)	52	61	59
Other Substance Abuse Treatment	*	*	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	245	237	251
- Adolescent Diversion Education Program	11	12	5
- Offender Education Program	69	53	65
- Weekend Intervention Program	43	42	54
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	25	12	24
Compulsive Gambling	0	0	*
Recovery Supports	*	7	*
Early Intervention	16	18	19

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	461	545	521	Alcohol	159	202	208
AGE				Marijuana / Hashish	148	165	169
Under 18	29	43	46	Cocaine (total)	9	16	15
18 to 24	88	98	99	- Crack	*	5	6
25 to 29	86	92	94	Stimulant (total)	87	101	62
30 to 34	79	91	82	- Methamphetamine	87	97	59
35 to 39	47	65	56	Heroin	28	19	27
40 to 44	37	47	41	Analgesic except Heroin	19	28	22
45 to 54	68	79	73	- Non-Prescription Methadone	0	0	*
55 and Over	27	30	30	PCP, LSD, other Hallucinogen	0	*	*
GENDER				Tranquilizer	5	*	5
Male	301	382	353	Inhalant	0	0	*
Female	160	163	168	Sedative	0	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	6	8	9
Caucasian	390	483	450	Average Age at First Use of Drug	17.9	17.9	17.3
African American	50	43	52	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	57	50	43
Asian / Pacific Islander	0	0	0	- Daily Injection Use	8	5	8
Hispanic	7	*	6	- Weekly Injection Use	15	13	9
Other Race / Two or More Races	14	17	16	- Less than Weekly Injection Use	34	32	26
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	147	197	190	0	268	319	300
High School Graduate or G.E.D.	243	283	260	1 or 2	127	145	152
Associate Degree or Some College	71	63	66	3 or More	66	81	69
Bachelor or Advanced Degree	0	*	5	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	78	132	74
Employed	176	191	165	School	0	0	*
Unemployed	171	219	219	Mental Health Provider	6	5	*
Not in Labor Force	114	135	137	Health Care Provider	13	15	11
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	251	294	332
Independent Living	371	441	414	Other Referral Source	64	62	68
Dependent Living	61	73	90	TREATMENT ACCOMMODATION			
Homeless	5	7	*	Pregnant when Admitted to any Episode	10	6	5
MARITAL / FAMILY STATUS				Military Veteran	25	23	17
Never Married	255	287	294	Special Education Services Needed	60	66	49
Married / Cohabiting	112	135	132	Co-Occurring Psychological Problem	164	181	158
Previously Married	94	123	95	Co-Occurring Developmental Problem	8	22	15

SUBSTANCE USE SERVICE AREA 15

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	40.6	44.0	46.0	50.4	Alcohol	16.6	16.7	20.9	25.5
Chewing Tobacco	17.9	17.5	6.9	15.8	Alcohol (5+ drinks on single occasion past 2 weeks)	7.1	7.4		
Cigarettes	20.4	27.0	26.7	30.3	Chewing Tobacco	5.9	7.2	8.2	8.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.4	1.0	2.2	1.6	Cigarettes	7.8	11.0	13.1	16.1
Cocaine	0.8	0.8	2.1	1.6	Inhalants	0.1	1.1	2.2	3.3
Electronic Cigarettes	14.8				Marijuana	6.2	3.0	6.2	6.2
Hallucinogens	1.3	0.6	2.7	2.3	Over-the-counter medications for non-medical use	1.7	0.8	3.5	5.1
Heroin	0.6	0.3	1.0	0.2	Prescription medications not prescribed for student	10.3	2.7	4.3	6.7
Inhalants	1.2	2.1	5.6	5.8					
Marijuana	12.6	12.1	13.8	14.5	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.4	0.5	1.5	0.9	Alcohol (1 or 2 drinks daily)	56.4	50.6		
Over-the-counter medications for non-medical use	3.9	1.8	6.1	7.6	Alcohol (Binge: 5+ drinks once or twice a week)	66.8	67.7		
Prescription medications not prescribed for student	13.1	5.8	8.3	12.8	Cigarettes (1+ packs per day)	80.4	79.2		
Synthetic drugs (K2, bath salts, Spice, etc)	1.2	4.7	6.8		Marijuana (once or twice a week)	69.2	62.5		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	89.9	91.7	90.5	93.0
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.82	12.93	12.55	12.25	Alcohol	78.4	73.1	73.8	73.3
Cigarettes	13.18	12.93	12.43	12.06	Cigarettes	94.2	93.1	90.2	90.2
Inhalants	9.80	12.74	11.79	11.60	Marijuana	95.1	94.8	94.8	95.0
Marijuana	14.19	14.05	13.66	13.30					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	49.4	54.8	56.9	62.9	Alcohol	63.3	47.2	57.1	51.2
Cigarettes	32.2	43.3	45.3	49.7	Cigarettes	87.6	78.1	77.9	76.5
Marijuana	29.0	26.9	28.9	34.0	Marijuana	84.5	79.6	84.4	84.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.3	10.7	12.3	14.4	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	99.2	96.6	94.2	95.6
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	30.5	34.9	36.0	40.8	Alcohol	51.2	60.0	54.9	58.8
Cigarettes	8.8	12.9	14.7	16.7	Cigarettes	44.6	50.8	51.4	57.9
Marijuana	11.3	9.4	8.2	9.0	Marijuana	29.3	27.0	31.3	34.1
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.9	8.7	16.6	17.5
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	63.0	54.7	62.5	69.0	Were grouchy, irritable, or in a bad mood	31.1	23.6	24.3	28.6
Were victims of mean rumors or lies spread at school	52.5	45.5	51.3	58.6	Had difficulty concentrating on school work	23.0	20.3	23.2	29.9
Were victims of an embarrassing or hurtful text message or something posted on the Internet	25.5	18.8	22.2	21.0	Were very sad	18.8	14.9	19.5	21.5
					Felt hopeless about the future	10.2	7.2	10.0	14.6
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	10.6	5.7	10.5	12.1	Parents involve student in making family decisions	70.9	72.3	68.1	70.1
Made plan about how they would attempt suicide	6.7	4.9	7.9	7.7	Parents notice and comment on student's good work	83.3	80.2	82.1	83.0
Attempted suicide	3.7	3.8	5.3	6.8	Teachers notice and comment on student's good work	76.4	73.5		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

SUBSTANCE USE SERVICE AREA 16



DBH REGION	Eastern
DBH SERVICE AREAS	
Substance Use	16
Adult Psychiatric	Not Applicable
POPULATION	
Census 2010	547,056
2015 Estimate	576,225

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	492	529	506
Fatal Crashes	17	12	18
Injury Crashes	163	202	200
Property Damage Crashes	312	315	288
Crash Fatalities	19	16	18
Crash Injuries	239	285	311
Drug Involved Crashes	106	113	113
Fatal Crashes	7	3	7
Injury Crashes	36	38	44
Property Damage Crashes	63	72	62
Crash Fatalities	7	3	8
Crash Injuries	53	57	80

BIRTH RISK	2014	2013	2012
Resident Births	6,850	6,912	6,808
Mother Reported Smoking while Pregnant	894	1,060	1,073

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	14	17	19
Hepatitis B Chronic, Acute, Prenatal		23	27
Hepatitis C Chronic and Acute	300	282	230
Tuberculosis Infection Cases	111	128	122

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	4,313	4,093	3,967
Suicides	78	84	82
Homicides	10	9	12
Alcohol Induced Deaths	32	25	32
Drug Induced Deaths	112	105	78
Smoking Attributable Deaths	773	719	683
Self-inflicted Injuries	598	555	648
Assault Injuries	1,147	1,241	1,537

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	3,683	3,813	3,080
Mental Illness Secondary Diagnosis	5,954	6,704	5,503
Alcohol Principal Diagnosis	311	337	275
Alcohol Secondary Diagnosis	425	439	376
Drug Principal Diagnosis	303	299	292
Drug Secondary Diagnosis	365	364	285
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	3,058	2,660	3,423
Mental Illness Secondary Diagnosis	9,947	8,976	9,915
Alcohol Principal Diagnosis	264	244	282
Alcohol Secondary Diagnosis	1,040	907	1,013
Drug Principal Diagnosis	172	172	186
Drug Secondary Diagnosis	513	463	522
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	4,093	3,885	4,099
Mental Illness Secondary Diagnosis	19,206	20,259	20,935
Alcohol Principal Diagnosis	764	812	960
Alcohol Secondary Diagnosis	860	899	1,073
Drug Principal Diagnosis	893	758	831
Drug Secondary Diagnosis	1,132	1,326	1,616

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	675	671	664
Alcohol Package Carry-out Licenses	394	382	382

EMPLOYMENT	2015	2014	2013
Labor Force	315,127	304,893	295,586
Employed	301,830	288,607	277,574
Unemployed	13,297	16,286	18,012
Unemployment Rate	4.2%	5.3%	6.1%

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	2,680	2,931	3,415
Liquor Law Arrests	474	521	931
Drug Arrests	2,591	633	2,611
Violent Offenses	891	881	881
Property Offenses	9,085	9,888	10,573
Domestic Violence Reports	2,606	2,808	2,424

	2015	2014	2013
Methamphetamine Lab Seizures	40	155	221

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	26,845	26,950	26,682
Drop-outs	419	359	410
Drop-out Rate	1.6%	1.3%	1.5%
School Discipline Involving Alcohol	60	57	32
School Discipline Involving Drugs	228	195	328
School Discipline Involving Tobacco		5	8

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	424	410	471
Juvenile Alcohol Offenses	89	98	165
Juvenile Drug Offenses	213	258	284
School Truancy Status Offense	382	400	277
Absent from Home Status Offense	227	223	324
Beyond Parental Control Status Offense	56	24	48
Injurious Behavior Status Offense	226	182	203
Child Abuse	79	74	65
Child Neglect	684	563	527
Child Custody Issues	33	32	39

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	331	347	405
Parental Alcohol Use Related	9	13	11
Parental Drug Use Related	154	150	187
Parental Alcohol and Drug Use	7	11	11

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	517	459	572
Probation/Parole Admissions--Drug	933	933	923
Probation/Parole Admissions--DWI	229	274	277
Prison Admissions--Drug	454	488	426
Prison Admissions--DWI	87	103	112

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.

³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

SUBSTANCE USE SERVICE AREA 16

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	203	198	217
CSTAR Adolescent	223	222	206
CSTAR Women and Children	204	198	235
CSTAR General Adult	955	794	687
CSTAR Opioid	44	50	74
Primary Recovery Treatment	41	36	146
Clinical SATOP (CIP, YCIP, SROP)	632	756	844
Other Substance Abuse Treatment	6	15	8

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	2,479	2,719	2,905
- Adolescent Diversion Education Program	193	159	62
- Offender Education Program	915	979	1,037
- Weekend Intervention Program	469	551	659
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	32	24	35
Compulsive Gambling	29	17	33
Recovery Supports	7	14	10
Early Intervention	13	16	14

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	2,078	2,019	2,145	Alcohol	872	942	1,058
AGE				Marijuana / Hashish	402	408	375
Under 18	227	225	210	Cocaine (total)	28	23	21
18 to 24	331	385	410	- Crack	19	14	13
25 to 29	386	356	396	Stimulant (total)	183	173	152
30 to 34	350	328	338	- Methamphetamine	178	160	144
35 to 39	229	212	218	Heroin	465	353	401
40 to 44	172	146	184	Analgesic except Heroin	94	82	89
45 to 54	271	279	305	- Non-Prescription Methadone	*	*	*
55 and Over	112	88	84	PCP, LSD, other Hallucinogen	*	*	6
GENDER				Tranquilizer	16	20	16
Male	1,360	1,305	1,393	Inhalant	*	*	*
Female	718	713	752	Sedative	*	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	10	12	21
Caucasian	1,917	1,864	2,000	Average Age at First Use of Drug	17.9	17.4	17.8
African American	96	91	82	INJECTION DRUG USE			
Native American / Alaskan	*	5	*	Any Injection Use at Admission	466	400	432
Asian / Pacific Islander	*	6	*	- Daily Injection Use	173	127	141
Hispanic	21	25	25	- Weekly Injection Use	119	102	120
Other Race / Two or More Races	46	36	43	- Less than Weekly Injection Use	174	171	171
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	621	649	662	0	1,069	901	880
High School Graduate or G.E.D.	907	797	896	1 or 2	622	722	799
Associate Degree or Some College	522	535	559	3 or More	387	396	466
Bachelor or Advanced Degree	28	36	26	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	519	499	495
Employed	802	768	764	School	41	39	30
Unemployed	613	656	770	Mental Health Provider	24	28	26
Not in Labor Force	663	595	611	Health Care Provider	77	52	68
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	1,127	1,148	1,269
Independent Living	1,683	1,629	1,774	Other Referral Source	220	207	212
Dependent Living	276	275	267	TREATMENT ACCOMMODATION			
Homeless	76	59	60	Pregnant when Admitted to any Episode	52	42	49
MARITAL / FAMILY STATUS				Military Veteran	108	103	101
Never Married	1,270	1,210	1,306	Special Education Services Needed	217	145	147
Married / Cohabiting	435	413	426	Co-Occurring Psychological Problem	693	590	696
Previously Married	373	396	413	Co-Occurring Developmental Problem	60	40	80

SUBSTANCE USE SERVICE AREA 16

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	36.4	32.8	37.1	44.3	Alcohol	17.1	13.8	16.4	21.4
Chewing Tobacco	14.4	7.3	18.7	9.7	Alcohol (5+ drinks on single occasion past 2 weeks)	7.4	6.0		
Cigarettes	13.8	15.7	18.3	23.6	Chewing Tobacco	3.5	3.0	3.9	5.4
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.1	1.7	1.8	2.1	Cigarettes	5.3	6.8	8.2	12.8
Cocaine	0.9	1.1	1.3	1.7	Inhalants	0.8	1.0	2.1	3.3
Electronic Cigarettes	21.0				Marijuana	7.1	7.4	6.9	8.5
Hallucinogens	1.7	2.2	2.3	3.6	Over-the-counter medications for non-medical use	1.2	1.3	3.6	4.7
Heroin	0.2	0.4	0.7	0.6	Prescription medications not prescribed for student	7.6	4.1	3.9	6.4
Inhalants	2.3	3.0	4.6	7.0					
Marijuana	14.0	13.8	13.4	15.9	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.3	0.6	0.9	0.7	Alcohol (1 or 2 drinks daily)	69.2	63.6		
Over-the-counter medications for non-medical use	3.2	2.9	6.0	7.6	Alcohol (Binge: 5+ drinks once or twice a week)	79.4	75.4		
Prescription medications not prescribed for student	11.2	7.4	7.5	10.7	Cigarettes (1+ packs per day)	87.4	89.4		
Synthetic drugs (K2, bath salts, Spice, etc)	1.2	3.6	5.3		Marijuana (once or twice a week)	68.0	67.1		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	92.9	93.8	94.8	93.1
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.22	12.84	12.68	12.41	Alcohol	82.5	80.9	79.9	77.0
Cigarettes	13.32	13.08	12.55	12.34	Cigarettes	95.7	94.7	93.4	90.8
Inhalants	11.02	11.73	11.52	11.82	Marijuana	93.1	92.5	95.0	93.7
Marijuana	14.37	13.77	13.60	13.45					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	45.2	46.0	51.2	59.6	Alcohol	66.2	63.9	62.3	56.8
Cigarettes	26.6	32.5	39.0	47.8	Cigarettes	90.7	87.6	85.4	80.2
Marijuana	34.0	33.3	35.6	37.8	Marijuana	81.1	80.1	83.3	81.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.8	12.3	15.8	19.4	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.9	95.8	96.3	94.5
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	25.1	25.1	28.4	33.9	Alcohol	56.3	55.8	58.9	62.3
Cigarettes	7.0	8.8	9.9	14.1	Cigarettes	44.0	44.9	49.6	55.9
Marijuana	13.0	13.1	11.1	12.6	Marijuana	35.0	33.6	35.1	36.8
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.2	13.0	14.8	18.0
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	59.8	58.4	59.4	69.8	Were grouchy, irritable, or in a bad mood	29.0	24.2	22.1	21.6
Were victims of mean rumors or lies spread at school	45.0	44.8	44.5	52.5	Had difficulty concentrating on school work	27.6	25.8	24.4	24.2
Were victims of an embarrassing or hurtful text message or something posted on the Internet	24.7	24.8	20.7	20.3	Were very sad	19.3	19.7	17.5	15.6
					Felt hopeless about the future	10.9	11.4	11.4	10.8
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	11.0	11.0	10.5	10.9	Parents involve student in making family decisions	71.0	68.7	67.5	69.4
Made plan about how they would attempt suicide	7.3	8.0	8.1	7.9	Parents notice and comment on student's good work	84.5	83.1	82.8	83.4
Attempted suicide	4.5	4.4	4.9	5.0	Teachers notice and comment on student's good work	72.9	70.6		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

SUBSTANCE USE SERVICE AREA 17



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	17
Adult Psychiatric	Not Applicable
POPULATION	
Census 2010	211,091
2015 Estimate	210,167

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	199	220	269
Fatal Crashes	8	14	19
Injury Crashes	87	83	122
Property Damage Crashes	104	123	128
Crash Fatalities	8	15	19
Crash Injuries	130	120	167
Drug Involved Crashes	64	80	67
Fatal Crashes	6	4	1
Injury Crashes	24	23	34
Property Damage Crashes	34	53	32
Crash Fatalities	8	4	2
Crash Injuries	42	34	43

BIRTH RISK	2014	2013	2012
Resident Births	2,303	2,401	2,373
Mother Reported Smoking while Pregnant	628	695	654

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	9	1	4
Hepatitis B Chronic, Acute, Prenatal		22	16
Hepatitis C Chronic and Acute	439	298	287
Tuberculosis Infection Cases	62	125	66

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	2,448	2,347	2,327
Suicides	36	37	40
Homicides	12	7	4
Alcohol Induced Deaths	13	8	14
Drug Induced Deaths	64	48	63
Smoking Attributable Deaths	478	454	470
Self-inflicted Injuries	290	349	387
Assault Injuries	796	789	892

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	2,223	2,279	2,099
Mental Illness Secondary Diagnosis	4,114	4,246	4,178
Alcohol Principal Diagnosis	77	98	76
Alcohol Secondary Diagnosis	263	294	250
Drug Principal Diagnosis	332	298	240
Drug Secondary Diagnosis	314	301	269
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	893	756	1,073
Mental Illness Secondary Diagnosis	3,599	3,704	4,218
Alcohol Principal Diagnosis	78	99	138
Alcohol Secondary Diagnosis	306	261	372
Drug Principal Diagnosis	75	104	123
Drug Secondary Diagnosis	235	216	283
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	2,818	2,512	2,847
Mental Illness Secondary Diagnosis	14,070	15,815	16,765
Alcohol Principal Diagnosis	451	434	423
Alcohol Secondary Diagnosis	347	427	530
Drug Principal Diagnosis	516	499	512
Drug Secondary Diagnosis	553	670	790

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	236	241	246
Alcohol Package Carry-out Licenses	202	198	201

EMPLOYMENT	2015	2014	2013
Labor Force	90,370	89,254	99,058
Employed	85,102	82,822	92,097
Unemployed	5,268	6,432	6,961
Unemployment Rate	5.8%	7.2%	7.0%

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	1,024	1,032	1,231
Liquor Law Arrests	154	186	274
Drug Arrests	1,321	2,775	1,299
Violent Offenses	589	542	530
Property Offenses	5,300	5,380	5,669
Domestic Violence Reports	857	735	952
	2015	2014	2013
Methamphetamine Lab Seizures	59	108	195
SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	9,456	9,448	9,494
Drop-outs	161	169	180
Drop-out Rate	1.7%	1.8%	1.9%
School Discipline Involving Alcohol	16	8	28
School Discipline Involving Drugs	52	56	59
School Discipline Involving Tobacco		2	4

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	316	387	441
Juvenile Alcohol Offenses	23	26	17
Juvenile Drug Offenses	28	42	77
School Truancy Status Offense	341	303	301
Absent from Home Status Offense	22	36	29
Beyond Parental Control Status Offense	130	151	179
Injurious Behavior Status Offense	156	149	169
Child Abuse	237	285	339
Child Neglect	508	530	736
Child Custody Issues	18	18	10

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	373	265	232
Parental Alcohol Use Related	11	3	15
Parental Drug Use Related	192	117	84
Parental Alcohol and Drug Use	13	9	5

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	166	138	153
Probation/Parole Admissions--Drug	723	692	742
Probation/Parole Admissions--DWI	86	93	109
Prison Admissions--Drug	416	409	338
Prison Admissions--DWI	48	46	36

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.

³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

SUBSTANCE USE SERVICE AREA 17

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	218	215	215
CSTAR Adolescent	83	55	50
CSTAR Women and Children	62	56	71
CSTAR General Adult	994	933	998
CSTAR Opioid	*	*	7
Primary Recovery Treatment	124	145	563
Clinical SATOP (CIP, YCIP, SROP)	165	190	185
Other Substance Abuse Treatment	*	6	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	703	773	831
- Adolescent Diversion Education Program	*	*	0
- Offender Education Program	264	288	322
- Weekend Intervention Program	153	178	193
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	18	7	8
Compulsive Gambling	*	*	*
Recovery Supports	7	29	21
Early Intervention	148	97	66

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	1,417	1,379	1,679	Alcohol	402	430	539
AGE				Marijuana / Hashish	307	260	338
Under 18	86	59	54	Cocaine (total)	17	14	13
18 to 24	190	216	313	- Crack	13	6	8
25 to 29	282	296	356	Stimulant (total)	292	253	274
30 to 34	276	290	311	- Methamphetamine	282	239	268
35 to 39	166	153	182	Heroin	173	161	175
40 to 44	129	118	149	Analgesic except Heroin	192	218	302
45 to 54	208	184	245	- Non-Prescription Methadone	6	*	*
55 and Over	80	63	69	PCP, LSD, other Hallucinogen	*	*	*
GENDER				Tranquilizer	24	16	23
Male	828	844	1,057	Inhalant	0	*	*
Female	589	535	622	Sedative	*	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	7	22	7
Caucasian	1,356	1,323	1,612	Average Age at First Use of Drug	19.3	18.7	18.7
African American	37	28	43	INJECTION DRUG USE			
Native American / Alaskan	6	5	*	Any Injection Use at Admission	322	289	318
Asian / Pacific Islander	0	0	0	- Daily Injection Use	86	80	90
Hispanic	9	17	18	- Weekly Injection Use	83	84	92
Other Race / Two or More Races	17	17	15	- Less than Weekly Injection Use	153	125	136
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	492	486	599	0	868	809	983
High School Graduate or G.E.D.	645	616	786	1 or 2	363	382	466
Associate Degree or Some College	273	267	284	3 or More	186	188	230
Bachelor or Advanced Degree	7	10	10	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	540	511	566
Employed	346	350	415	School	*	*	*
Unemployed	541	596	814	Mental Health Provider	7	11	15
Not in Labor Force	530	433	450	Health Care Provider	112	80	71
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	560	562	837
Independent Living	1,197	1,172	1,470	Other Referral Source	171	197	175
Dependent Living	144	150	147	TREATMENT ACCOMMODATION			
Homeless	53	44	44	Pregnant when Admitted to any Episode	35	32	33
MARITAL / FAMILY STATUS				Military Veteran	56	65	72
Never Married	709	708	837	Special Education Services Needed	160	121	177
Married / Cohabiting	365	373	467	Co-Occurring Psychological Problem	640	639	690
Previously Married	343	298	375	Co-Occurring Developmental Problem	73	95	170

SUBSTANCE USE SERVICE AREA 17

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	39.1	35.8	41.7	46.9	Alcohol	15.5	13.7	19.4	22.9
Chewing Tobacco	19.6	17.0	24.2	19.8	Alcohol (5+ drinks on single occasion past 2 weeks)	7.2	5.9		
Cigarettes	24.8	25.0	26.5	31.0	Chewing Tobacco	7.3	9.2	10.0	11.5
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.2	1.9	2.0	1.8	Cigarettes	10.0	9.5	13.2	16.6
Cocaine	0.9	0.8	1.7	1.8	Inhalants	0.9	1.1	3.5	3.8
Electronic Cigarettes	28.5				Marijuana	5.7	8.6	9.0	9.7
Hallucinogens	2.0	1.8	3.0	3.4	Over-the-counter medications for non-medical use	1.8	1.6	4.2	6.1
Heroin	0.5	0.3	1.1	0.9	Prescription medications not prescribed for student	8.3	5.8	5.9	8.3
Inhalants	2.8	3.5	6.7	8.4					
Marijuana	14.6	14.7	16.1	17.1	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.7	0.5	1.3	1.3	Alcohol (1 or 2 drinks daily)	62.6	58.6		
Over-the-counter medications for non-medical use	4.8	3.4	7.0	9.3	Alcohol (Binge: 5+ drinks once or twice a week)	73.5	67.1		
Prescription medications not prescribed for student	13.3	9.8	10.3	14.7	Cigarettes (1+ packs per day)	82.5	85.1		
Synthetic drugs (K2, bath salts, Spice, etc)	2.2	2.8	6.7		Marijuana (once or twice a week)	67.8	64.3		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	91.6	92.1	93.8	93.3
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.64	12.72	12.28	12.01	Alcohol	79.8	77.2	76.3	75.2
Cigarettes	12.46	12.75	12.00	11.62	Cigarettes	90.9	89.5	89.5	89.2
Inhalants	11.19	11.42	11.83	12.13	Marijuana	92.4	91.5	93.5	94.4
Marijuana	13.86	14.10	13.40	13.11					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	46.6	44.0	54.1	62.3	Alcohol	67.2	63.6	58.3	57.9
Cigarettes	34.7	38.0	44.8	49.0	Cigarettes	84.1	82.7	78.6	76.7
Marijuana	31.2	32.4	33.7	36.6	Marijuana	82.2	81.0	81.2	81.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.2	11.4	14.4	17.5	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.1	96.2	95.4	94.7
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	26.5	27.5	31.8	36.6	Alcohol	51.3	46.0	55.2	59.5
Cigarettes	11.1	12.6	15.0	17.2	Cigarettes	49.5	47.4	51.5	58.3
Marijuana	12.1	13.3	13.2	14.2	Marijuana	33.9	31.6	33.0	36.0
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.4	14.0	16.2	20.4
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	59.1	57.3	61.2	70.1	Were grouchy, irritable, or in a bad mood	32.8	24.5	26.5	24.7
Were victims of mean rumors or lies spread at school	49.1	49.8	50.3	58.7	Had difficulty concentrating on school work	27.3	24.4	25.0	26.3
Were victims of an embarrassing or hurtful text message or something posted on the Internet	23.9	23.7	21.6	19.8	Were very sad	23.6	19.6	21.5	19.2
					Felt hopeless about the future	13.1	11.9	12.6	13.0
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	13.7	12.1	13.1	13.8	Parents involve student in making family decisions	68.9	70.4	67.8	68.3
Made plan about how they would attempt suicide	10.1	9.1	9.5	9.8	Parents notice and comment on student's good work	82.3	82.0	82.1	84.2
Attempted suicide	6.4	5.9	5.6	5.9	Teachers notice and comment on student's good work	76.8	74.1		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

SUBSTANCE USE SERVICE AREA 18



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	18
Adult Psychiatric	Not Applicable
POPULATION	
Census 2010	127,952
2015 Estimate	126,068

BIRTH RISK	2014	2013	2012
Resident Births	1,533	1,493	1,508
Mother Reported Smoking while Pregnant	431	428	393

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	1	1	4
Hepatitis B Chronic, Acute, Prenatal		10	12
Hepatitis C Chronic and Acute	157	125	150
Tuberculosis Infection Cases	23	12	34

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	1,540	1,608	1,498
Suicides	23	29	26
Homicides	7	6	8
Alcohol Induced Deaths	8	7	12
Drug Induced Deaths	12	16	18
Smoking Attributable Deaths	269	310	289
Self-inflicted Injuries	181	201	215
Assault Injuries	238	246	264

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	1,157	1,165	1,287
Mental Illness Secondary Diagnosis	2,237	2,271	2,488
Alcohol Principal Diagnosis	131	128	131
Alcohol Secondary Diagnosis	151	168	233
Drug Principal Diagnosis	209	204	184
Drug Secondary Diagnosis	154	134	163
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	187	198	180
Mental Illness Secondary Diagnosis	1,294	1,229	1,275
Alcohol Principal Diagnosis	46	27	49
Alcohol Secondary Diagnosis	110	116	132
Drug Principal Diagnosis	34	38	45
Drug Secondary Diagnosis	111	88	80
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	1,052	964	1,026
Mental Illness Secondary Diagnosis	4,940	5,317	4,327
Alcohol Principal Diagnosis	171	148	184
Alcohol Secondary Diagnosis	207	217	235
Drug Principal Diagnosis	148	140	176
Drug Secondary Diagnosis	216	198	202

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	84	85	86
Alcohol Package Carry-out Licenses	135	144	132

EMPLOYMENT	2015	2014	2013
Labor Force	50,266	49,313	58,305
Employed	46,912	45,561	54,334
Unemployed	3,354	3,752	3,971
Unemployment Rate	6.7%	7.6%	6.8%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	144	150	169
Fatal Crashes	6	8	9
Injury Crashes	68	59	72
Property Damage Crashes	70	83	88
Crash Fatalities	6	8	9
Crash Injuries	106	89	103
Drug Involved Crashes	28	34	31
Fatal Crashes	4	0	0
Injury Crashes	14	10	19
Property Damage Crashes	10	24	12
Crash Fatalities	4	0	0
Crash Injuries	19	14	26

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	552	626	758
Liquor Law Arrests	140	141	165
Drug Arrests	1,080	739	941
Violent Offenses	248	274	335
Property Offenses	2,526	2,830	3,064
Domestic Violence Reports	726	760	565

Methamphetamine Lab Seizures	2015	2014	2013
	8	30	56

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	5,810	5,858	5,940
Drop-outs	34	32	49
Drop-out Rate	0.6%	0.5%	0.8%
School Discipline Involving Alcohol	8	5	21
School Discipline Involving Drugs	24	23	33
School Discipline Involving Tobacco		2	1

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	60	87	125
Juvenile Alcohol Offenses	30	29	34
Juvenile Drug Offenses	23	30	53
School Truancy Status Offense	202	222	291
Absent from Home Status Offense	28	42	41
Beyond Parental Control Status Offense	137	106	138
Injurious Behavior Status Offense	146	129	225
Child Abuse	199	189	260
Child Neglect	502	552	749
Child Custody Issues	65	49	80

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	247	161	93
Parental Alcohol Use Related	7	6	7
Parental Drug Use Related	114	54	18
Parental Alcohol and Drug Use	1	11	13

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	151	128	149
Probation/Parole Admissions--Drug	355	340	293
Probation/Parole Admissions--DWI	45	51	59
Prison Admissions--Drug	145	160	142
Prison Admissions--DWI	20	20	30

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.

³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

SUBSTANCE USE SERVICE AREA 18

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	138	147	155
CSTAR Adolescent	35	52	48
CSTAR Women and Children	40	35	38
CSTAR General Adult	327	303	298
CSTAR Opioid	0	0	*
Primary Recovery Treatment	19	49	109
Clinical SATOP (CIP, YCIP, SROP)	138	89	134
Other Substance Abuse Treatment	*	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	402	384	476
- Adolescent Diversion Education Program	*	*	*
- Offender Education Program	131	153	184
- Weekend Intervention Program	59	81	92
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	15	14	14
Compulsive Gambling	0	0	0
Recovery Supports	15	16	26
Early Intervention	*	*	8

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	584	545	640	Alcohol	224	205	255
AGE				Marijuana / Hashish	105	100	107
Under 18	35	56	48	Cocaine (total)	*	*	*
18 to 24	91	95	129	- Crack	0	*	*
25 to 29	134	87	109	Stimulant (total)	160	151	140
30 to 34	104	83	115	- Methamphetamine	158	150	138
35 to 39	71	55	72	Heroin	9	10	12
40 to 44	49	57	54	Analgesic except Heroin	74	68	102
45 to 54	73	87	80	- Non-Prescription Methadone	*	*	*
55 and Over	27	25	33	PCP, LSD, other Hallucinogen	*	0	*
GENDER				Tranquilizer	6	*	9
Male	346	350	394	Inhalant	0	0	*
Female	238	195	246	Sedative	*	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	6	11
Caucasian	556	528	623	Average Age at First Use of Drug	17.8	17.9	18.0
African American	5	*	7	INJECTION DRUG USE			
Native American / Alaskan	*	*	*	Any Injection Use at Admission	133	124	149
Asian / Pacific Islander	0	0	0	- Daily Injection Use	32	29	35
Hispanic	10	6	6	- Weekly Injection Use	38	45	50
Other Race / Two or More Races	18	11	7	- Less than Weekly Injection Use	63	50	64
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	200	204	237	0	305	308	316
High School Graduate or G.E.D.	272	244	298	1 or 2	183	152	214
Associate Degree or Some College	111	92	102	3 or More	96	85	110
Bachelor or Advanced Degree	*	5	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	222	201	255
Employed	139	79	81	School	*	*	*
Unemployed	167	180	270	Mental Health Provider	0	*	9
Not in Labor Force	278	286	289	Health Care Provider	37	39	25
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	245	200	246
Independent Living	491	446	536	Other Referral Source	71	96	95
Dependent Living	57	76	74	TREATMENT ACCOMMODATION			
Homeless	20	14	21	Pregnant when Admitted to any Episode	13	11	12
MARITAL / FAMILY STATUS				Military Veteran	22	21	26
Never Married	252	230	268	Special Education Services Needed	70	35	59
Married / Cohabiting	200	157	201	Co-Occurring Psychological Problem	280	187	227
Previously Married	132	158	171	Co-Occurring Developmental Problem	31	23	44

SUBSTANCE USE SERVICE AREA 18

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	30.9	36.4	39.6	46.3	Alcohol	11.7	15.1	15.0	20.7
Chewing Tobacco	17.5	22.2	17.1	26.1	Alcohol (5+ drinks on single occasion past 2 weeks)	5.9	7.0		
Cigarettes	21.7	29.3	29.0	35.4	Chewing Tobacco	8.3	15.0	13.6	15.3
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.7	0.6	2.1	2.1	Cigarettes	7.6	13.2	12.9	18.8
Cocaine	0.5	0.2	1.2	1.1	Inhalants	1.1	0.8	2.6	3.6
Electronic Cigarettes	17.4				Marijuana	3.4	2.8	4.5	6.0
Hallucinogens	1.2	1.2	2.5	2.7	Over-the-counter medications for non-medical use	0.9	0.6	2.9	5.1
Heroin	0.2	0.2	0.8	0.7	Prescription medications not prescribed for student	7.6	3.0	4.2	7.5
Inhalants	2.4	2.1	6.3	7.6	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	10.3	9.4	11.2	13.6	Alcohol (1 or 2 drinks daily)	65.1	51.1		
Methamphetamine	0.6	0.3	1.1	0.9	Alcohol (Binge: 5+ drinks once or twice a week)	74.5	62.1		
Over-the-counter medications for non-medical use	3.1	1.2	5.1	8.1	Cigarettes (1+ packs per day)	86.8	83.9		
Prescription medications not prescribed for student	11.5	7.2	9.0	12.3	Marijuana (once or twice a week)	74.7	71.2		
Synthetic drugs (K2, bath salts, Spice, etc)	1.3	3.9	7.5		Other: Cocaine, LSD, Meth, Club Drug (any use)	92.8	92.2	93.6	92.9
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.25	12.95	12.29	12.14	Alcohol	87.8	80.9	79.5	79.2
Cigarettes	11.77	12.85	12.07	11.82	Cigarettes	94.4	86.0	88.5	88.6
Inhalants	10.90	12.69	12.28	12.20	Marijuana	94.1	94.5	95.5	95.2
Marijuana	13.69	14.15	13.08	13.45	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	76.4	65.5	62.2	57.3
Alcohol	33.8	44.1	50.9	59.5	Cigarettes	88.7	76.4	76.7	73.7
Cigarettes	28.7	40.2	45.4	51.8	Marijuana	86.9	86.8	86.5	85.2
Marijuana	24.0	19.2	24.4	31.9	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.2	98.0	96.5	95.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	8.7	6.2	10.1	15.5	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	35.4	48.4	52.0	57.2
Alcohol	19.1	27.4	29.1	35.5	Cigarettes	33.0	50.5	53.4	60.5
Cigarettes	8.6	15.4	16.4	20.1	Marijuana	22.3	27.7	27.8	34.2
Marijuana	8.9	8.8	8.3	10.3	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.8	12.0	14.8	18.4
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	69.6	56.2	61.5	69.6	Were grouchy, irritable, or in a bad mood	29.6	21.5	23.9	23.0
Were victims of mean rumors or lies spread at school	46.3	51.5	51.7	58.8	Had difficulty concentrating on school work	23.9	21.4	20.3	24.2
Were victims of an embarrassing or hurtful text message or something posted on the Internet	23.2	21.5	19.7	19.3	Were very sad	18.3	17.0	19.8	18.2
					Felt hopeless about the future	10.2	8.9	11.6	12.3
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	9.4	6.9	10.8	11.7	Parents involve student in making family decisions	73.9	72.4	67.8	69.7
Made plan about how they would attempt suicide	7.2	4.8	8.9	9.2	Parents notice and comment on student's good work	85.5	84.3	82.4	83.4
Attempted suicide	3.5	2.5	5.4	5.5	Teachers notice and comment on student's good work	77.2	75.5		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

SUBSTANCE USE SERVICE AREA 19



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	19
Adult Psychiatric	Not Applicable
POPULATION	
Census 2010	113,344
2015 Estimate	112,715

BIRTH RISK	2014	2013	2012
Resident Births	1,347	1,428	1,468
Mother Reported Smoking while Pregnant	390	411	449

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	4	7	6
Hepatitis B Chronic, Acute, Prenatal		6	17
Hepatitis C Chronic and Acute	174	159	168
Tuberculosis Infection Cases	34	21	31

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	1,456	1,531	1,374
Suicides	25	25	20
Homicides	2	4	4
Alcohol Induced Deaths	10	16	9
Drug Induced Deaths	27	26	26
Smoking Attributable Deaths	282	299	273
Self-inflicted Injuries	197	250	276
Assault Injuries	430	410	476

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	1,303	1,285	1,260
Mental Illness Secondary Diagnosis	2,159	2,433	2,166
Alcohol Principal Diagnosis	53	59	77
Alcohol Secondary Diagnosis	158	227	195
Drug Principal Diagnosis	116	102	107
Drug Secondary Diagnosis	142	143	146
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	326	292	256
Mental Illness Secondary Diagnosis	2,366	2,251	2,263
Alcohol Principal Diagnosis	40	41	39
Alcohol Secondary Diagnosis	145	130	169
Drug Principal Diagnosis	64	50	49
Drug Secondary Diagnosis	97	86	71
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	1,467	1,507	1,569
Mental Illness Secondary Diagnosis	2,173	3,142	1,565
Alcohol Principal Diagnosis	136	181	156
Alcohol Secondary Diagnosis	186	199	168
Drug Principal Diagnosis	201	193	202
Drug Secondary Diagnosis	260	232	210

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	131	132	135
Alcohol Package Carry-out Licenses	135	141	139

EMPLOYMENT	2015	2014	2013
Labor Force	49,187	48,223	54,706
Employed	45,969	44,597	50,847
Unemployed	3,218	3,626	3,859
Unemployment Rate	6.5%	7.5%	7.1%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	95	149	173
Fatal Crashes	5	6	11
Injury Crashes	51	71	84
Property Damage Crashes	39	72	78
Crash Fatalities	5	9	12
Crash Injuries	85	99	131
Drug Involved Crashes	43	38	49
Fatal Crashes	0	1	2
Injury Crashes	19	18	26
Property Damage Crashes	24	19	21
Crash Fatalities	0	1	2
Crash Injuries	24	23	39

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	537	614	795
Liquor Law Arrests	96	155	215
Drug Arrests	910	506	813
Violent Offenses	359	362	389
Property Offenses	3,348	3,528	3,502
Domestic Violence Reports	823	594	539
	2015	2014	2013
Methamphetamine Lab Seizures	7	12	35

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	5,050	4,986	4,976
Drop-outs	78	75	115
Drop-out Rate	1.5%	1.5%	2.3%
School Discipline Involving Alcohol	3	11	9
School Discipline Involving Drugs	42	63	30
School Discipline Involving Tobacco		1	3

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	210	180	163
Juvenile Alcohol Offenses	10	21	41
Juvenile Drug Offenses	33	43	32
School Truancy Status Offense	93	97	86
Absent from Home Status Offense	44	40	45
Beyond Parental Control Status Offense	117	106	103
Injurious Behavior Status Offense	16	34	36
Child Abuse	111	116	114
Child Neglect	651	484	510
Child Custody Issues	129	130	184

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	404	327	350
Parental Alcohol Use Related	13	7	9
Parental Drug Use Related	197	171	145
Parental Alcohol and Drug Use	9	8	11

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	186	191	214
Probation/Parole Admissions--Drug	445	389	352
Probation/Parole Admissions--DWI	54	52	46
Prison Admissions--Drug	224	208	183
Prison Admissions--DWI	23	28	20

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

SUBSTANCE USE SERVICE AREA 19

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	142	144	147
CSTAR Adolescent	46	40	50
CSTAR Women and Children	34	52	61
CSTAR General Adult	826	646	646
CSTAR Opioid	*	0	0
Primary Recovery Treatment	50	85	302
Clinical SATOP (CIP, YCIP, SROP)	97	114	129
Other Substance Abuse Treatment	*	*	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	358	385	433
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	114	116	140
- Weekend Intervention Program	62	65	97
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	8	*	7
Compulsive Gambling	*	*	*
Recovery Supports	85	350	370
Early Intervention	*	*	7

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	1,046	1,076	1,158	Alcohol	288	318	355
AGE				Marijuana / Hashish	314	279	324
Under 18	46	39	50	Cocaine (total)	8	13	18
18 to 24	162	189	201	- Crack	6	12	12
25 to 29	181	163	201	Stimulant (total)	261	266	232
30 to 34	186	222	230	- Methamphetamine	253	257	225
35 to 39	140	150	125	Heroin	51	49	45
40 to 44	111	119	123	Analgesic except Heroin	98	128	145
45 to 54	155	138	172	- Non-Prescription Methadone	*	*	0
55 and Over	65	56	56	PCP, LSD, other Hallucinogen	*	*	*
GENDER				Tranquilizer	17	15	34
Male	663	691	730	Inhalant	*	*	*
Female	383	384	428	Sedative	0	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	5	*	0
Caucasian	955	985	1,063	Average Age at First Use of Drug	18.7	18.6	18.3
African American	65	65	66	INJECTION DRUG USE			
Native American / Alaskan	*	*	5	Any Injection Use at Admission	152	209	180
Asian / Pacific Islander	*	*	*	- Daily Injection Use	21	47	34
Hispanic	14	17	15	- Weekly Injection Use	44	69	52
Other Race / Two or More Races	14	10	16	- Less than Weekly Injection Use	87	93	94
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	386	381	455	0	637	645	649
High School Graduate or G.E.D.	496	527	538	1 or 2	278	303	350
Associate Degree or Some College	162	163	160	3 or More	131	128	159
Bachelor or Advanced Degree	*	5	5	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	236	279	252
Employed	277	263	272	School	0	*	*
Unemployed	372	520	546	Mental Health Provider	9	*	7
Not in Labor Force	397	293	340	Health Care Provider	85	86	86
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	501	499	596
Independent Living	843	876	969	Other Referral Source	159	152	187
Dependent Living	104	137	147	TREATMENT ACCOMMODATION			
Homeless	60	48	35	Pregnant when Admitted to any Episode	17	14	19
MARITAL / FAMILY STATUS				Military Veteran	43	50	34
Never Married	462	419	492	Special Education Services Needed	110	112	158
Married / Cohabiting	296	349	361	Co-Occurring Psychological Problem	514	529	517
Previously Married	288	308	305	Co-Occurring Developmental Problem	43	98	122

SUBSTANCE USE SERVICE AREA 19

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	39.4	35.3	42.4	45.2	Alcohol	15.1	14.4	18.1	20.6
Chewing Tobacco	18.4	18.1	15.6	19.0	Alcohol (5+ drinks on single occasion past 2 weeks)	6.5	7.5		
Cigarettes	24.1	25.4	30.8	35.2	Chewing Tobacco	6.5	10.1	9.8	10.5
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.9	1.3	2.7	2.6	Cigarettes	9.6	11.5	16.3	17.9
Cocaine	0.8	1.1	2.9	2.3	Inhalants	1.0	0.8	1.5	3.6
Electronic Cigarettes	27.0				Marijuana	6.4	6.5	8.0	9.8
Hallucinogens	1.2	1.6	2.8	3.8	Over-the-counter medications for non-medical use	1.7	1.7	4.2	5.7
Heroin	0.4	0.5	1.3	0.7	Prescription medications not prescribed for student	8.9	4.5	6.2	9.7
Inhalants	3.3	3.2	5.1	9.0					
Marijuana	13.9	14.1	16.9	17.4	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.5	0.9	1.8	1.8	Alcohol (1 or 2 drinks daily)	62.6	53.3		
Over-the-counter medications for non-medical use	4.3	3.3	7.6	9.4	Alcohol (Binge: 5+ drinks once or twice a week)	75.4	62.0		
Prescription medications not prescribed for student	13.2	9.6	12.1	15.7	Cigarettes (1+ packs per day)	82.8	78.6		
Synthetic drugs (K2, bath salts, Spice, etc)	2.0	4.4	7.1		Marijuana (once or twice a week)	68.2	64.9		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	91.7	88.7	93.9	93.4
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.78	12.57	12.65	12.33	Alcohol	83.6	80.5	80.0	78.6
Cigarettes	12.39	12.12	12.18	11.94	Cigarettes	92.3	90.2	90.2	88.6
Inhalants	11.40	11.91	12.13	12.72	Marijuana	92.4	92.0	94.8	93.6
Marijuana	13.76	13.70	13.34	13.39					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	51.3	48.2	55.3	58.8	Alcohol	67.1	64.2	59.1	58.2
Cigarettes	35.9	43.6	50.0	52.7	Cigarettes	85.2	80.8	76.7	74.9
Marijuana	38.4	32.4	35.9	35.9	Marijuana	81.5	80.6	82.5	82.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.2	11.7	14.8	18.3	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.8	95.8	95.6	94.4
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	26.6	28.0	33.7	33.7	Alcohol	51.4	51.9	56.0	55.3
Cigarettes	10.5	14.8	17.8	18.6	Cigarettes	50.1	52.1	57.5	59.0
Marijuana	13.6	12.3	12.3	12.7	Marijuana	39.1	33.8	38.2	36.5
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	18.6	16.5	19.6	18.9
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	57.0	59.9	57.7	67.2	Were grouchy, irritable, or in a bad mood	30.6	26.6	25.4	24.1
Were victims of mean rumors or lies spread at school	48.1	52.8	52.0	58.6	Had difficulty concentrating on school work	26.6	23.3	24.5	27.8
Were victims of an embarrassing or hurtful text message or something posted on the Internet	23.7	22.5	19.5	18.4	Were very sad	21.1	19.6	19.2	19.2
					Felt hopeless about the future	12.1	11.3	10.8	12.9
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	11.8	10.8	12.6	12.4	Parents involve student in making family decisions	68.3	66.2	69.3	69.6
Made plan about how they would attempt suicide	9.6	8.9	8.4	8.9	Parents notice and comment on student's good work	82.8	81.5	82.5	84.1
Attempted suicide	5.8	4.9	5.7	5.7	Teachers notice and comment on student's good work	74.3	72.3		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

SUBSTANCE USE SERVICE AREA 20



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	20
Adult Psychiatric	Not Applicable
POPULATION	
Census 2010	83,563
2015 Estimate	80,621

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	74	90	88
Fatal Crashes	8	6	3
Injury Crashes	31	36	46
Property Damage Crashes	35	48	39
Crash Fatalities	10	6	3
Crash Injuries	50	53	70
Drug Involved Crashes	26	37	21
Fatal Crashes	1	1	0
Injury Crashes	17	15	9
Property Damage Crashes	8	21	12
Crash Fatalities	1	1	0
Crash Injuries	26	20	10

BIRTH RISK	2014	2013	2012
Resident Births	1,102	1,203	1,122
Mother Reported Smoking while Pregnant	303	355	327

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	6	2	1
Hepatitis B Chronic, Acute, Prenatal		2	1
Hepatitis C Chronic and Acute	110	94	93
Tuberculosis Infection Cases	13	13	29

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	1,086	1,097	1,127
Suicides	13	15	12
Homicides	8	3	5
Alcohol Induced Deaths	3	2	11
Drug Induced Deaths	15	15	21
Smoking Attributable Deaths	235	240	238
Self-inflicted Injuries	153	139	143
Assault Injuries	422	460	485

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	1,247	1,143	1,241
Mental Illness Secondary Diagnosis	1,780	1,863	1,875
Alcohol Principal Diagnosis	48	37	48
Alcohol Secondary Diagnosis	144	139	161
Drug Principal Diagnosis	133	71	68
Drug Secondary Diagnosis	119	106	120
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	207	255	251
Mental Illness Secondary Diagnosis	1,661	1,518	1,781
Alcohol Principal Diagnosis	38	26	41
Alcohol Secondary Diagnosis	120	109	140
Drug Principal Diagnosis	34	38	40
Drug Secondary Diagnosis	105	70	81
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	1,108	982	962
Mental Illness Secondary Diagnosis	1,874	1,238	749
Alcohol Principal Diagnosis	139	173	142
Alcohol Secondary Diagnosis	128	97	143
Drug Principal Diagnosis	200	135	132
Drug Secondary Diagnosis	179	145	138

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	63	64	70
Alcohol Package Carry-out Licenses	114	114	111

EMPLOYMENT	2015	2014	2013
Labor Force	35,606	34,557	38,104
Employed	32,982	31,681	35,119
Unemployed	2,624	2,876	2,985
Unemployment Rate	7.4%	8.3%	7.8%

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	397	461	599
Liquor Law Arrests	55	58	118
Drug Arrests	503	1,014	661
Violent Offenses	402	324	440
Property Offenses	2,593	2,445	2,525
Domestic Violence Reports	646	627	726

	2015	2014	2013
Methamphetamine Lab Seizures	5	5	19

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	3,875	4,026	4,046
Drop-outs	32	39	42
Drop-out Rate	0.8%	1.0%	1.0%
School Discipline Involving Alcohol	10	1	1
School Discipline Involving Drugs	24	38	12
School Discipline Involving Tobacco		0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	108	103	149
Juvenile Alcohol Offenses	15	33	19
Juvenile Drug Offenses	31	33	23
School Truancy Status Offense	128	95	104
Absent from Home Status Offense	22	16	22
Beyond Parental Control Status Offense	78	94	69
Injurious Behavior Status Offense	84	121	94
Child Abuse	97	187	181
Child Neglect	475	398	524
Child Custody Issues	13	8	18

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	229	213	186
Parental Alcohol Use Related	1	8	10
Parental Drug Use Related	131	121	91
Parental Alcohol and Drug Use	6	2	1

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	126	96	106
Probation/Parole Admissions--Drug	383	353	379
Probation/Parole Admissions--DWI	64	56	90
Prison Admissions--Drug	223	205	220
Prison Admissions--DWI	30	42	39

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.

³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

SUBSTANCE USE SERVICE AREA 20

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	169	233	211
CSTAR Adolescent	62	60	70
CSTAR Women and Children	44	71	79
CSTAR General Adult	435	466	357
CSTAR Opioid	0	0	*
Primary Recovery Treatment	145	177	483
Clinical SATOP (CIP, YCIP, SROP)	62	65	72
Other Substance Abuse Treatment	0	*	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	250	274	318
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	76	89	105
- Weekend Intervention Program	42	68	59
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	5	11	14
Compulsive Gambling	0	0	0
Recovery Supports	52	107	83
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	752	883	1,031	Alcohol	211	253	325
AGE				Marijuana / Hashish	236	278	362
Under 18	65	67	78	Cocaine (total)	32	36	63
18 to 24	111	139	206	- Crack	18	19	34
25 to 29	142	148	183	Stimulant (total)	169	210	168
30 to 34	117	154	165	- Methamphetamine	165	207	164
35 to 39	104	113	109	Heroin	15	13	10
40 to 44	64	90	82	Analgesic except Heroin	53	60	70
45 to 54	107	128	150	- Non-Prescription Methadone	*	0	0
55 and Over	42	44	58	PCP, LSD, other Hallucinogen	*	*	*
GENDER				Tranquilizer	32	28	24
Male	473	594	722	Inhalant	*	*	0
Female	279	289	309	Sedative	0	5	5
RACE / ETHNICITY				Other Medication or Illicit Drug	*	0	*
Caucasian	583	646	750	Average Age at First Use of Drug	18.0	18.1	17.9
African American	147	210	259	INJECTION DRUG USE			
Native American / Alaskan	0	*	0	Any Injection Use at Admission	84	80	63
Asian / Pacific Islander	0	0	*	- Daily Injection Use	15	18	12
Hispanic	5	10	12	- Weekly Injection Use	32	14	14
Other Race / Two or More Races	17	18	13	- Less than Weekly Injection Use	37	48	37
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	355	373	465	0	490	591	687
High School Graduate or G.E.D.	308	413	472	1 or 2	179	186	219
Associate Degree or Some College	87	92	92	3 or More	83	106	125
Bachelor or Advanced Degree	*	5	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	135	158	146
Employed	138	189	243	School	0	0	*
Unemployed	253	247	319	Mental Health Provider	7	7	6
Not in Labor Force	361	447	469	Health Care Provider	62	40	52
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	416	515	682
Independent Living	585	709	837	Other Referral Source	122	150	135
Dependent Living	114	128	156	TREATMENT ACCOMMODATION			
Homeless	32	11	7	Pregnant when Admitted to any Episode	9	18	23
MARITAL / FAMILY STATUS				Military Veteran	23	39	41
Never Married	393	442	538	Special Education Services Needed	74	79	91
Married / Cohabiting	216	234	285	Co-Occurring Psychological Problem	266	197	224
Previously Married	143	207	208	Co-Occurring Developmental Problem	20	18	20

SUBSTANCE USE SERVICE AREA 20

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	33.8	42.8	43.1	44.3	Alcohol	12.0	16.8	18.3	20.4
Chewing Tobacco	29.5	19.2	14.3	16.5	Alcohol (5+ drinks on single occasion past 2 weeks)	5.5	9.1		
Cigarettes	29.8	32.9	33.3	35.4	Chewing Tobacco	5.0	13.6	8.0	8.3
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.8	0.7	1.5	1.8	Cigarettes	8.6	15.5	17.0	17.2
Cocaine	0.5	1.2	2.2	1.9	Inhalants	1.2	1.8	2.5	3.3
Electronic Cigarettes	21.8				Marijuana	4.1	6.3	9.0	6.8
Hallucinogens	0.9	0.9	1.4	1.9	Over-the-counter medications for non-medical use	2.0	2.1	3.6	4.8
Heroin	0.1	0.8	1.0	0.7	Prescription medications not prescribed for student	12.1	5.7	7.9	9.6
Inhalants	3.9	3.6	7.0	8.0	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	18.8	17.4	18.6	15.8	Alcohol (1 or 2 drinks daily)	66.0	52.5		
Methamphetamine	0.9	0.7	1.2	0.9	Alcohol (Binge: 5+ drinks once or twice a week)	76.0	62.4		
Over-the-counter medications for non-medical use	4.4	4.2	6.0	7.3	Cigarettes (1+ packs per day)	83.9	78.3		
Prescription medications not prescribed for student	17.5	10.3	13.3	14.7	Marijuana (once or twice a week)	73.6	60.5		
Synthetic drugs (K2, bath salts, Spice, etc)	2.7	2.5	7.7		Other: Cocaine, LSD, Meth, Club Drug (any use)	89.9	88.6	92.4	90.7
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.61	12.81	12.71	12.67	Alcohol	88.1	82.2	82.0	81.4
Cigarettes	11.09	12.42	11.89	12.14	Cigarettes	93.4	90.3	89.4	89.4
Inhalants	10.65	11.41	12.40	12.12	Marijuana	94.7	94.0	94.1	93.8
Marijuana	13.09	13.57	13.81	13.72	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	68.1	63.0	61.3	60.7
Alcohol	46.3	50.1	55.9	58.7	Cigarettes	80.6	78.0	76.5	75.2
Cigarettes	38.3	48.1	51.3	54.4	Marijuana	79.8	75.5	81.8	82.7
Marijuana	24.9	34.8	37.1	36.4	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.0	95.4	95.9	94.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	6.3	11.1	12.6	14.7	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	40.0	48.7	53.6	57.4
Alcohol	22.1	32.2	33.3	35.2	Cigarettes	47.0	57.2	57.5	60.1
Cigarettes	16.1	17.2	17.2	17.9	Marijuana	33.8	43.7	39.2	39.2
Marijuana	15.9	13.6	13.5	10.8	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.6	19.6	19.4	21.5
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	67.8	65.0	63.7	69.4	Were grouchy, irritable, or in a bad mood	35.3	30.5	31.1	25.2
Were victims of mean rumors or lies spread at school	58.0	56.6	55.6	60.3	Had difficulty concentrating on school work	32.7	20.0	22.5	25.2
Were victims of an embarrassing or hurtful text message or something posted on the Internet	23.7	24.4	21.1	20.6	Were very sad	19.0	20.9	19.0	17.5
					Felt hopeless about the future	18.0	12.6	10.0	11.1
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	10.3	14.8	12.4	12.3	Parents involve student in making family decisions	67.5	69.7	70.0	70.1
Made plan about how they would attempt suicide	8.5	8.9	10.7	9.4	Parents notice and comment on student's good work	86.1	85.2	84.7	82.5
Attempted suicide	4.6	7.1	6.2	6.9	Teachers notice and comment on student's good work	80.9	75.3		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

SUBSTANCE USE SERVICE AREA 21



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	21
Adult Psychiatric	Not Applicable
POPULATION	
Census 2010	176,570
2015 Estimate	179,272

BIRTH RISK	2014	2013	2012
Resident Births	2,074	2,128	2,107
Mother Reported Smoking while Pregnant	462	499	496

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	7	3	3
Hepatitis B Chronic, Acute, Prenatal		9	10
Hepatitis C Chronic and Acute	142	128	117
Tuberculosis Infection Cases	72	40	60

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	1,888	1,872	1,812
Suicides	35	28	29
Homicides	6	9	4
Alcohol Induced Deaths	6	11	8
Drug Induced Deaths	24	29	26
Smoking Attributable Deaths	334	383	335
Self-inflicted Injuries	211	225	243
Assault Injuries	544	633	670

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	1,605	1,712	1,635
Mental Illness Secondary Diagnosis	2,638	3,729	3,236
Alcohol Principal Diagnosis	61	78	125
Alcohol Secondary Diagnosis	157	290	257
Drug Principal Diagnosis	105	89	98
Drug Secondary Diagnosis	153	198	225
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	282	189	247
Mental Illness Secondary Diagnosis	3,125	1,962	2,288
Alcohol Principal Diagnosis	104	79	68
Alcohol Secondary Diagnosis	279	198	257
Drug Principal Diagnosis	47	40	31
Drug Secondary Diagnosis	182	117	153
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	1,911	1,888	1,756
Mental Illness Secondary Diagnosis	4,733	3,883	5,804
Alcohol Principal Diagnosis	277	289	287
Alcohol Secondary Diagnosis	335	282	329
Drug Principal Diagnosis	304	260	248
Drug Secondary Diagnosis	499	390	391

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	247	257	258
Alcohol Package Carry-out Licenses	182	177	172

EMPLOYMENT	2015	2014	2013
Labor Force	92,271	91,046	93,050
Employed	87,870	85,606	87,477
Unemployed	4,401	5,440	5,573
Unemployment Rate	4.8%	6.0%	6.0%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	152	169	166
Fatal Crashes	4	4	10
Injury Crashes	70	68	74
Property Damage Crashes	78	97	82
Crash Fatalities	4	5	10
Crash Injuries	98	101	107
Drug Involved Crashes	43	50	39
Fatal Crashes	3	1	2
Injury Crashes	15	24	14
Property Damage Crashes	25	25	23
Crash Fatalities	4	1	2
Crash Injuries	28	34	24

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	858	986	1,165
Liquor Law Arrests	189	198	338
Drug Arrests	920	1,184	781
Violent Offenses	887	848	856
Property Offenses	4,652	4,814	5,492
Domestic Violence Reports	1,431	1,546	1,496

	2015	2014	2013
Methamphetamine Lab Seizures	5	19	28

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	7,154	8,914	7,313
Drop-outs	119	131	130
Drop-out Rate	1.7%	1.5%	1.8%
School Discipline Involving Alcohol	6	11	17
School Discipline Involving Drugs	47	60	43
School Discipline Involving Tobacco		3	6

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	255	232	268
Juvenile Alcohol Offenses	19	37	41
Juvenile Drug Offenses	76	60	90
School Truancy Status Offense	292	385	322
Absent from Home Status Offense	100	99	110
Beyond Parental Control Status Offense	87	88	81
Injurious Behavior Status Offense	331	243	191
Child Abuse	108	85	61
Child Neglect	526	423	260
Child Custody Issues	12	93	45

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	219	214	168
Parental Alcohol Use Related	5	7	7
Parental Drug Use Related	99	87	64
Parental Alcohol and Drug Use	10	9	4

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	173	165	175
Probation/Parole Admissions--Drug	523	499	500
Probation/Parole Admissions--DWI	85	80	106
Prison Admissions--Drug	239	219	229
Prison Admissions--DWI	28	34	51

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.

³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

SUBSTANCE USE SERVICE AREA 21

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	210	254	223
CSTAR Adolescent	81	72	96
CSTAR Women and Children	174	122	152
CSTAR General Adult	775	722	645
CSTAR Opioid	*	0	*
Primary Recovery Treatment	27	23	170
Clinical SATOP (CIP, YCIP, SROP)	134	142	140
Other Substance Abuse Treatment	*	*	7

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	637	724	814
- Adolescent Diversion Education Program	*	0	*
- Offender Education Program	289	317	382
- Weekend Intervention Program	144	196	199
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	12	10	13
Compulsive Gambling	*	*	*
Recovery Supports	199	617	468
Early Intervention	28	11	11

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	1,214	1,339	1,284	Alcohol	429	479	468
AGE				Marijuana / Hashish	318	393	384
Under 18	84	68	96	Cocaine (total)	36	67	68
18 to 24	187	280	276	- Crack	22	29	36
25 to 29	196	250	226	Stimulant (total)	228	190	172
30 to 34	208	210	206	- Methamphetamine	218	177	163
35 to 39	149	154	145	Heroin	75	59	57
40 to 44	114	108	122	Analgesic except Heroin	101	115	102
45 to 54	200	191	167	- Non-Prescription Methadone	0	*	0
55 and Over	76	78	46	PCP, LSD, other Hallucinogen	*	*	*
GENDER				Tranquilizer	20	23	22
Male	780	951	896	Inhalant	*	*	*
Female	434	388	388	Sedative	*	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	8	5
Caucasian	1,023	1,068	1,040	Average Age at First Use of Drug	17.8	17.7	17.6
African American	145	222	202	INJECTION DRUG USE			
Native American / Alaskan	*	*	*	Any Injection Use at Admission	182	163	162
Asian / Pacific Islander	*	*	*	- Daily Injection Use	35	42	26
Hispanic	22	29	15	- Weekly Injection Use	45	37	43
Other Race / Two or More Races	28	27	29	- Less than Weekly Injection Use	102	84	93
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	388	427	414	0	664	746	678
High School Graduate or G.E.D.	586	644	623	1 or 2	337	381	389
Associate Degree or Some College	234	261	242	3 or More	213	212	217
Bachelor or Advanced Degree	6	7	5	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	320	304	316
Employed	376	413	382	School	*	*	*
Unemployed	419	512	514	Mental Health Provider	6	12	7
Not in Labor Force	419	414	388	Health Care Provider	80	59	61
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	596	771	684
Independent Living	1,020	1,129	1,019	Other Referral Source	178	147	171
Dependent Living	130	133	202	TREATMENT ACCOMMODATION			
Homeless	46	58	38	Pregnant when Admitted to any Episode	10	19	27
MARITAL / FAMILY STATUS				Military Veteran	45	65	57
Never Married	627	725	687	Special Education Services Needed	99	111	114
Married / Cohabiting	321	343	321	Co-Occurring Psychological Problem	602	541	480
Previously Married	266	271	276	Co-Occurring Developmental Problem	47	40	51

SUBSTANCE USE SERVICE AREA 21

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	39.5	37.4	39.4	46.8	Alcohol	17.6	13.8	15.5	22.6
Chewing Tobacco	19.2	15.2	10.5	17.4	Alcohol (5+ drinks on single occasion past 2 weeks)	8.0	6.7		
Cigarettes	25.9	23.8	26.7	31.1	Chewing Tobacco	6.4	9.3	7.9	9.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.0	1.5	1.6	2.0	Cigarettes	9.1	10.8	13.4	16.6
Cocaine	2.1	1.2	1.4	1.0	Inhalants	1.2	1.9	1.4	3.1
Electronic Cigarettes	27.1				Marijuana	6.9	4.1	5.1	8.8
Hallucinogens	3.3	0.9	2.5	3.0	Over-the-counter medications for non-medical use	3.2	1.8	3.1	5.0
Heroin	0.5	0.1	0.5	0.7	Prescription medications not prescribed for student	9.9	4.5	3.4	6.9
Inhalants	3.1	4.3	5.3	7.5					
Marijuana	12.7	10.4	11.2	17.9	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.5	0.7	1.2	0.6	Alcohol (1 or 2 drinks daily)	59.4	55.2		
Over-the-counter medications for non-medical use	7.0	3.7	5.4	7.5	Alcohol (Binge: 5+ drinks once or twice a week)	70.6	66.9		
Prescription medications not prescribed for student	12.9	7.7	7.0	12.7	Cigarettes (1+ packs per day)	80.0	83.5		
Synthetic drugs (K2, bath salts, Spice, etc)	3.2	3.3	6.0		Marijuana (once or twice a week)	70.9	72.1		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	91.7	91.8	93.5	92.9
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.91	12.76	12.52	12.63	Alcohol	78.9	77.5	77.6	75.7
Cigarettes	12.83	12.65	12.32	12.28	Cigarettes	88.7	92.5	90.3	88.9
Inhalants	11.41	12.40	11.83	12.51	Marijuana	90.8	93.8	93.6	94.2
Marijuana	13.38	13.85	13.58	13.69					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	48.4	48.1	53.0	63.4	Alcohol	64.4	62.9	61.0	57.3
Cigarettes	35.6	36.1	43.1	52.2	Cigarettes	80.8	82.1	79.9	75.5
Marijuana	30.4	22.7	29.7	39.6	Marijuana	84.0	86.5	86.4	80.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.2	7.8	12.9	18.9	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	89.0	96.5	95.9	94.4
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	30.9	26.9	28.3	35.8	Alcohol	50.7	51.2	56.8	61.0
Cigarettes	13.0	13.4	13.9	17.2	Cigarettes	47.2	46.1	52.7	58.8
Marijuana	12.2	8.6	8.2	13.8	Marijuana	31.2	25.9	32.8	37.4
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	16.7	11.7	17.4	19.6
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	69.3	61.2	61.3	68.6	Were grouchy, irritable, or in a bad mood	31.7	25.3	23.6	24.5
Were victims of mean rumors or lies spread at school	58.4	53.6	50.3	54.7	Had difficulty concentrating on school work	27.7	23.7	22.6	24.2
Were victims of an embarrassing or hurtful text message or something posted on the Internet	26.2	26.1	19.9	21.0	Were very sad	20.1	20.3	19.0	19.6
					Felt hopeless about the future	11.0	10.0	10.7	13.5
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	12.4	10.7	10.8	12.4	Parents involve student in making family decisions	69.8	73.0	69.6	69.2
Made plan about how they would attempt suicide	9.8	7.6	7.6	9.0	Parents notice and comment on student's good work	83.3	83.0	82.7	83.1
Attempted suicide	6.2	3.0	4.9	5.8	Teachers notice and comment on student's good work	77.0	74.6		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

SUBSTANCE USE SERVICE AREA 22



DBH REGION	Eastern
DBH SERVICE AREAS	
Substance Use	22
Adult Psychiatric	Not Applicable
POPULATION	
Census 2010	218,733
2015 Estimate	224,124

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	209	218	236
Fatal Crashes	9	8	6
Injury Crashes	87	95	101
Property Damage Crashes	113	115	129
Crash Fatalities	9	8	7
Crash Injuries	135	148	141
Drug Involved Crashes	46	46	52
Fatal Crashes	8	1	5
Injury Crashes	21	22	22
Property Damage Crashes	17	23	25
Crash Fatalities	9	1	6
Crash Injuries	36	28	31

BIRTH RISK	2014	2013	2012
Resident Births	2,529	2,639	2,702
Mother Reported Smoking while Pregnant	497	561	603

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases			4
Hepatitis B Chronic, Acute, Prenatal		11	7
Hepatitis C Chronic and Acute	193	145	113
Tuberculosis Infection Cases	45	45	39

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	1,954	1,834	1,839
Suicides	48	35	46
Homicides	3	3	7
Alcohol Induced Deaths	16	15	9
Drug Induced Deaths	73	63	61
Smoking Attributable Deaths	381	354	376
Self-inflicted Injuries	234	208	251
Assault Injuries	442	453	491

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	1,238	1,594	1,691
Mental Illness Secondary Diagnosis	2,042	2,267	1,896
Alcohol Principal Diagnosis	56	44	52
Alcohol Secondary Diagnosis	113	141	103
Drug Principal Diagnosis	98	96	98
Drug Secondary Diagnosis	129	148	108
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	1,445	984	1,134
Mental Illness Secondary Diagnosis	4,952	4,716	5,353
Alcohol Principal Diagnosis	138	103	109
Alcohol Secondary Diagnosis	477	411	405
Drug Principal Diagnosis	143	107	107
Drug Secondary Diagnosis	255	235	272
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	1,113	1,388	1,328
Mental Illness Secondary Diagnosis	9,019	6,371	5,478
Alcohol Principal Diagnosis	247	248	237
Alcohol Secondary Diagnosis	295	225	193
Drug Principal Diagnosis	399	356	367
Drug Secondary Diagnosis	504	370	328

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	176	177	181
Alcohol Package Carry-out Licenses	147	147	146

EMPLOYMENT	2015	2014	2013
Labor Force	118,671	115,975	115,155
Employed	112,917	108,717	107,194
Unemployed	5,754	7,258	7,961
Unemployment Rate	4.8%	6.3%	6.9%

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	1,096	1,474	1,787
Liquor Law Arrests	472	663	677
Drug Arrests	1,540	650	1,614
Violent Offenses	485	454	448
Property Offenses	3,745	4,144	4,390
Domestic Violence Reports	1,308	1,231	1,333
	2015	2014	2013
Methamphetamine Lab Seizures	127	205	223

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	10,624	10,646	10,525
Drop-outs	153	154	195
Drop-out Rate	1.4%	1.4%	1.9%
School Discipline Involving Alcohol	8	9	7
School Discipline Involving Drugs	86	94	106
School Discipline Involving Tobacco		0	1

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	402	381	376
Juvenile Alcohol Offenses	47	85	84
Juvenile Drug Offenses	111	117	121
School Truancy Status Offense	194	227	143
Absent from Home Status Offense	55	64	64
Beyond Parental Control Status Offense	50	71	32
Injurious Behavior Status Offense	78	71	59
Child Abuse	234	228	242
Child Neglect	578	495	430
Child Custody Issues	82	164	209

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	370	352	368
Parental Alcohol Use Related	10	18	16
Parental Drug Use Related	170	145	215
Parental Alcohol and Drug Use	8	11	6

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	106	115	105
Probation/Parole Admissions--Drug	471	473	401
Probation/Parole Admissions--DWI	122	127	150
Prison Admissions--Drug	255	245	168
Prison Admissions--DWI	37	41	51

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.

³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

SUBSTANCE USE SERVICE AREA 22

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	127	111	124
CSTAR Adolescent	125	154	164
CSTAR Women and Children	77	79	66
CSTAR General Adult	821	726	734
CSTAR Opioid	7	19	13
Primary Recovery Treatment	21	22	73
Clinical SATOP (CIP, YCIP, SROP)	286	312	345
Other Substance Abuse Treatment	9	12	12

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	872	985	1,093
- Adolescent Diversion Education Program	13	12	11
- Offender Education Program	295	330	431
- Weekend Intervention Program	198	213	208
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	13	17
Compulsive Gambling	*	*	*
Recovery Supports	17	38	17
Early Intervention	28	38	55

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013	PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Total Individuals	1,334	1,323	1,407	Alcohol	444	490	528
AGE				Marijuana / Hashish	281	274	294
Under 18	127	157	169	Cocaine (total)	16	16	20
18 to 24	192	208	272	- Crack	11	9	8
25 to 29	266	246	257	Stimulant (total)	192	187	166
30 to 34	239	219	219	- Methamphetamine	186	175	155
35 to 39	153	156	133	Heroin	310	269	289
40 to 44	126	114	120	Analgesic except Heroin	59	55	69
45 to 54	166	175	183	- Non-Prescription Methadone	0	0	0
55 and Over	65	48	54	PCP, LSD, other Hallucinogen	6	5	5
GENDER				Tranquilizer	13	11	19
Male	859	883	949	Inhalant	*	0	*
Female	475	440	458	Sedative	*	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	9	16	14
Caucasian	1,278	1,275	1,350	Average Age at First Use of Drug	19.0	18.8	18.5
African American	25	19	24	INJECTION DRUG USE			
Native American / Alaskan	0	*	0	Any Injection Use at Admission	361	339	362
Asian / Pacific Islander	*	*	*	- Daily Injection Use	93	104	108
Hispanic	14	14	8	- Weekly Injection Use	95	81	77
Other Race / Two or More Races	21	18	26	- Less than Weekly Injection Use	173	154	177
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	408	457	468	0	716	687	738
High School Graduate or G.E.D.	585	533	603	1 or 2	419	413	426
Associate Degree or Some College	333	324	328	3 or More	199	223	243
Bachelor or Advanced Degree	8	9	8	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	372	349	386
Employed	423	389	385	School	5	13	*
Unemployed	532	520	633	Mental Health Provider	*	*	*
Not in Labor Force	379	414	389	Health Care Provider	28	42	31
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	754	747	812
Independent Living	1,068	1,023	1,109	Other Referral Source	158	137	145
Dependent Living	150	183	191	TREATMENT ACCOMMODATION			
Homeless	25	37	34	Pregnant when Admitted to any Episode	16	28	22
MARITAL / FAMILY STATUS				Military Veteran	43	56	58
Never Married	842	830	905	Special Education Services Needed	76	72	87
Married / Cohabiting	261	257	269	Co-Occurring Psychological Problem	668	605	569
Previously Married	231	236	233	Co-Occurring Developmental Problem	22	28	46

SUBSTANCE USE SERVICE AREA 22

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	37.6	40.0	43.9	49.4	Alcohol	15.3	18.1	20.0	25.1
Chewing Tobacco	16.8	9.8	7.8	11.2	Alcohol (5+ drinks on single occasion past 2 weeks)	5.4	8.5		
Cigarettes	16.8	22.0	25.8	27.6	Chewing Tobacco	3.4	5.1	6.2	5.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.4	2.1	2.6	2.6	Cigarettes	6.6	10.3	13.3	14.2
Cocaine	1.1	1.5	2.1	1.9	Inhalants	1.0	1.3	2.7	3.1
Electronic Cigarettes	31.1				Marijuana	10.6	11.4	11.1	11.3
Hallucinogens	2.3	3.1	3.6	3.8	Over-the-counter medications for non-medical use	1.5	2.2	4.7	5.4
Heroin	0.1	0.5	1.1	0.7	Prescription medications not prescribed for student	8.7	4.6	5.8	7.9
Inhalants	2.5	3.6	6.1	6.4					
Marijuana	19.3	20.3	20.2	20.1	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.2	0.6	1.2	0.8	Alcohol (1 or 2 drinks daily)	69.3	58.8		
Over-the-counter medications for non-medical use	3.7	3.7	7.2	9.5	Alcohol (Binge: 5+ drinks once or twice a week)	79.4	71.2		
Prescription medications not prescribed for student	12.7	9.4	9.7	13.4	Cigarettes (1+ packs per day)	87.1	87.5		
Synthetic drugs (K2, bath salts, Spice, etc)	1.8	5.4	8.3		Marijuana (once or twice a week)	61.0	57.6		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	92.8	93.3	93.5	94.4
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.06	12.89	12.75	12.69	Alcohol	82.7	79.4	77.1	75.2
Cigarettes	12.69	12.83	12.85	12.44	Cigarettes	95.2	93.6	91.2	89.9
Inhalants	11.07	12.53	12.48	12.20	Marijuana	90.3	90.0	92.8	92.0
Marijuana	13.75	13.79	13.79	13.68					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	46.6	51.8	57.1	64.4	Alcohol	66.9	61.9	59.1	54.6
Cigarettes	30.2	43.8	47.7	51.6	Cigarettes	89.7	84.5	80.6	78.8
Marijuana	41.2	43.3	43.1	44.1	Marijuana	75.1	72.9	77.7	78.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.2	17.4	18.5	21.2	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.9	95.2	95.0	94.9
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	26.0	30.5	34.0	39.0	Alcohol	52.0	58.0	59.6	63.0
Cigarettes	8.2	12.2	13.9	15.8	Cigarettes	45.6	53.6	57.1	61.6
Marijuana	18.4	19.2	15.9	15.6	Marijuana	41.8	44.8	44.5	44.1
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.2	20.7	21.6	21.2
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	59.5	60.6	59.9	66.9	Were grouchy, irritable, or in a bad mood	31.9	28.0	24.2	28.4
Were victims of mean rumors or lies spread at school	48.3	48.8	48.5	50.7	Had difficulty concentrating on school work	31.4	29.7	26.1	23.4
Were victims of an embarrassing or hurtful text message or something posted on the Internet	28.2	28.7	21.8	19.1	Were very sad	23.0	23.9	21.0	20.5
					Felt hopeless about the future	12.5	13.5	11.3	11.0
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	13.7	14.4	12.2	11.6	Parents involve student in making family decisions	67.9	66.1	67.2	67.6
Made plan about how they would attempt suicide	9.1	10.0	8.6	8.1	Parents notice and comment on student's good work	82.4	79.4	81.8	83.1
Attempted suicide	5.6	6.0	5.3	5.3	Teachers notice and comment on student's good work	69.4	67.1		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

SUBSTANCE USE SERVICE AREAS 23-25 (SL)



DBH REGION	Eastern
DBH SERVICE AREAS	
Substance Use	23-25 (SL)
Adult Psychiatric	Not Applicable
POPULATION	
Census 2010	1,318,248
2015 Estimate	1,319,047

BIRTH RISK	2014	2013	2012
Resident Births	16,395	16,204	16,230
Mother Reported Smoking while Pregnant	1,605	1,635	1,753

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	210	221	263
Hepatitis B Chronic, Acute, Prenatal		184	177
Hepatitis C Chronic and Acute	1,678	1,347	1,286
Tuberculosis Infection Cases	1,136	1,191	988

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	12,586	12,412	12,275
Suicides	187	171	165
Homicides	208	166	175
Alcohol Induced Deaths	101	110	109
Drug Induced Deaths	321	274	217
Smoking Attributable Deaths	1,935	1,906	1,926
Self-inflicted Injuries	1,198	1,188	1,387
Assault Injuries	5,157	6,147	6,851

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	8,122	8,886	6,391
Mental Illness Secondary Diagnosis	15,050	17,107	11,620
Alcohol Principal Diagnosis	572	714	466
Alcohol Secondary Diagnosis	1,512	1,873	734
Drug Principal Diagnosis	778	1,015	859
Drug Secondary Diagnosis	1,978	2,341	1,172
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	9,489	7,854	10,117
Mental Illness Secondary Diagnosis	27,252	24,572	31,779
Alcohol Principal Diagnosis	1,045	865	1,141
Alcohol Secondary Diagnosis	3,242	2,888	3,856
Drug Principal Diagnosis	693	599	723
Drug Secondary Diagnosis	2,674	2,116	3,308
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	11,103	11,853	12,272
Mental Illness Secondary Diagnosis	34,849	37,007	34,320
Alcohol Principal Diagnosis	3,268	3,551	3,612
Alcohol Secondary Diagnosis	2,802	3,005	3,131
Drug Principal Diagnosis	2,221	2,303	2,346
Drug Secondary Diagnosis	4,097	3,795	3,885

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	1,996	2,033	2,013
Alcohol Package Carry-out Licenses	814	812	812

EMPLOYMENT	2015	2014	2013
Labor Force	703,810	691,649	653,491
Employed	668,995	648,172	607,354
Unemployed	34,815	43,477	46,137
Unemployment Rate	4.9%	6.3%	7.1%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	772	839	926
Fatal Crashes	11	13	11
Injury Crashes	253	299	325
Property Damage Crashes	508	527	590
Crash Fatalities	11	18	12
Crash Injuries	364	427	454
Drug Involved Crashes	170	171	157
Fatal Crashes	2	3	1
Injury Crashes	78	65	72
Property Damage Crashes	90	103	84
Crash Fatalities	2	5	1
Crash Injuries	120	93	98

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	3,860	4,922	5,590
Liquor Law Arrests	1,599	1,716	2,208
Drug Arrests	8,505	697	12,252
Violent Offenses	8,421	7,903	8,684
Property Offenses	43,364	46,103	49,055
Domestic Violence Reports	6,023	6,386	6,964

	2015	2014	2013
Methamphetamine Lab Seizures	82	125	115

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	52,143	52,962	54,281
Drop-outs	2,100	2,204	2,110
Drop-out Rate	4.0%	4.2%	3.9%
School Discipline Involving Alcohol	37	67	74
School Discipline Involving Drugs	396	445	471
School Discipline Involving Tobacco		9	8

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	1,531	1,703	1,941
Juvenile Alcohol Offenses	131	124	179
Juvenile Drug Offenses	408	443	514
School Truancy Status Offense	601	566	531
Absent from Home Status Offense	864	1,007	1,075
Beyond Parental Control Status Offense	181	212	221
Injurious Behavior Status Offense	126	104	117
Child Abuse	469	510	478
Child Neglect	1,573	1,623	1,305
Child Custody Issues	218	208	205

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	749	696	586
Parental Alcohol Use Related	32	15	8
Parental Drug Use Related	178	157	159
Parental Alcohol and Drug Use	5	7	6

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	945	795	852
Probation/Parole Admissions--Drug	2,307	2,496	2,282
Probation/Parole Admissions--DWI	301	363	282
Prison Admissions--Drug	728	901	903
Prison Admissions--DWI	69	75	73

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.

³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

SUBSTANCE USE SERVICE AREAS 23-25 (SL)

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2015	FY2014	FY2013
Detoxification	1,174	1,088	1,265
CSTAR Adolescent	214	271	274
CSTAR Women and Children	1,162	1,109	979
CSTAR General Adult	2,449	2,253	1,822
CSTAR Opioid	429	388	424
Primary Recovery Treatment	575	573	752
Clinical SATOP (CIP, YCIP, SROP)	981	1,184	1,237
Other Substance Abuse Treatment	667	692	635

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2015	FY2014	FY2013
Offender Management Unit	3,679	4,298	4,715
- Adolescent Diversion Education Program	225	214	189
- Offender Education Program	1,370	1,613	1,819
- Weekend Intervention Program	703	851	954
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	333	385	416
Compulsive Gambling	34	38	53
Recovery Supports	24	38	42
Early Intervention	904	813	765

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2015	FY2014	FY2013
Total Individuals	6,317	6,266	6,031
AGE			
Under 18	213	279	275
18 to 24	747	767	766
25 to 29	973	998	985
30 to 34	1,115	1,062	1,022
35 to 39	864	784	717
40 to 44	684	617	607
45 to 54	1,113	1,173	1,182
55 and Over	608	586	477
GENDER			
Male	4,142	4,161	4,111
Female	2,174	2,104	1,920
RACE / ETHNICITY			
Caucasian	2,748	2,772	2,669
African American	3,342	3,275	3,153
Native American / Alaskan	8	11	5
Asian / Pacific Islander	13	12	15
Hispanic	87	66	70
Other Race / Two or More Races	151	157	148
EDUCATION			
Less than High School Diploma	2,120	2,168	2,080
High School Graduate or G.E.D.	2,702	2,549	2,402
Associate Degree or Some College	1,430	1,478	1,466
Bachelor or Advanced Degree	65	70	83
EMPLOYMENT			
Employed	1,561	1,519	1,289
Unemployed	1,971	2,094	2,117
Not in Labor Force	2,785	2,653	2,625
HOUSING / LIVING ARRANGEMENT			
Independent Living	4,994	4,897	4,652
Dependent Living	577	658	630
Homeless	501	459	461
MARITAL / FAMILY STATUS			
Never Married	4,471	4,478	4,289
Married / Cohabiting	992	958	939
Previously Married	854	830	803

PRIMARY DRUG PROBLEM	FY2015	FY2014	FY2013
Alcohol	1,770	1,945	1,989
Marijuana / Hashish	1,171	1,203	1,157
Cocaine (total)	512	568	527
- Crack	437	468	416
Stimulant (total)	164	132	105
- Methamphetamine	139	110	92
Heroin	2,368	2,128	1,979
Analgesic except Heroin	241	201	193
- Non-Prescription Methadone	7	5	*
PCP, LSD, other Hallucinogen	43	47	32
Tranquilizer	28	22	22
Inhalant	*	*	*
Sedative	*	6	6
Other Medication or Illicit Drug	14	16	19
Average Age at First Use of Drug	20.4	20.1	19.7
INJECTION DRUG USE			
Any Injection Use at Admission	1,491	1,396	1,226
- Daily Injection Use	937	839	709
- Weekly Injection Use	232	262	237
- Less than Weekly Injection Use	322	295	280
LIFETIME DUI / DWI ARRESTS			
0	4,595	4,296	4,051
1 or 2	1,165	1,317	1,318
3 or More	557	653	662
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	2,565	2,510	2,344
School	16	29	22
Mental Health Provider	47	44	38
Health Care Provider	400	271	197
Court / Criminal Justice	2,618	2,841	2,963
Other Referral Source	611	517	416
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	183	206	145
Military Veteran	251	266	266
Special Education Services Needed	469	561	464
Co-Occurring Psychological Problem	1,776	1,613	1,513
Co-Occurring Developmental Problem	149	216	334

SUBSTANCE USE SERVICE AREAS 23-25 (SL)

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	33.5	30.3	37.3	42.7	Alcohol	16.6	14.6	18.1	20.8
Chewing Tobacco	16.3	3.0	4.1	4.4	Alcohol (5+ drinks on single occasion past 2 weeks)	6.5	5.8		
Cigarettes	11.8	13.3	19.9	23.9	Chewing Tobacco	1.4	1.5	2.0	2.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.2	1.3	2.2	2.2	Cigarettes	4.3	5.0	9.5	11.8
Cocaine	1.1	0.9	1.5	1.3	Inhalants	1.0	1.2	2.5	2.8
Electronic Cigarettes	20.6				Marijuana	11.3	8.1	12.5	13.6
Hallucinogens	2.0	1.6	3.1	2.9	Over-the-counter medications for non-medical use	1.8	1.5	3.0	4.4
Heroin	0.3	0.3	1.0	0.6	Prescription medications not prescribed for student	8.6	3.6	5.1	6.1
Inhalants	2.7	2.2	4.7	5.4					
Marijuana	19.9	19.3	21.2	23.0	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.3	0.3	1.1	0.5	Alcohol (1 or 2 drinks daily)	76.9	66.3		
Over-the-counter medications for non-medical use	4.6	3.0	5.4	6.9	Alcohol (Binge: 5+ drinks once or twice a week)	83.3	77.0		
Prescription medications not prescribed for student	12.7	6.7	8.6	9.2	Cigarettes (1+ packs per day)	87.5	86.6		
Synthetic drugs (K2, bath salts, Spice, etc)	1.4	2.1	5.5		Marijuana (once or twice a week)	63.6	61.5		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	90.7	91.0	92.2	92.7
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.54	13.45	13.12	12.86	Alcohol	83.3	83.2	80.7	79.2
Cigarettes	13.22	13.35	12.71	12.63	Cigarettes	95.1	94.9	91.9	90.9
Inhalants	10.87	11.94	11.32	11.53	Marijuana	90.4	91.4	91.7	91.8
Marijuana	14.37	14.03	13.89	13.70					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	42.8	43.2	49.8	56.5	Alcohol	68.6	69.0	62.5	58.1
Cigarettes	24.9	28.2	39.2	43.4	Cigarettes	91.1	89.7	83.3	81.0
Marijuana	40.6	37.8	42.3	45.0	Marijuana	74.7	75.3	75.8	74.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.3	11.6	14.5	16.8	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.9	95.4	94.9	94.4
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	24.1	22.6	30.2	33.5	Alcohol	53.9	50.6	57.4	61.0
Cigarettes	5.4	7.2	11.0	11.6	Cigarettes	42.8	43.1	50.8	55.5
Marijuana	18.3	16.4	16.9	19.0	Marijuana	42.5	39.7	44.2	46.7
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.2	14.7	18.3	20.4
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	60.2	56.3	60.5	66.9	Were grouchy, irritable, or in a bad mood	29.1	24.2	24.4	25.3
Were victims of mean rumors or lies spread at school	43.3	43.5	44.7	48.7	Had difficulty concentrating on school work	26.5	23.7	23.0	25.1
Were victims of an embarrassing or hurtful text message or something posted on the Internet	24.7	24.7	19.5	18.6	Were very sad	19.8	19.1	17.1	20.7
					Felt hopeless about the future	11.7	11.6	10.5	12.6
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	13.3	12.0	12.4	11.7	Parents involve student in making family decisions	74.0	71.7	72.0	71.0
Made plan about how they would attempt suicide	9.4	8.6	8.8	8.5	Parents notice and comment on student's good work	84.1	83.2	83.5	83.5
Attempted suicide	5.5	5.3	6.4	5.7	Teachers notice and comment on student's good work	69.4	75.4		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

PSYCHIATRIC SERVICE AREA 1



DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	Not Applicable
Adult Psychiatric	1
POPULATION	
Census 2010	183,003
2015 Estimate	181,041

BIRTH RISK	2014	2013	2012
Resident Births	2,106	2,113	2,166
Mother Reported Smoking while Pregnant	512	493	568

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	5	7	3
Hepatitis B Chronic, Acute, Prenatal		23	21
Hepatitis C Chronic and Acute	248	154	126
Tuberculosis Infection Cases	34	25	61

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	1,985	1,975	1,968
Suicides	20	30	26
Homicides	5	2	5
Alcohol Induced Deaths	14	18	11
Drug Induced Deaths	20	25	18
Smoking Attributable Deaths	376	349	354
Self-inflicted Injuries	322	267	265
Assault Injuries	568	620	627

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	983	1,114	1,252
Mental Illness Secondary Diagnosis	1,725	1,552	1,662
Alcohol Principal Diagnosis	31	60	97
Alcohol Secondary Diagnosis	101	108	90
Drug Principal Diagnosis	32	60	85
Drug Secondary Diagnosis	90	95	97
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	1,332	1,153	1,095
Mental Illness Secondary Diagnosis	3,347	2,699	2,897
Alcohol Principal Diagnosis	175	174	172
Alcohol Secondary Diagnosis	404	325	382
Drug Principal Diagnosis	142	165	137
Drug Secondary Diagnosis	245	226	234
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	1,476	1,685	1,861
Mental Illness Secondary Diagnosis	3,204	2,931	2,919
Alcohol Principal Diagnosis	305	353	423
Alcohol Secondary Diagnosis	339	395	345
Drug Principal Diagnosis	215	214	198
Drug Secondary Diagnosis	325	307	316

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	194	210	212
Alcohol Package Carry-out Licenses	191	187	188

EMPLOYMENT	2015	2014	2013
Labor Force	94,693	95,961	100,419
Employed	90,365	90,603	94,806
Unemployed	4,328	5,358	5,613
Unemployment Rate	4.6%	5.6%	5.6%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	192	189	186
Fatal Crashes	5	4	8
Injury Crashes	80	86	89
Property Damage Crashes	107	99	89
Crash Fatalities	5	5	10
Crash Injuries	113	110	124
Drug Involved Crashes	33	45	32
Fatal Crashes	0	1	2
Injury Crashes	17	15	14
Property Damage Crashes	16	29	16
Crash Fatalities	0	2	3
Crash Injuries	23	22	23

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	830	911	877
Liquor Law Arrests	547	579	636
Drug Arrests	1,128	1,681	1,074
Violent Offenses	613	568	488
Property Offenses	5,740	5,812	6,389
Domestic Violence Reports	1,521	1,371	1,280

	2015	2014	2013
Methamphetamine Lab Seizures	4	5	5

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	7,676	7,607	7,623
Drop-outs	89	78	117
Drop-out Rate	1.2%	1.0%	1.5%
School Discipline Involving Alcohol	9	12	4
School Discipline Involving Drugs	39	26	35
School Discipline Involving Tobacco		1	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	166	172	210
Juvenile Alcohol Offenses	52	30	43
Juvenile Drug Offenses	45	37	41
School Truancy Status Offense	230	441	351
Absent from Home Status Offense	134	150	142
Beyond Parental Control Status Offense	148	196	251
Injurious Behavior Status Offense	161	157	145
Child Abuse	24	32	27
Child Neglect	397	364	277
Child Custody Issues	0	1	21

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	140	159	144
Parental Alcohol Use Related	5	6	2
Parental Drug Use Related	43	36	35
Parental Alcohol and Drug Use	2	2	7

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	275	239	290
Probation/Parole Admissions--Drug	563	569	526
Probation/Parole Admissions--DWI	84	98	117
Prison Admissions--Drug	370	323	349
Prison Admissions--DWI	49	58	59


¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.

³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

PSYCHIATRIC SERVICE AREA 1

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 1
CENSUS 2010 183,003
2015 POPULATION ESTIMATE 181,041


Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	135	96	85
Anxiety Disorder	992	742	726
Dementia	8	8	*
Developmental Disorder	39	38	25
Impulse Control Disorder	513	443	508
Mood Disorder	1,503	1,232	1,200
Personality Disorder	220	189	186
Psychotic Disorder	491	463	463
Sexual Disorder	9	*	6
Other Diagnosis	346	293	306
Diagnosis Unknown	193	197	255

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	2,488	2,105	2,309	Less than High School Diploma	885	747	898
AGE				High School Grad or G.E.D.	0	*	44
Under 6	53	45	69	Associate Degree or Some College	0	0	17
6 to 9	200	186	240	Bachelor or Advanced Degree	0	0	*
10 to 13	187	169	236	Education Level Unknown	1,603	1,354	1,347
14 to 17	175	150	187	EMPLOYMENT			
18 to 24	197	150	174	Employed	191	134	116
25 to 29	224	160	151	Unemployed	161	171	262
30 to 34	229	158	150	Not in Labor Force	1,425	1,291	1,361
35 to 39	201	141	158	Employment Status Unknown	711	509	570
40 to 44	197	172	184	HOUSING / LIVING ARRANGEMENT			
45 to 49	201	197	192	Independent Living	1,096	898	949
50 to 54	259	258	249	Dependent Living	719	678	801
55 to 59	191	150	151	Homeless	65	42	26
60 and Over	174	169	168	Other	0	0	*
Age Unknown	0	0	0	Housing Unknown	608	487	532
GENDER				TREATMENT REFERRAL SOURCE			
Male	1,305	1,110	1,233	Self / Family / Friend	974	751	762
Female	1,183	995	1,076	School	119	90	132
Gender Unknown	0	0	0	Mental Health Provider	390	430	486
RACE / ETHNICITY				Health Care Provider	405	343	379
Caucasian	2,092	1,782	1,942	Court / Criminal Justice	315	214	213
African American	212	170	180	Other	266	248	313
Native American / Alaskan	11	8	16	Referral Source Unknown	19	29	24
Asian / Pacific Islander	*	*	*	TYPE OF COMMITMENT			
Hispanic	81	68	73	Voluntary	2,333	1,955	2,158
Other Race	89	76	96	Civil	8	9	24
Race/Ethnicity Unknown	0	0	0	Criminal	127	111	102
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	101	103	132	Commitment Type Unknown	19	29	24
Past or Current Military Service	89	76	81				

PSYCHIATRIC SERVICE AREAS 2, 3, 4, 5



DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	Not Applicable
Adult Psychiatric	2, 3, 4, 5
POPULATION	
Census 2010	674,158
2015 Estimate	687,623

BIRTH RISK	2014	2013	2012
Resident Births	9,520	9,478	9,630
Mother Reported Smoking while Pregnant	1,347	1,357	1,503

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases			125
Hepatitis B Chronic, Acute, Prenatal		116	83
Hepatitis C Chronic and Acute	754	519	589
Tuberculosis Infection Cases	828	618	462

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	6,073	6,091	6,022
Suicides	104	116	108
Homicides	83	109	112
Alcohol Induced Deaths	83	77	82
Drug Induced Deaths	119	118	113
Smoking Attributable Deaths	989	1,005	1,013
Self-inflicted Injuries	990	1,122	1,150
Assault Injuries	3,866	4,242	4,567

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	6,460	6,521	6,293
Mental Illness Secondary Diagnosis	7,606	6,771	6,511
Alcohol Principal Diagnosis	607	815	726
Alcohol Secondary Diagnosis	1,328	1,622	1,377
Drug Principal Diagnosis	276	392	379
Drug Secondary Diagnosis	1,630	1,301	1,364
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	1,429	1,615	2,112
Mental Illness Secondary Diagnosis	13,597	12,373	11,745
Alcohol Principal Diagnosis	644	544	660
Alcohol Secondary Diagnosis	2,046	1,923	2,022
Drug Principal Diagnosis	261	263	330
Drug Secondary Diagnosis	1,663	1,557	2,052
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	5,551	5,482	5,886
Mental Illness Secondary Diagnosis	15,080	17,292	13,602
Alcohol Principal Diagnosis	4,012	4,099	4,113
Alcohol Secondary Diagnosis	2,729	3,119	3,617
Drug Principal Diagnosis	1,535	1,854	1,643
Drug Secondary Diagnosis	3,521	2,978	3,491

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	838	825	821
Alcohol Package Carry-out Licenses	469	461	463

EMPLOYMENT	2015	2014	2013
Labor Force	367,147	363,483	330,287
Employed	345,606	338,018	305,538
Unemployed	21,541	25,465	24,749
Unemployment Rate	5.9%	7.0%	7.5%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	615	699	650
Fatal Crashes	13	13	11
Injury Crashes	248	298	251
Property Damage Crashes	354	388	388
Crash Fatalities	13	14	12
Crash Injuries	367	449	362
Drug Involved Crashes	127	166	149
Fatal Crashes	3	5	1
Injury Crashes	67	90	75
Property Damage Crashes	57	71	73
Crash Fatalities	3	5	1
Crash Injuries	104	150	115

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	3,034	3,014	3,435
Liquor Law Arrests	683	684	809
Drug Arrests	3,770	7,842	3,507
Violent Offenses	6,884	6,947	6,979
Property Offenses	36,440	39,082	40,982
Domestic Violence Reports	8,183	7,872	6,986

	2015	2014	2013
Methamphetamine Lab Seizures	8	11	29

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	29,123	28,224	28,682
Drop-outs	907	1,541	1,113
Drop-out Rate	3.1%	5.5%	3.9%
School Discipline Involving Alcohol	46	44	41
School Discipline Involving Drugs	301	288	286
School Discipline Involving Tobacco		6	8

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	463	362	408
Juvenile Alcohol Offenses	15	8	0
Juvenile Drug Offenses	94	52	47
School Truancy Status Offense	4	2	7
Absent from Home Status Offense	18	18	6
Beyond Parental Control Status Offense	11	14	32
Injurious Behavior Status Offense	14	18	22
Child Abuse	417	315	323
Child Neglect	787	893	1,035
Child Custody Issues	165	119	239


JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	976	1,022	1,176
Parental Alcohol Use Related	14	27	36
Parental Drug Use Related	290	319	413
Parental Alcohol and Drug Use	39	56	48

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	1,109	857	848
Probation/Parole Admissions--Drug	642	735	822
Probation/Parole Admissions--DWI	172	157	177
Prison Admissions--Drug	163	182	224
Prison Admissions--DWI	62	48	76

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

PSYCHIATRIC SERVICE AREAS 2, 3, 4, 5

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 2, 3, 4, 5
CENSUS 2010 674,158
2015 POPULATION ESTIMATE 687,623


Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	724	640	748
Anxiety Disorder	5,068	4,150	4,404
Dementia	28	24	27
Developmental Disorder	156	135	156
Impulse Control Disorder	2,241	1,993	2,307
Mood Disorder	7,947	7,051	8,148
Personality Disorder	543	550	552
Psychotic Disorder	2,930	2,810	3,097
Sexual Disorder	24	18	25
Other Diagnosis	1,038	874	1,045
Diagnosis Unknown	1,576	1,770	2,223

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	13,574	12,448	14,911	Less than High School Diploma	2,613	2,188	2,603
AGE				High School Grad or G.E.D.	0	0	15
Under 6	54	102	130	Associate Degree or Some College	0	0	*
6 to 9	706	718	807	Bachelor or Advanced Degree	0	0	0
10 to 13	914	855	1,030	Education Level Unknown	10,961	10,260	12,289
14 to 17	1,046	870	1,021	EMPLOYMENT			
18 to 24	1,060	1,055	1,357	Employed	548	413	606
25 to 29	1,103	1,002	1,269	Unemployed	811	690	869
30 to 34	1,216	1,157	1,421	Not in Labor Force	5,079	4,135	4,834
35 to 39	1,145	1,065	1,258	Employment Status Unknown	7,136	7,210	8,602
40 to 44	1,157	1,090	1,276	HOUSING / LIVING ARRANGEMENT			
45 to 49	1,254	1,189	1,513	Independent Living	3,472	2,654	3,060
50 to 54	1,568	1,411	1,693	Dependent Living	2,446	2,114	2,753
55 to 59	1,250	1,059	1,183	Homeless	415	338	426
60 and Over	1,101	875	953	Other	0	0	*
Age Unknown	0	0	0	Housing Unknown	7,241	7,342	8,671
GENDER				TREATMENT REFERRAL SOURCE			
Male	6,636	6,102	7,339	Self / Family / Friend	5,995	5,822	7,437
Female	6,938	6,346	7,572	School	197	165	170
Gender Unknown	0	0	0	Mental Health Provider	1,250	1,314	1,282
RACE / ETHNICITY				Health Care Provider	2,240	1,914	2,219
Caucasian	6,733	6,316	7,163	Court / Criminal Justice	505	503	688
African American	5,310	4,966	6,219	Other	3,316	2,651	3,027
Native American / Alaskan	44	52	54	Referral Source Unknown	71	79	88
Asian / Pacific Islander	57	45	62	TYPE OF COMMITMENT			
Hispanic	532	390	438	Voluntary	13,350	12,204	14,676
Other Race	898	679	975	Civil	66	49	39
Race/Ethnicity Unknown	0	0	0	Criminal	86	119	112
TREATMENT ACCOMMODATION				Sexual Predatory	9	10	10
Hearing Impaired	330	253	248	Commitment Type Unknown	63	66	74
Past or Current Military Service	295	274	299				

PSYCHIATRIC SERVICE AREA 6



DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	Not Applicable
Adult Psychiatric	6
POPULATION	
Census 2010	334,755
2015 Estimate	354,543

BIRTH RISK	2014	2013	2012
Resident Births	4,428	4,433	4,492
Mother Reported Smoking while Pregnant	541	605	647

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	18	13	25
Hepatitis B Chronic, Acute, Prenatal		13	10
Hepatitis C Chronic and Acute	66	64	61
Tuberculosis Infection Cases	26	35	38

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	2,596	2,505	2,438
Suicides	54	58	50
Homicides	15	10	15
Alcohol Induced Deaths	34	27	30
Drug Induced Deaths	35	44	46
Smoking Attributable Deaths	437	461	414
Self-inflicted Injuries	515	561	511
Assault Injuries	866	939	1,050

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	2,586	2,173	2,273
Mental Illness Secondary Diagnosis	4,105	3,796	3,702
Alcohol Principal Diagnosis	178	183	212
Alcohol Secondary Diagnosis	334	263	264
Drug Principal Diagnosis	103	91	129
Drug Secondary Diagnosis	314	287	271
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	361	465	539
Mental Illness Secondary Diagnosis	6,624	6,703	6,795
Alcohol Principal Diagnosis	160	164	196
Alcohol Secondary Diagnosis	687	699	714
Drug Principal Diagnosis	86	97	108
Drug Secondary Diagnosis	412	459	487
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	2,652	2,918	2,906
Mental Illness Secondary Diagnosis	8,179	7,642	5,765
Alcohol Principal Diagnosis	731	726	797
Alcohol Secondary Diagnosis	609	696	737
Drug Principal Diagnosis	355	433	473
Drug Secondary Diagnosis	1,055	1,071	863

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	337	342	330
Alcohol Package Carry-out Licenses	225	226	222

EMPLOYMENT	2015	2014	2013
Labor Force	200,561	196,227	183,184
Employed	191,579	185,724	171,753
Unemployed	8,982	10,503	11,431
Unemployment Rate	4.5%	5.4%	6.2%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	274	267	298
Fatal Crashes	6	3	5
Injury Crashes	104	109	114
Property Damage Crashes	164	155	179
Crash Fatalities	6	3	5
Crash Injuries	138	157	163
Drug Involved Crashes	57	54	70
Fatal Crashes	4	2	3
Injury Crashes	24	27	36
Property Damage Crashes	29	25	31
Crash Fatalities	4	2	3
Crash Injuries	30	35	56

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	1,486	1,568	1,571
Liquor Law Arrests	344	370	427
Drug Arrests	1,458	3,414	1,133
Violent Offenses	398	347	395
Property Offenses	3,917	3,803	4,337
Domestic Violence Reports	1,105	1,035	1,073

	2015	2014	2013
Methamphetamine Lab Seizures	4	2	4

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	17,624	17,564	17,518
Drop-outs	203	204	260
Drop-out Rate	1.2%	1.2%	1.5%
School Discipline Involving Alcohol	23	18	8
School Discipline Involving Drugs	152	109	178
School Discipline Involving Tobacco		3	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	241	267	242
Juvenile Alcohol Offenses	38	35	47
Juvenile Drug Offenses	132	136	133
School Truancy Status Offense	41	48	60
Absent from Home Status Offense	26	52	39
Beyond Parental Control Status Offense	42	39	61
Injurious Behavior Status Offense	57	38	46
Child Abuse	33	67	33
Child Neglect	243	282	246
Child Custody Issues	16	9	20

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	101	108	74
Parental Alcohol Use Related	4	1	4
Parental Drug Use Related	47	42	18
Parental Alcohol and Drug Use	0	0	1

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	135	115	135
Probation/Parole Admissions--Drug	532	475	375
Probation/Parole Admissions--DWI	147	139	117
Prison Admissions--Drug	249	234	189
Prison Admissions--DWI	55	69	66


¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.

³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

PSYCHIATRIC SERVICE AREA 6

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 6
CENSUS 2010 334,755
2015 POPULATION ESTIMATE 354,543


Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	67	51	50
Anxiety Disorder	822	736	720
Dementia	*	*	*
Developmental Disorder	16	11	9
Impulse Control Disorder	376	462	404
Mood Disorder	2,427	2,432	2,433
Personality Disorder	42	44	43
Psychotic Disorder	470	482	460
Sexual Disorder	5	*	5
Other Diagnosis	50	56	61
Diagnosis Unknown	277	270	393

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	3,634	3,698	3,774	Less than High School Diploma	641	571	534
AGE				High School Grad or G.E.D.	*	0	0
Under 6	17	22	36	Associate Degree or Some College	0	0	0
6 to 9	122	181	181	Bachelor or Advanced Degree	0	0	0
10 to 13	219	237	199	Education Level Unknown	2,992	3,127	3,240
14 to 17	312	293	276	EMPLOYMENT			
18 to 24	308	280	292	Employed	292	216	259
25 to 29	274	304	325	Unemployed	165	248	261
30 to 34	340	367	405	Not in Labor Force	1,317	1,164	1,173
35 to 39	340	363	343	Employment Status Unknown	1,860	2,070	2,081
40 to 44	309	329	368	HOUSING / LIVING ARRANGEMENT			
45 to 49	339	343	407	Independent Living	1,061	1,041	1,164
50 to 54	420	380	388	Dependent Living	695	556	498
55 to 59	308	317	300	Homeless	45	49	47
60 and Over	326	282	254	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	1,833	2,052	2,065
GENDER				TREATMENT REFERRAL SOURCE			
Male	1,500	1,611	1,600	Self / Family / Friend	3,385	3,463	3,506
Female	2,134	2,087	2,174	School	6	*	*
Gender Unknown	0	0	0	Mental Health Provider	36	50	57
RACE / ETHNICITY				Health Care Provider	103	81	77
Caucasian	3,119	3,208	3,244	Court / Criminal Justice	23	15	23
African American	195	188	225	Other	55	58	76
Native American / Alaskan	20	17	18	Referral Source Unknown	26	29	32
Asian / Pacific Islander	24	25	20	TYPE OF COMMITMENT			
Hispanic	132	120	116	Voluntary	3,595	3,657	3,729
Other Race	144	140	151	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	6	7	7
TREATMENT ACCOMMODATION				Sexual Predatory	5	*	*
Hearing Impaired	78	81	74	Commitment Type Unknown	26	29	32
Past or Current Military Service	53	43	40				

PSYCHIATRIC SERVICE AREA 7



DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	Not Applicable
Adult Psychiatric	7
POPULATION	
Census 2010	185,454
2015 Estimate	188,255

BIRTH RISK	2014	2013	2012
Resident Births	2,310	2,306	2,262
Mother Reported Smoking while Pregnant	394	421	386

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	10	7	4
Hepatitis B Chronic, Acute, Prenatal		9	6
Hepatitis C Chronic and Acute	78	57	66
Tuberculosis Infection Cases	126	57	31

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	1,687	1,693	1,616
Suicides	42	34	21
Homicides	6	3	7
Alcohol Induced Deaths	20	13	7
Drug Induced Deaths	21	16	11
Smoking Attributable Deaths	326	299	289
Self-inflicted Injuries	230	242	269
Assault Injuries	438	427	460

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	1,389	1,442	1,500
Mental Illness Secondary Diagnosis	2,346	2,255	2,160
Alcohol Principal Diagnosis	98	87	98
Alcohol Secondary Diagnosis	168	155	139
Drug Principal Diagnosis	53	62	69
Drug Secondary Diagnosis	141	149	143
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	247	309	287
Mental Illness Secondary Diagnosis	2,649	2,556	2,428
Alcohol Principal Diagnosis	106	94	93
Alcohol Secondary Diagnosis	266	270	249
Drug Principal Diagnosis	40	36	52
Drug Secondary Diagnosis	177	174	210
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	1,304	1,354	1,426
Mental Illness Secondary Diagnosis	1,658	1,527	1,570
Alcohol Principal Diagnosis	291	308	289
Alcohol Secondary Diagnosis	281	267	251
Drug Principal Diagnosis	188	213	219
Drug Secondary Diagnosis	306	324	380

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	155	158	167
Alcohol Package Carry-out Licenses	164	163	166

EMPLOYMENT	2015	2014	2013
Labor Force	95,311	94,355	91,834
Employed	90,609	88,855	86,072
Unemployed	4,702	5,500	5,762
Unemployment Rate	4.9%	5.8%	6.3%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	141	149	161
Fatal Crashes	4	11	10
Injury Crashes	48	49	54
Property Damage Crashes	89	89	97
Crash Fatalities	4	17	10
Crash Injuries	61	79	75
Drug Involved Crashes	28	26	34
Fatal Crashes	0	0	1
Injury Crashes	10	8	19
Property Damage Crashes	18	18	14
Crash Fatalities	0	0	2
Crash Injuries	12	9	28

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	753	896	1,080
Liquor Law Arrests	455	565	531
Drug Arrests	1,121	1,093	1,044
Violent Offenses	299	257	296
Property Offenses	3,768	3,738	4,215
Domestic Violence Reports	1,151	1,202	1,364
	2015	2014	2013
Methamphetamine Lab Seizures	1	2	3

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	9,194	9,200	9,218
Drop-outs	133	148	146
Drop-out Rate	1.4%	1.6%	1.6%
School Discipline Involving Alcohol	14	17	11
School Discipline Involving Drugs	76	91	47
School Discipline Involving Tobacco		1	1

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	173	169	239
Juvenile Alcohol Offenses	30	27	32
Juvenile Drug Offenses	96	65	94
School Truancy Status Offense	122	94	67
Absent from Home Status Offense	118	85	144
Beyond Parental Control Status Offense	111	101	148
Injurious Behavior Status Offense	296	247	349
Child Abuse	24	16	47
Child Neglect	592	347	404
Child Custody Issues	45	73	74


JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	185	175	154
Parental Alcohol Use Related	5	3	0
Parental Drug Use Related	72	63	27
Parental Alcohol and Drug Use	1	6	11

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	100	127	163
Probation/Parole Admissions--Drug	344	350	318
Probation/Parole Admissions--DWI	70	77	98
Prison Admissions--Drug	193	201	182
Prison Admissions--DWI	51	52	58

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

PSYCHIATRIC SERVICE AREA 7

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 7
CENSUS 2010 185,454
2015 POPULATION ESTIMATE 188,255


Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	103	124	125
Anxiety Disorder	723	698	684
Dementia	*	*	0
Developmental Disorder	22	28	24
Impulse Control Disorder	265	273	294
Mood Disorder	916	936	976
Personality Disorder	82	64	61
Psychotic Disorder	213	199	212
Sexual Disorder	*	*	*
Other Diagnosis	113	99	103
Diagnosis Unknown	58	121	172

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	1,293	1,428	1,554	Less than High School Diploma	434	423	470
AGE				High School Grad or G.E.D.	0	0	6
Under 6	17	20	27	Associate Degree or Some College	0	0	0
6 to 9	82	88	107	Bachelor or Advanced Degree	0	0	0
10 to 13	114	158	145	Education Level Unknown	859	1,005	1,078
14 to 17	133	158	177	EMPLOYMENT			
18 to 24	112	116	155	Employed	58	45	72
25 to 29	90	115	124	Unemployed	48	55	85
30 to 34	106	116	135	Not in Labor Force	691	633	722
35 to 39	113	125	139	Employment Status Unknown	496	695	675
40 to 44	118	133	143	HOUSING / LIVING ARRANGEMENT			
45 to 49	110	127	126	Independent Living	405	355	411
50 to 54	135	133	136	Dependent Living	379	376	444
55 to 59	94	82	81	Homeless	27	14	12
60 and Over	69	57	59	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	482	683	687
GENDER				TREATMENT REFERRAL SOURCE			
Male	558	635	677	Self / Family / Friend	999	1,093	1,149
Female	735	793	877	School	*	*	5
Gender Unknown	0	0	0	Mental Health Provider	23	25	30
RACE / ETHNICITY				Health Care Provider	111	113	121
Caucasian	1,176	1,309	1,404	Court / Criminal Justice	28	47	49
African American	54	48	55	Other	127	142	195
Native American / Alaskan	*	0	*	Referral Source Unknown	*	5	5
Asian / Pacific Islander	*	*	5	TYPE OF COMMITMENT			
Hispanic	23	29	32	Voluntary	1,279	1,415	1,535
Other Race	35	38	55	Civil	0	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	9	5	10
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	40	39	41	Commitment Type Unknown	*	5	6
Past or Current Military Service	41	47	52				

PSYCHIATRIC SERVICE AREA 8A



DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	Not Applicable
Adult Psychiatric	8A
POPULATION	
Census 2010	82,114
2015 Estimate	81,604

BIRTH RISK	2014	2013	2012
Resident Births	960	962	981
Mother Reported Smoking while Pregnant	211	215	233

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	5	1	0
Hepatitis B Chronic, Acute, Prenatal		5	9
Hepatitis C Chronic and Acute	101	55	63
Tuberculosis Infection Cases	14	14	14

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	944	958	903
Suicides	16	9	10
Homicides	1	1	3
Alcohol Induced Deaths	3	7	1
Drug Induced Deaths	10	11	11
Smoking Attributable Deaths	177	184	167
Self-inflicted Injuries	112	115	133
Assault Injuries	223	201	258

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	497	450	436
Mental Illness Secondary Diagnosis	956	883	917
Alcohol Principal Diagnosis	29	30	30
Alcohol Secondary Diagnosis	65	63	74
Drug Principal Diagnosis	33	50	50
Drug Secondary Diagnosis	93	53	67
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	258	270	263
Mental Illness Secondary Diagnosis	1,208	1,204	1,110
Alcohol Principal Diagnosis	73	72	80
Alcohol Secondary Diagnosis	119	144	133
Drug Principal Diagnosis	47	59	73
Drug Secondary Diagnosis	92	68	76
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	706	577	703
Mental Illness Secondary Diagnosis	1,707	1,756	2,167
Alcohol Principal Diagnosis	148	129	129
Alcohol Secondary Diagnosis	207	202	219
Drug Principal Diagnosis	167	153	171
Drug Secondary Diagnosis	249	261	304

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	52	51	53
Alcohol Package Carry-out Licenses	108	107	98

EMPLOYMENT	2015	2014	2013
Labor Force	36,808	35,634	39,523
Employed	34,990	33,492	37,232
Unemployed	1,818	2,142	2,291
Unemployment Rate	4.9%	6.0%	5.8%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	91	91	102
Fatal Crashes	6	6	6
Injury Crashes	39	41	44
Property Damage Crashes	46	44	52
Crash Fatalities	6	6	6
Crash Injuries	51	57	65
Drug Involved Crashes	24	28	15
Fatal Crashes	0	5	0
Injury Crashes	12	13	5
Property Damage Crashes	12	10	10
Crash Fatalities	0	5	0
Crash Injuries	16	18	6

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	407	559	497
Liquor Law Arrests	41	74	82
Drug Arrests	363	397	362
Violent Offenses	284	262	282
Property Offenses	2,035	2,515	2,705
Domestic Violence Reports	578	427	539

	2015	2014	2013
Methamphetamine Lab Seizures	13	45	44

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	4,056	3,934	4,057
Drop-outs	46	46	66
Drop-out Rate	1.1%	1.2%	1.6%
School Discipline Involving Alcohol	32	28	52
School Discipline Involving Drugs	33	24	14
School Discipline Involving Tobacco		2	3

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	80	30	50
Juvenile Alcohol Offenses	2	2	4
Juvenile Drug Offenses	12	13	15
School Truancy Status Offense	18	19	18
Absent from Home Status Offense	17	22	17
Beyond Parental Control Status Offense	28	15	23
Injurious Behavior Status Offense	34	28	32
Child Abuse	43	49	33
Child Neglect	142	96	131
Child Custody Issues	207	168	190


JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	246	187	169
Parental Alcohol Use Related	9	5	6
Parental Drug Use Related	82	46	66
Parental Alcohol and Drug Use	4	4	4

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	117	109	91
Probation/Parole Admissions--Drug	223	169	166
Probation/Parole Admissions--DWI	38	38	45
Prison Admissions--Drug	88	87	75
Prison Admissions--DWI	17	16	13

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

PSYCHIATRIC SERVICE AREA 8A

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southwest
PSYCHIATRIC SERVICE AREA 8A
CENSUS 2010 82,114
2015 POPULATION ESTIMATE 81,604


Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	59	59	56
Anxiety Disorder	426	374	359
Dementia	*	*	*
Developmental Disorder	21	22	16
Impulse Control Disorder	217	196	179
Mood Disorder	606	503	509
Personality Disorder	139	116	125
Psychotic Disorder	144	135	113
Sexual Disorder	*	*	*
Other Diagnosis	118	106	84
Diagnosis Unknown	376	443	410

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	1,323	1,260	1,219	Less than High School Diploma	505	355	230
AGE				High School Grad or G.E.D.	0	0	0
Under 6	11	15	22	Associate Degree or Some College	0	0	0
6 to 9	100	80	69	Bachelor or Advanced Degree	0	0	0
10 to 13	101	109	104	Education Level Unknown	818	905	989
14 to 17	150	97	100	EMPLOYMENT			
18 to 24	91	110	114	Employed	83	39	13
25 to 29	101	95	106	Unemployed	68	39	12
30 to 34	115	118	90	Not in Labor Force	799	604	362
35 to 39	83	99	90	Employment Status Unknown	373	578	832
40 to 44	119	124	136	HOUSING / LIVING ARRANGEMENT			
45 to 49	127	112	113	Independent Living	503	348	167
50 to 54	131	124	125	Dependent Living	347	273	205
55 to 59	108	97	83	Homeless	11	*	6
60 and Over	86	80	67	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	462	635	841
GENDER				TREATMENT REFERRAL SOURCE			
Male	609	600	547	Self / Family / Friend	685	754	725
Female	714	660	672	School	54	39	32
Gender Unknown	0	0	0	Mental Health Provider	59	60	62
RACE / ETHNICITY				Health Care Provider	188	147	146
Caucasian	1,257	1,208	1,164	Court / Criminal Justice	56	40	28
African American	10	11	12	Other	276	214	222
Native American / Alaskan	*	*	*	Referral Source Unknown	5	6	*
Asian / Pacific Islander	*	*	*	TYPE OF COMMITMENT			
Hispanic	35	26	26	Voluntary	1,295	1,240	1,203
Other Race	18	12	14	Civil	15	7	10
Race/Ethnicity Unknown	0	0	0	Criminal	8	6	*
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	67	65	59	Commitment Type Unknown	*	5	*
Past or Current Military Service	16	19	12				

PSYCHIATRIC SERVICE AREA 8B



DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	Not Applicable
Adult Psychiatric	8B
POPULATION	
Census 2010	112,950
2015 Estimate	110,254

BIRTH RISK	2014	2013	2012
Resident Births	1,230	1,177	1,188
Mother Reported Smoking while Pregnant	273	291	319

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	7	2	2
Hepatitis B Chronic, Acute, Prenatal		1	2
Hepatitis C Chronic and Acute	95	96	89
Tuberculosis Infection Cases	18	16	14

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	1,611	1,487	1,539
Suicides	33	18	22
Homicides	5	2	5
Alcohol Induced Deaths	10	11	11
Drug Induced Deaths	18	18	30
Smoking Attributable Deaths	313	305	305
Self-inflicted Injuries	162	157	144
Assault Injuries	294	321	361

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	980	1,068	984
Mental Illness Secondary Diagnosis	2,481	2,593	2,453
Alcohol Principal Diagnosis	51	41	58
Alcohol Secondary Diagnosis	183	171	179
Drug Principal Diagnosis	35	47	64
Drug Secondary Diagnosis	126	159	144
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	340	362	458
Mental Illness Secondary Diagnosis	1,516	1,591	1,635
Alcohol Principal Diagnosis	59	62	54
Alcohol Secondary Diagnosis	138	156	156
Drug Principal Diagnosis	38	41	59
Drug Secondary Diagnosis	108	114	104
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	1,053	1,017	1,102
Mental Illness Secondary Diagnosis	5,080	5,044	4,307
Alcohol Principal Diagnosis	186	173	174
Alcohol Secondary Diagnosis	301	284	284
Drug Principal Diagnosis	182	176	179
Drug Secondary Diagnosis	389	335	318

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	126	126	128
Alcohol Package Carry-out Licenses	141	147	148

EMPLOYMENT	2015	2014	2013
Labor Force	49,658	48,746	50,585
Employed	46,782	45,435	47,189
Unemployed	2,876	3,311	3,396
Unemployment Rate	5.8%	6.8%	6.7%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	94	89	136
Fatal Crashes	4	3	4
Injury Crashes	41	43	51
Property Damage Crashes	49	43	81
Crash Fatalities	5	5	4
Crash Injuries	61	58	73
Drug Involved Crashes	19	28	25
Fatal Crashes	1	0	1
Injury Crashes	4	13	9
Property Damage Crashes	14	15	15
Crash Fatalities	1	0	1
Crash Injuries	10	15	10

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	477	509	590
Liquor Law Arrests	74	96	137
Drug Arrests	923	668	651
Violent Offenses	402	398	393
Property Offenses	3,098	3,357	3,739
Domestic Violence Reports	643	571	650

	2015	2014	2013
Methamphetamine Lab Seizures	3	1	16

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	5,011	4,998	5,062
Drop-outs	79	95	85
Drop-out Rate	1.6%	1.9%	1.7%
School Discipline Involving Alcohol	15	4	15
School Discipline Involving Drugs	56	41	45
School Discipline Involving Tobacco		5	2

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	162	142	197
Juvenile Alcohol Offenses	30	21	44
Juvenile Drug Offenses	30	21	50
School Truancy Status Offense	162	136	136
Absent from Home Status Offense	47	22	52
Beyond Parental Control Status Offense	112	67	102
Injurious Behavior Status Offense	174	168	139
Child Abuse	126	136	164
Child Neglect	473	467	445
Child Custody Issues	32	33	18

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	124	109	88
Parental Alcohol Use Related	8	3	7
Parental Drug Use Related	30	42	35
Parental Alcohol and Drug Use	6	2	1

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	82	61	87
Probation/Parole Admissions--Drug	345	294	258
Probation/Parole Admissions--DWI	48	66	61
Prison Admissions--Drug	138	135	115
Prison Admissions--DWI	26	26	23


¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.

³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

PSYCHIATRIC SERVICE AREA 8B

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southwest
PSYCHIATRIC SERVICE AREA 8B
CENSUS 2010 112,950
2015 POPULATION ESTIMATE 110,254


Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	67	61	70
Anxiety Disorder	774	788	826
Dementia	*	*	*
Developmental Disorder	15	11	17
Impulse Control Disorder	203	162	166
Mood Disorder	1,029	1,100	1,174
Personality Disorder	111	105	124
Psychotic Disorder	239	244	252
Sexual Disorder	*	*	*
Other Diagnosis	145	143	125
Diagnosis Unknown	66	149	152

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	1,490	1,661	1,739	Less than High School Diploma	548	644	656
AGE				High School Grad or G.E.D.	0	0	0
Under 6	20	12	11	Associate Degree or Some College	0	0	0
6 to 9	85	84	81	Bachelor or Advanced Degree	0	0	0
10 to 13	125	126	123	Education Level Unknown	942	1,017	1,083
14 to 17	123	115	103	EMPLOYMENT			
18 to 24	99	135	161	Employed	63	97	68
25 to 29	87	139	149	Unemployed	44	60	105
30 to 34	137	165	174	Not in Labor Force	1,064	1,136	1,140
35 to 39	132	156	152	Employment Status Unknown	319	368	426
40 to 44	122	144	163	HOUSING / LIVING ARRANGEMENT			
45 to 49	150	165	198	Independent Living	683	751	759
50 to 54	194	201	209	Dependent Living	476	515	517
55 to 59	110	133	132	Homeless	19	35	26
60 and Over	106	86	83	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	312	360	437
GENDER				TREATMENT REFERRAL SOURCE			
Male	654	736	759	Self / Family / Friend	933	1,099	1,138
Female	836	925	980	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	50	63	84
RACE / ETHNICITY				Health Care Provider	168	174	186
Caucasian	1,434	1,603	1,682	Court / Criminal Justice	35	39	41
African American	12	16	19	Other	289	268	270
Native American / Alaskan	5	7	5	Referral Source Unknown	14	15	17
Asian / Pacific Islander	*	0	0	TYPE OF COMMITMENT			
Hispanic	13	9	12	Voluntary	1,464	1,629	1,695
Other Race	25	26	21	Civil	*	9	18
Race/Ethnicity Unknown	0	0	0	Criminal	6	5	5
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	35	35	40	Commitment Type Unknown	14	15	17
Past or Current Military Service	33	30	36				

PSYCHIATRIC SERVICE AREA 9



DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	Not Applicable
Adult Psychiatric	9
POPULATION	
Census 2010	211,003
2015 Estimate	211,734

BIRTH RISK	2014	2013	2012
Resident Births	2,830	2,850	2,963
Mother Reported Smoking while Pregnant	550	572	552

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	10	7	7
Hepatitis B Chronic, Acute, Prenatal		23	15
Hepatitis C Chronic and Acute	254	186	150
Tuberculosis Infection Cases	104	92	111

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	2,214	2,218	2,067
Suicides	49	41	32
Homicides	9	7	11
Alcohol Induced Deaths	14	10	14
Drug Induced Deaths	31	25	15
Smoking Attributable Deaths	435	438	387
Self-inflicted Injuries	212	223	220
Assault Injuries	524	521	596

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	1,272	1,405	1,410
Mental Illness Secondary Diagnosis	3,122	3,547	4,344
Alcohol Principal Diagnosis	76	130	205
Alcohol Secondary Diagnosis	217	246	329
Drug Principal Diagnosis	105	100	125
Drug Secondary Diagnosis	169	186	232
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	1,322	1,125	954
Mental Illness Secondary Diagnosis	3,294	3,201	2,213
Alcohol Principal Diagnosis	333	263	274
Alcohol Secondary Diagnosis	327	333	290
Drug Principal Diagnosis	235	228	161
Drug Secondary Diagnosis	217	170	151
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	1,410	1,728	2,060
Mental Illness Secondary Diagnosis	15,727	15,643	14,921
Alcohol Principal Diagnosis	565	503	514
Alcohol Secondary Diagnosis	2,726	662	524
Drug Principal Diagnosis	380	363	339
Drug Secondary Diagnosis	1,149	660	491

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	178	184	185
Alcohol Package Carry-out Licenses	245	254	204

EMPLOYMENT	2015	2014	2013
Labor Force	104,013	102,572	102,357
Employed	99,419	97,035	96,371
Unemployed	4,594	5,537	5,986
Unemployment Rate	4.4%	5.4%	5.8%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	204	248	242
Fatal Crashes	9	10	4
Injury Crashes	90	106	107
Property Damage Crashes	105	132	131
Crash Fatalities	9	11	5
Crash Injuries	135	147	144
Drug Involved Crashes	44	54	72
Fatal Crashes	1	2	0
Injury Crashes	19	19	26
Property Damage Crashes	24	33	46
Crash Fatalities	1	2	0
Crash Injuries	37	24	36

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	1,650	1,637	1,699
Liquor Law Arrests	262	280	345
Drug Arrests	976	757	713
Violent Offenses	759	759	820
Property Offenses	8,309	8,555	8,344
Domestic Violence Reports	2,478	2,561	2,284

	2015	2014	2013
Methamphetamine Lab Seizures	22	82	122

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	10,240	10,006	10,008
Drop-outs	204	225	245
Drop-out Rate	2.0%	2.2%	2.4%
School Discipline Involving Alcohol	5	15	22
School Discipline Involving Drugs	33	88	70
School Discipline Involving Tobacco		1	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	230	149	315
Juvenile Alcohol Offenses	25	32	53
Juvenile Drug Offenses	56	55	101
School Truancy Status Offense	127	79	72
Absent from Home Status Offense	60	50	84
Beyond Parental Control Status Offense	103	68	108
Injurious Behavior Status Offense	118	114	122
Child Abuse	130	128	81
Child Neglect	804	830	1,031
Child Custody Issues	359	253	207


JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	660	487	523
Parental Alcohol Use Related	23	5	30
Parental Drug Use Related	236	182	183
Parental Alcohol and Drug Use	10	5	10

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	206	203	211
Probation/Parole Admissions--Drug	314	358	322
Probation/Parole Admissions--DWI	152	167	186
Prison Admissions--Drug	158	149	186
Prison Admissions--DWI	50	57	77

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

PSYCHIATRIC SERVICE AREA 9

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southwest
PSYCHIATRIC SERVICE AREA 9
CENSUS 2010 211,003
2015 POPULATION ESTIMATE 211,734


Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	279	218	199
Anxiety Disorder	1,350	1,244	1,324
Dementia	*	*	*
Developmental Disorder	40	41	50
Impulse Control Disorder	664	645	709
Mood Disorder	2,085	1,754	2,086
Personality Disorder	455	474	393
Psychotic Disorder	363	314	341
Sexual Disorder	16	16	18
Other Diagnosis	389	296	263
Diagnosis Unknown	326	593	668

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	3,633	3,458	4,228	Less than High School Diploma	1,103	885	887
AGE				High School Grad or G.E.D.	0	0	13
Under 6	49	88	88	Associate Degree or Some College	0	0	5
6 to 9	213	251	315	Bachelor or Advanced Degree	0	0	0
10 to 13	294	312	347	Education Level Unknown	2,530	2,573	3,323
14 to 17	341	304	365	EMPLOYMENT			
18 to 24	352	299	380	Employed	309	228	223
25 to 29	311	307	409	Unemployed	173	229	224
30 to 34	355	277	383	Not in Labor Force	1,758	1,487	1,487
35 to 39	302	282	340	Employment Status Unknown	1,393	1,514	2,294
40 to 44	322	312	392	HOUSING / LIVING ARRANGEMENT			
45 to 49	311	318	384	Independent Living	1,346	1,028	952
50 to 54	355	337	416	Dependent Living	868	838	774
55 to 59	271	217	242	Homeless	74	59	69
60 and Over	157	154	167	Other	0	0	*
Age Unknown	0	0	0	Housing Unknown	1,345	1,533	2,432
GENDER				TREATMENT REFERRAL SOURCE			
Male	1,747	1,623	1,936	Self / Family / Friend	2,797	2,838	3,421
Female	1,886	1,835	2,292	School	*	0	6
Gender Unknown	0	0	0	Mental Health Provider	37	47	88
RACE / ETHNICITY				Health Care Provider	299	190	168
Caucasian	3,324	3,133	3,888	Court / Criminal Justice	382	206	240
African American	89	89	102	Other	103	161	286
Native American / Alaskan	15	15	14	Referral Source Unknown	13	16	19
Asian / Pacific Islander	5	7	7	TYPE OF COMMITMENT			
Hispanic	108	134	114	Voluntary	3,238	3,257	4,002
Other Race	92	80	103	Civil	364	170	191
Race/Ethnicity Unknown	0	0	0	Criminal	15	10	10
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	34	39	46	Commitment Type Unknown	14	17	21
Past or Current Military Service	60	53	64				

PSYCHIATRIC SERVICE AREA 10



DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	Not Applicable
Adult Psychiatric	10
POPULATION	
Census 2010	520,589
2015 Estimate	541,991

BIRTH RISK	2014	2013	2012
Resident Births	6,608	6,504	6,465
Mother Reported Smoking while Pregnant	1,207	1,218	1,160

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	12	18	31
Hepatitis B Chronic, Acute, Prenatal		63	47
Hepatitis C Chronic and Acute	705	588	567
Tuberculosis Infection Cases	190	174	140

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	5,090	5,012	4,760
Suicides	94	80	75
Homicides	27	17	23
Alcohol Induced Deaths	50	47	41
Drug Induced Deaths	108	92	86
Smoking Attributable Deaths	841	869	837
Self-inflicted Injuries	922	803	796
Assault Injuries	1,522	1,587	1,738

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	2,979	2,774	2,539
Mental Illness Secondary Diagnosis	4,565	4,472	4,446
Alcohol Principal Diagnosis	146	221	180
Alcohol Secondary Diagnosis	202	216	223
Drug Principal Diagnosis	204	233	246
Drug Secondary Diagnosis	390	337	295
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	3,250	3,108	2,963
Mental Illness Secondary Diagnosis	10,624	10,582	9,746
Alcohol Principal Diagnosis	1,148	1,097	1,069
Alcohol Secondary Diagnosis	1,175	1,172	1,125
Drug Principal Diagnosis	766	714	778
Drug Secondary Diagnosis	1,043	969	800
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	4,908	4,633	4,832
Mental Illness Secondary Diagnosis	21,175	23,702	23,041
Alcohol Principal Diagnosis	1,952	2,034	2,022
Alcohol Secondary Diagnosis	944	1,334	1,610
Drug Principal Diagnosis	1,466	1,357	1,443
Drug Secondary Diagnosis	1,738	1,889	1,908

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	575	577	567
Alcohol Package Carry-out Licenses	457	452	399

EMPLOYMENT	2015	2014	2013
Labor Force	273,706	266,370	264,447
Employed	260,413	251,028	248,209
Unemployed	13,293	15,342	16,238
Unemployment Rate	4.9%	5.8%	6.1%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	497	566	547
Fatal Crashes	8	10	20
Injury Crashes	199	224	241
Property Damage Crashes	290	332	286
Crash Fatalities	9	10	21
Crash Injuries	290	300	330
Drug Involved Crashes	128	130	137
Fatal Crashes	5	2	3
Injury Crashes	61	65	64
Property Damage Crashes	62	63	70
Crash Fatalities	5	3	4
Crash Injuries	104	107	96

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	2,430	2,727	3,209
Liquor Law Arrests	365	428	551
Drug Arrests	2,859	2,876	2,766
Violent Offenses	2,741	2,806	2,539
Property Offenses	20,155	22,968	23,175
Domestic Violence Reports	5,351	5,334	5,307

	2015	2014	2013
Methamphetamine Lab Seizures	38	75	131

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	22,688	22,584	22,512
Drop-outs	356	311	401
Drop-out Rate	1.6%	1.4%	1.8%
School Discipline Involving Alcohol	51	43	40
School Discipline Involving Drugs	244	268	292
School Discipline Involving Tobacco		12	7

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	713	714	709
Juvenile Alcohol Offenses	100	94	106
Juvenile Drug Offenses	230	229	232
School Truancy Status Offense	43	63	69
Absent from Home Status Offense	188	135	147
Beyond Parental Control Status Offense	144	118	184
Injurious Behavior Status Offense	506	443	535
Child Abuse	199	201	205
Child Neglect	989	891	794
Child Custody Issues	162	129	129

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	687	698	589
Parental Alcohol Use Related	21	20	19
Parental Drug Use Related	257	314	252
Parental Alcohol and Drug Use	33	17	21

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	1,880	1,434	1,168
Probation/Parole Admissions--Drug	1,171	1,253	1,085
Probation/Parole Admissions--DWI	200	217	235
Prison Admissions--Drug	590	607	617
Prison Admissions--DWI	87	86	91


¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.

³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

PSYCHIATRIC SERVICE AREA 10

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southwest
PSYCHIATRIC SERVICE AREA 10
CENSUS 2010 520,589
2015 POPULATION ESTIMATE 541,991


Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	141	135	139
Anxiety Disorder	1,735	1,526	1,404
Dementia	25	20	14
Developmental Disorder	104	97	108
Impulse Control Disorder	435	405	398
Mood Disorder	2,420	2,352	2,217
Personality Disorder	612	543	467
Psychotic Disorder	938	921	893
Sexual Disorder	12	12	9
Other Diagnosis	438	415	358
Diagnosis Unknown	302	284	313

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	3,711	3,654	3,615	Less than High School Diploma	990	949	890
AGE				High School Grad or G.E.D.	0	*	*
Under 6	97	109	107	Associate Degree or Some College	0	0	*
6 to 9	203	177	200	Bachelor or Advanced Degree	0	0	0
10 to 13	188	187	202	Education Level Unknown	2,721	2,704	2,722
14 to 17	156	166	178	EMPLOYMENT			
18 to 24	232	257	244	Employed	128	130	89
25 to 29	278	272	272	Unemployed	134	143	141
30 to 34	367	362	368	Not in Labor Force	2,011	1,990	2,096
35 to 39	364	381	365	Employment Status Unknown	1,438	1,391	1,289
40 to 44	371	352	352	HOUSING / LIVING ARRANGEMENT			
45 to 49	390	428	435	Independent Living	1,080	1,172	1,190
50 to 54	477	419	384	Dependent Living	1,002	966	1,023
55 to 59	304	301	281	Homeless	112	70	107
60 and Over	284	243	227	Other	0	0	*
Age Unknown	0	0	0	Housing Unknown	1,517	1,446	1,294
GENDER				TREATMENT REFERRAL SOURCE			
Male	1,769	1,725	1,747	Self / Family / Friend	1,847	1,913	2,028
Female	1,942	1,929	1,868	School	10	15	19
Gender Unknown	0	0	0	Mental Health Provider	190	158	154
RACE / ETHNICITY				Health Care Provider	666	594	487
Caucasian	3,302	3,249	3,222	Court / Criminal Justice	304	251	230
African American	150	146	129	Other	628	652	623
Native American / Alaskan	9	11	7	Referral Source Unknown	66	71	74
Asian / Pacific Islander	7	8	7	TYPE OF COMMITMENT			
Hispanic	82	80	75	Voluntary	3,582	3,536	3,480
Other Race	161	160	175	Civil	30	13	30
Race/Ethnicity Unknown	0	0	0	Criminal	29	32	29
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	120	120	116	Commitment Type Unknown	67	71	74
Past or Current Military Service	115	106	102				

PSYCHIATRIC SERVICE AREA 11



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	Not Applicable
Adult Psychiatric	11
POPULATION	
Census 2010	246,463
2015 Estimate	248,392

BIRTH RISK	2014	2013	2012
Resident Births	3,111	3,058	3,071
Mother Reported Smoking while Pregnant	634	630	684

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	10	10	7
Hepatitis B Chronic, Acute, Prenatal		22	17
Hepatitis C Chronic and Acute	206	202	174
Tuberculosis Infection Cases	84	79	66

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	2,250	2,176	2,184
Suicides	44	37	41
Homicides	12	14	9
Alcohol Induced Deaths	14	12	18
Drug Induced Deaths	30	29	35
Smoking Attributable Deaths	403	407	427
Self-inflicted Injuries	270	276	257
Assault Injuries	678	656	792

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	1,324	1,302	1,143
Mental Illness Secondary Diagnosis	2,598	2,607	2,423
Alcohol Principal Diagnosis	65	80	58
Alcohol Secondary Diagnosis	159	186	152
Drug Principal Diagnosis	92	104	104
Drug Secondary Diagnosis	180	170	163
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	1,030	909	1,021
Mental Illness Secondary Diagnosis	3,744	3,418	3,960
Alcohol Principal Diagnosis	203	207	251
Alcohol Secondary Diagnosis	405	429	401
Drug Principal Diagnosis	113	135	129
Drug Secondary Diagnosis	194	206	220
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	2,134	2,045	1,959
Mental Illness Secondary Diagnosis	13,456	9,068	5,730
Alcohol Principal Diagnosis	445	430	395
Alcohol Secondary Diagnosis	474	511	399
Drug Principal Diagnosis	354	369	379
Drug Secondary Diagnosis	483	427	471

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	391	409	414
Alcohol Package Carry-out Licenses	276	270	280

EMPLOYMENT	2015	2014	2013
Labor Force	109,365	108,546	116,343
Employed	103,652	101,406	108,366
Unemployed	5,713	7,140	7,977
Unemployment Rate	5.2%	6.6%	6.9%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	261	279	269
Fatal Crashes	12	20	13
Injury Crashes	101	125	119
Property Damage Crashes	148	134	137
Crash Fatalities	13	22	13
Crash Injuries	155	191	177
Drug Involved Crashes	72	54	40
Fatal Crashes	5	1	2
Injury Crashes	33	28	14
Property Damage Crashes	34	25	24
Crash Fatalities	5	1	2
Crash Injuries	48	39	19

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	1,080	1,255	1,521
Liquor Law Arrests	182	425	465
Drug Arrests	1,563	1,596	1,359
Violent Offenses	623	666	828
Property Offenses	5,001	5,349	5,887
Domestic Violence Reports	1,840	1,787	2,013

	2015	2014	2013
Methamphetamine Lab Seizures	13	35	42

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	11,364	11,392	11,531
Drop-outs	173	200	216
Drop-out Rate	1.5%	1.8%	1.9%
School Discipline Involving Alcohol	29	28	21
School Discipline Involving Drugs	119	103	97
School Discipline Involving Tobacco		3	8

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	249	189	271
Juvenile Alcohol Offenses	17	45	70
Juvenile Drug Offenses	62	77	80
School Truancy Status Offense	210	188	292
Absent from Home Status Offense	53	97	125
Beyond Parental Control Status Offense	117	55	63
Injurious Behavior Status Offense	317	275	364
Child Abuse	568	360	571
Child Neglect	672	515	800
Child Custody Issues	4	9	8

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	320	330	293
Parental Alcohol Use Related	23	10	4
Parental Drug Use Related	98	73	78
Parental Alcohol and Drug Use	17	21	13

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	140	135	145
Probation/Parole Admissions--Drug	828	724	668
Probation/Parole Admissions--DWI	110	108	133
Prison Admissions--Drug	389	388	318
Prison Admissions--DWI	41	48	58


¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.

³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

PSYCHIATRIC SERVICE AREA 11

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 11
CENSUS 2010 246,463
2015 POPULATION ESTIMATE 248,392


Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	115	93	83
Anxiety Disorder	1,339	1,141	977
Dementia	*	*	*
Developmental Disorder	33	29	16
Impulse Control Disorder	347	278	265
Mood Disorder	1,633	1,525	1,417
Personality Disorder	155	101	99
Psychotic Disorder	390	360	344
Sexual Disorder	7	6	*
Other Diagnosis	166	170	152
Diagnosis Unknown	88	151	107

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	2,371	2,294	2,061	Less than High School Diploma	928	841	795
AGE				High School Grad or G.E.D.	0	0	6
Under 6	28	39	22	Associate Degree or Some College	0	0	*
6 to 9	153	131	98	Bachelor or Advanced Degree	0	0	*
10 to 13	181	189	152	Education Level Unknown	1,443	1,453	1,254
14 to 17	211	210	218	EMPLOYMENT			
18 to 24	155	171	178	Employed	121	117	114
25 to 29	171	171	159	Unemployed	189	178	199
30 to 34	205	210	176	Not in Labor Force	1,528	1,398	1,371
35 to 39	204	194	150	Employment Status Unknown	533	601	377
40 to 44	208	196	194	HOUSING / LIVING ARRANGEMENT			
45 to 49	225	224	206	Independent Living	1,072	983	1,009
50 to 54	269	243	218	Dependent Living	746	711	687
55 to 59	189	172	150	Homeless	49	26	33
60 and Over	172	144	140	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	504	574	332
GENDER				TREATMENT REFERRAL SOURCE			
Male	1,029	1,042	909	Self / Family / Friend	1,555	1,414	1,170
Female	1,342	1,252	1,152	School	14	8	7
Gender Unknown	0	0	0	Mental Health Provider	127	143	168
RACE / ETHNICITY				Health Care Provider	276	254	271
Caucasian	2,126	2,071	1,835	Court / Criminal Justice	101	152	133
African American	128	124	118	Other	297	321	311
Native American / Alaskan	6	7	12	Referral Source Unknown	*	*	*
Asian / Pacific Islander	*	*	5	TYPE OF COMMITMENT			
Hispanic	46	40	33	Voluntary	2,341	2,265	2,034
Other Race	61	49	58	Civil	9	7	8
Race/Ethnicity Unknown	0	0	0	Criminal	17	19	14
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	85	78	76	Commitment Type Unknown	*	*	*
Past or Current Military Service	66	56	54				

PSYCHIATRIC SERVICE AREA 12



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	Not Applicable
Adult Psychiatric	12
POPULATION	
Census 2010	334,670
2015 Estimate	346,087

BIRTH RISK	2014	2013	2012
Resident Births	4,250	4,320	4,291
Mother Reported Smoking while Pregnant	698	804	801

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	15	8	8
Hepatitis B Chronic, Acute, Prenatal		41	37
Hepatitis C Chronic and Acute	273	228	246
Tuberculosis Infection Cases	228	451	287

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	2,934	2,993	2,788
Suicides	48	56	48
Homicides	14	12	10
Alcohol Induced Deaths	25	15	19
Drug Induced Deaths	40	42	37
Smoking Attributable Deaths	485	509	470
Self-inflicted Injuries	314	398	378
Assault Injuries	1,002	981	985

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	1,594	1,647	1,632
Mental Illness Secondary Diagnosis	4,831	5,188	6,279
Alcohol Principal Diagnosis	125	157	153
Alcohol Secondary Diagnosis	333	413	451
Drug Principal Diagnosis	63	68	88
Drug Secondary Diagnosis	328	300	311
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	1,636	1,621	1,504
Mental Illness Secondary Diagnosis	4,158	4,294	3,439
Alcohol Principal Diagnosis	447	458	404
Alcohol Secondary Diagnosis	523	538	418
Drug Principal Diagnosis	236	207	195
Drug Secondary Diagnosis	345	297	232
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	2,819	2,723	2,466
Mental Illness Secondary Diagnosis	11,820	10,739	8,708
Alcohol Principal Diagnosis	800	671	549
Alcohol Secondary Diagnosis	811	947	683
Drug Principal Diagnosis	438	357	380
Drug Secondary Diagnosis	847	780	553

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	454	454	452
Alcohol Package Carry-out Licenses	318	322	327

EMPLOYMENT	2015	2014	2013
Labor Force	180,681	176,998	178,245
Employed	172,826	167,922	168,800
Unemployed	7,855	9,076	9,445
Unemployment Rate	4.3%	5.1%	5.3%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	319	369	345
Fatal Crashes	11	12	14
Injury Crashes	107	152	157
Property Damage Crashes	201	205	174
Crash Fatalities	16	15	14
Crash Injuries	138	195	221
Drug Involved Crashes	65	56	53
Fatal Crashes	3	3	2
Injury Crashes	26	19	30
Property Damage Crashes	36	34	21
Crash Fatalities	3	3	3
Crash Injuries	42	23	50

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	1,902	1,831	2,113
Liquor Law Arrests	686	818	1,022
Drug Arrests	2,119	2,135	2,333
Violent Offenses	994	965	1,044
Property Offenses	9,118	9,987	10,158
Domestic Violence Reports	2,955	2,652	2,898

	2015	2014	2013
Methamphetamine Lab Seizures	16	25	23

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	14,036	14,038	14,096
Drop-outs	211	264	278
Drop-out Rate	1.5%	1.9%	2.0%
School Discipline Involving Alcohol	9	3	10
School Discipline Involving Drugs	27	53	78
School Discipline Involving Tobacco		0	1

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	443	505	539
Juvenile Alcohol Offenses	51	57	53
Juvenile Drug Offenses	126	176	183
School Truancy Status Offense	271	218	340
Absent from Home Status Offense	216	264	234
Beyond Parental Control Status Offense	259	322	470
Injurious Behavior Status Offense	606	575	660
Child Abuse	98	140	162
Child Neglect	482	435	529
Child Custody Issues	48	71	96

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	392	348	385
Parental Alcohol Use Related	22	9	10
Parental Drug Use Related	136	120	155
Parental Alcohol and Drug Use	15	9	7

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	326	344	398
Probation/Parole Admissions--Drug	846	822	822
Probation/Parole Admissions--DWI	139	152	175
Prison Admissions--Drug	511	510	452
Prison Admissions--DWI	68	92	105


¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.

³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

PSYCHIATRIC SERVICE AREA 12

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 12
CENSUS 2010 334,670
2015 POPULATION ESTIMATE 346,087


Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	161	154	120
Anxiety Disorder	1,750	1,723	1,621
Dementia	10	8	*
Developmental Disorder	72	70	52
Impulse Control Disorder	595	520	464
Mood Disorder	2,400	2,384	2,332
Personality Disorder	335	370	370
Psychotic Disorder	645	620	632
Sexual Disorder	13	12	11
Other Diagnosis	299	252	203
Diagnosis Unknown	207	195	241

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	3,595	3,516	3,507	Less than High School Diploma	1,264	1,120	1,037
AGE				High School Grad or G.E.D.	0	*	13
Under 6	22	22	18	Associate Degree or Some College	0	0	*
6 to 9	181	155	111	Bachelor or Advanced Degree	0	0	*
10 to 13	249	232	220	Education Level Unknown	2,331	2,395	2,452
14 to 17	281	252	247	EMPLOYMENT			
18 to 24	263	272	326	Employed	328	327	313
25 to 29	264	286	304	Unemployed	229	299	473
30 to 34	306	339	342	Not in Labor Force	2,489	2,338	2,072
35 to 39	315	315	313	Employment Status Unknown	549	552	649
40 to 44	325	322	359	HOUSING / LIVING ARRANGEMENT			
45 to 49	341	378	393	Independent Living	1,943	1,924	1,847
50 to 54	422	378	350	Dependent Living	936	896	887
55 to 59	311	293	268	Homeless	117	100	101
60 and Over	315	272	256	Other	0	0	*
Age Unknown	0	0	0	Housing Unknown	599	596	671
GENDER				TREATMENT REFERRAL SOURCE			
Male	1,602	1,591	1,610	Self / Family / Friend	1,694	1,599	1,475
Female	1,993	1,925	1,897	School	39	22	22
Gender Unknown	0	0	0	Mental Health Provider	303	323	317
RACE / ETHNICITY				Health Care Provider	771	808	965
Caucasian	2,741	2,711	2,696	Court / Criminal Justice	259	286	312
African American	635	602	609	Other	520	470	407
Native American / Alaskan	5	*	6	Referral Source Unknown	9	8	9
Asian / Pacific Islander	11	12	10	TYPE OF COMMITMENT			
Hispanic	54	54	64	Voluntary	3,542	3,447	3,439
Other Race	149	133	122	Civil	11	11	9
Race/Ethnicity Unknown	0	0	0	Criminal	31	45	45
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	5
Hearing Impaired	117	114	112	Commitment Type Unknown	8	9	9
Past or Current Military Service	88	90	90				

PSYCHIATRIC SERVICE AREA 13



DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	Not Applicable
Adult Psychiatric	13
POPULATION	
Census 2010	80,509
2015 Estimate	78,220

BIRTH RISK	2014	2013	2012
Resident Births	984	970	954
Mother Reported Smoking while Pregnant	256	236	246

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	0	3	0
Hepatitis B Chronic, Acute, Prenatal		7	8
Hepatitis C Chronic and Acute	51	32	37
Tuberculosis Infection Cases	12	8	7

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	1,062	975	979
Suicides	14	12	14
Homicides	2	0	4
Alcohol Induced Deaths	8	1	3
Drug Induced Deaths	16	12	9
Smoking Attributable Deaths	193	185	191
Self-inflicted Injuries	110	119	112
Assault Injuries	152	180	172

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	544	575	555
Mental Illness Secondary Diagnosis	1,694	1,539	1,774
Alcohol Principal Diagnosis	23	21	25
Alcohol Secondary Diagnosis	110	137	107
Drug Principal Diagnosis	23	33	23
Drug Secondary Diagnosis	90	91	120
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	161	166	160
Mental Illness Secondary Diagnosis	861	877	916
Alcohol Principal Diagnosis	34	11	26
Alcohol Secondary Diagnosis	100	84	112
Drug Principal Diagnosis	19	15	30
Drug Secondary Diagnosis	58	51	62
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	767	749	767
Mental Illness Secondary Diagnosis	1,857	2,039	2,204
Alcohol Principal Diagnosis	84	60	114
Alcohol Secondary Diagnosis	183	143	139
Drug Principal Diagnosis	95	90	94
Drug Secondary Diagnosis	167	151	142

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	76	79	91
Alcohol Package Carry-out Licenses	101	103	103

EMPLOYMENT	2015	2014	2013
Labor Force	37,634	36,976	38,835
Employed	35,794	34,791	36,513
Unemployed	1,840	2,185	2,322
Unemployment Rate	4.9%	5.9%	6.0%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	70	79	65
Fatal Crashes	2	3	3
Injury Crashes	44	32	33
Property Damage Crashes	24	44	29
Crash Fatalities	2	4	3
Crash Injuries	57	43	44
Drug Involved Crashes	15	21	17
Fatal Crashes	1	0	0
Injury Crashes	7	10	10
Property Damage Crashes	7	11	7
Crash Fatalities	1	0	0
Crash Injuries	13	12	13

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	349	396	390
Liquor Law Arrests	100	74	91
Drug Arrests	419	391	381
Violent Offenses	128	181	128
Property Offenses	1,042	1,302	1,403
Domestic Violence Reports	410	475	498

	2015	2014	2013
Methamphetamine Lab Seizures	3	1	4

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	3,688	3,672	3,734
Drop-outs	28	31	49
Drop-out Rate	0.8%	0.8%	1.3%
School Discipline Involving Alcohol	4	2	15
School Discipline Involving Drugs	12	8	13
School Discipline Involving Tobacco		0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	61	75	68
Juvenile Alcohol Offenses	9	6	15
Juvenile Drug Offenses	17	14	16
School Truancy Status Offense	153	204	188
Absent from Home Status Offense	12	15	20
Beyond Parental Control Status Offense	29	54	71
Injurious Behavior Status Offense	100	116	96
Child Abuse	81	89	68
Child Neglect	223	215	184
Child Custody Issues	0	3	0


JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	135	113	130
Parental Alcohol Use Related	9	0	5
Parental Drug Use Related	51	32	39
Parental Alcohol and Drug Use	7	4	3

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	92	95	98
Probation/Parole Admissions--Drug	288	266	246
Probation/Parole Admissions--DWI	44	46	40
Prison Admissions--Drug	193	185	151
Prison Admissions--DWI	30	31	33

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

PSYCHIATRIC SERVICE AREA 13

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 13
CENSUS 2010 80,509
2015 POPULATION ESTIMATE 78,220


Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	46	35	37
Anxiety Disorder	767	615	585
Dementia	8	*	6
Developmental Disorder	33	43	42
Impulse Control Disorder	308	244	243
Mood Disorder	1,045	889	869
Personality Disorder	157	148	145
Psychotic Disorder	145	146	163
Sexual Disorder	6	6	6
Other Diagnosis	205	161	135
Diagnosis Unknown	42	55	43

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	1,488	1,265	1,236	Less than High School Diploma	598	492	474
AGE				High School Grad or G.E.D.	0	18	54
Under 6	7	6	9	Associate Degree or Some College	0	*	8
6 to 9	100	81	77	Bachelor or Advanced Degree	0	0	0
10 to 13	154	133	129	Education Level Unknown	890	753	700
14 to 17	131	119	125	EMPLOYMENT			
18 to 24	145	121	117	Employed	175	126	119
25 to 29	111	84	71	Unemployed	119	131	170
30 to 34	126	101	99	Not in Labor Force	1,021	858	775
35 to 39	101	96	84	Employment Status Unknown	173	150	172
40 to 44	110	113	110	HOUSING / LIVING ARRANGEMENT			
45 to 49	133	92	108	Independent Living	756	661	612
50 to 54	125	119	98	Dependent Living	525	441	434
55 to 59	110	91	94	Homeless	32	11	15
60 and Over	135	109	115	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	175	152	175
GENDER				TREATMENT REFERRAL SOURCE			
Male	652	563	527	Self / Family / Friend	776	647	590
Female	836	702	709	School	31	22	27
Gender Unknown	0	0	0	Mental Health Provider	81	95	115
RACE / ETHNICITY				Health Care Provider	283	228	234
Caucasian	1,411	1,205	1,182	Court / Criminal Justice	120	116	101
African American	23	19	14	Other	190	150	162
Native American / Alaskan	*	*	*	Referral Source Unknown	7	7	7
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	26	21	22	Voluntary	1,477	1,255	1,223
Other Race	24	17	16	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	34	28	32	Commitment Type Unknown	7	7	7
Past or Current Military Service	29	26	21				

PSYCHIATRIC SERVICE AREA 14



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	Not Applicable
Adult Psychiatric	14
POPULATION	
Census 2010	107,082
2015 Estimate	105,929

BIRTH RISK	2014	2013	2012
Resident Births	1,221	1,297	1,223
Mother Reported Smoking while Pregnant	250	309	291

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	5	3	4
Hepatitis B Chronic, Acute, Prenatal		3	5
Hepatitis C Chronic and Acute	45	52	56
Tuberculosis Infection Cases	22	19	18

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	1,226	1,149	1,180
Suicides	24	24	14
Homicides	2	4	2
Alcohol Induced Deaths	3	6	2
Drug Induced Deaths	11	15	14
Smoking Attributable Deaths	220	207	198
Self-inflicted Injuries	132	131	138
Assault Injuries	212	176	219

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	601	515	543
Mental Illness Secondary Diagnosis	1,799	1,958	2,251
Alcohol Principal Diagnosis	29	47	45
Alcohol Secondary Diagnosis	119	146	140
Drug Principal Diagnosis	25	22	21
Drug Secondary Diagnosis	78	95	72
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	181	155	165
Mental Illness Secondary Diagnosis	1,084	1,123	1,042
Alcohol Principal Diagnosis	27	31	38
Alcohol Secondary Diagnosis	134	105	109
Drug Principal Diagnosis	28	26	36
Drug Secondary Diagnosis	65	58	58
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	691	678	677
Mental Illness Secondary Diagnosis	1,489	1,201	1,043
Alcohol Principal Diagnosis	222	209	210
Alcohol Secondary Diagnosis	117	114	116
Drug Principal Diagnosis	133	96	89
Drug Secondary Diagnosis	82	76	65

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	145	149	153
Alcohol Package Carry-out Licenses	133	134	128

EMPLOYMENT	2015	2014	2013
Labor Force	51,422	50,918	55,288
Employed	48,801	47,938	52,170
Unemployed	2,621	2,980	3,118
Unemployment Rate	5.1%	5.9%	5.6%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	84	79	107
Fatal Crashes	0	3	4
Injury Crashes	35	34	56
Property Damage Crashes	49	42	47
Crash Fatalities	0	3	4
Crash Injuries	42	45	84
Drug Involved Crashes	28	14	19
Fatal Crashes	0	2	1
Injury Crashes	15	6	6
Property Damage Crashes	13	6	12
Crash Fatalities	0	2	1
Crash Injuries	20	10	12

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	447	497	662
Liquor Law Arrests	226	241	373
Drug Arrests	588	548	620
Violent Offenses	222	210	204
Property Offenses	2,355	2,704	2,849
Domestic Violence Reports	565	545	637
	2015	2014	2013
Methamphetamine Lab Seizures	33	70	118

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	4,726	4,796	4,828
Drop-outs	41	57	77
Drop-out Rate	0.9%	1.2%	1.6%
School Discipline Involving Alcohol	6	2	2
School Discipline Involving Drugs	15	8	15
School Discipline Involving Tobacco		0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	113	121	119
Juvenile Alcohol Offenses	21	25	42
Juvenile Drug Offenses	17	37	26
School Truancy Status Offense	202	220	172
Absent from Home Status Offense	10	14	19
Beyond Parental Control Status Offense	97	117	136
Injurious Behavior Status Offense	335	281	335
Child Abuse	83	80	105
Child Neglect	420	396	439
Child Custody Issues	1	0	4


JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	171	227	180
Parental Alcohol Use Related	5	5	0
Parental Drug Use Related	60	114	81
Parental Alcohol and Drug Use	3	12	9

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	139	140	156
Probation/Parole Admissions--Drug	331	316	325
Probation/Parole Admissions--DWI	54	61	75
Prison Admissions--Drug	183	183	181
Prison Admissions--DWI	21	26	29

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

PSYCHIATRIC SERVICE AREA 14

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 14
CENSUS 2010 107,082
2015 POPULATION ESTIMATE 105,929


Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	65	55	43
Anxiety Disorder	597	538	409
Dementia	7	*	*
Developmental Disorder	74	63	49
Impulse Control Disorder	501	501	381
Mood Disorder	1,125	1,075	981
Personality Disorder	130	127	76
Psychotic Disorder	322	322	323
Sexual Disorder	5	*	*
Other Diagnosis	245	222	173
Diagnosis Unknown	74	127	113

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	1,705	1,677	1,637	Less than High School Diploma	745	701	702
AGE				High School Grad or G.E.D.	0	0	36
Under 6	8	6	8	Associate Degree or Some College	0	0	7
6 to 9	105	97	98	Bachelor or Advanced Degree	0	0	0
10 to 13	146	141	134	Education Level Unknown	960	976	892
14 to 17	185	169	164	EMPLOYMENT			
18 to 24	147	176	143	Employed	124	105	128
25 to 29	122	121	137	Unemployed	100	84	123
30 to 34	142	153	151	Not in Labor Force	1,270	1,237	1,176
35 to 39	152	151	142	Employment Status Unknown	211	251	210
40 to 44	139	147	144	HOUSING / LIVING ARRANGEMENT			
45 to 49	140	152	163	Independent Living	752	699	809
50 to 54	182	158	151	Dependent Living	682	636	540
55 to 59	129	97	105	Homeless	12	7	19
60 and Over	108	109	97	Other	0	0	*
Age Unknown	0	0	0	Housing Unknown	259	335	268
GENDER				TREATMENT REFERRAL SOURCE			
Male	821	818	796	Self / Family / Friend	411	447	513
Female	884	859	839	School	8	7	8
Gender Unknown	0	0	*	Mental Health Provider	76	83	93
RACE / ETHNICITY				Health Care Provider	210	189	170
Caucasian	1,487	1,449	1,449	Court / Criminal Justice	36	39	48
African American	143	151	119	Other	946	888	778
Native American / Alaskan	*	*	*	Referral Source Unknown	18	24	27
Asian / Pacific Islander	0	0	*	TYPE OF COMMITMENT			
Hispanic	23	33	26	Voluntary	1,666	1,631	1,588
Other Race	50	43	40	Civil	5	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	11	14	15
TREATMENT ACCOMMODATION				Sexual Predatory	5	*	*
Hearing Impaired	25	21	21	Commitment Type Unknown	18	24	27
Past or Current Military Service	45	43	45				

PSYCHIATRIC SERVICE AREA 15



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	Not Applicable
Adult Psychiatric	15
POPULATION	
Census 2010	119,620
2015 Estimate	119,760

BIRTH RISK	2014	2013	2012
Resident Births	1,413	1,368	1,396
Mother Reported Smoking while Pregnant	371	360	368

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	5	0	2
Hepatitis B Chronic, Acute, Prenatal		4	10
Hepatitis C Chronic and Acute	215	70	58
Tuberculosis Infection Cases	26	30	27

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	1,198	1,228	1,120
Suicides	17	19	20
Homicides	3	2	4
Alcohol Induced Deaths	8	6	6
Drug Induced Deaths	14	19	17
Smoking Attributable Deaths	239	227	227
Self-inflicted Injuries	141	162	199
Assault Injuries	398	432	464

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	537	601	508
Mental Illness Secondary Diagnosis	1,544	1,601	1,761
Alcohol Principal Diagnosis	23	38	33
Alcohol Secondary Diagnosis	125	116	108
Drug Principal Diagnosis	21	24	32
Drug Secondary Diagnosis	113	100	91
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	590	559	579
Mental Illness Secondary Diagnosis	1,829	1,862	1,603
Alcohol Principal Diagnosis	74	98	76
Alcohol Secondary Diagnosis	179	167	184
Drug Principal Diagnosis	91	65	51
Drug Secondary Diagnosis	131	105	110
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	1,019	1,000	980
Mental Illness Secondary Diagnosis	2,126	1,939	1,995
Alcohol Principal Diagnosis	145	131	168
Alcohol Secondary Diagnosis	216	211	195
Drug Principal Diagnosis	170	109	146
Drug Secondary Diagnosis	193	188	166

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	139	142	144
Alcohol Package Carry-out Licenses	142	140	145

EMPLOYMENT	2015	2014	2013
Labor Force	57,461	56,435	59,270
Employed	54,767	53,215	55,738
Unemployed	2,694	3,220	3,532
Unemployment Rate	4.7%	5.7%	6.0%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	107	97	129
Fatal Crashes	4	5	6
Injury Crashes	57	50	66
Property Damage Crashes	46	42	57
Crash Fatalities	4	5	6
Crash Injuries	80	65	85
Drug Involved Crashes	25	23	22
Fatal Crashes	1	1	4
Injury Crashes	10	5	9
Property Damage Crashes	14	17	9
Crash Fatalities	1	1	6
Crash Injuries	12	7	18

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	513	495	526
Liquor Law Arrests	105	123	121
Drug Arrests	633	631	445
Violent Offenses	258	247	212
Property Offenses	2,183	2,443	2,597
Domestic Violence Reports	1,179	1,129	976

	2015	2014	2013
Methamphetamine Lab Seizures	16	32	62

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	4,324	4,275	4,485
Drop-outs	86	111	141
Drop-out Rate	2.0%	2.6%	3.1%
School Discipline Involving Alcohol	7	12	3
School Discipline Involving Drugs	22	15	43
School Discipline Involving Tobacco		2	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	115	130	135
Juvenile Alcohol Offenses	21	29	31
Juvenile Drug Offenses	46	38	54
School Truancy Status Offense	116	99	131
Absent from Home Status Offense	20	29	21
Beyond Parental Control Status Offense	110	131	110
Injurious Behavior Status Offense	253	181	205
Child Abuse	56	51	51
Child Neglect	286	295	226
Child Custody Issues	27	19	25


JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	201	149	129
Parental Alcohol Use Related	1	4	4
Parental Drug Use Related	66	38	28
Parental Alcohol and Drug Use	7	6	5

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	87	79	73
Probation/Parole Admissions--Drug	347	310	285
Probation/Parole Admissions--DWI	52	74	72
Prison Admissions--Drug	159	146	131
Prison Admissions--DWI	20	32	27

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

PSYCHIATRIC SERVICE AREA 15

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 15
CENSUS 2010 119,620
2015 POPULATION ESTIMATE 119,760


Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	132	159	113
Anxiety Disorder	656	812	722
Dementia	5	10	10
Developmental Disorder	66	94	86
Impulse Control Disorder	463	626	604
Mood Disorder	1,077	1,339	1,296
Personality Disorder	170	192	197
Psychotic Disorder	259	305	280
Sexual Disorder	23	15	13
Other Diagnosis	183	228	202
Diagnosis Unknown	128	172	134

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	1,633	2,063	1,954	Less than High School Diploma	622	739	671
AGE				High School Grad or G.E.D.	0	0	6
Under 6	14	28	23	Associate Degree or Some College	0	0	*
6 to 9	122	140	137	Bachelor or Advanced Degree	0	0	0
10 to 13	130	190	173	Education Level Unknown	1,011	1,324	1,275
14 to 17	181	212	207	EMPLOYMENT			
18 to 24	137	197	170	Employed	116	153	150
25 to 29	130	148	155	Unemployed	107	171	138
30 to 34	125	182	169	Not in Labor Force	1,028	1,224	1,147
35 to 39	152	193	163	Employment Status Unknown	382	515	519
40 to 44	137	150	157	HOUSING / LIVING ARRANGEMENT			
45 to 49	135	189	181	Independent Living	575	677	673
50 to 54	151	186	183	Dependent Living	532	626	593
55 to 59	109	131	123	Homeless	25	18	14
60 and Over	110	117	113	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	501	742	674
GENDER				TREATMENT REFERRAL SOURCE			
Male	774	1,022	954	Self / Family / Friend	858	1,160	1,146
Female	859	1,041	1,000	School	21	25	20
Gender Unknown	0	0	0	Mental Health Provider	149	156	177
RACE / ETHNICITY				Health Care Provider	142	164	170
Caucasian	1,454	1,844	1,755	Court / Criminal Justice	64	78	71
African American	117	128	121	Other	397	478	368
Native American / Alaskan	5	5	*	Referral Source Unknown	*	*	*
Asian / Pacific Islander	*	*	*	TYPE OF COMMITMENT			
Hispanic	16	22	18	Voluntary	1,580	2,021	1,910
Other Race	40	61	54	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	27	30	32
TREATMENT ACCOMMODATION				Sexual Predatory	23	8	6
Hearing Impaired	56	65	57	Commitment Type Unknown	*	*	*
Past or Current Military Service	40	45	46				

PSYCHIATRIC SERVICE AREA 16



DBH REGION	Eastern
DBH SERVICE AREAS	
Substance Use	Not Applicable
Adult Psychiatric	16
POPULATION	
Census 2010	547,056
2015 Estimate	576,225

BIRTH RISK	2014	2013	2012
Resident Births	6,850	6,912	6,808
Mother Reported Smoking while Pregnant	894	1,060	1,073

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	14	17	19
Hepatitis B Chronic, Acute, Prenatal		23	27
Hepatitis C Chronic and Acute	300	282	230
Tuberculosis Infection Cases	111	128	122

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	4,313	4,093	3,967
Suicides	78	84	82
Homicides	10	9	12
Alcohol Induced Deaths	32	25	32
Drug Induced Deaths	112	105	78
Smoking Attributable Deaths	773	719	683
Self-inflicted Injuries	598	555	648
Assault Injuries	1,147	1,241	1,537

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	3,683	3,813	3,080
Mental Illness Secondary Diagnosis	5,954	6,704	5,503
Alcohol Principal Diagnosis	311	337	275
Alcohol Secondary Diagnosis	425	439	376
Drug Principal Diagnosis	303	299	292
Drug Secondary Diagnosis	365	364	285
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	3,058	2,660	3,423
Mental Illness Secondary Diagnosis	9,947	8,976	9,915
Alcohol Principal Diagnosis	264	244	282
Alcohol Secondary Diagnosis	1,040	907	1,013
Drug Principal Diagnosis	172	172	186
Drug Secondary Diagnosis	513	463	522
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	4,093	3,885	4,099
Mental Illness Secondary Diagnosis	19,206	20,259	20,935
Alcohol Principal Diagnosis	764	812	960
Alcohol Secondary Diagnosis	860	899	1,073
Drug Principal Diagnosis	893	758	831
Drug Secondary Diagnosis	1,132	1,326	1,616

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	675	671	664
Alcohol Package Carry-out Licenses	394	382	382

EMPLOYMENT	2015	2014	2013
Labor Force	315,127	304,893	295,586
Employed	301,830	288,607	277,574
Unemployed	13,297	16,286	18,012
Unemployment Rate	4.2%	5.3%	6.1%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	492	529	506
Fatal Crashes	17	12	18
Injury Crashes	163	202	200
Property Damage Crashes	312	315	288
Crash Fatalities	19	16	18
Crash Injuries	239	285	311
Drug Involved Crashes	106	113	113
Fatal Crashes	7	3	7
Injury Crashes	36	38	44
Property Damage Crashes	63	72	62
Crash Fatalities	7	3	8
Crash Injuries	53	57	80

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	2,680	2,931	3,415
Liquor Law Arrests	474	521	931
Drug Arrests	2,591	2,694	2,611
Violent Offenses	891	881	881
Property Offenses	9,085	9,888	10,573
Domestic Violence Reports	2,606	2,808	2,424

	2015	2014	2013
Methamphetamine Lab Seizures	40	155	221

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	26,845	26,950	26,682
Drop-outs	419	359	410
Drop-out Rate	1.6%	1.3%	1.5%
School Discipline Involving Alcohol	60	57	32
School Discipline Involving Drugs	228	195	328
School Discipline Involving Tobacco		5	8

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	424	410	471
Juvenile Alcohol Offenses	89	98	165
Juvenile Drug Offenses	213	258	284
School Truancy Status Offense	382	400	277
Absent from Home Status Offense	227	223	324
Beyond Parental Control Status Offense	56	24	48
Injurious Behavior Status Offense	226	182	203
Child Abuse	79	74	65
Child Neglect	684	563	527
Child Custody Issues	33	32	39

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	331	347	405
Parental Alcohol Use Related	9	13	11
Parental Drug Use Related	154	150	187
Parental Alcohol and Drug Use	7	11	11

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	517	459	572
Probation/Parole Admissions--Drug	933	933	923
Probation/Parole Admissions--DWI	229	274	277
Prison Admissions--Drug	454	488	426
Prison Admissions--DWI	87	103	112


¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.

³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

PSYCHIATRIC SERVICE AREA 16

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Eastern
PSYCHIATRIC SERVICE AREA 16
CENSUS 2010 547,056
2015 POPULATION ESTIMATE 576,225


Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	122	83	69
Anxiety Disorder	3,142	2,592	2,144
Dementia	13	9	11
Developmental Disorder	208	176	173
Impulse Control Disorder	1,611	1,304	1,179
Mood Disorder	4,334	3,847	3,414
Personality Disorder	475	450	407
Psychotic Disorder	757	714	663
Sexual Disorder	12	10	10
Other Diagnosis	350	306	284
Diagnosis Unknown	238	214	269

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	6,001	5,333	4,878	Less than High School Diploma	2,091	1,920	1,861
AGE				High School Grad or G.E.D.	0	8	71
Under 6	22	34	35	Associate Degree or Some College	0	5	22
6 to 9	490	442	414	Bachelor or Advanced Degree	0	*	11
10 to 13	632	523	488	Education Level Unknown	3,910	3,397	2,913
14 to 17	690	556	533	EMPLOYMENT			
18 to 24	516	485	435	Employed	462	408	322
25 to 29	444	408	387	Unemployed	388	362	329
30 to 34	544	478	416	Not in Labor Force	3,318	2,994	2,856
35 to 39	451	414	346	Employment Status Unknown	1,833	1,569	1,371
40 to 44	439	399	378	HOUSING / LIVING ARRANGEMENT			
45 to 49	444	455	447	Independent Living	2,646	2,418	2,219
50 to 54	553	517	469	Dependent Living	1,423	1,240	1,214
55 to 59	415	339	291	Homeless	65	72	53
60 and Over	361	283	239	Other	0	*	0
Age Unknown	0	0	0	Housing Unknown	1,867	1,602	1,392
GENDER				TREATMENT REFERRAL SOURCE			
Male	2,783	2,541	2,351	Self / Family / Friend	2,104	1,701	1,269
Female	3,218	2,792	2,527	School	806	720	668
Gender Unknown	0	0	0	Mental Health Provider	293	323	368
RACE / ETHNICITY				Health Care Provider	967	738	573
Caucasian	5,271	4,711	4,348	Court / Criminal Justice	123	155	153
African American	365	311	258	Other	1,680	1,669	1,819
Native American / Alaskan	7	7	7	Referral Source Unknown	28	27	28
Asian / Pacific Islander	19	16	14	TYPE OF COMMITMENT			
Hispanic	112	97	83	Voluntary	5,928	5,262	4,801
Other Race	227	191	168	Civil	8	8	12
Race/Ethnicity Unknown	0	0	0	Criminal	31	28	26
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	213	169	123	Commitment Type Unknown	30	32	36
Past or Current Military Service	113	89	63				

PSYCHIATRIC SERVICE AREA 17A



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	Not Applicable
Adult Psychiatric	17A
POPULATION	
Census 2010	109,907
2015 Estimate	108,734

BIRTH RISK	2014	2013	2012
Resident Births	1,201	1,267	1,222
Mother Reported Smoking while Pregnant	283	327	276

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	6	0	2
Hepatitis B Chronic, Acute, Prenatal		9	7
Hepatitis C Chronic and Acute	124	89	125
Tuberculosis Infection Cases	49	89	47

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	1,210	1,179	1,176
Suicides	25	18	16
Homicides	5	3	2
Alcohol Induced Deaths	7	5	5
Drug Induced Deaths	22	14	28
Smoking Attributable Deaths	217	211	223
Self-inflicted Injuries	111	104	162
Assault Injuries	371	376	383

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	692	755	734
Mental Illness Secondary Diagnosis	1,460	1,582	1,677
Alcohol Principal Diagnosis	23	40	31
Alcohol Secondary Diagnosis	108	108	98
Drug Principal Diagnosis	193	176	138
Drug Secondary Diagnosis	95	115	83
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	557	524	548
Mental Illness Secondary Diagnosis	1,780	1,761	1,758
Alcohol Principal Diagnosis	48	71	84
Alcohol Secondary Diagnosis	147	136	186
Drug Principal Diagnosis	48	69	65
Drug Secondary Diagnosis	113	87	128
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	1,189	1,124	1,160
Mental Illness Secondary Diagnosis	8,340	8,034	8,101
Alcohol Principal Diagnosis	264	229	247
Alcohol Secondary Diagnosis	160	187	215
Drug Principal Diagnosis	239	185	216
Drug Secondary Diagnosis	201	250	252

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	146	150	154
Alcohol Package Carry-out Licenses	111	112	115

EMPLOYMENT	2015	2014	2013
Labor Force	49,055	48,729	53,958
Employed	46,430	45,560	50,587
Unemployed	2,625	3,169	3,371
Unemployment Rate	5.4%	6.5%	6.2%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	118	120	161
Fatal Crashes	5	4	11
Injury Crashes	49	43	75
Property Damage Crashes	64	73	75
Crash Fatalities	5	4	11
Crash Injuries	75	64	103
Drug Involved Crashes	25	40	35
Fatal Crashes	4	1	1
Injury Crashes	10	13	18
Property Damage Crashes	11	26	16
Crash Fatalities	4	1	2
Crash Injuries	20	18	23

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	629	626	724
Liquor Law Arrests	94	132	192
Drug Arrests	759	738	831
Violent Offenses	289	302	259
Property Offenses	2,834	2,758	3,039
Domestic Violence Reports	451	357	525

Methamphetamine Lab Seizures	2015	2014	2013
	41	75	108

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	4,807	4,862	4,879
Drop-outs	88	92	107
Drop-out Rate	1.8%	1.9%	2.2%
School Discipline Involving Alcohol	16	7	24
School Discipline Involving Drugs	22	24	35
School Discipline Involving Tobacco		2	2

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	45	87	144
Juvenile Alcohol Offenses	16	10	7
Juvenile Drug Offenses	15	17	27
School Truancy Status Offense	145	81	121
Absent from Home Status Offense	15	19	16
Beyond Parental Control Status Offense	70	62	68
Injurious Behavior Status Offense	80	50	52
Child Abuse	192	222	259
Child Neglect	377	302	542
Child Custody Issues	17	14	9

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	214	125	106
Parental Alcohol Use Related	7	3	5
Parental Drug Use Related	105	57	28
Parental Alcohol and Drug Use	9	4	5

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	102	89	94
Probation/Parole Admissions--Drug	406	373	424
Probation/Parole Admissions--DWI	46	54	61
Prison Admissions--Drug	208	204	153
Prison Admissions--DWI	24	28	19


¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.

³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

PSYCHIATRIC SERVICE AREA 17A

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 17A
CENSUS 2010 109,907
2015 POPULATION ESTIMATE 108,734


Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	72	55	37
Anxiety Disorder	863	868	831
Dementia	*	0	0
Developmental Disorder	23	19	13
Impulse Control Disorder	308	269	216
Mood Disorder	1,009	1,107	1,062
Personality Disorder	80	82	82
Psychotic Disorder	165	186	187
Sexual Disorder	0	0	*
Other Diagnosis	94	103	68
Diagnosis Unknown	55	86	67

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	1,441	1,567	1,492	Less than High School Diploma	544	553	585
AGE				High School Grad or G.E.D.	0	0	86
Under 6	27	21	16	Associate Degree or Some College	0	0	33
6 to 9	132	113	89	Bachelor or Advanced Degree	0	0	*
10 to 13	134	142	106	Education Level Unknown	897	1,014	784
14 to 17	115	133	123	EMPLOYMENT			
18 to 24	143	139	118	Employed	48	56	76
25 to 29	113	155	165	Unemployed	61	62	239
30 to 34	143	159	147	Not in Labor Force	905	924	768
35 to 39	108	119	121	Employment Status Unknown	427	525	409
40 to 44	110	141	147	HOUSING / LIVING ARRANGEMENT			
45 to 49	127	136	147	Independent Living	545	556	697
50 to 54	136	153	142	Dependent Living	485	457	384
55 to 59	86	82	88	Homeless	8	20	20
60 and Over	67	74	83	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	403	534	391
GENDER				TREATMENT REFERRAL SOURCE			
Male	618	680	641	Self / Family / Friend	1,102	1,144	1,021
Female	823	887	851	School	11	8	11
Gender Unknown	0	0	0	Mental Health Provider	18	19	24
RACE / ETHNICITY				Health Care Provider	148	155	158
Caucasian	1,370	1,506	1,425	Court / Criminal Justice	20	19	34
African American	28	24	22	Other	142	220	244
Native American / Alaskan	*	*	*	Referral Source Unknown	0	*	0
Asian / Pacific Islander	*	0	0	TYPE OF COMMITMENT			
Hispanic	18	20	22	Voluntary	1,437	1,560	1,484
Other Race	20	13	19	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	6	*
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	40	42	46	Commitment Type Unknown	0	0	0
Past or Current Military Service	25	32	32				

PSYCHIATRIC SERVICE AREA 17B



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	Not Applicable
Adult Psychiatric	17B
POPULATION	
Census 2010	101,184
2015 Estimate	101,433

BIRTH RISK	2014	2013	2012
Resident Births	1,102	1,134	1,151
Mother Reported Smoking while Pregnant	345	368	378

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	3	1	2
Hepatitis B Chronic, Acute, Prenatal		13	9
Hepatitis C Chronic and Acute	315	209	162
Tuberculosis Infection Cases	13	36	19

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	1,238	1,168	1,151
Suicides	11	19	24
Homicides	7	4	2
Alcohol Induced Deaths	6	3	9
Drug Induced Deaths	42	34	35
Smoking Attributable Deaths	261	242	246
Self-inflicted Injuries	179	245	225
Assault Injuries	425	413	509

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	1,531	1,524	1,365
Mental Illness Secondary Diagnosis	2,654	2,664	2,501
Alcohol Principal Diagnosis	54	58	45
Alcohol Secondary Diagnosis	155	186	152
Drug Principal Diagnosis	139	122	102
Drug Secondary Diagnosis	219	186	186
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	336	232	525
Mental Illness Secondary Diagnosis	1,819	1,943	2,460
Alcohol Principal Diagnosis	30	28	54
Alcohol Secondary Diagnosis	159	125	186
Drug Principal Diagnosis	27	35	58
Drug Secondary Diagnosis	122	129	155
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	1,629	1,388	1,687
Mental Illness Secondary Diagnosis	5,730	7,781	8,664
Alcohol Principal Diagnosis	187	205	176
Alcohol Secondary Diagnosis	187	240	315
Drug Principal Diagnosis	277	314	296
Drug Secondary Diagnosis	352	420	538

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	90	91	92
Alcohol Package Carry-out Licenses	91	86	86

EMPLOYMENT	2015	2014	2013
Labor Force	41,315	40,525	45,100
Employed	38,672	37,262	41,510
Unemployed	2,643	3,263	3,590
Unemployment Rate	6.4%	8.1%	8.0%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	81	100	108
Fatal Crashes	3	10	8
Injury Crashes	38	40	47
Property Damage Crashes	40	50	53
Crash Fatalities	3	11	8
Crash Injuries	55	56	64
Drug Involved Crashes	39	40	32
Fatal Crashes	2	3	0
Injury Crashes	14	10	16
Property Damage Crashes	23	27	16
Crash Fatalities	4	3	0
Crash Injuries	22	16	20

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	395	406	507
Liquor Law Arrests	60	54	82
Drug Arrests	562	500	468
Violent Offenses	300	240	271
Property Offenses	2,466	2,622	2,630
Domestic Violence Reports	406	378	427

	2015	2014	2013
Methamphetamine Lab Seizures	18	33	87

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	4,649	4,585	4,614
Drop-outs	73	77	73
Drop-out Rate	1.6%	1.7%	1.6%
School Discipline Involving Alcohol	0	1	4
School Discipline Involving Drugs	30	32	24
School Discipline Involving Tobacco		0	2

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	271	300	297
Juvenile Alcohol Offenses	7	16	10
Juvenile Drug Offenses	13	25	50
School Truancy Status Offense	196	222	180
Absent from Home Status Offense	7	17	13
Beyond Parental Control Status Offense	60	89	111
Injurious Behavior Status Offense	76	99	117
Child Abuse	45	63	80
Child Neglect	131	228	194
Child Custody Issues	1	4	1

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	159	140	126
Parental Alcohol Use Related	4	0	10
Parental Drug Use Related	87	60	56
Parental Alcohol and Drug Use	4	5	0

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	64	49	59
Probation/Parole Admissions--Drug	317	319	318
Probation/Parole Admissions--DWI	40	39	48
Prison Admissions--Drug	208	205	185
Prison Admissions--DWI	24	18	17


¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.

³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

PSYCHIATRIC SERVICE AREA 17B

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 17B
CENSUS 2010 101,184
2015 POPULATION ESTIMATE 101,433


Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	11	15	20
Anxiety Disorder	360	347	326
Dementia	18	12	*
Developmental Disorder	30	29	29
Impulse Control Disorder	190	184	162
Mood Disorder	958	1,005	923
Personality Disorder	110	133	128
Psychotic Disorder	550	533	515
Sexual Disorder	132	133	119
Other Diagnosis	57	55	57
Diagnosis Unknown	286	211	274

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	2,256	2,210	2,136	Less than High School Diploma	481	501	542
AGE				High School Grad or G.E.D.	0	0	*
Under 6	9	15	14	Associate Degree or Some College	0	0	*
6 to 9	93	88	69	Bachelor or Advanced Degree	0	0	*
10 to 13	105	102	104	Education Level Unknown	1,775	1,709	1,588
14 to 17	142	131	120	EMPLOYMENT			
18 to 24	145	158	171	Employed	54	59	75
25 to 29	160	165	169	Unemployed	28	24	60
30 to 34	173	198	205	Not in Labor Force	989	986	990
35 to 39	205	184	185	Employment Status Unknown	1,185	1,141	1,011
40 to 44	220	233	199	HOUSING / LIVING ARRANGEMENT			
45 to 49	220	200	215	Independent Living	353	314	352
50 to 54	256	262	237	Dependent Living	699	740	752
55 to 59	228	208	197	Homeless	11	14	15
60 and Over	300	266	251	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	1,193	1,142	1,017
GENDER				TREATMENT REFERRAL SOURCE			
Male	1,281	1,277	1,221	Self / Family / Friend	613	655	646
Female	975	933	915	School	28	22	18
Gender Unknown	0	0	0	Mental Health Provider	434	371	321
RACE / ETHNICITY				Health Care Provider	484	448	387
Caucasian	2,026	2,000	1,924	Court / Criminal Justice	316	313	332
African American	166	155	162	Other	370	392	421
Native American / Alaskan	*	*	*	Referral Source Unknown	11	9	11
Asian / Pacific Islander	*	*	*	TYPE OF COMMITMENT			
Hispanic	19	15	17	Voluntary	1,961	1,913	1,847
Other Race	41	33	25	Civil	5	5	6
Race/Ethnicity Unknown	0	0	0	Criminal	150	149	155
TREATMENT ACCOMMODATION				Sexual Predatory	138	141	126
Hearing Impaired	119	112	99	Commitment Type Unknown	*	*	*
Past or Current Military Service	117	118	118				

PSYCHIATRIC SERVICE AREA 18



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	Not Applicable
Adult Psychiatric	18
POPULATION	
Census 2010	127,952
2015 Estimate	126,068

BIRTH RISK	2014	2013	2012
Resident Births	1,533	1,493	1,508
Mother Reported Smoking while Pregnant	431	428	393

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	1	1	4
Hepatitis B Chronic, Acute, Prenatal		10	12
Hepatitis C Chronic and Acute	157	125	150
Tuberculosis Infection Cases	23	12	34

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	1,540	1,608	1,498
Suicides	23	29	26
Homicides	7	6	8
Alcohol Induced Deaths	8	7	12
Drug Induced Deaths	12	16	18
Smoking Attributable Deaths	269	310	289
Self-inflicted Injuries	181	201	215
Assault Injuries	238	246	264

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	1,157	1,165	1,287
Mental Illness Secondary Diagnosis	2,237	2,271	2,488
Alcohol Principal Diagnosis	131	128	131
Alcohol Secondary Diagnosis	151	168	233
Drug Principal Diagnosis	209	204	184
Drug Secondary Diagnosis	154	134	163
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	187	198	180
Mental Illness Secondary Diagnosis	1,294	1,229	1,275
Alcohol Principal Diagnosis	46	27	49
Alcohol Secondary Diagnosis	110	116	132
Drug Principal Diagnosis	34	38	45
Drug Secondary Diagnosis	111	88	80
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	1,052	964	1,026
Mental Illness Secondary Diagnosis	4,940	5,317	4,327
Alcohol Principal Diagnosis	171	148	184
Alcohol Secondary Diagnosis	207	217	235
Drug Principal Diagnosis	148	140	176
Drug Secondary Diagnosis	216	198	202

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	84	85	86
Alcohol Package Carry-out Licenses	135	144	132

EMPLOYMENT	2015	2014	2013
Labor Force	50,266	49,313	58,305
Employed	46,912	45,561	54,334
Unemployed	3,354	3,752	3,971
Unemployment Rate	6.7%	7.6%	6.8%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	144	150	169
Fatal Crashes	6	8	9
Injury Crashes	68	59	72
Property Damage Crashes	70	83	88
Crash Fatalities	6	8	9
Crash Injuries	106	89	103
Drug Involved Crashes	28	34	31
Fatal Crashes	4	0	0
Injury Crashes	14	10	19
Property Damage Crashes	10	24	12
Crash Fatalities	4	0	0
Crash Injuries	19	14	26

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	552	626	758
Liquor Law Arrests	140	141	165
Drug Arrests	1,080	1,011	941
Violent Offenses	248	274	335
Property Offenses	2,526	2,830	3,064
Domestic Violence Reports	726	760	565

	2015	2014	2013
Methamphetamine Lab Seizures	8	30	56

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	5,810	5,858	5,940
Drop-outs	34	32	49
Drop-out Rate	0.6%	0.5%	0.8%
School Discipline Involving Alcohol	8	5	21
School Discipline Involving Drugs	24	23	33
School Discipline Involving Tobacco		2	1

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	60	87	125
Juvenile Alcohol Offenses	30	29	34
Juvenile Drug Offenses	23	30	53
School Truancy Status Offense	202	222	291
Absent from Home Status Offense	28	42	41
Beyond Parental Control Status Offense	137	106	138
Injurious Behavior Status Offense	146	129	225
Child Abuse	199	189	260
Child Neglect	502	552	749
Child Custody Issues	65	49	80


JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	247	161	93
Parental Alcohol Use Related	7	6	7
Parental Drug Use Related	114	54	18
Parental Alcohol and Drug Use	1	11	13

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	151	128	149
Probation/Parole Admissions--Drug	355	340	293
Probation/Parole Admissions--DWI	45	51	59
Prison Admissions--Drug	145	160	142
Prison Admissions--DWI	20	20	30

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

PSYCHIATRIC SERVICE AREA 18

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 18
CENSUS 2010 127,952
2015 POPULATION ESTIMATE 126,068


Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	125	181	155
Anxiety Disorder	972	1,169	1,117
Dementia	7	9	13
Developmental Disorder	10	13	9
Impulse Control Disorder	287	312	331
Mood Disorder	1,261	1,630	1,703
Personality Disorder	102	121	90
Psychotic Disorder	175	203	205
Sexual Disorder	*	*	*
Other Diagnosis	104	107	91
Diagnosis Unknown	171	154	107

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	1,950	2,401	2,426	Less than High School Diploma	473	564	637
AGE				High School Grad or G.E.D.	0	0	*
Under 6	0	0	*	Associate Degree or Some College	0	0	0
6 to 9	76	82	76	Bachelor or Advanced Degree	0	0	0
10 to 13	105	109	85	Education Level Unknown	1,477	1,837	1,787
14 to 17	103	123	132	EMPLOYMENT			
18 to 24	221	284	336	Employed	239	258	302
25 to 29	228	281	256	Unemployed	124	274	425
30 to 34	215	264	278	Not in Labor Force	1,089	1,192	1,284
35 to 39	196	230	210	Employment Status Unknown	498	677	415
40 to 44	204	232	256	HOUSING / LIVING ARRANGEMENT			
45 to 49	208	236	242	Independent Living	910	1,110	1,449
50 to 54	183	275	273	Dependent Living	341	337	331
55 to 59	113	164	158	Homeless	91	85	79
60 and Over	98	121	123	Other	0	0	*
Age Unknown	0	0	0	Housing Unknown	608	869	566
GENDER				TREATMENT REFERRAL SOURCE			
Male	874	1,071	1,089	Self / Family / Friend	828	1,297	1,404
Female	1,076	1,330	1,337	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	57	47	72
RACE / ETHNICITY				Health Care Provider	750	753	634
Caucasian	1,870	2,323	2,348	Court / Criminal Justice	37	41	43
African American	7	13	17	Other	275	261	270
Native American / Alaskan	*	*	5	Referral Source Unknown	0	0	0
Asian / Pacific Islander	*	0	*	TYPE OF COMMITMENT			
Hispanic	25	31	32	Voluntary	1,940	2,394	2,414
Other Race	44	30	22	Civil	*	*	5
Race/Ethnicity Unknown	0	0	0	Criminal	7	5	6
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	50	60	66	Commitment Type Unknown	0	0	0
Past or Current Military Service	67	58	54				

PSYCHIATRIC SERVICE AREA 19



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	Not Applicable
Adult Psychiatric	19
POPULATION	
Census 2010	133,625
2015 Estimate	131,230

BIRTH RISK	2014	2013	2012
Resident Births	1,683	1,838	1,820
Mother Reported Smoking while Pregnant	473	522	569

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	5	8	7
Hepatitis B Chronic, Acute, Prenatal		6	14
Hepatitis C Chronic and Acute	212	174	204
Tuberculosis Infection Cases	41	30	51

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	1,798	1,830	1,686
Suicides	29	30	25
Homicides	6	6	3
Alcohol Induced Deaths	12	15	18
Drug Induced Deaths	39	30	37
Smoking Attributable Deaths	366	385	342
Self-inflicted Injuries	236	285	322
Assault Injuries	646	645	696

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	1,756	1,668	1,709
Mental Illness Secondary Diagnosis	2,991	3,033	3,104
Alcohol Principal Diagnosis	88	82	95
Alcohol Secondary Diagnosis	225	262	271
Drug Principal Diagnosis	197	137	134
Drug Secondary Diagnosis	195	180	198
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	432	435	405
Mental Illness Secondary Diagnosis	2,702	2,754	2,868
Alcohol Principal Diagnosis	57	40	50
Alcohol Secondary Diagnosis	168	155	207
Drug Principal Diagnosis	83	74	65
Drug Secondary Diagnosis	108	98	98
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	1,903	1,867	1,896
Mental Illness Secondary Diagnosis	3,193	3,721	1,413
Alcohol Principal Diagnosis	206	265	225
Alcohol Secondary Diagnosis	228	215	202
Drug Principal Diagnosis	300	249	252
Drug Secondary Diagnosis	281	273	250

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	144	143	148
Alcohol Package Carry-out Licenses	186	191	186

EMPLOYMENT	2015	2014	2013
Labor Force	56,347	55,171	62,627
Employed	52,298	50,747	57,989
Unemployed	4,049	4,424	4,638
Unemployment Rate	7.2%	8.0%	7.4%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	117	163	198
Fatal Crashes	10	8	12
Injury Crashes	55	75	100
Property Damage Crashes	52	80	86
Crash Fatalities	12	10	13
Crash Injuries	93	105	160
Drug Involved Crashes	47	55	45
Fatal Crashes	0	2	2
Injury Crashes	24	26	25
Property Damage Crashes	23	27	18
Crash Fatalities	0	2	2
Crash Injuries	33	36	35

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	606	673	934
Liquor Law Arrests	135	169	270
Drug Arrests	1,058	1,177	1,145
Violent Offenses	620	565	630
Property Offenses	4,970	4,849	4,779
Domestic Violence Reports	1,039	834	786
	2015	2014	2013
Methamphetamine Lab Seizures	10	9	29

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	6,190	6,233	6,224
Drop-outs	85	85	134
Drop-out Rate	1.4%	1.4%	2.2%
School Discipline Involving Alcohol	4	12	8
School Discipline Involving Drugs	49	79	33
School Discipline Involving Tobacco		1	3

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	205	191	177
Juvenile Alcohol Offenses	17	23	29
Juvenile Drug Offenses	35	37	31
School Truancy Status Offense	123	117	124
Absent from Home Status Offense	51	43	55
Beyond Parental Control Status Offense	146	133	135
Injurious Behavior Status Offense	35	21	48
Child Abuse	117	198	196
Child Neglect	916	616	783
Child Custody Issues	16	14	20


JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	457	333	308
Parental Alcohol Use Related	8	5	15
Parental Drug Use Related	261	184	129
Parental Alcohol and Drug Use	4	4	8

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	237	222	254
Probation/Parole Admissions--Drug	519	477	474
Probation/Parole Admissions--DWI	59	58	80
Prison Admissions--Drug	293	284	260
Prison Admissions--DWI	28	41	41

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

PSYCHIATRIC SERVICE AREA 19

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 19
CENSUS 2010 133,625
2015 POPULATION ESTIMATE 131,230


Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	88	107	71
Anxiety Disorder	294	288	236
Dementia	*	*	*
Developmental Disorder	5	6	11
Impulse Control Disorder	192	174	175
Mood Disorder	1,385	1,331	1,203
Personality Disorder	17	17	16
Psychotic Disorder	338	330	288
Sexual Disorder	7	6	6
Other Diagnosis	38	41	27
Diagnosis Unknown	175	282	203

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	2,361	2,394	2,093	Less than High School Diploma	952	701	574
AGE				High School Grad or G.E.D.	0	*	*
Under 6	9	11	13	Associate Degree or Some College	0	0	0
6 to 9	126	144	107	Bachelor or Advanced Degree	0	0	0
10 to 13	177	173	141	Education Level Unknown	1,409	1,692	1,517
14 to 17	149	151	137	EMPLOYMENT			
18 to 24	132	175	163	Employed	142	74	22
25 to 29	172	194	173	Unemployed	179	130	36
30 to 34	197	213	191	Not in Labor Force	1,585	1,256	1,025
35 to 39	245	248	203	Employment Status Unknown	455	934	1,010
40 to 44	248	223	202	HOUSING / LIVING ARRANGEMENT			
45 to 49	247	238	217	Independent Living	1,242	969	700
50 to 54	266	253	229	Dependent Living	579	421	364
55 to 59	179	170	146	Homeless	45	26	6
60 and Over	214	201	171	Other	0	0	*
Age Unknown	0	0	0	Housing Unknown	495	978	1,022
GENDER				TREATMENT REFERRAL SOURCE			
Male	1,053	1,066	930	Self / Family / Friend	942	813	660
Female	1,308	1,328	1,163	School	32	56	40
Gender Unknown	0	0	0	Mental Health Provider	235	252	231
RACE / ETHNICITY				Health Care Provider	481	491	488
Caucasian	2,018	2,039	1,821	Court / Criminal Justice	284	358	340
African American	268	280	224	Other	377	412	317
Native American / Alaskan	*	*	*	Referral Source Unknown	10	12	17
Asian / Pacific Islander	*	*	0	TYPE OF COMMITMENT			
Hispanic	17	31	19	Voluntary	2,313	2,347	2,039
Other Race	53	42	27	Civil	*	6	*
Race/Ethnicity Unknown	0	0	0	Criminal	30	25	30
TREATMENT ACCOMMODATION				Sexual Predatory	5	5	5
Hearing Impaired	86	84	79	Commitment Type Unknown	10	11	16
Past or Current Military Service	63	51	46				

PSYCHIATRIC SERVICE AREA 20



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	Not Applicable
Adult Psychiatric	20
POPULATION	
Census 2010	102,473
2015 Estimate	101,114

BIRTH RISK	2014	2013	2012
Resident Births	1,261	1,317	1,282
Mother Reported Smoking while Pregnant	331	386	353

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	5	1	0
Hepatitis B Chronic, Acute, Prenatal		2	4
Hepatitis C Chronic and Acute	112	117	87
Tuberculosis Infection Cases	12	5	17

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	1,191	1,244	1,237
Suicides	14	17	16
Homicides	5	3	8
Alcohol Induced Deaths	1	5	5
Drug Induced Deaths	9	22	18
Smoking Attributable Deaths	242	262	247
Self-inflicted Injuries	192	177	179
Assault Injuries	363	409	427

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	1,209	1,230	1,220
Mental Illness Secondary Diagnosis	1,567	2,191	1,618
Alcohol Principal Diagnosis	19	31	60
Alcohol Secondary Diagnosis	116	179	173
Drug Principal Diagnosis	78	68	60
Drug Secondary Diagnosis	115	138	144
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	161	172	160
Mental Illness Secondary Diagnosis	2,217	1,636	1,909
Alcohol Principal Diagnosis	52	49	50
Alcohol Secondary Diagnosis	187	141	179
Drug Principal Diagnosis	29	31	32
Drug Secondary Diagnosis	156	103	115
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	1,068	1,084	1,071
Mental Illness Secondary Diagnosis	1,832	1,239	1,945
Alcohol Principal Diagnosis	124	154	145
Alcohol Secondary Diagnosis	183	144	193
Drug Principal Diagnosis	184	138	142
Drug Secondary Diagnosis	283	171	166

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	87	95	99
Alcohol Package Carry-out Licenses	106	108	106

EMPLOYMENT	2015	2014	2013
Labor Force	48,723	47,406	50,968
Employed	45,863	44,020	47,422
Unemployed	2,860	3,386	3,546
Unemployment Rate	5.9%	7.1%	7.0%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	96	122	97
Fatal Crashes	5	6	5
Injury Crashes	45	52	46
Property Damage Crashes	46	64	46
Crash Fatalities	5	8	5
Crash Injuries	66	78	69
Drug Involved Crashes	32	37	40
Fatal Crashes	1	0	0
Injury Crashes	17	14	13
Property Damage Crashes	14	23	27
Crash Fatalities	1	0	0
Crash Injuries	27	15	19

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	501	606	713
Liquor Law Arrests	44	93	138
Drug Arrests	626	650	606
Violent Offenses	581	515	656
Property Offenses	2,452	2,493	2,536
Domestic Violence Reports	970	972	1,138
	2015	2014	2013
Methamphetamine Lab Seizures	3	14	32

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	4,628	4,728	4,800
Drop-outs	55	39	32
Drop-out Rate	1.2%	0.8%	0.7%
School Discipline Involving Alcohol	10	1	7
School Discipline Involving Drugs	26	38	12
School Discipline Involving Tobacco		3	6

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	193	170	207
Juvenile Alcohol Offenses	15	46	50
Juvenile Drug Offenses	51	56	53
School Truancy Status Offense	255	326	227
Absent from Home Status Offense	41	29	40
Beyond Parental Control Status Offense	76	80	47
Injurious Behavior Status Offense	89	172	110
Child Abuse	103	113	105
Child Neglect	280	343	304
Child Custody Issues	132	125	182


JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	235	283	268
Parental Alcohol Use Related	7	11	9
Parental Drug Use Related	84	140	115
Parental Alcohol and Drug Use	11	6	4

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	152	133	134
Probation/Parole Admissions--Drug	479	422	413
Probation/Parole Admissions--DWI	73	67	76
Prison Admissions--Drug	237	187	220
Prison Admissions--DWI	31	33	24

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

PSYCHIATRIC SERVICE AREA 20

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 20
CENSUS 2010 102,473
2015 POPULATION ESTIMATE 101,114


Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	77	114	126
Anxiety Disorder	552	574	606
Dementia	5	7	7
Developmental Disorder	7	12	22
Impulse Control Disorder	346	307	343
Mood Disorder	1,504	1,420	1,424
Personality Disorder	106	148	178
Psychotic Disorder	369	344	332
Sexual Disorder	*	*	*
Other Diagnosis	124	173	186
Diagnosis Unknown	175	133	208

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	2,476	2,351	2,436	Less than High School Diploma	1,111	1,021	1,023
AGE				High School Grad or G.E.D.	0	0	0
Under 6	24	23	21	Associate Degree or Some College	0	0	*
6 to 9	137	126	132	Bachelor or Advanced Degree	0	0	0
10 to 13	209	192	213	Education Level Unknown	1,365	1,330	1,412
14 to 17	253	235	255	EMPLOYMENT			
18 to 24	216	197	218	Employed	168	135	142
25 to 29	184	217	210	Unemployed	206	175	181
30 to 34	221	218	221	Not in Labor Force	1,525	1,425	1,357
35 to 39	212	177	192	Employment Status Unknown	577	616	756
40 to 44	186	192	208	HOUSING / LIVING ARRANGEMENT			
45 to 49	202	205	209	Independent Living	1,350	1,241	1,073
50 to 54	262	248	227	Dependent Living	728	711	810
55 to 59	180	161	159	Homeless	26	27	16
60 and Over	190	160	171	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	372	372	537
GENDER				TREATMENT REFERRAL SOURCE			
Male	1,065	1,015	1,071	Self / Family / Friend	1,101	1,031	965
Female	1,411	1,336	1,365	School	55	39	53
Gender Unknown	0	0	0	Mental Health Provider	242	254	296
RACE / ETHNICITY				Health Care Provider	389	384	392
Caucasian	2,035	1,918	2,031	Court / Criminal Justice	179	147	160
African American	345	351	314	Other	506	492	565
Native American / Alaskan	*	*	*	Referral Source Unknown	*	*	5
Asian / Pacific Islander	*	*	*	TYPE OF COMMITMENT			
Hispanic	23	23	42	Voluntary	2,457	2,330	2,418
Other Race	67	53	45	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	10	13	11
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	44	46	58	Commitment Type Unknown	5	*	*
Past or Current Military Service	44	35	43				

PSYCHIATRIC SERVICE AREA 21



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	Not Applicable
Adult Psychiatric	21
POPULATION	
Census 2010	137,379
2015 Estimate	140,264

BIRTH RISK	2014	2013	2012
Resident Births	1,579	1,604	1,595
Mother Reported Smoking while Pregnant	351	357	350

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases	7	3	3
Hepatitis B Chronic, Acute, Prenatal		9	10
Hepatitis C Chronic and Acute	102	90	87
Tuberculosis Infection Cases	66	39	52

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	1,441	1,426	1,390
Suicides	30	21	20
Homicides	5	7	2
Alcohol Induced Deaths	6	9	5
Drug Induced Deaths	18	18	18
Smoking Attributable Deaths	243	275	257
Self-inflicted Injuries	133	152	161
Assault Injuries	387	449	508

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	1,190	1,242	1,207
Mental Illness Secondary Diagnosis	2,019	2,801	2,555
Alcohol Principal Diagnosis	55	61	95
Alcohol Secondary Diagnosis	118	215	169
Drug Principal Diagnosis	79	57	79
Drug Secondary Diagnosis	104	129	149
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	222	129	189
Mental Illness Secondary Diagnosis	2,233	1,341	1,555
Alcohol Principal Diagnosis	73	57	48
Alcohol Secondary Diagnosis	189	141	180
Drug Principal Diagnosis	33	23	23
Drug Secondary Diagnosis	120	72	92
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	1,515	1,426	1,320
Mental Illness Secondary Diagnosis	3,755	3,303	4,760
Alcohol Principal Diagnosis	222	224	215
Alcohol Secondary Diagnosis	238	219	245
Drug Principal Diagnosis	221	201	188
Drug Secondary Diagnosis	374	323	323

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	210	215	216
Alcohol Package Carry-out Licenses	139	133	130

EMPLOYMENT	2015	2014	2013
Labor Force	71,994	71,249	72,265
Employed	68,660	67,117	68,032
Unemployed	3,334	4,132	4,233
Unemployment Rate	4.6%	5.8%	5.9%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	108	123	132
Fatal Crashes	2	2	7
Injury Crashes	52	48	58
Property Damage Crashes	54	73	67
Crash Fatalities	2	2	7
Crash Injuries	74	70	79
Drug Involved Crashes	33	33	24
Fatal Crashes	3	1	2
Injury Crashes	10	17	11
Property Damage Crashes	20	15	11
Crash Fatalities	4	1	2
Crash Injuries	18	26	19

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	685	782	912
Liquor Law Arrests	161	149	263
Drug Arrests	649	687	504
Violent Offenses	447	454	399
Property Offenses	3,171	3,445	4,204
Domestic Violence Reports	891	961	837
	2015	2014	2013
Methamphetamine Lab Seizures	4	13	21

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	5,260	6,964	5,310
Drop-outs	89	121	121
Drop-out Rate	1.7%	1.7%	2.3%
School Discipline Involving Alcohol	5	10	12
School Discipline Involving Drugs	38	44	40
School Discipline Involving Tobacco		0	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	175	154	196
Juvenile Alcohol Offenses	12	22	22
Juvenile Drug Offenses	54	43	61
School Truancy Status Offense	135	134	161
Absent from Home Status Offense	74	83	82
Beyond Parental Control Status Offense	60	75	71
Injurious Behavior Status Offense	307	205	163
Child Abuse	96	77	55
Child Neglect	456	346	207
Child Custody Issues	6	92	45

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	160	138	128
Parental Alcohol Use Related	4	6	2
Parental Drug Use Related	82	55	56
Parental Alcohol and Drug Use	10	9	4

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	96	97	107
Probation/Parole Admissions--Drug	353	342	344
Probation/Parole Admissions--DWI	71	63	86
Prison Admissions--Drug	156	161	152
Prison Admissions--DWI	22	30	45


¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.

³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

PSYCHIATRIC SERVICE AREA 21

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 21
CENSUS 2010 137,379
2015 POPULATION ESTIMATE 140,264


Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	292	402	361
Anxiety Disorder	587	631	522
Dementia	*	*	0
Developmental Disorder	6	7	8
Impulse Control Disorder	591	688	564
Mood Disorder	2,307	2,515	2,028
Personality Disorder	49	42	50
Psychotic Disorder	388	380	350
Sexual Disorder	*	*	*
Other Diagnosis	137	138	115
Diagnosis Unknown	251	278	379

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	3,905	4,439	3,862	Less than High School Diploma	464	495	534
AGE				High School Grad or G.E.D.	0	0	*
Under 6	8	10	7	Associate Degree or Some College	0	0	0
6 to 9	158	207	178	Bachelor or Advanced Degree	0	0	0
10 to 13	303	341	286	Education Level Unknown	3,441	3,944	3,327
14 to 17	369	380	287	EMPLOYMENT			
18 to 24	335	462	396	Employed	47	41	50
25 to 29	317	401	392	Unemployed	37	40	47
30 to 34	346	426	383	Not in Labor Force	1,038	996	965
35 to 39	375	401	355	Employment Status Unknown	2,783	3,362	2,800
40 to 44	337	382	327	HOUSING / LIVING ARRANGEMENT			
45 to 49	353	367	360	Independent Living	570	557	535
50 to 54	363	417	358	Dependent Living	564	540	525
55 to 59	322	308	263	Homeless	10	12	15
60 and Over	319	337	270	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	2,761	3,330	2,787
GENDER				TREATMENT REFERRAL SOURCE			
Male	1,722	1,963	1,685	Self / Family / Friend	2,652	2,724	2,435
Female	2,183	2,476	2,177	School	76	64	35
Gender Unknown	0	0	0	Mental Health Provider	191	325	265
RACE / ETHNICITY				Health Care Provider	390	519	480
Caucasian	3,348	3,828	3,297	Court / Criminal Justice	125	114	114
African American	264	259	241	Other	458	678	520
Native American / Alaskan	6	6	7	Referral Source Unknown	13	15	13
Asian / Pacific Islander	*	*	*	TYPE OF COMMITMENT			
Hispanic	149	215	206	Voluntary	3,874	4,403	3,828
Other Race	136	128	108	Civil	0	0	*
Race/Ethnicity Unknown	0	0	0	Criminal	18	20	19
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	170	182	174	Commitment Type Unknown	10	13	11
Past or Current Military Service	110	102	83				

PSYCHIATRIC SERVICE AREA 22



DBH REGION	Eastern
DBH SERVICE AREAS	
Substance Use	Not Applicable
Adult Psychiatric	22
POPULATION	
Census 2010	218,733
2015 Estimate	224,124

BIRTH RISK	2014	2013	2012
Resident Births	2,529	2,639	2,702
Mother Reported Smoking while Pregnant	497	561	603

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases			4
Hepatitis B Chronic, Acute, Prenatal		11	7
Hepatitis C Chronic and Acute	193	145	113
Tuberculosis Infection Cases	45	45	39

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	1,954	1,834	1,839
Suicides	48	35	46
Homicides	3	3	7
Alcohol Induced Deaths	16	15	9
Drug Induced Deaths	73	63	61
Smoking Attributable Deaths	381	354	376
Self-inflicted Injuries	234	208	251
Assault Injuries	442	453	491

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	1,238	1,594	1,691
Mental Illness Secondary Diagnosis	2,042	2,267	1,896
Alcohol Principal Diagnosis	56	44	52
Alcohol Secondary Diagnosis	113	141	103
Drug Principal Diagnosis	98	96	98
Drug Secondary Diagnosis	129	148	108
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	1,445	984	1,134
Mental Illness Secondary Diagnosis	4,952	4,716	5,353
Alcohol Principal Diagnosis	138	103	109
Alcohol Secondary Diagnosis	477	411	405
Drug Principal Diagnosis	143	107	107
Drug Secondary Diagnosis	255	235	272
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	1,113	1,388	1,328
Mental Illness Secondary Diagnosis	9,019	6,371	5,478
Alcohol Principal Diagnosis	247	248	237
Alcohol Secondary Diagnosis	295	225	193
Drug Principal Diagnosis	399	356	367
Drug Secondary Diagnosis	504	370	328

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	176	177	181
Alcohol Package Carry-out Licenses	147	147	146

EMPLOYMENT	2015	2014	2013
Labor Force	118,671	115,975	115,155
Employed	112,917	108,717	107,194
Unemployed	5,754	7,258	7,961
Unemployment Rate	4.8%	6.3%	6.9%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	209	218	236
Fatal Crashes	9	8	6
Injury Crashes	87	95	101
Property Damage Crashes	113	115	129
Crash Fatalities	9	8	7
Crash Injuries	135	148	141
Drug Involved Crashes	46	46	52
Fatal Crashes	8	1	5
Injury Crashes	21	22	22
Property Damage Crashes	17	23	25
Crash Fatalities	9	1	6
Crash Injuries	36	28	31

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	1,096	1,474	1,787
Liquor Law Arrests	472	663	677
Drug Arrests	1,540	1,681	1,614
Violent Offenses	485	454	448
Property Offenses	3,745	4,144	4,390
Domestic Violence Reports	1,308	1,231	1,333

	2015	2014	2013
Methamphetamine Lab Seizures	127	205	223

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	10,624	10,646	10,525
Drop-outs	153	154	195
Drop-out Rate	1.4%	1.4%	1.9%
School Discipline Involving Alcohol	8	9	7
School Discipline Involving Drugs	86	94	106
School Discipline Involving Tobacco		0	1

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	402	381	376
Juvenile Alcohol Offenses	47	85	84
Juvenile Drug Offenses	111	117	121
School Truancy Status Offense	194	227	143
Absent from Home Status Offense	55	64	64
Beyond Parental Control Status Offense	50	71	32
Injurious Behavior Status Offense	78	71	59
Child Abuse	234	228	242
Child Neglect	578	495	430
Child Custody Issues	82	164	209


JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	370	352	368
Parental Alcohol Use Related	10	18	16
Parental Drug Use Related	170	145	215
Parental Alcohol and Drug Use	8	11	6

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	106	115	105
Probation/Parole Admissions--Drug	471	473	401
Probation/Parole Admissions--DWI	122	127	150
Prison Admissions--Drug	255	245	168
Prison Admissions--DWI	37	41	51

- 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
- 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
- 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

PSYCHIATRIC SERVICE AREA 22

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Eastern
PSYCHIATRIC SERVICE AREA 22
CENSUS 2010 218,733
2015 POPULATION ESTIMATE 224,124


Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	35	39	34
Anxiety Disorder	1,277	1,085	1,003
Dementia	12	12	10
Developmental Disorder	61	61	49
Impulse Control Disorder	353	340	335
Mood Disorder	1,697	1,575	1,496
Personality Disorder	341	365	381
Psychotic Disorder	315	312	293
Sexual Disorder	*	*	5
Other Diagnosis	164	174	156
Diagnosis Unknown	82	87	99

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	2,115	1,982	1,916	Less than High School Diploma	390	431	442
AGE				High School Grad or G.E.D.	0	0	*
Under 6	5	6	5	Associate Degree or Some College	0	0	0
6 to 9	23	34	36	Bachelor or Advanced Degree	0	0	0
10 to 13	75	71	70	Education Level Unknown	1,725	1,551	1,473
14 to 17	85	111	106	EMPLOYMENT			
18 to 24	158	164	168	Employed	208	213	191
25 to 29	195	195	182	Unemployed	144	151	121
30 to 34	253	252	223	Not in Labor Force	897	897	864
35 to 39	239	196	178	Employment Status Unknown	866	721	740
40 to 44	209	195	206	HOUSING / LIVING ARRANGEMENT			
45 to 49	234	219	238	Independent Living	958	890	797
50 to 54	270	240	227	Dependent Living	315	370	395
55 to 59	203	164	160	Homeless	16	18	12
60 and Over	166	135	117	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	826	704	712
GENDER				TREATMENT REFERRAL SOURCE			
Male	916	851	816	Self / Family / Friend	980	799	765
Female	1,199	1,131	1,100	School	7	8	6
Gender Unknown	0	0	0	Mental Health Provider	126	130	162
RACE / ETHNICITY				Health Care Provider	437	452	388
Caucasian	2,019	1,897	1,823	Court / Criminal Justice	83	96	108
African American	40	37	44	Other	462	476	460
Native American / Alaskan	*	*	*	Referral Source Unknown	20	21	27
Asian / Pacific Islander	9	8	9	TYPE OF COMMITMENT			
Hispanic	12	12	13	Voluntary	2,083	1,951	1,874
Other Race	34	26	25	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	9	8	10
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	15	14	13	Commitment Type Unknown	18	20	27
Past or Current Military Service	48	40	38				

PSYCHIATRIC SERVICE AREA 23



DBH REGION	Eastern
DBH SERVICE AREAS	
Substance Use	Not Applicable
Adult Psychiatric	23
POPULATION	
Census 2010	998,954
2015 Estimate	1,003,362

BIRTH RISK	2014	2013	2012
Resident Births	11,706	11,510	11,534
Mother Reported Smoking while Pregnant	970	978	1,046

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases			136
Hepatitis B Chronic, Acute, Prenatal		111	109
Hepatitis C Chronic and Acute	776	573	506
Tuberculosis Infection Cases	553	565	407

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	9,584	9,452	9,364
Suicides	150	133	134
Homicides	90	77	82
Alcohol Induced Deaths	58	53	65
Drug Induced Deaths	190	172	149
Smoking Attributable Deaths	1,474	1,439	1,465
Self-inflicted Injuries	816	818	929
Assault Injuries	2,913	3,347	3,886

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	4,510	5,138	3,942
Mental Illness Secondary Diagnosis	10,101	11,358	8,692
Alcohol Principal Diagnosis	331	421	323
Alcohol Secondary Diagnosis	712	943	479
Drug Principal Diagnosis	386	472	437
Drug Secondary Diagnosis	861	1,002	584
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	6,785	5,774	7,070
Mental Illness Secondary Diagnosis	21,920	20,100	24,273
Alcohol Principal Diagnosis	703	589	737
Alcohol Secondary Diagnosis	2,198	2,038	2,436
Drug Principal Diagnosis	396	380	429
Drug Secondary Diagnosis	1,528	1,292	1,687
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	7,090	7,697	7,678
Mental Illness Secondary Diagnosis	24,370	25,209	24,388
Alcohol Principal Diagnosis	1,638	1,740	1,767
Alcohol Secondary Diagnosis	1,548	1,595	1,770
Drug Principal Diagnosis	1,211	1,242	1,294
Drug Secondary Diagnosis	2,037	1,896	1,892

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	1,210	1,243	1,230
Alcohol Package Carry-out Licenses	650	648	644

EMPLOYMENT	2015	2014	2013
Labor Force	540,807	530,449	513,847
Employed	515,854	499,383	480,389
Unemployed	24,953	31,066	33,458
Unemployment Rate	4.6%	5.9%	6.5%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	683	701	774
Fatal Crashes	9	11	9
Injury Crashes	222	239	270
Property Damage Crashes	452	451	495
Crash Fatalities	9	16	10
Crash Injuries	303	322	369
Drug Involved Crashes	153	149	136
Fatal Crashes	2	3	1
Injury Crashes	67	57	62
Property Damage Crashes	84	89	73
Crash Fatalities	2	5	1
Crash Injuries	103	73	84

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	3,642	4,635	5,247
Liquor Law Arrests	977	1,140	1,493
Drug Arrests	6,312	7,832	8,312
Violent Offenses	3,069	2,821	3,020
Property Offenses	23,187	24,754	26,824
Domestic Violence Reports	3,788	3,898	4,336

	2015	2014	2013
Methamphetamine Lab Seizures	73	102	74

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	44,478	44,895	45,928
Drop-outs	861	979	1,060
Drop-out Rate	1.9%	2.2%	2.3%
School Discipline Involving Alcohol	37	62	74
School Discipline Involving Drugs	263	322	340
School Discipline Involving Tobacco		8	8

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	1,118	1,305	1,395
Juvenile Alcohol Offenses	127	124	173
Juvenile Drug Offenses	329	354	412
School Truancy Status Offense	367	368	362
Absent from Home Status Offense	829	961	1,033
Beyond Parental Control Status Offense	128	149	143
Injurious Behavior Status Offense	120	99	107
Child Abuse	426	477	428
Child Neglect	977	1,013	869
Child Custody Issues	152	136	152

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	466	405	372
Parental Alcohol Use Related	13	10	5
Parental Drug Use Related	119	89	83
Parental Alcohol and Drug Use	4	6	3

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	346	349	325
Probation/Parole Admissions--Drug	1,113	1,002	797
Probation/Parole Admissions--DWI	292	352	274
Prison Admissions--Drug	286	284	294
Prison Admissions--DWI	68	72	69


¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.

³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

PSYCHIATRIC SERVICE AREA 23

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Eastern
PSYCHIATRIC SERVICE AREA 23
CENSUS 2010 998,954
2015 POPULATION ESTIMATE 1,003,362


Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	37	37	46
Anxiety Disorder	838	756	641
Dementia	53	6	5
Developmental Disorder	39	36	42
Impulse Control Disorder	637	656	559
Mood Disorder	2,998	3,152	2,957
Personality Disorder	322	296	236
Psychotic Disorder	1,744	1,729	1,698
Sexual Disorder	7	7	6
Other Diagnosis	122	127	114
Diagnosis Unknown	499	419	482

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	5,552	5,674	5,536	Less than High School Diploma	1,068	1,152	1,150
AGE				High School Grad or G.E.D.	0	0	*
Under 6	16	27	29	Associate Degree or Some College	0	0	*
6 to 9	181	180	158	Bachelor or Advanced Degree	0	0	0
10 to 13	282	315	284	Education Level Unknown	4,484	4,522	4,379
14 to 17	420	429	418	EMPLOYMENT			
18 to 24	512	536	542	Employed	365	341	329
25 to 29	425	433	430	Unemployed	353	465	445
30 to 34	459	509	473	Not in Labor Force	2,648	2,626	2,648
35 to 39	440	431	429	Employment Status Unknown	2,186	2,242	2,114
40 to 44	417	490	495	HOUSING / LIVING ARRANGEMENT			
45 to 49	517	603	624	Independent Living	1,503	1,357	1,313
50 to 54	673	647	655	Dependent Living	1,710	1,874	1,945
55 to 59	572	530	502	Homeless	93	115	87
60 and Over	638	544	497	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	2,246	2,328	2,191
GENDER				TREATMENT REFERRAL SOURCE			
Male	2,670	2,747	2,691	Self / Family / Friend	1,209	1,208	1,259
Female	2,882	2,927	2,845	School	108	121	102
Gender Unknown	0	0	0	Mental Health Provider	690	749	812
RACE / ETHNICITY				Health Care Provider	1,119	999	893
Caucasian	2,532	2,681	2,610	Court / Criminal Justice	259	264	286
African American	2,712	2,677	2,646	Other	2,158	2,323	2,176
Native American / Alaskan	*	*	*	Referral Source Unknown	9	10	8
Asian / Pacific Islander	20	24	29	TYPE OF COMMITMENT			
Hispanic	84	77	63	Voluntary	5,451	5,579	5,435
Other Race	201	211	184	Civil	12	13	15
Race/Ethnicity Unknown	0	0	0	Criminal	71	66	71
TREATMENT ACCOMMODATION				Sexual Predatory	6	5	7
Hearing Impaired	181	194	202	Commitment Type Unknown	12	11	8
Past or Current Military Service	110	114	108				

PSYCHIATRIC SERVICE AREAS 24, 25



DBH REGION	Eastern
DBH SERVICE AREAS	
Substance Use	Not Applicable
Adult Psychiatric	24, 25
POPULATION	
Census 2010	319,294
2015 Estimate	315,685

BIRTH RISK	2014	2013	2012
Resident Births	4,689	4,694	4,696
Mother Reported Smoking while Pregnant	635	657	707

DISEASE INCIDENCE ¹	2014	2013	2012
HIV/AIDS Cases			127
Hepatitis B Chronic, Acute, Prenatal		73	68
Hepatitis C Chronic and Acute	902	774	780
Tuberculosis Infection Cases	583	626	581

DEATHS and INJURIES	2014	2013	2012
Resident Deaths	3,002	2,960	2,911
Suicides	37	38	31
Homicides	118	89	93
Alcohol Induced Deaths	43	57	44
Drug Induced Deaths	131	102	68
Smoking Attributable Deaths	461	467	461
Self-inflicted Injuries	382	370	458
Assault Injuries	2,244	2,800	2,965

HOSPITAL EPISODES ²	2014	2013	2012
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	3,612	3,748	2,449
Mental Illness Secondary Diagnosis	4,949	5,749	2,928
Alcohol Principal Diagnosis	241	293	143
Alcohol Secondary Diagnosis	800	930	255
Drug Principal Diagnosis	392	543	422
Drug Secondary Diagnosis	1,117	1,339	588
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	2,704	2,080	3,047
Mental Illness Secondary Diagnosis	5,332	4,472	7,506
Alcohol Principal Diagnosis	342	276	404
Alcohol Secondary Diagnosis	1,044	850	1,420
Drug Principal Diagnosis	297	219	294
Drug Secondary Diagnosis	1,146	824	1,621
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	4,013	4,156	4,594
Mental Illness Secondary Diagnosis	10,479	11,798	9,932
Alcohol Principal Diagnosis	1,630	1,811	1,845
Alcohol Secondary Diagnosis	1,254	1,410	1,361
Drug Principal Diagnosis	1,010	1,061	1,052
Drug Secondary Diagnosis	2,060	1,899	1,993

ALCOHOL OUTLETS	2015	2014	2013
Alcohol On-Premise Drink Licenses	786	790	783
Alcohol Package Carry-out Licenses	164	164	168

EMPLOYMENT	2015	2014	2013
Labor Force	163,003	161,200	139,644
Employed	153,141	148,789	126,965
Unemployed	9,862	12,411	12,679
Unemployment Rate	6.1%	7.7%	9.1%

IMPAIRED DRIVING	2014	2013	2012
Alcohol Involved Crashes	89	138	152
Fatal Crashes	2	2	2
Injury Crashes	31	60	55
Property Damage Crashes	56	76	95
Crash Fatalities	2	2	2
Crash Injuries	61	105	85
Drug Involved Crashes	17	22	21
Fatal Crashes	0	0	0
Injury Crashes	11	8	10
Property Damage Crashes	6	14	11
Crash Fatalities	0	0	0
Crash Injuries	17	20	14

POLICE REPORTS	2014	2013	2012
DUI Arrests, DWI Tracking System	218	287	343
Liquor Law Arrests	622	576	715
Drug Arrests	2,193	3,414	3,940
Violent Offenses	5,352	5,082	5,664
Property Offenses	20,177	21,349	22,231
Domestic Violence Reports	2,235	2,488	2,628

	2015	2014	2013
Methamphetamine Lab Seizures	9	23	41

SCHOOL REPORTS	2014-15	2013-14	2012-13
Enrollment Grades 9-12	7,664	8,066	8,353
Drop-outs	1,239	1,225	1,050
Drop-out Rate	16.2%	15.2%	12.6%
School Discipline Involving Alcohol	0	5	0
School Discipline Involving Drugs	133	123	131
School Discipline Involving Tobacco		1	0

JUVENILE COURT REFERRALS ³	2014	2013	2012
Juvenile Violent Offenses	413	398	546
Juvenile Alcohol Offenses	4	0	6
Juvenile Drug Offenses	79	89	102
School Truancy Status Offense	234	198	169
Absent from Home Status Offense	35	46	42
Beyond Parental Control Status Offense	53	63	78
Injurious Behavior Status Offense	6	5	10
Child Abuse	43	33	50
Child Neglect	596	610	436
Child Custody Issues	66	72	53

JUVENILE COURT PLACEMENTS	2014	2013	2012
Out-of-Home Placements--Total	283	291	214
Parental Alcohol Use Related	19	5	3
Parental Drug Use Related	59	68	76
Parental Alcohol and Drug Use	1	1	3

CRIMINAL JUSTICE	FY2015	FY2014	FY2013
Drug Court Participants	599	446	527
Probation/Parole Admissions--Drug	1,194	1,494	1,485
Probation/Parole Admissions--DWI	9	11	8
Prison Admissions--Drug	442	617	609
Prison Admissions--DWI	1	3	4


¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.

³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

PSYCHIATRIC SERVICE AREAS 24, 25

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Eastern
PSYCHIATRIC SERVICE AREA 24, 25
CENSUS 2010 319,294
2015 POPULATION ESTIMATE 315,685

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2015	FY2014	FY2013
Adjustment Disorder	85	54	79
Anxiety Disorder	893	675	567
Dementia	352	10	6
Developmental Disorder	31	27	23
Impulse Control Disorder	819	699	701
Mood Disorder	3,676	3,440	3,156
Personality Disorder	387	322	274
Psychotic Disorder	2,736	2,521	2,429
Sexual Disorder	16	14	11
Other Diagnosis	279	186	142
Diagnosis Unknown	608	548	632

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2015	FY2014	FY2013	EDUCATION	FY2015	FY2014	FY2013
Total Individuals	6,921	6,797	6,686	Less than High School Diploma	1,880	1,803	1,912
AGE				High School Grad or G.E.D.	0	*	*
Under 6	7	17	19	Associate Degree or Some College	0	0	*
6 to 9	270	287	274	Bachelor or Advanced Degree	0	0	0
10 to 13	338	309	308	Education Level Unknown	5,041	4,993	4,772
14 to 17	334	357	379	EMPLOYMENT			
18 to 24	455	440	470	Employed	345	308	295
25 to 29	428	441	444	Unemployed	298	341	325
30 to 34	528	540	519	Not in Labor Force	3,710	3,538	3,605
35 to 39	533	490	474	Employment Status Unknown	2,568	2,610	2,461
40 to 44	592	622	604	HOUSING / LIVING ARRANGEMENT			
45 to 49	744	777	797	Independent Living	2,465	2,266	2,192
50 to 54	967	938	961	Dependent Living	1,493	1,509	1,699
55 to 59	882	866	786	Homeless	330	324	260
60 and Over	843	713	651	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	2,633	2,698	2,535
GENDER				TREATMENT REFERRAL SOURCE			
Male	3,555	3,478	3,434	Self / Family / Friend	2,410	2,383	2,460
Female	3,366	3,319	3,252	School	55	44	47
Gender Unknown	0	0	0	Mental Health Provider	687	739	805
RACE / ETHNICITY				Health Care Provider	1,168	1,049	910
Caucasian	1,711	1,675	1,675	Court / Criminal Justice	427	399	433
African American	4,895	4,833	4,744	Other	2,131	2,137	1,977
Native American / Alaskan	6	5	5	Referral Source Unknown	43	46	54
Asian / Pacific Islander	32	28	24	TYPE OF COMMITMENT			
Hispanic	59	58	53	Voluntary	6,666	6,539	6,398
Other Race	218	198	184	Civil	24	27	30
Race/Ethnicity Unknown	0	0	*	Criminal	186	181	201
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	193	201	178	Commitment Type Unknown	42	46	53
Past or Current Military Service	201	197	188				

MISSOURI: 2015 POPULATION ESTIMATES BY AGE, GENDER, RACE, AND HISPANIC ORIGIN

Age Group		All Races			White		Black or African American		American Indian or Alaska Native		Asian		Hawaiian or Pacific Islander		Two or More Races	
		Total	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
Total	All Ages	6,083,672	2,985,045	3,098,627	2,497,853	2,571,257	342,338	376,180	17,051	16,448	57,738	63,668	4,410	4,447	65,655	66,627
	0-4	374,360	191,990	182,370	148,306	140,803	27,280	26,270	1,298	1,283	4,275	3,609	538	419	10,293	9,986
	5-9	387,978	198,041	189,937	155,178	148,284	27,406	26,479	1,051	1,099	3,890	3,720	372	469	10,144	9,886
	10-14	389,347	199,161	190,186	158,838	150,666	26,872	26,035	1,143	1,043	3,760	4,068	374	378	8,174	7,996
	15-19	397,021	203,875	193,146	162,435	153,825	28,596	27,046	1,214	1,200	4,159	3,984	333	354	7,138	6,737
	20-24	430,169	218,650	211,519	171,944	166,393	32,865	31,476	1,379	1,372	5,975	5,895	369	359	6,118	6,024
	25-29	405,591	202,897	202,694	164,284	162,356	27,322	28,632	1,248	1,162	5,587	5,914	402	361	4,054	4,269
	30-34	401,176	200,334	200,842	167,012	163,929	23,216	25,566	1,176	1,074	5,256	6,096	425	511	3,249	3,666
	35-39	371,574	185,816	185,758	155,183	151,665	21,151	24,185	1,175	998	4,997	5,429	418	384	2,892	3,097
	40-44	361,101	178,503	182,598	150,051	149,551	20,050	23,588	1,063	966	4,547	5,548	315	296	2,477	2,649
	45-49	374,058	185,040	189,018	157,647	157,965	20,246	23,141	1,127	1,049	3,790	4,348	249	240	1,981	2,275
	50-54	431,233	212,217	219,016	183,709	187,039	21,898	24,808	1,223	1,182	3,092	3,535	204	199	2,091	2,253
	55-59	430,236	209,639	220,597	182,841	189,438	20,895	24,443	1,232	1,212	2,409	3,046	144	180	2,118	2,278
	60-64	374,906	179,158	195,748	158,746	170,170	15,856	19,933	933	1,035	1,849	2,743	113	113	1,661	1,754
	65-69	312,664	147,471	165,193	132,751	145,772	11,137	15,167	737	729	1,533	2,188	74	70	1,239	1,267
	70-74	230,298	106,351	123,947	96,482	110,624	7,399	10,450	446	405	1,129	1,509	35	43	860	916
	75-79	165,083	73,445	91,638	67,011	82,187	4,697	7,533	318	294	828	928	33	28	558	668
	80-84	120,147	49,760	70,387	45,817	63,583	3,032	5,525	166	182	379	630	7	17	359	450
	85+	126,730	42,697	84,033	39,618	77,007	2,420	5,903	122	163	283	478	5	26	249	456
Non-Hispanic	All Ages	5,836,105	2,857,195	2,978,910	2,388,367	2,469,190	335,864	369,896	13,122	12,920	56,487	62,372	3,609	3,738	59,746	60,794
	0-4	347,720	178,556	169,164	137,484	130,082	26,389	25,436	847	832	4,039	3,403	441	332	9,356	9,079
	5-9	360,584	184,120	176,464	143,568	137,073	26,649	25,714	687	750	3,781	3,609	281	389	9,154	8,929
	10-14	365,184	186,812	178,372	148,424	140,685	26,199	25,430	814	720	3,671	3,977	296	302	7,408	7,258
	15-19	375,142	192,523	182,619	152,814	144,969	27,925	26,449	911	885	4,078	3,914	270	288	6,525	6,114
	20-24	408,101	206,981	201,120	161,932	157,648	32,259	30,927	1,063	1,058	5,868	5,730	273	293	5,586	5,464
	25-29	385,789	192,299	193,490	155,257	154,444	26,690	28,107	886	919	5,499	5,789	321	320	3,646	3,911
	30-34	380,682	189,194	191,488	157,381	155,842	22,661	25,056	802	838	5,131	6,001	359	453	2,860	3,298
	35-39	353,203	176,031	177,172	146,732	144,327	20,695	23,707	825	747	4,886	5,344	363	316	2,530	2,731
	40-44	345,145	170,233	174,912	142,701	142,796	19,771	23,257	816	739	4,482	5,460	262	236	2,201	2,424
	45-49	361,444	178,498	182,946	151,849	152,702	20,014	22,852	906	842	3,718	4,254	199	197	1,812	2,099
	50-54	420,357	206,688	213,669	178,812	182,348	21,673	24,580	1,028	994	3,048	3,481	175	180	1,952	2,086
	55-59	421,581	205,218	216,363	178,920	185,736	20,701	24,264	1,100	1,054	2,367	3,010	129	159	2,001	2,140
	60-64	368,676	175,950	192,726	155,886	167,527	15,745	19,792	815	914	1,818	2,714	105	105	1,581	1,674
	65-69	308,131	145,311	162,820	130,808	143,610	11,081	15,095	658	667	1,522	2,172	64	63	1,178	1,213
	70-74	227,419	105,008	122,411	95,277	109,252	7,346	10,379	410	374	1,110	1,494	32	41	833	871
	75-79	163,056	72,535	90,521	66,209	81,170	4,672	7,500	280	265	812	920	29	23	533	643
	80-84	118,686	49,127	69,559	45,253	62,833	2,991	5,490	155	166	377	623	6	16	345	431
	85+	125,205	42,111	83,094	39,060	76,146	2,403	5,861	119	156	280	477	4	25	245	429
Hispanic	All Ages	247,567	127,850	119,717	109,486	102,067	6,474	6,284	3,929	3,528	1,251	1,296	801	709	5,909	5,833
	0-4	26,640	13,434	13,206	10,822	10,721	891	834	451	451	236	206	97	87	937	907
	5-9	27,394	13,921	13,473	11,610	11,211	757	765	364	349	109	111	91	80	990	957
	10-14	24,163	12,349	11,814	10,414	9,981	673	605	329	323	89	91	78	76	766	738
	15-19	21,879	11,352	10,527	9,621	8,856	671	597	303	315	81	70	63	66	613	623
	20-24	22,068	11,669	10,399	10,012	8,745	606	549	316	314	107	165	96	66	532	560
	25-29	19,802	10,598	9,204	9,027	7,912	632	525	362	243	88	125	81	41	408	358
	30-34	20,494	11,140	9,354	9,631	8,087	555	510	374	236	125	95	66	58	389	368
	35-39	18,371	9,785	8,586	8,451	7,338	456	478	350	251	111	85	55	68	362	366
	40-44	15,956	8,270	7,686	7,350	6,755	279	331	247	227	65	88	53	60	276	225
	45-49	12,614	6,542	6,072	5,798	5,263	232	289	221	207	72	94	50	43	169	176
	50-54	10,876	5,529	5,347	4,897	4,691	225	228	195	188	44	54	29	19	139	167
	55-59	8,655	4,421	4,234	3,921	3,702	194	179	132	158	42	36	15	21	117	138
	60-64	6,230	3,208	3,022	2,860	2,643	111	141	118	121	31	29	8	8	80	80
	65-69	4,533	2,160	2,373	1,943	2,162	56	72	79	62	11	16	10	7	61	54
	70-74	2,879	1,343	1,536	1,205	1,372	53	71	36	31	19	15	3	2	27	45
	75-79	2,027	910	1,117	802	1,017	25	33	38	29	16	8	4	5	25	25
	80-84	1,461	633	828	564	750	41	35	11	16	2	7	1	1	14	19
	85+	1,525	586	939	558	861	17	42	3	7	3	1	1	1	4	27

MISSOURI: 2014 POPULATION ESTIMATES BY AGE, GENDER, RACE, AND HISPANIC ORIGIN

Age Group		All Races			White		Black or African American		American Indian or Alaska Native		Asian		Hawaiian or Pacific Islander		Two or More Races	
		Total	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
Total	All Ages	6,063,589	2,974,222	3,089,367	2,494,468	2,568,984	340,243	374,352	16,739	16,089	54,958	61,255	4,309	4,218	63,505	64,469
	0-4	374,318	192,214	182,104	148,950	141,153	27,241	25,887	1,256	1,187	4,100	3,630	444	419	10,223	9,828
	5-9	389,755	198,733	191,022	156,458	149,438	27,400	26,667	1,022	1,085	3,594	3,773	410	429	9,849	9,630
	10-14	391,633	200,250	191,383	160,069	152,110	27,300	26,443	1,085	1,069	3,547	3,784	342	372	7,907	7,605
	15-19	395,523	203,231	192,292	162,086	153,164	28,845	27,161	1,230	1,170	3,922	3,953	331	337	6,817	6,507
	20-24	435,252	220,620	214,632	173,807	169,254	33,256	32,252	1,377	1,341	5,873	5,699	383	352	5,924	5,734
	25-29	401,164	200,866	200,298	164,156	161,533	26,031	27,451	1,251	1,139	5,348	5,725	431	381	3,649	4,069
	30-34	401,388	200,097	201,291	167,144	164,504	23,050	25,979	1,141	1,035	5,125	5,783	433	430	3,204	3,560
	35-39	362,172	180,903	181,269	151,431	148,181	20,454	23,572	1,153	996	4,741	5,262	381	354	2,743	2,904
	40-44	369,354	182,978	186,376	154,061	153,210	20,549	24,026	1,080	1,000	4,507	5,238	323	289	2,450	2,613
	45-49	379,160	187,460	191,700	159,951	160,502	20,642	23,557	1,145	1,060	3,547	4,125	246	224	1,929	2,232
	50-54	441,126	216,993	224,133	188,284	191,880	22,329	25,042	1,258	1,223	2,788	3,476	189	188	2,145	2,324
	55-59	424,759	206,700	218,059	180,697	187,642	20,344	23,978	1,203	1,181	2,221	2,888	147	165	2,088	2,205
	60-64	365,770	174,640	191,130	155,173	166,361	15,201	19,392	885	977	1,732	2,659	107	101	1,542	1,640
	65-69	300,124	141,718	158,406	127,698	140,160	10,547	14,307	690	652	1,530	2,012	72	74	1,181	1,201
	70-74	225,369	104,007	121,362	94,521	108,614	7,145	10,092	431	387	1,087	1,338	31	35	792	896
	75-79	162,272	72,088	90,184	65,899	80,934	4,648	7,432	273	280	719	869	26	23	523	646
	80-84	119,445	49,011	70,434	45,233	63,833	2,978	5,399	147	165	328	579	8	21	317	437
	85+	125,005	41,713	83,292	38,842	76,511	2,283	5,715	112	142	249	462	5	24	222	438
Non-Hispanic	All Ages	5,823,367	2,849,877	2,973,490	2,387,884	2,470,156	334,033	368,234	12,907	12,668	53,771	60,041	3,524	3,526	57,758	58,865
	0-4	347,821	178,829	168,992	138,123	130,468	26,380	25,069	820	774	3,912	3,450	346	326	9,248	8,905
	5-9	362,986	185,150	177,836	145,032	138,421	26,674	25,904	691	763	3,485	3,673	312	357	8,956	8,718
	10-14	368,398	188,408	179,990	150,038	142,468	26,659	25,867	794	751	3,463	3,700	279	292	7,175	6,912
	15-19	374,782	192,343	182,439	152,882	144,929	28,230	26,591	922	856	3,830	3,876	257	275	6,222	5,912
	20-24	413,619	209,193	204,426	164,082	160,668	32,655	31,668	1,044	1,030	5,771	5,555	289	285	5,352	5,220
	25-29	381,303	189,987	191,316	154,900	153,837	25,383	26,954	869	889	5,238	5,610	349	330	3,248	3,696
	30-34	381,259	189,316	191,943	157,784	156,418	22,543	25,482	789	790	5,018	5,685	371	364	2,811	3,204
	35-39	344,384	171,374	173,010	143,127	141,096	20,051	23,129	820	740	4,648	5,181	331	300	2,397	2,564
	40-44	354,064	175,014	179,050	147,012	146,737	20,269	23,719	844	785	4,429	5,159	269	236	2,191	2,414
	45-49	367,074	181,226	185,848	154,415	155,426	20,414	23,274	928	862	3,492	4,045	202	186	1,775	2,055
	50-54	430,467	211,587	218,880	183,525	187,284	22,103	24,812	1,051	1,041	2,746	3,412	163	171	1,999	2,160
	55-59	416,528	202,491	214,037	176,965	184,124	20,167	23,805	1,072	1,026	2,174	2,855	130	147	1,983	2,080
	60-64	359,989	171,661	188,328	152,514	163,910	15,093	19,262	778	868	1,709	2,630	101	93	1,466	1,565
	65-69	296,046	139,760	156,286	125,948	138,227	10,492	14,244	606	601	1,518	2,000	63	65	1,133	1,149
	70-74	222,667	102,756	119,911	93,402	107,333	7,097	10,020	399	353	1,058	1,319	28	35	772	851
	75-79	160,339	71,201	89,138	65,107	79,982	4,618	7,395	244	255	709	860	23	21	500	625
	80-84	118,052	48,411	69,641	44,703	63,121	2,933	5,356	133	155	326	573	7	20	309	416
	85+	123,589	41,170	82,419	38,325	75,707	2,272	5,683	103	129	245	458	4	23	221	419
Hispanic	All Ages	240,222	124,345	115,877	106,584	98,828	6,210	6,118	3,832	3,421	1,187	1,214	785	692	5,747	5,604
	0-4	26,497	13,385	13,112	10,827	10,685	861	818	436	413	188	180	98	93	975	923
	5-9	26,769	13,583	13,186	11,426	11,017	726	763	331	322	109	100	98	72	893	912
	10-14	23,235	11,842	11,393	10,031	9,642	641	576	291	318	84	84	63	80	732	693
	15-19	20,741	10,888	9,853	9,204	8,235	615	570	308	314	92	77	74	62	595	595
	20-24	21,633	11,427	10,206	9,725	8,586	601	584	333	311	102	144	94	67	572	514
	25-29	19,861	10,879	8,982	9,256	7,696	648	497	382	250	110	115	82	51	401	373
	30-34	20,129	10,781	9,348	9,360	8,086	507	497	352	245	107	98	62	66	393	356
	35-39	17,788	9,529	8,259	8,304	7,085	403	443	333	256	93	81	50	54	346	340
	40-44	15,290	7,964	7,326	7,057	6,473	280	307	236	215	78	79	54	53	259	199
	45-49	12,086	6,234	5,852	5,536	5,076	228	283	217	198	55	80	44	38	154	177
	50-54	10,659	5,406	5,253	4,759	4,596	226	230	207	182	42	64	26	17	146	164
	55-59	8,231	4,209	4,022	3,732	3,518	177	173	131	155	47	33	17	18	105	125
	60-64	5,781	2,979	2,802	2,659	2,451	108	130	107	109	23	29	6	8	76	75
	65-69	4,078	1,958	2,120	1,750	1,933	55	63	84	51	12	12	9	9	48	52
	70-74	2,702	1,251	1,451	1,119	1,281	48	72	32	34	29	19	3	0	20	45
	75-79	1,933	887	1,046	792	952	30	37	29	25	10	9	3	2	23	21
	80-84	1,393	600	793	530	712	45	43	14	10	2	6	1	1	8	21
	85+	1,416	543	873	517	804	11	32	9	13	4	4	1	1	1	19

MISSOURI: 2013 POPULATION ESTIMATES BY AGE, GENDER, RACE, AND HISPANIC ORIGIN

		All Races			White		Black or African American		American Indian or Alaska Native		Asian		Hawaiian or Pacific Islander		Two or More Races	
		Total	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
Total	All Ages	6,044,171	2,963,957	3,080,214	2,492,169	2,567,238	337,660	372,487	16,414	15,797	52,332	58,130	4,057	4,044	61,325	62,518
	0-4	376,837	193,198	183,639	150,265	142,474	27,245	26,087	1,199	1,082	3,829	3,753	381	445	10,279	9,798
	5-9	391,986	199,991	191,995	158,123	150,588	27,364	26,880	1,028	1,127	3,659	3,793	402	406	9,415	9,201
	10-14	392,151	200,693	191,458	160,988	152,699	27,332	26,435	1,081	1,068	3,266	3,582	347	335	7,679	7,339
	15-19	398,256	204,558	193,698	163,144	154,180	29,645	28,001	1,237	1,154	3,787	3,686	330	332	6,415	6,345
	20-24	433,959	219,196	214,763	173,727	170,266	32,842	32,090	1,388	1,273	5,350	5,320	422	380	5,467	5,434
	25-29	398,319	199,456	198,863	164,286	161,727	24,997	26,587	1,199	1,101	5,066	5,121	411	387	3,497	3,940
	30-34	398,671	199,102	199,569	166,646	163,079	22,860	26,037	1,136	1,066	4,920	5,573	387	380	3,153	3,434
	35-39	354,935	176,826	178,109	148,128	145,589	20,038	23,284	1,097	976	4,620	5,154	321	328	2,622	2,778
	40-44	376,141	186,686	189,455	157,891	156,683	20,633	24,021	1,103	1,033	4,411	4,947	289	264	2,359	2,507
	45-49	391,507	193,421	198,086	165,523	166,620	21,189	24,100	1,139	1,101	3,403	3,810	207	218	1,960	2,237
	50-54	445,618	219,306	226,312	190,427	193,893	22,626	25,459	1,256	1,233	2,613	3,141	202	182	2,182	2,404
	55-59	419,604	203,790	215,814	178,644	186,213	19,784	23,358	1,164	1,163	2,088	2,840	135	152	1,975	2,088
	60-64	358,410	171,045	187,365	152,327	163,382	14,573	18,858	846	925	1,730	2,524	106	89	1,463	1,587
	65-69	288,577	136,472	152,105	123,231	135,023	10,032	13,417	627	584	1,408	1,882	56	59	1,118	1,140
	70-74	218,130	100,633	117,497	91,632	105,272	6,794	9,734	423	370	998	1,236	31	28	755	857
	75-79	158,759	70,287	88,472	64,250	79,470	4,629	7,321	265	249	640	819	21	19	482	594
	80-84	119,459	48,809	70,650	45,195	64,229	2,875	5,274	130	155	307	560	6	20	296	412
	85+	122,852	40,488	82,364	37,742	75,851	2,202	5,544	96	137	237	389	3	20	208	423
Non-Hispanic	All Ages	5,811,224	2,842,575	2,968,649	2,388,030	2,472,115	331,613	366,508	12,699	12,469	51,214	57,082	3,286	3,359	55,733	57,116
	0-4	350,635	179,867	170,768	139,362	131,917	26,441	25,308	782	731	3,671	3,595	290	353	9,321	8,864
	5-9	365,596	186,540	179,056	146,833	139,773	26,632	26,145	694	766	3,555	3,693	302	317	8,524	8,362
	10-14	369,844	189,198	180,646	151,190	143,604	26,746	25,869	808	748	3,187	3,494	285	263	6,982	6,668
	15-19	378,173	194,008	184,165	154,169	146,191	29,081	27,436	933	876	3,701	3,613	255	272	5,869	5,777
	20-24	412,960	207,810	205,150	164,158	162,149	32,167	31,543	1,033	983	5,239	5,206	334	315	4,879	4,954
	25-29	378,509	188,502	190,007	154,922	154,082	24,358	26,103	843	875	4,972	5,036	327	339	3,080	3,572
	30-34	378,937	188,399	190,538	157,363	155,351	22,353	25,502	778	793	4,812	5,494	320	313	2,773	3,085
	35-39	338,059	167,863	170,196	140,297	138,776	19,666	22,869	786	735	4,528	5,080	268	272	2,318	2,464
	40-44	361,602	179,074	182,528	151,141	150,619	20,364	23,711	883	799	4,340	4,872	236	213	2,110	2,314
	45-49	379,678	187,345	192,333	160,129	161,620	20,958	23,831	921	900	3,347	3,745	175	186	1,815	2,051
	50-54	435,449	214,095	221,354	185,845	189,566	22,398	25,231	1,075	1,054	2,569	3,103	174	163	2,034	2,237
	55-59	411,920	199,867	212,053	175,165	182,919	19,614	23,197	1,036	1,009	2,047	2,810	118	137	1,887	1,981
	60-64	353,016	168,276	184,740	149,859	161,061	14,467	18,738	748	835	1,712	2,498	99	82	1,391	1,526
	65-69	284,739	134,647	150,092	121,616	133,257	9,968	13,307	552	530	1,395	1,870	50	51	1,066	1,077
	70-74	215,517	99,400	116,117	90,533	104,040	6,758	9,681	381	333	970	1,221	26	27	732	815
	75-79	156,919	69,456	87,463	63,508	78,537	4,596	7,289	239	231	633	812	19	17	461	577
	80-84	118,129	48,242	69,887	44,671	63,544	2,853	5,233	119	144	305	556	6	20	288	390
	85+	121,542	39,986	81,556	37,269	75,109	2,193	5,515	88	127	231	384	2	19	203	402
Hispanic	All Ages	232,947	121,382	111,565	104,139	95,123	6,047	5,979	3,715	3,328	1,118	1,048	771	685	5,592	5,399
	0-4	26,202	13,331	12,871	10,903	10,557	804	779	417	351	158	158	91	92	958	933
	5-9	26,390	13,451	12,939	11,290	10,815	732	735	334	361	104	100	100	89	891	838
	10-14	22,307	11,495	10,812	9,798	9,095	586	566	273	320	79	88	62	72	697	671
	15-19	20,083	10,550	9,533	8,975	7,989	564	565	304	278	86	73	75	60	546	568
	20-24	20,999	11,386	9,613	9,569	8,117	675	547	355	290	111	114	88	65	588	480
	25-29	19,810	10,954	8,856	9,364	7,645	639	484	356	226	94	85	84	48	417	368
	30-34	19,734	10,703	9,031	9,283	7,728	507	535	358	273	108	79	67	67	380	348
	35-39	16,876	8,963	7,913	7,831	6,813	372	415	311	241	92	74	53	56	304	314
	40-44	14,539	7,612	6,927	6,750	6,064	269	310	220	234	71	75	53	51	249	193
	45-49	11,829	6,076	5,753	5,394	5,000	231	269	218	201	56	65	32	32	145	186
	50-54	10,169	5,211	4,958	4,582	4,327	228	228	181	179	44	38	28	19	148	167
	55-59	7,684	3,923	3,761	3,479	3,294	170	161	128	154	41	30	17	15	88	107
	60-64	5,394	2,769	2,625	2,468	2,321	106	120	98	90	18	26	7	7	72	61
	65-69	3,838	1,825	2,013	1,615	1,766	64	110	75	54	13	12	6	8	52	63
	70-74	2,613	1,233	1,380	1,099	1,232	36	53	42	37	28	15	5	1	23	42
	75-79	1,840	831	1,009	742	933	33	32	26	18	7	7	2	2	21	17
	80-84	1,330	567	763	524	685	22	41	11	11	2	4	0	0	8	22
	85+	1,310	502	808	473	742	9	29	8	10	6	5	1	1	5	21

MISSOURI: 2012 POPULATION ESTIMATES BY AGE, GENDER, RACE, AND HISPANIC ORIGIN

		All Races			White		Black or African American		American Indian or Alaska Native		Asian		Hawaiian or Pacific Islander		Two or More Races	
		Total	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
Total	All Ages	6,021,988	2,951,036	3,070,952	2,485,574	2,564,030	335,461	370,618	16,060	15,571	50,761	56,331	3,963	3,858	59,217	60,544
	0-4	379,246	194,100	185,146	151,456	143,927	27,268	26,327	1,048	1,056	3,761	3,654	359	438	10,208	9,744
	5-9	390,989	199,842	191,147	158,466	150,535	27,275	26,520	1,086	1,066	3,653	3,884	412	367	8,950	8,775
	10-14	394,749	201,886	192,863	162,052	153,879	27,925	26,976	1,138	1,130	3,081	3,441	316	348	7,374	7,089
	15-19	403,441	207,196	196,245	164,945	155,858	30,809	29,171	1,282	1,190	3,653	3,566	344	303	6,163	6,157
	20-24	428,576	215,892	212,684	172,151	169,858	31,557	31,115	1,355	1,262	5,393	4,974	417	374	5,019	5,101
	25-29	401,037	200,562	200,475	166,523	163,628	24,201	26,332	1,106	1,086	4,859	5,258	452	385	3,421	3,786
	30-34	390,702	194,995	195,707	163,064	160,143	22,540	25,555	1,191	1,056	4,794	5,304	378	353	3,028	3,296
	35-39	351,524	174,932	176,592	146,286	144,215	20,120	23,282	1,080	970	4,611	5,168	297	297	2,538	2,660
	40-44	379,258	188,262	190,996	159,690	158,643	20,693	24,032	1,116	1,022	4,254	4,581	274	250	2,235	2,468
	45-49	408,739	202,212	206,527	173,608	174,453	21,958	24,719	1,150	1,165	3,214	3,685	196	207	2,086	2,298
	50-54	447,790	220,104	227,686	191,472	195,246	22,606	25,668	1,230	1,264	2,460	2,974	194	174	2,142	2,360
	55-59	410,651	199,130	211,521	174,909	182,644	19,091	22,705	1,093	1,123	1,949	2,842	131	150	1,957	2,057
	60-64	352,105	168,206	183,899	150,118	160,719	14,050	18,288	811	836	1,720	2,490	87	79	1,420	1,487
	65-69	279,973	132,115	147,858	119,543	131,750	9,588	12,663	541	530	1,360	1,769	47	52	1,036	1,094
	70-74	207,316	95,457	111,859	86,958	100,119	6,432	9,425	415	338	926	1,135	35	28	691	814
	75-79	156,707	69,006	87,701	63,246	78,892	4,497	7,264	217	217	575	753	15	17	456	558
	80-84	118,900	48,007	70,893	44,558	64,594	2,732	5,217	126	134	291	535	6	20	294	393
	85+	120,285	39,132	81,153	36,529	74,927	2,119	5,359	75	126	207	318	3	16	199	407
Non-Hispanic	All Ages	5,796,674	2,833,681	2,962,993	2,384,684	2,471,801	329,724	364,935	12,462	12,346	49,730	55,362	3,218	3,189	53,863	55,360
	0-4	353,376	180,938	172,438	140,567	133,459	26,517	25,564	714	755	3,655	3,533	267	345	9,218	8,782
	5-9	365,606	186,963	178,643	147,613	140,034	26,563	25,817	735	725	3,563	3,789	324	277	8,165	8,001
	10-14	373,361	190,825	182,536	152,638	145,218	27,364	26,429	849	806	2,995	3,363	254	276	6,725	6,444
	15-19	383,725	196,937	186,788	156,257	147,920	30,259	28,632	968	899	3,552	3,493	271	242	5,630	5,602
	20-24	407,970	204,660	203,310	162,709	161,956	30,897	30,556	995	952	5,281	4,880	331	315	4,447	4,651
	25-29	381,281	189,624	191,657	157,029	155,980	23,655	25,858	772	862	4,769	5,175	367	347	3,032	3,435
	30-34	371,952	184,944	187,008	154,377	152,648	22,065	25,088	823	791	4,690	5,223	316	284	2,673	2,974
	35-39	335,051	166,234	168,817	138,685	137,544	19,762	22,889	779	718	4,534	5,064	244	235	2,230	2,367
	40-44	365,432	180,943	184,489	153,230	152,955	20,422	23,742	888	805	4,180	4,518	219	205	2,004	2,264
	45-49	397,201	196,251	200,950	168,335	169,545	21,723	24,476	927	979	3,163	3,640	164	181	1,939	2,129
	50-54	438,094	215,116	222,978	187,047	191,157	22,392	25,457	1,081	1,074	2,419	2,937	171	151	2,006	2,202
	55-59	403,471	195,454	208,017	171,656	179,569	18,941	22,551	960	983	1,907	2,813	117	134	1,873	1,967
	60-64	346,970	165,612	181,358	147,806	158,463	13,946	18,170	727	760	1,704	2,470	79	74	1,350	1,421
	65-69	276,574	130,455	146,119	118,053	130,207	9,528	12,581	488	489	1,345	1,756	43	46	998	1,040
	70-74	204,886	94,356	110,530	85,971	98,920	6,402	9,377	373	307	917	1,118	29	27	664	781
	75-79	154,963	68,195	86,768	62,521	78,037	4,463	7,230	196	201	566	747	14	15	435	538
	80-84	117,651	47,500	70,151	44,089	63,918	2,716	5,187	118	123	287	529	6	20	284	374
	85+	119,110	38,674	80,436	36,101	74,271	2,109	5,331	69	117	203	314	2	15	190	388
Hispanic	All Ages	225,314	117,355	107,959	100,890	92,229	5,737	5,683	3,598	3,225	1,031	969	745	669	5,354	5,184
	0-4	25,870	13,162	12,708	10,889	10,468	751	763	334	301	106	121	92	93	990	962
	5-9	25,383	12,879	12,504	10,853	10,501	712	703	351	341	90	95	88	90	785	774
	10-14	21,388	11,061	10,327	9,414	8,661	561	547	289	324	86	78	62	72	649	645
	15-19	19,716	10,259	9,457	8,688	7,938	550	539	314	291	101	73	73	61	533	555
	20-24	20,606	11,232	9,374	9,442	7,902	660	559	360	310	112	94	86	59	572	450
	25-29	19,756	10,938	8,818	9,494	7,648	546	474	334	224	90	83	85	38	389	351
	30-34	18,750	10,051	8,699	8,687	7,495	475	467	368	265	104	81	62	69	355	322
	35-39	16,473	8,698	7,775	7,601	6,671	358	393	301	252	77	104	53	62	308	293
	40-44	13,826	7,319	6,507	6,460	5,688	271	290	228	217	74	63	55	45	231	204
	45-49	11,538	5,961	5,577	5,273	4,908	235	243	223	186	51	45	32	26	147	169
	50-54	9,696	4,988	4,708	4,425	4,089	214	211	149	190	41	37	23	23	136	158
	55-59	7,180	3,676	3,504	3,253	3,075	150	154	133	140	42	29	14	16	84	90
	60-64	5,135	2,594	2,541	2,312	2,256	104	118	84	76	16	20	8	5	70	66
	65-69	3,399	1,660	1,739	1,490	1,543	60	82	53	41	15	13	4	6	38	54
	70-74	2,430	1,101	1,329	987	1,199	30	48	42	31	9	17	6	1	27	33
	75-79	1,744	811	933	725	855	34	34	21	16	9	6	1	2	21	20
	80-84	1,249	507	742	469	676	16	30	8	11	4	6	0	0	10	19
	85+	1,175	458	717	428	656	10	28	6	9	4	4	1	1	9	19

MISSOURI: 2011 POPULATION ESTIMATES BY AGE, GENDER, RACE, AND HISPANIC ORIGIN

Age Group	All Races			White		Black or African American		American Indian or Alaska Native		Asian		Hawaiian or Pacific Islander		Two or More Races	
	Total	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female

Total	All Ages	6,010,688	2,944,434	3,066,254	2,484,400	2,564,022	334,302	369,652	15,883	15,390	48,646	54,459	3,698	3,624	57,505	59,107
	0-4	384,293	196,270	188,023	153,270	146,355	27,578	26,559	1,117	1,062	3,643	3,569	367	396	10,295	10,082
	5-9	388,699	198,931	189,768	158,673	150,177	26,815	26,174	1,068	1,020	3,484	3,817	371	339	8,520	8,241
	10-14	396,831	202,889	193,942	162,778	154,689	28,454	27,390	1,158	1,151	3,017	3,387	295	344	7,187	6,981
	15-19	413,892	212,356	201,536	168,940	159,861	32,175	30,703	1,365	1,244	3,570	3,383	346	310	5,960	6,035
	20-24	420,450	211,028	209,422	169,784	168,200	29,958	29,998	1,261	1,196	5,124	4,913	382	362	4,519	4,753
	25-29	403,360	201,833	201,527	168,165	164,788	24,034	26,361	1,116	1,094	4,751	5,239	402	365	3,365	3,680
	30-34	384,356	192,147	192,209	160,807	157,351	22,347	25,225	1,114	1,024	4,536	5,065	351	312	2,992	3,232
	35-39	354,174	176,073	178,101	147,237	145,611	20,456	23,676	1,051	967	4,543	4,994	291	276	2,495	2,577
	40-44	381,325	189,241	192,084	160,830	159,989	20,951	24,032	1,116	1,074	3,939	4,361	245	218	2,160	2,410
	45-49	425,748	210,763	214,985	181,596	182,583	22,519	25,282	1,229	1,184	3,072	3,475	184	190	2,163	2,271
	50-54	449,211	220,783	228,428	192,090	195,736	22,754	25,975	1,264	1,245	2,347	2,921	166	175	2,162	2,376
	55-59	401,084	194,310	206,774	171,126	178,934	18,290	21,885	1,019	1,118	1,875	2,784	126	130	1,874	1,923
	60-64	352,613	168,495	184,118	151,064	161,764	13,579	17,594	770	776	1,648	2,441	68	85	1,366	1,458
	65-69	261,825	123,508	138,317	111,714	123,203	9,103	12,033	494	471	1,210	1,565	42	45	945	1,000
	70-74	199,479	91,646	107,833	83,458	96,464	6,210	9,193	355	318	934	1,067	37	26	652	765
	75-79	156,364	68,544	87,820	63,020	79,028	4,397	7,295	206	204	494	722	14	24	413	547
	80-84	119,385	47,905	71,480	44,523	65,284	2,722	5,185	111	134	283	482	5	13	261	382
	85+	117,599	37,712	79,887	35,325	74,005	1,960	5,092	69	108	176	274	6	14	176	394

Non-Hispanic	All Ages	5,789,533	2,829,275	2,960,258	2,385,395	2,473,560	328,640	363,960	12,326	12,229	47,625	53,560	2,943	2,978	52,346	53,971
	0-4	357,451	182,591	174,860	142,028	135,505	26,750	25,743	728	761	3,527	3,455	264	303	9,294	9,093
	5-9	364,135	186,432	177,703	148,121	139,990	26,166	25,556	724	680	3,394	3,734	274	255	7,753	7,488
	10-14	376,159	192,193	183,966	153,677	146,404	27,939	26,786	869	839	2,926	3,316	234	271	6,548	6,350
	15-19	393,860	201,968	191,892	160,149	151,687	31,603	30,166	1,039	947	3,474	3,307	273	253	5,430	5,532
	20-24	400,373	200,045	200,328	160,399	160,552	29,361	29,428	909	908	5,020	4,828	293	312	4,063	4,300
	25-29	383,525	191,034	192,491	158,799	157,011	23,483	25,876	799	829	4,659	5,160	307	312	2,987	3,303
	30-34	365,951	182,204	183,747	152,248	150,126	21,846	24,732	782	764	4,420	4,993	292	253	2,616	2,879
	35-39	338,145	167,622	170,523	139,790	139,075	20,118	23,302	777	724	4,471	4,900	243	214	2,223	2,308
	40-44	368,002	182,194	185,808	154,630	154,488	20,685	23,757	859	864	3,872	4,300	196	184	1,952	2,215
	45-49	414,315	204,863	209,452	176,392	177,731	22,257	25,026	1,021	997	3,030	3,438	153	162	2,010	2,098
	50-54	439,969	215,991	223,978	187,869	191,886	22,556	25,770	1,097	1,073	2,298	2,887	145	149	2,026	2,213
	55-59	394,416	190,883	203,533	168,079	176,106	18,155	21,723	893	989	1,845	2,755	116	119	1,795	1,841
	60-64	347,735	166,101	181,634	148,926	159,530	13,482	17,498	702	712	1,629	2,421	60	78	1,302	1,395
	65-69	258,712	121,958	136,754	110,329	121,821	9,037	11,957	447	433	1,197	1,552	39	40	909	951
	70-74	197,258	90,630	106,628	82,550	95,362	6,180	9,159	322	294	923	1,052	31	24	624	737
	75-79	154,750	67,826	86,924	62,366	78,206	4,365	7,260	195	190	489	715	13	23	398	530
	80-84	118,199	47,416	70,783	44,078	64,652	2,703	5,157	102	124	278	476	5	12	250	362
	85+	116,578	37,324	79,254	34,965	73,428	1,954	5,064	61	101	173	271	5	14	166	376

Hispanic	All Ages	221,155	115,159	105,996	99,005	90,462	5,662	5,692	3,557	3,161	1,021	899	755	646	5,159	5,136
	0-4	26,842	13,679	13,163	11,242	10,850	828	816	389	301	116	114	103	93	1,001	989
	5-9	24,564	12,499	12,065	10,552	10,187	649	618	344	340	90	83	97	84	767	753
	10-14	20,672	10,696	9,976	9,101	8,285	515	604	289	312	91	71	61	73	639	631
	15-19	20,032	10,388	9,644	8,791	8,174	572	537	326	297	96	76	73	57	530	503
	20-24	20,077	10,983	9,094	9,385	7,648	597	570	352	288	104	85	89	50	456	453
	25-29	19,835	10,799	9,036	9,366	7,777	551	485	317	265	92	79	95	53	378	377
	30-34	18,405	9,943	8,462	8,559	7,225	501	493	332	260	116	72	59	59	376	353
	35-39	16,029	8,451	7,578	7,447	6,536	338	374	274	243	72	94	48	62	272	269
	40-44	13,323	7,047	6,276	6,200	5,501	266	275	257	210	67	61	49	34	208	195
	45-49	11,433	5,900	5,533	5,204	4,852	262	256	208	187	42	37	31	28	153	173
	50-54	9,242	4,792	4,450	4,221	3,850	198	205	167	172	49	34	21	26	136	163
	55-59	6,668	3,427	3,241	3,047	2,828	135	162	126	129	30	29	10	11	79	82
	60-64	4,878	2,394	2,484	2,138	2,234	97	96	68	64	19	20	8	7	64	63
	65-69	3,113	1,550	1,563	1,385	1,382	66	76	47	38	13	13	3	5	36	49
	70-74	2,221	1,016	1,205	908	1,102	30	34	33	24	11	15	6	2	28	28
	75-79	1,614	718	896	654	822	32	35	11	14	5	7	1	1	15	17
	80-84	1,186	489	697	445	632	19	28	9	10	5	6	0	1	11	20
	85+	1,021	388	633	360	577	6	28	8	7	3	3	1	0	10	18

MISSOURI: 2010 POPULATION ESTIMATES BY AGE, GENDER, RACE, AND HISPANIC ORIGIN

Age Group		All Races			White		Black or African American		American Indian or Alaska Native		Asian		Hawaiian or Pacific Islander		Two or More Races	
		Total	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
Total	All Ages	5,996,052	2,937,326	3,058,726	2,481,484	2,561,095	333,026	368,148	15,637	15,127	47,709	53,442	3,632	3,609	55,838	57,305
	0-4	389,536	199,232	190,304	156,238	148,555	27,885	26,942	1,036	1,064	3,503	3,473	359	395	10,211	9,875
	5-9	390,299	199,627	190,672	159,349	151,086	27,200	26,455	1,080	1,014	3,468	3,804	349	348	8,181	7,965
	10-14	397,105	203,215	193,890	163,431	154,946	28,383	27,459	1,159	1,134	2,965	3,249	292	342	6,985	6,760
	15-19	422,126	216,234	205,892	171,752	163,149	33,475	31,978	1,348	1,210	3,554	3,360	368	323	5,737	5,872
	20-24	414,671	208,373	206,298	168,964	166,667	28,510	28,708	1,267	1,156	5,071	4,998	390	373	4,171	4,396
	25-29	403,669	201,741	201,928	168,284	165,242	23,902	26,374	1,085	1,034	4,767	5,258	398	359	3,305	3,661
	30-34	375,000	187,708	187,292	156,922	153,166	21,842	24,698	1,126	1,033	4,587	5,001	343	337	2,888	3,057
	35-39	365,832	181,986	183,846	152,370	150,654	21,173	24,367	1,086	992	4,521	4,972	282	264	2,554	2,597
	40-44	380,685	188,949	191,736	160,761	160,010	21,073	23,964	1,114	1,086	3,720	4,151	221	222	2,060	2,303
	45-49	441,806	218,621	223,185	188,958	190,250	23,061	25,821	1,273	1,210	2,952	3,415	195	178	2,182	2,311
	50-54	444,911	218,609	226,302	190,284	193,889	22,449	25,712	1,255	1,234	2,279	2,947	160	170	2,182	2,350
	55-59	392,625	189,797	202,828	167,613	175,934	17,598	21,190	936	1,069	1,806	2,705	112	111	1,732	1,819
	60-64	336,662	161,109	175,553	144,677	154,642	12,754	16,497	720	737	1,586	2,248	79	72	1,293	1,357
	65-69	257,850	121,604	136,246	110,139	121,555	8,853	11,777	480	433	1,182	1,468	31	37	919	976
	70-74	194,427	89,254	105,173	81,404	94,191	6,004	8,927	327	308	876	1,005	30	28	613	714
	75-79	155,260	67,655	87,605	62,339	79,046	4,262	7,119	179	185	454	702	13	22	408	531
	80-84	119,067	47,418	71,649	44,141	65,555	2,679	5,130	100	130	245	441	4	14	249	379
	85+	114,521	36,194	78,327	33,858	72,558	1,923	5,030	66	98	173	245	6	14	168	382
Non-Hispanic	All Ages	5,781,964	2,825,759	2,956,205	2,385,413	2,473,431	327,620	362,687	12,205	12,049	46,695	52,551	2,915	2,980	50,911	52,507
	0-4	362,749	185,559	177,190	144,873	137,731	27,122	26,145	651	710	3,403	3,367	271	310	9,239	8,927
	5-9	366,724	187,599	179,125	149,201	141,371	26,580	25,837	749	684	3,372	3,710	264	264	7,433	7,259
	10-14	377,363	193,071	184,292	154,811	146,910	27,871	26,911	878	857	2,874	3,176	226	274	6,411	6,164
	15-19	402,755	206,122	196,633	163,196	155,355	32,915	31,441	1,034	921	3,455	3,270	285	257	5,237	5,389
	20-24	394,792	197,428	197,364	159,635	159,087	27,887	28,160	918	895	4,955	4,908	304	321	3,729	3,993
	25-29	384,296	191,231	193,065	159,166	157,606	23,385	25,881	768	794	4,666	5,187	318	301	2,928	3,296
	30-34	357,092	178,029	179,063	148,552	146,102	21,384	24,239	800	773	4,490	4,936	282	280	2,521	2,733
	35-39	350,235	173,721	176,514	145,076	144,268	20,858	24,028	816	751	4,448	4,892	235	209	2,288	2,366
	40-44	367,875	182,224	185,651	154,811	154,696	20,810	23,685	885	876	3,657	4,088	176	186	1,885	2,120
	45-49	430,836	212,971	217,865	183,985	185,587	22,826	25,573	1,060	1,025	2,906	3,379	165	156	2,029	2,145
	50-54	436,195	214,110	222,085	186,309	190,216	22,258	25,526	1,114	1,074	2,230	2,910	141	148	2,058	2,211
	55-59	386,333	186,555	199,778	164,722	173,274	17,472	21,042	823	943	1,775	2,677	104	103	1,659	1,739
	60-64	332,170	158,915	173,255	142,728	152,572	12,671	16,416	650	675	1,570	2,228	69	62	1,227	1,302
	65-69	254,930	120,148	134,782	108,833	120,252	8,792	11,713	440	399	1,169	1,453	28	35	886	930
	70-74	192,322	88,288	104,034	80,536	93,145	5,978	8,892	298	286	863	995	26	26	587	690
	75-79	153,719	66,967	86,752	61,709	78,265	4,234	7,086	167	171	451	695	12	21	394	514
	80-84	117,954	46,966	70,988	43,729	64,950	2,660	5,105	94	122	240	438	4	13	239	360
	85+	113,624	35,855	77,769	33,541	72,044	1,917	5,007	60	93	171	242	5	14	161	369
Hispanic	All Ages	214,088	111,567	102,521	96,071	87,664	5,406	5,461	3,432	3,078	1,014	891	717	629	4,927	4,798
	0-4	26,787	13,673	13,114	11,365	10,824	763	797	385	354	100	106	88	85	972	948
	5-9	23,575	12,028	11,547	10,148	9,715	620	618	331	330	96	94	85	84	748	706
	10-14	19,742	10,144	9,598	8,620	8,036	512	548	281	277	91	73	66	68	574	596
	15-19	19,371	10,112	9,259	8,556	7,794	560	537	314	289	99	90	83	66	500	483
	20-24	19,879	10,945	8,934	9,329	7,580	623	548	349	261	116	90	86	52	442	403
	25-29	19,373	10,510	8,863	9,118	7,636	517	493	317	240	101	71	80	58	377	365
	30-34	17,908	9,679	8,229	8,370	7,064	458	459	326	260	97	65	61	57	367	324
	35-39	15,597	8,265	7,332	7,294	6,386	315	339	270	241	73	80	47	55	266	231
	40-44	12,810	6,725	6,085	5,950	5,314	263	279	229	210	63	63	45	36	175	183
	45-49	10,970	5,650	5,320	4,973	4,663	235	248	213	185	46	36	30	22	153	166
	50-54	8,716	4,499	4,217	3,975	3,673	191	186	141	160	49	37	19	22	124	139
	55-59	6,292	3,242	3,050	2,891	2,660	126	148	113	126	31	28	8	8	73	80
	60-64	4,492	2,194	2,298	1,949	2,070	83	81	70	62	16	20	10	10	66	55
	65-69	2,920	1,456	1,464	1,306	1,303	61	64	40	34	13	15	3	2	33	46
	70-74	2,105	966	1,139	868	1,046	26	35	29	22	13	10	4	2	26	24
	75-79	1,541	688	853	630	781	28	33	12	14	3	7	1	1	14	17
	80-84	1,113	452	661	412	605	19	25	6	8	5	3	0	1	10	19
	85+	897	339	558	317	514	6	23	6	5	2	3	1	0	7	13

Prepared by the Missouri Department of Mental Health

Figures are mid-year (July 1) estimates released annually by the U.S. Department of Commerce, Bureau of the Census.
Data in these tables may not reflect the most recent estimates available for each year. For updates, visit www.census.gov.



Missouri Department of
MENTAL HEALTH

- [Online Services](#)

- [MO.gov](#)
- [Governor Parson](#)
- [Find an Agency](#)

Search



[You Tube](#)



[Follow Us](#)



[Like Us](#)

County Links


County:

- Select County -

MISSOURI DEPARTMENT OF MENTAL HEALTH
Division of Behavioral Health (DBH)

Missouri DBH Regions and Sub-regions Depicted in Status Report Trend Charts
Based on Estimates From the National Survey on Drug Use and Health

(NSDUH region estimates have been compiled for 2002-2004, 2004-2006, 2006-2008, 2008-2010, 2010-2012, and 2012-2014)



Legend

- Western Region Except Jackson County
- Jackson County
- Central Region
- Eastern Region Except Saint Louis City and County
- Saint Louis City and County
- Southwest Region
- Southeast Region

Source: ArcGIS\Smith\substanceuseservicearea.mxd/pdf ~ September 2015

**MISSOURI DEPARTMENT OF MENTAL HEALTH
DIVISION OF BEHAVIORAL HEALTH**

SERVICE AREAS FOR ADULT MENTAL HEALTH SERVICES



- Division of Behavioral Health (DBH) Region Boundary
- DBH Adult Mental Health Service Area Boundary
- County Boundary

Source: ArcGIS\Smith\adultmentalhealthservicearea.mxd/pdf ~ September 2015